# SANB 007 Detailed Report

#### Table of Contents

- 1. Basic Project Information
  - 1.1. Basic Project Information
  - 1.2. Land Use Types
  - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
  - 2.4. Operations Emissions Compared Against Thresholds
  - 2.5. Operations Emissions by Sector, Unmitigated
- 4. Operations Emissions Details
  - 4.1. Mobile Emissions by Land Use
    - 4.1.1. Unmitigated
  - 4.2. Energy
    - 4.2.1. Electricity Emissions By Land Use Unmitigated
    - 4.2.3. Natural Gas Emissions By Land Use Unmitigated
  - 4.3. Area Emissions by Source

- 4.3.1. Unmitigated
- 4.4. Water Emissions by Land Use
  - 4.4.1. Unmitigated
- 4.5. Waste Emissions by Land Use
  - 4.5.1. Unmitigated
- 4.6. Refrigerant Emissions by Land Use
  - 4.6.1. Unmitigated
- 4.7. Offroad Emissions By Equipment Type
  - 4.7.1. Unmitigated
- 4.8. Stationary Emissions By Equipment Type
  - 4.8.1. Unmitigated
- 4.9. User Defined Emissions By Equipment Type
  - 4.9.1. Unmitigated
- 4.10. Soil Carbon Accumulation By Vegetation Type
  - 4.10.1. Soil Carbon Accumulation By Vegetation Type Unmitigated
  - 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type Unmitigated
  - 4.10.3. Avoided and Sequestered Emissions by Species Unmitigated

- 5. Activity Data
  - 5.9. Operational Mobile Sources
    - 5.9.1. Unmitigated
  - 5.10. Operational Area Sources
    - 5.10.1. Hearths
      - 5.10.1.1. Unmitigated
    - 5.10.2. Architectural Coatings
    - 5.10.3. Landscape Equipment
  - 5.11. Operational Energy Consumption
    - 5.11.1. Unmitigated
  - 5.12. Operational Water and Wastewater Consumption
    - 5.12.1. Unmitigated
  - 5.13. Operational Waste Generation
    - 5.13.1. Unmitigated
  - 5.14. Operational Refrigeration and Air Conditioning Equipment
    - 5.14.1. Unmitigated
  - 5.15. Operational Off-Road Equipment

- 5.15.1. Unmitigated
- 5.16. Stationary Sources
  - 5.16.1. Emergency Generators and Fire Pumps
  - 5.16.2. Process Boilers
- 5.17. User Defined
- 5.18. Vegetation
  - 5.18.1. Land Use Change
    - 5.18.1.1. Unmitigated
  - 5.18.1. Biomass Cover Type
    - 5.18.1.1. Unmitigated
  - 5.18.2. Sequestration
    - 5.18.2.1. Unmitigated
- 6. Climate Risk Detailed Report
  - 6.1. Climate Risk Summary
  - 6.2. Initial Climate Risk Scores
  - 6.3. Adjusted Climate Risk Scores
  - 6.4. Climate Risk Reduction Measures

- 7. Health and Equity Details
  - 7.1. CalEnviroScreen 4.0 Scores
  - 7.2. Healthy Places Index Scores
  - 7.3. Overall Health & Equity Scores
  - 7.4. Health & Equity Measures
  - 7.5. Evaluation Scorecard
  - 7.6. Health & Equity Custom Measures
- 8. User Changes to Default Data

# 1. Basic Project Information

# 1.1. Basic Project Information

Data Field	Value
Project Name	SANB 007
Operational Year	2023
Lead Agency	_
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	5.00
Precipitation (days)	8.20
Location	34.90504958169097, -116.90540685530293
County	San Bernardino-Mojave Desert
City	Unincorporated
Air District	Mojave Desert AQMD
Air Basin	Mojave Desert
TAZ	5111
EDFZ	10
Electric Utility	Southern California Edison
Gas Utility	Southwest Gas Corp.
App Version	2022.1.1.19

# 1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Unrefrigerated Warehouse-No Rail	9.19	1000sqft	0.21	9,189	_	_	_	_

Other Non-Asphalt	50.1	Acre	50.1	0.00	165,016	_	_	_
Surfaces								

## 1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

# 2. Emissions Summary

## 2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

				<i>J</i> .	_				J.			_	_			_	_	
Un/Mit.	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unmit.	0.21	0.74	0.12	1.08	< 0.005	0.01	0.08	0.09	0.01	0.02	0.03	8.73	272	281	0.90	0.02	0.46	309
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unmit.	0.12	0.66	0.13	0.57	< 0.005	< 0.005	0.08	0.09	< 0.005	0.02	0.03	8.73	261	270	0.90	0.02	0.01	297
Average Daily (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unmit.	0.12	0.66	0.09	0.52	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	8.73	198	207	0.90	0.01	0.07	234
Annual (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	-
Unmit.	0.02	0.12	0.02	0.09	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	1.44	32.9	34.3	0.15	< 0.005	0.01	38.7

## 2.5. Operations Emissions by Sector, Unmitigated

		Sector	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
--	--	--------	-----	-----	-----	----	-----	-------	-------	-------	--------	--------	--------	------	-------	------	-----	-----	---	------

Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Mobile	0.13	0.13	0.07	0.64	< 0.005	< 0.005	0.08	0.09	< 0.005	0.02	0.02	_	112	112	0.01	0.01	0.46	115
Area	0.07	0.61	< 0.005	0.40	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	1.64	1.64	< 0.005	< 0.005	_	1.65
Energy	0.01	< 0.005	0.05	0.04	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	118	118	0.01	< 0.005	_	118
Water	_	_	_	_	_	_	_	<u> </u>	_	_	_	4.07	40.4	44.5	0.42	0.01	_	58.0
Waste	_	_	_	_	_	_	_	_	_	_	_	4.66	0.00	4.66	0.47	0.00	_	16.3
Total	0.21	0.74	0.12	1.08	< 0.005	0.01	0.08	0.09	0.01	0.02	0.03	8.73	272	281	0.90	0.02	0.46	309
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Mobile	0.11	0.11	0.08	0.53	< 0.005	< 0.005	0.08	0.09	< 0.005	0.02	0.02	_	103	103	0.01	0.01	0.01	105
Area	_	0.55	_	_	_	_	_	<u> </u>	_	_	_	_	_	_	_	_	_	_
Energy	0.01	< 0.005	0.05	0.04	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	118	118	0.01	< 0.005	_	118
Water	_	_	_	_	_	_	_	_	_	_	_	4.07	40.4	44.5	0.42	0.01	_	58.0
Waste	_	_	_	_	_	_	_	_	_	_	_	4.66	0.00	4.66	0.47	0.00	_	16.3
Total	0.12	0.66	0.13	0.57	< 0.005	< 0.005	0.08	0.09	< 0.005	0.02	0.03	8.73	261	270	0.90	0.02	0.01	297
Average Daily	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Mobile	0.08	0.07	0.04	0.28	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	_	39.4	39.4	< 0.005	< 0.005	0.07	40.5
Area	0.04	0.58	< 0.005	0.20	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	0.81	0.81	< 0.005	< 0.005	_	0.81
Energy	0.01	< 0.005	0.05	0.04	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	118	118	0.01	< 0.005	_	118
Water	_	_	_	_	_	_	_	_	_	_	_	4.07	40.4	44.5	0.42	0.01	_	58.0
Waste	_	_	_	_	_	_	_	_	_	_	_	4.66	0.00	4.66	0.47	0.00	_	16.3
Total	0.12	0.66	0.09	0.52	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	8.73	198	207	0.90	0.01	0.07	234
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Mobile	0.01	0.01	0.01	0.05	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	_	6.52	6.52	< 0.005	< 0.005	0.01	6.70
Area	0.01	0.11	< 0.005	0.04	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	0.13	0.13	< 0.005	< 0.005	_	0.13

Energy	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	19.5	19.5	< 0.005	< 0.005	_	19.6
Water	_	_	_	_	_	_	<u> </u>	_	_	_	_	0.67	6.69	7.36	0.07	< 0.005	_	9.61
Waste	_	_	_	_	_	_	_	_	_	_	_	0.77	0.00	0.77	0.08	0.00	_	2.70
Total	0.02	0.12	0.02	0.09	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	1.44	32.9	34.3	0.15	< 0.005	0.01	38.7

# 4. Operations Emissions Details

## 4.1. Mobile Emissions by Land Use

#### 4.1.1. Unmitigated

Mobile source emissions results are presented in Sections 2.6. No further detailed breakdown of emissions is available.

## 4.2. Energy

#### 4.2.1. Electricity Emissions By Land Use - Unmitigated

Land Use		ROG								PM2.5D		BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unrefrige rated Warehou se-No Rail		_	_	_	_	_	_		_	_	_		61.9	61.9	< 0.005	< 0.005	_	62.1
Other Non-Asph Surfaces	— alt	_	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	_	61.9	61.9	< 0.005	< 0.005	_	62.1
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Unrefrige Warehous Rail		_	_	_	_	_	_	_	_	_	_	_	61.9	61.9	< 0.005	< 0.005	_	62.1
Other Non-Asph Surfaces	— alt	_	_	_	_	_	_	_	_	_	_	-	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	_	61.9	61.9	< 0.005	< 0.005	_	62.1
Annual	_	_	_	_	<u> </u>	_	_	_	_	_	_	_	_	_	_	_	_	_
Unrefrige rated Warehou se-No Rail	_	_	_	_	_	_	_	_	_	_	_	_	10.2	10.2	< 0.005	< 0.005	_	10.3
Other Non-Asph Surfaces	— alt	_	-	_	_		_	_	_	_	_	-	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	_	10.2	10.2	< 0.005	< 0.005	_	10.3

## 4.2.3. Natural Gas Emissions By Land Use - Unmitigated

				<i>,</i> ,														
Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unrefrige rated Warehou se-No Rail	0.01	< 0.005	0.05	0.04	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	56.0	56.0	< 0.005	< 0.005	_	56.1
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Total	0.01	< 0.005	0.05	0.04	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	56.0	56.0	< 0.005	< 0.005	_	56.1

Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unrefrige rated Warehou se-No Rail	0.01	< 0.005	0.05	0.04	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	56.0	56.0	< 0.005	< 0.005	_	56.1
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Total	0.01	< 0.005	0.05	0.04	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	56.0	56.0	< 0.005	< 0.005	_	56.1
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unrefrige rated Warehou se-No Rail	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	9.27	9.27	< 0.005	< 0.005	_	9.29
Other Non-Asph Surfaces	0.00 alt	0.00	0.00	0.00	0.00	0.00	_	0.00	0.00	_	0.00	_	0.00	0.00	0.00	0.00	_	0.00
Total	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	9.27	9.27	< 0.005	< 0.005	_	9.29

## 4.3. Area Emissions by Source

## 4.3.1. Unmitigated

Source	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Consum er Products	_	0.37	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Architect Coatings	_	0.18	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Landsca pe Equipme nt	0.07	0.07	< 0.005	0.40	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	1.64	1.64	< 0.005	< 0.005	_	1.65
Total	0.07	0.61	< 0.005	0.40	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	1.64	1.64	< 0.005	< 0.005	_	1.65
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Consum er Products	_	0.37	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Architect ural Coatings	_	0.18	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	0.55	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Consum er Products	_	0.07	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Architect ural Coatings	_	0.03	_	_	_	_	-	_	_	_	_	-	_	-	_	_	-	_
Landsca pe Equipme nt	0.01	0.01	< 0.005	0.04	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	0.13	0.13	< 0.005	< 0.005	_	0.13
Total	0.01	0.11	< 0.005	0.04	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	0.13	0.13	< 0.005	< 0.005	_	0.13

## 4.4. Water Emissions by Land Use

## 4.4.1. Unmitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	-	_	_	_	_	_	_	_	_	-	_	_	_	_	-
Unrefrige rated Warehou se-No Rail	_	_	_	_	_	_	_	_	_	_	_	4.07	17.8	21.9	0.42	0.01	_	35.4
Other Non-Aspha Surfaces	— alt	-	_	-		_	_	_	_	-	-	0.00	22.6	22.6	< 0.005	< 0.005	_	22.7
Total	_	_	_	_	_	_	_	_	_	_	_	4.07	40.4	44.5	0.42	0.01	_	58.0
Daily, Winter (Max)	_		_	-		_	_	_	_	_	_	_	_	_	_	_	_	_
Unrefrige rated Warehou se-No Rail	_	_	-	_	_	_	_	-	-	_	_	4.07	17.8	21.9	0.42	0.01	_	35.4
Other Non-Aspha Surfaces	— alt	_	_	-	_	_	_	_	_	_	_	0.00	22.6	22.6	< 0.005	< 0.005	_	22.7
Total	_	_	_	_	_	_	_	_	_	_	_	4.07	40.4	44.5	0.42	0.01	_	58.0
Annual	_	_	_	<u> </u>	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unrefrige rated Warehou se-No Rail	_	_	_	_	_	_	_	_	_	_	_	0.67	2.95	3.63	0.07	< 0.005	_	5.86
Other Non-Aspha Surfaces	— alt	_	_	-	_	_	_	_	_	_	_	0.00	3.74	3.74	< 0.005	< 0.005	_	3.75
Total	_	_	_	_	_	_	_	_	_	_	_	0.67	6.69	7.36	0.07	< 0.005	_	9.61

## 4.5. Waste Emissions by Land Use

## 4.5.1. Unmitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	-	_	-	_	_	_	_	_	_	_	_	_	-	-	-	_	-
Unrefrige rated Warehou se-No Rail	_	_	_	_	_	_	_	_	_	_	_	4.66	0.00	4.66	0.47	0.00	_	16.3
Other Non-Asph Surfaces	— alt	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	4.66	0.00	4.66	0.47	0.00	_	16.3
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_	_
Unrefrige rated Warehou se-No Rail	_	_	_	_	_	_	_	_	_	_	_	4.66	0.00	4.66	0.47	0.00	_	16.3
Other Non-Asph Surfaces	— alt	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	4.66	0.00	4.66	0.47	0.00	_	16.3
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Unrefrige rated Warehou se-No Rail	_	_	_	_	_	_	_	_	_	_	_	0.77	0.00	0.77	0.08	0.00	_	2.70
Other Non-Asph Surfaces	— alt	_	_	_	_	_	_	_	_	_	_	0.00	0.00	0.00	0.00	0.00	_	0.00
Total	_	_	_	_	_	_	_	_	_	_	_	0.77	0.00	0.77	0.08	0.00	_	2.70

## 4.6. Refrigerant Emissions by Land Use

#### 4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG			со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_		<u> </u>	_	_	_	_	_	<u> </u>	_	_	_	<u> </u>	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

## 4.7. Offroad Emissions By Equipment Type

#### 4.7.1. Unmitigated

Equipme nt	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	<u> </u>	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

# 4.8. Stationary Emissions By Equipment Type

## 4.8.1. Unmitigated

Equipme nt Type		ROG				PM10E				PM2.5D		BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

## 4.9. User Defined Emissions By Equipment Type

#### 4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Cinteria				i i	1	<u> </u>												
Equipme nt	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Туре																		
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

## 4.10. Soil Carbon Accumulation By Vegetation Type

#### 4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Vegetatio n	TOG	ROG		со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Total	_	_	_	_	_	_	_	_	_	_	-	_	_	_	-	_	_	_
Annual	_	_	_	_	_	_	<u> </u>	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

## 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG		со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

#### 4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Species	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Avoided	_	_	_	_	_	_	<u> </u>	_	_	_	_	_	_	_	_	_		_
Subtotal	_	_	_	_	_	_	<u> </u>	_	_	_	_	_	_	_	_	_	_	_
Sequest ered	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Remove	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	<u> </u>	_	_	<u> </u>	_	_	_	_	<u> </u>	_	_	_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Avoided			_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Sequest ered	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Avoided	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Sequest ered	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

# 5. Activity Data

# 5.9. Operational Mobile Sources

#### 5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Total all Land Uses	25.0	0.00	0.00	6,518	120	0.00	0.00	15,643

## 5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

#### 5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	13,784	4,595	131,020

#### 5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	180

## 5.11. Operational Energy Consumption

#### 5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Unrefrigerated Warehouse-No Rail	42,441	532	0.0330	0.0040	174,689
Other Non-Asphalt Surfaces	0.00	532	0.0330	0.0040	0.00

#### 5.12. Operational Water and Wastewater Consumption

#### 5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Unrefrigerated Warehouse-No Rail	2,124,956	0.00
Other Non-Asphalt Surfaces	0.00	3,653,213

## 5.13. Operational Waste Generation

#### 5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Unrefrigerated Warehouse-No Rail	8.64	_
Other Non-Asphalt Surfaces	0.00	_

## 5.14. Operational Refrigeration and Air Conditioning Equipment

#### 5.14.1. Unmitigated

Land Use Type	Equipment Type	Pefrigerant	CMD	Quantity (kg)	Operations Leak Rate	Sarvice Look Pate	Times Serviced
Land Ose Type	Lednibilietir tybe	Reingerant	GVVF	Quantity (kg)	Operations Leak Nate	Service Leak Nate	Tillies Selviceu

# 5.15. Operational Off-Road Equipment

#### 5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
-darbinetit tybe	i dei Type	Lingine riei	Nulliber per Day	Tiouis i ei Day	Tiorsepower	Luau i aciui

## 5.16. Stationary Sources

## 5.16.1. Emergency Generators and Fire Pumps

Equipment Type Fuel Type Number per Day Hours per Day Hours per Year Horsepower Load Factor

5.16.2. Process Boilers

Equipment Type Fuel Type Number Boiler Rating (MMBtu/hr) Daily Heat Input (MMBtu/day) Annual Heat Input (MMBtu/yr)

5.17. User Defined

Equipment Type Fuel Type

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type Vegetation Soil Type Initial Acres Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type Number Electricity Saved (kWh/year) Natural Gas Saved (btu/year)

# 6. Climate Risk Detailed Report

#### 6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	32.8	annual days of extreme heat
Extreme Precipitation	0.00	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	0.16	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider different increments of sea level rise coupled with extreme storm events. Users may select from four model simulations to view the range in potential inundation depth for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 50 meters (m) by 50 m, or about 164 feet (ft) by 164 ft.

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

#### 6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	4	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	0	0	0	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

#### 6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	4	1	1	4
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	1	1	1	2
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

#### 6.4. Climate Risk Reduction Measures

## 7. Health and Equity Details

#### 7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	_
AQ-Ozone	82.7

AQ-PM	6.66
AQ-DPM	4.93
Drinking Water	78.5
Lead Risk Housing	26.1
Pesticides	29.6
Toxic Releases	8.06
Traffic	8.85
Effect Indicators	_
CleanUp Sites	90.1
Groundwater	82.8
Haz Waste Facilities/Generators	95.0
Impaired Water Bodies	0.00
Solid Waste	84.9
Sensitive Population	_
Asthma	78.8
Cardio-vascular	75.6
Low Birth Weights	56.4
Socioeconomic Factor Indicators	_
Education	43.4
Housing	27.2
Linguistic	2.81
Poverty	45.5
Unemployment	49.9

## 7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator Result for Project Census Tract

Economic	_
Above Poverty	53.2144232
Employed	9.919158219
Median HI	58.10342615
Education	_
Bachelor's or higher	42.08905428
High school enrollment	5.042987296
Preschool enrollment	56.08879764
Transportation	_
Auto Access	78.96830489
Active commuting	1.039394328
Social	_
2-parent households	78.08289491
Voting	77.55678173
Neighborhood	_
Alcohol availability	81.26523803
Park access	14.731169
Retail density	1.206210702
Supermarket access	20.5825741
Tree canopy	8.725779546
Housing	_
Homeownership	69.22879507
Housing habitability	84.72988579
Low-inc homeowner severe housing cost burden	63.63403054
Low-inc renter severe housing cost burden	81.17541383
Uncrowded housing	60.05389452
Health Outcomes	_

In a company and control to	70 50540055
Insured adults	72.56512255
Arthritis	0.0
Asthma ER Admissions	32.4
High Blood Pressure	0.0
Cancer (excluding skin)	0.0
Asthma	0.0
Coronary Heart Disease	0.0
Chronic Obstructive Pulmonary Disease	0.0
Diagnosed Diabetes	0.0
Life Expectancy at Birth	14.0
Cognitively Disabled	18.3
Physically Disabled	22.7
Heart Attack ER Admissions	4.2
Mental Health Not Good	0.0
Chronic Kidney Disease	0.0
Obesity	0.0
Pedestrian Injuries	68.4
Physical Health Not Good	0.0
Stroke	0.0
Health Risk Behaviors	_
Binge Drinking	0.0
Current Smoker	0.0
No Leisure Time for Physical Activity	0.0
Climate Change Exposures	_
Wildfire Risk	0.0
SLR Inundation Area	0.0
Children	25.4

Elderly	16.5
English Speaking	76.5
Foreign-born	5.1
Outdoor Workers	19.8
Climate Change Adaptive Capacity	_
Impervious Surface Cover	89.5
Traffic Density	9.3
Traffic Access	23.0
Other Indices	_
Hardship	58.2
Other Decision Support	_
2016 Voting	78.1

## 7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	57.0
Healthy Places Index Score for Project Location (b)	41.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

#### 7.4. Health & Equity Measures

No Health & Equity Measures selected.

#### 7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

## 7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

# 8. User Changes to Default Data