



Air Quality Study for Corral Solar

June 14, 2023

Prepared for:

Radiant BMT, LLC

Prepared by:

Elevated Entitlements
280 E. Thousand Oaks Blvd. Suite H
Thousand Oaks, CA 91360

1.0 INTRODUCTION

This report presents an assessment of potential air quality and greenhouse gas (GHG) impacts associated with the proposed Corral Solar project, which is a community-oriented renewable energy project that will deliver clean, emission-free renewable energy from the sun to the Helendale and Barstow communities. The Project will consist of a 3.0-megawatt (MW) alternating current (AC) solar photovoltaic (PV) array on approximately 58.51 acres on one Rural Living parcel in the Helendale area, San Bernardino County, California. The proposed Project is located North of the National Trails Highway, south of the Atchison Topeka & Santa Fe Railroad, and west of Corral Road.

The Project will be interconnected into the local power distribution system via the existing Southern California Edison (SCE) 33 kilovolt (kV) distribution circuit that runs along the south side of the National Trails Highway on the southern boundary of the project site. The full output of the Project will be consumed in the nearby Helendale and Barstow communities. The Project is community-scale in nature as it will be sited on less than 60 acres, is substantially smaller than county's 10 MW-ac threshold for utility-scale projects and is designed to provide local production for local consumption. The project is proposed to begin commercial operation on December 1, 2024. The proposed solar facility will provide clean, sustainable electricity to approximately 2,600 local contracted customers.

GHG impacts will be attributable to emissions associated with construction and operational emissions including traffic and energy use. This report presents an evaluation of existing conditions at the subject property, thresholds of significance, and potential air quality and GHG impacts associated with construction and operation of the project.

2.0 EXISTING CONDITIONS


2.1 CURRENT DEVELOPMENT

The site is currently vacant with no evidence of prior structures. There is an unpaved road north of the project site that runs along Burlington Northern Santa Fe Rail Line. The site is relatively flat, with sparse native vegetation. The property consists of approximately 58.51 acres on one parcel, Assessor Parcel Number 0466-111-09. The County of San Bernardino Land Use Plan indicates that the parcel is zoned Rural Living (RL).

The area surrounding the Project site is similar to the site itself, and the adjoining properties are primarily zoned Rural Living. The properties to the south of the railroad tracks are mostly rural residential with several single-family homes. The properties to the north of the railroad tracks are former and current dairy, cattle, and poultry farms and some rural residential. Lockheed's Helendale Avionics Facility is approximately 3 miles north west of the site.

June 14, 2023

SCE's 33 kV distribution circuit runs within the Power Usage Effectiveness (PUE) on the south side of National Trails Highway. The project will deliver renewably generated electricity to the local distribution system through a new connection to the existing distribution circuit.

Figure 1: Project Site Aerial

2.2 REGULATORY SETTING

The United States Environmental Protection Agency (EPA) defines air quality by ambient air concentrations of specific pollutants that have been shown to be of concern with respect to health and welfare of the general public. The EPA is responsible for enforcing the Federal Clean Air Act (CAA) of 1970 and its 1977 and 1990 Amendments. The CAA required the EPA to establish National Ambient Air Quality Standards (NAAQS), which identify concentrations of pollutants in the ambient air below which no adverse effects on the public health and welfare are anticipated.

In response, the EPA established both primary and secondary standards for several pollutants (called "criteria" pollutants). Primary standards are designed to protect human health with an adequate margin of safety. Secondary standards are designed to protect property and the public welfare from air pollutants in the atmosphere.

June 14, 2023

The Federal CAA allows states to adopt ambient air quality standards and other regulations provided they are at least as stringent as federal standards. More stringent California Ambient Air Quality Standards (CAAQS) have been adapted by the California Air Resources Board (ARB) for the six criteria pollutants through the California Clean Air Act of 1988 (CCAA). The CCAA also established California Ambient Air Quality Standards (CAAQS) for additional pollutants, including sulfates, hydrogen sulfide, vinyl chloride and visibility-reducing particles (see Table 1 for NAAQS and CAAQS.)

Areas that do not meet the NAAQS or the CAAQS for a particular pollutant are considered to be "Nonattainment Areas" for that pollutant. In September 1997, the EPA promulgated 8-hour O₃ and 24-hour and annual PM_{2.5} national standards. As a result, this action has initiated a new planning process to monitor and evaluate emission control measures for these pollutants.

Under CEQA, the Mojave Desert Air Quality Management District (District) is an expert commenting agency on air quality and related matters within its jurisdiction or impacting on its jurisdiction. Under the Federal Clean Air Act the District has adopted federal attainment plans for ozone and PM₁₀. The District has dedicated assets to reviewing projects to ensure that they will not: (1) cause or contribute to any new violation of any air quality standard; (2) increase the frequency or severity of any existing violation of any air quality standard; or (3) delay timely attainment of any air quality standard or any required interim emission reductions or other milestones of any federal attainment plan. These Guidelines are intended to assist persons preparing environmental analysis or review documents for any project within the jurisdiction of the District by providing background information and guidance on the preferred analysis approach.

The California ARB is the state regulatory agency with authority to enforce regulations to both achieve and maintain the NAAQS and CAAQS. The ARB is responsible for the development, adoption, and enforcement of the state's motor vehicle emissions program, as well as the adoption of the CAAQS. The ARB also reviews operations and programs of the local air districts and requires each air district with jurisdiction over a nonattainment area to develop its own strategy for achieving the NAAQS and CAAQS.

The local air district has the primary responsibility for the development and implementation of rules and regulations designed to attain the NAAQS and CAAQS, as well as the permitting of new or modified sources, development of air quality management plans, and adoption and enforcement of air pollution regulations. The Mojave Desert Air Quality Management District (MDAQMD) is the local agency responsible for the administration and enforcement of air quality regulations for the MDAB.

The MDAQMD and the Southern California Association of Governments (SCAG) are responsible for developing and implementing the clean air plan for attainment and maintenance of the ambient air quality standards in the MDAB. The most recently adopted air quality plan in the MDAB is the 2017 Air Quality Management Plan (AQMP), which was adopted by the Board in 2017.

Air Quality Study for Corral Solar

June 14, 2023



Table 1 presents a summary of the ambient air quality standards adopted by the federal and California Clean Air Acts.

| POLLUTANT | AVERAGE TIME | CALIFORNIA STANDARDS CONCENTRATION | CALIFORNIA STANDARDS METHODS | NATIONAL STANDARDS PRIMARY | NATIONAL STANDARDS SECONDARY | NATIONAL STANDARDS METHOD | |
|--------------------------------------|------------------------|------------------------------------|---|----------------------------|------------------------------|--|--|
| Ozone (O3) | 1 hour | 0.09 ppm (180 µg/m³) | Ultraviolet Photometry | | | Ultraviolet Photometry | |
| | 8 hour | 0.070 ppm (137 µg/m³) | | 0.075 ppm (147 µg/m³) | 0.075 ppm (147 µg/m³) | | |
| Carbon Monoxide (CO) | 1 Hour | 20 ppm (23 mg/m³) | Non-Dispersive Infrared Photometry (NDIR) | 35 ppm (40 µg/m³) | — | Non-Dispersive Infrared Spectroscopy (NDIR) | |
| | 8 Hour | 9.0 ppm (10 mg/m³) | | 9 ppm (10 µg/m³) | — | | |
| Nitrogen Dioxide (NO₂) | Annual | 0.030 ppm (56 µg/m³) | Gas Phase Chemiluminescence | 0.053 ppm (100 µg/m³) | | Gas Phase Chemiluminescence | |
| | 1 hour | 0.18 ppm (338 µg/m³) | | 0.100 ppm (188 µg/m³) | | | |
| Sulfur Dioxide (SO₂) | 24 hours | 0.04 ppm (105 µg/m³) | Ultraviolet Fluorescence | | | Pararosaniline | |
| | 3 hours | -- | | | 0.5 ppm (1300 µg/m³) | | |
| | 1 hour | 0.25 ppm (655 µg/m³) | | 0.075 ppm (196 µg/m³) | | | |
| Respirable Particulate Matter (PM10) | 24 hours | 50 µg/m³ | Gravimetric or Beta Attenuation | 150 µg/m³ | 150 µg/m³ | Inertial Separation and Gravimetric Analysis | |
| | Annual Arithmetic Mean | 20 µg/m³ | | | | | |
| Fine Particulate Matter (PM2.5) | Annual Arithmetic Mean | 12 µg/m³ | Gravimetric or Beta Attenuation | 12.0 µg/m³ | 15 µg/m³ | Inertial Separation and Gravimetric Analysis | |
| | 24 hours | | | 35 µg/m³ | | | |
| Sulfates | 24 hours | 25 µg/m³ | Ion Chromatography | No National Standards | | | |
| Lead | 30-day Average | 1.5 µg/m³ | Atomic Absorption | | | Atomic Absorption | |
| | Calendar Quarter | | | 1.5 µg/m³ | 1.5 µg/m³ | | |
| | 3-Month Rolling | | | 0.15 µg/m³ | 0.15 µg/m³ | | |
| Hydrogen Sulfide | 1 hour | 0.03 ppm (42 µg/m³) | Ultraviolet Fluorescence | No National Standards | | | |
| Vinyl Chloride | 24 hours | 0.010 ppm (26 µg/m³) | Gas Chromatography | No National Standards | | | |

Table 1: Ambient Air Quality Standards

3.0 THRESHOLDS OF SIGNIFICANCE

As defined by the MDAQMD, any project is significant if it triggers or exceeds the most appropriate evaluation criteria. The District will clarify upon request which threshold is most appropriate for a given project; in general, the emissions comparison (criteria number 1) is sufficient: 1. Generates total emissions (direct and indirect) in excess of the thresholds given in Table 6; 2. Generates a violation of any ambient air quality standard when added to the local background; 3. Does not conform with the applicable attainment or maintenance plan(s); 4. Exposes sensitive receptors to substantial pollutant concentrations, including those resulting in a cancer risk greater than or equal to 10 in a million and/or a Hazard Index (HI) (non-cancerous) greater than or equal to 1. A significant project must incorporate mitigation sufficient to reduce its impact to a level that is not significant. A project that cannot be mitigated to a level that is not significant must incorporate all feasible mitigation. Note that the emission thresholds are given as a daily value and an annual value, so that multi-phased project (such as project with a construction phase and a separate operational phase) with phases shorter than one year can be compared to the daily value.

The project-level numerical thresholds are summarized in Table 2.

June 14, 2023

Table 2: MDAQMD Significant Thresholds

| POLLUTANT | CONSTRUCTION | OPERATION |
|--|--------------|--------------|
| Criteria Pollutants Mass Daily Thresholds | | |
| NOx | 137 lbs./day | 137 lbs./day |
| ROG (VOC) | 137 lbs./day | 137 lbs./day |
| PM10 | 82 lbs./day | 82 lbs./day |
| PM2.5 | 65 lbs./day | 65 lbs./day |
| SOx | 137 lbs./day | 137 lbs./day |
| CO | 548 lbs./day | 548 lbs./day |
| Lead | 3 lbs./day | 3 lbs./day |

| Mojave Desert AQMD Attainment Status | | | | | | |
|---|-------------------------|--|-------------------|------------------------------------|--------------------------|--|
| Pollutant | Averaging Time | California Standards | | Federal Standards | | |
| | | Concentration | Attainment Status | Concentration | Attainment Status | |
| Ozone (O ₃) | 1 Hour | 0.09 ppm (180 µg/m ³) | Non-attainment | - | Non-attainment* | |
| | 8 Hour | 0.070 ppm (137 µg/m ³) | | 0.070 ppm (137 µg/m ³) | | |
| Respirable Particulate Matter (PM ₁₀) | 24 Hour | 50 µg/m ³ | Non-attainment | 150 µg/m ³ | Non-attainment*** | |
| | Annual Arithmetic Mean | 20 µg/m ³ | | - | | |
| Fine Particulate Matter (PM _{2.5}) | 24 Hour | No State Standard | Non-attainment* | 35 µg/m ³ | Unclassified/ Attainment | |
| | Annual Arithmetic Mean | 12 µg/m ³ | | 12 µg/m ³ | | |
| Carbon Monoxide (CO) | 8 Hour | 9.0 ppm (10 mg/m ³) | Attainment | 9 ppm (10 mg/m ³) | Unclassified/ Attainment | |
| | 1 Hour | 20 ppm (23 mg/m ³) | | 35 ppm (40 mg/m ³) | | |
| Nitrogen Dioxide (NO ₂) | Annual Arithmetic Mean | 0.030 ppb (57 µg/m ³) | Attainment | 0.053 ppm (100 µg/m ³) | Unclassified/ Attainment | |
| | 1 Hour | 0.18 ppm (330 µg/m ³) | | 100 ppm (196 µg/m ³) | | |
| Sulfur Dioxide (SO ₂) | Annual Arithmetic Mean | - | Attainment | 0.030 ppm (80 µg/m ³) | Unclassified/ Attainment | |
| | 24 Hour | 0.04 ppm (105 µg/m ³) | | 0.14 ppm (365 µg/m ³) | | |
| | 3 Hour | - | | 0.5 ppm (1300 µg/m ³) | | |
| | 1 Hour | 0.25 ppm (655 µg/m ³) | | 75 ppb (196 µg/m ³) | | |
| Lead (Pb) | 30 Day Average | 1.5 µg/m ³ | Attainment | - | Unclassified/ Attainment | |
| | Calendar Quarter | - | | 1.5 µg/m ³ | | |
| | Rolling 3-Month Average | - | | 0.15 µg/m ³ | | |
| Visibility Reducing Particles | 8 Hour | Extinction Coefficient of 0.24 per kilometer - visibility of ten miles or more due to particles when relative humidity is less than 70 percent | Unclassified | No Federal Standards | | |
| Sulfates | 24 Hour | 25 µg/m ³ | Attainment | No Federal Standards | | |
| Hydrogen Sulfide | 1 Hour | 0.03 ppm (42 µg/m ³) | Non-attainment** | No Federal Standards | | |
| Vinyl Chloride | 24 Hour | 0.01 ppm (26 µg/m ³) | Unclassified | No Federal Standards | | |

*Southwest corner of desert portion of San Bernardino County only

**Searles Valley (northwest corner of San Bernardino County) only

***San Bernardino County portion only

4.0 IMPACTS

The proposed community solar development may cause impacts from construction but likely not during operations. Construction impacts include emissions associated with site grading/preparation, utilities installation, and paving. Operational impacts are insignificant since the during project operation there will be negligible maintenance requirements and minimal heavy equipment and onsite renewable energy generation offsetting any operations admissions.

4.1 CONSTRUCTION

Emissions of pollutants such as fugitive dust that are generated during construction are generally highest near the construction site. Emissions from the construction phase of the project were estimated through the use of the CalEEMod Model (ENVIRON 2020). It was assumed that heavy construction equipment would be operating at the site for eight hours per day, five days per week during project construction. In addition, it was assumed that, in accordance with the requirements of the MDAQMD Rule 403, fugitive dust controls would be utilized during construction, including watering of active sites two times daily.

Table 3 provides a summary of the emission estimates for construction of all proposed site improvements. These projected emissions assume standard measures are implemented to reduce emissions, as calculated with the CalEEMod Model, and are compared to the regional thresholds. Refer to Appendix A for detailed model output files.

Table 3 includes projected emissions for all steps of construction, averaged over the project's projected construction duration. These steps include: Site Preparation, Trenching, and Building Construction (Installation of Solar PV Equipment). Note that projected emissions for all pollutants during construction are below both the MDAQMD's Air Quality Significance Thresholds.


During Construction diesel-fired equipment will be operated and will result in the release of diesel particulate matter which is a listed carcinogen and toxic air contaminant in the State of California. The earthwork phase is the phase of construction in which the majority of diesel-fired equipment will be used.

Project construction would not result in emission of any odor compounds that would cause a nuisance or significant impact to nearby receptors. The impacts associated with Project construction are therefore not considered significant with regard to odors.

Table 4:
Estimated Annual Construction Emissions (Annual, Unmitigated) LBS/Day (unless otherwise shown)

| EMISSION SOURCE | ROG | NOx | CO | SOx | PM10 | PM2.5 |
|---------------------------------------|------|-------|-------|------------|------|-------|
| Regional Significance Criteria | 137 | 137 | 548 | 137 | 82 | 65 |
| Project Construction Emissions | 2.10 | 24.46 | 35.29 | negligible | 1.88 | 1.14 |
| Significant? | No | No | No | No | No | No |

Figure 2: Site Plan



4.2 OPERATIONAL

The Corral Solar project would be operated on an autonomous, unstaffed basis and monitored remotely from an existing off-site facility. It is anticipated that maintenance requirements for the project would be minimal as the PV arrays would operate with limited moving parts. One or two employees would visit the site five days per week for routine maintenance and check-ups. Operational activities for the project would include monitoring plant performance and responding to utility needs for plant adjustment, as well as preventative and unscheduled maintenance.

The project would only operate during daylight hours. Periodic module cleanings and quarterly maintenance activities may require six to eight full-time workers for one to two weeks per quarter, or up to 40 days per year. No heavy equipment would be used during routine operation. Operation and maintenance vehicles would include trucks, forklifts, and loaders for routine and unscheduled maintenance, and water trucks for solar module washing. Large heavy-haul transport equipment may be brought to the site infrequently for equipment repair or replacement. Necessary maintenance components would be available at an offsite location and Southern California Edison (SCE) would make necessary inspections of the project.

Any required maintenance would be scheduled to avoid peak electric load periods, with unplanned maintenance activity as needed depending on the event. Preventative maintenance kits and certain critical spare components would be stored at the project site. The project would be operated in compliance with all relevant health, safety, and environmental regulations. The developer, Radiant BMT LLC, would be responsible for the operation and maintenance of the project.

Overall, the proposed project will not produce any negligible impacts during operation due to minimal maintenance requirements, and no heavy equipment would be used during routine operation. Furthermore, any air pollutants generated by the maintenance components associated with solar module washing and operations would be offset by the 3 MW of renewable energy generation occurring on site.

4.3 ODORS

During construction, diesel equipment operating at the site may generate some nuisance odors; however, due to the distance of sensitive receptors to the project site and the temporary nature of construction, odors associated with project construction would not be significant.

Land uses associated with odor complaints include agricultural uses, wastewater treatment plants, food processing plants, chemical plants, composting activities, refineries, landfills, dairies, and fiberglass molding operations. These land uses are not proposed for this project. Odor impacts would not be significant.

4.4 PROJECT'S CONTRIBUTION TO CRITERIA POLLUTANTS

The Air Basin has been designated by EPA for the national standards as a non-attainment area for O₃, PM10, and partial non-attainment for lead. In addition, PM2.5 has been designated by the State as non-attainment. It should be noted that VOC and NOx are O₃ precursors, as such they have been considered as non-attainment pollutants. According to the Final 2016 Air Quality Management Plan, prepared by MDAQMD, in 2016 the total emissions of: VOC was 500 tons per year; NOx was 522 tons per year; SOx was 18 tons per year; and PM2.5 was 66 tons per year. The project contribution to each criteria pollutant in the Mojave Desert Air Basin is shown below.

Table 4:
Project's Contribution to Criteria Pollutants in the Mojave Desert Air Basin

| EMISSIONS SOURCE | MAXIMUM DAILY EMISSIONS (POUNDS/DAY) | | | | | |
|---|--------------------------------------|---------------|---------------|---------------|---------------|---------------|
| | VOC | NOx | CO | SOx | PM10 | PM2.5 |
| Project Emissions ¹ | 0.1070 | 9.0000e-005 | 9.7800e-003 | 0 | 0 | 3.0000e-005 |
| Total Emissions in Air Basin ² | 13.32 | 6.58 | 65.42 | 0.11 | 12.27 | 4.22 |
| Project's Percent of Air Emissions | insignificant | insignificant | insignificant | insignificant | insignificant | insignificant |

Notes:

1. From the project's total operational emissions.
2. Since the Final 2016 AQMP did not provide the total PM10 annual emissions in the Air Basin, the PM2.5 emissions, which is a subset of PM10 was utilized instead.

Source: MDAQMD, 2017.

5.0 GREENHOUSE GAS EVALUATION

According to the California Natural Resources Agency, “due to the global nature of GHG emissions and their potential effects, GHG emissions will typically be addressed in a cumulative impacts analysis.” According to Appendix G of the CEQA Guidelines, the following criteria may be considered to establish the significance of GHG emissions:

Would the project:

- Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?
- Conflict with an applicable plan, policy, or regulation adopted for the purpose of reducing the emissions of greenhouse gases?

As discussed in Section 15064.4 of the CEQA Guidelines, the determination of the significance of greenhouse gas emissions calls for a careful judgment by the lead agency, consistent with the provisions in Section 15064. Section 15064.4 further provides that a lead agency should make a good-faith effort, based to the extent possible on scientific and factual data, to describe, calculate or estimate the amount of GHG emissions resulting from a project. A lead agency shall have discretion to determine, in the context of a particular project, whether to:

- Use a model or methodology to quantify greenhouse gas emissions resulting from a project, and which model or methodology to use. The lead agency has discretion to select the model or methodology it considers most appropriate provided it supports its decision with substantial evidence. The lead agency should explain the limitations of the particular model or methodology selected for use; and/or
- Rely on a qualitative analysis or performance-based standards.

Section 15064.4 also advises a lead agency to consider the following factors, among others, when assessing the significance of impacts from greenhouse gas emissions on the environment:

1. The extent to which the project may increase or reduce greenhouse gas emissions as compared to the existing environmental setting;
2. Whether the project emissions exceed a threshold of significance that the lead agency determines applies to the project; and
3. The extent to which the project complies with regulations or requirements adopted to implement a statewide, regional, or local plan for the reduction or mitigation of greenhouse gas emissions.

The Corral Solar project will have a negligible release of greenhouse gases due to its remote and autonomous operation, minimal maintenance requirements, absence of heavy equipment use, and compliance with all relevant regulations during the development stages.

Based on the results of the CalEEMod Model, the project would generate a total of 0.0203 metric tons of CO₂e emissions annually from operations. By adding the amortized construction emissions results with the operational annual CO₂e emissions the project will produce 97.43 metric tons over a 30-year period. This cumulative level is well below the MDAQMD's recommended Tier 3 threshold of 3,000 metric tons of CO₂e emissions for residential and commercial land uses, therefore no significant impact would occur.

6.0 CONCLUSIONS

The air quality and GHG analysis for the proposed Corral Solar project in the communities of Helendale and Barstow in San Bernardino County, California evaluated emissions associated with both the construction and operation of the project. Emissions associated with construction and operation were compared with significance thresholds developed by the MDAQMD, which provide a conservative means of evaluating whether project emissions would cause a significant impact on the ambient air quality or whether further evaluation is warranted. Emissions associated with construction and operation are below the significance thresholds for all criteria pollutants as well as cumulative GHG emissions. Thus, the emissions associated with construction and operation of the project would not result in a significant impact under the California Environmental Quality Act.

7.0 CEQA ENVIRONMENTAL CHECKLIST

AIR QUALITY

| Issues | Potentially Significant Impact | Less Than Significant Impact with Mitigation Incorporated | Less Than Significant Impact | No Impact |
|---|--------------------------------|---|-------------------------------------|--------------------------|
| <u>AIR QUALITY: Would the project:</u> | | | | |
| a) Conflict with or obstruct implementation of the applicable air quality plan? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| c) Expose sensitive receptors to substantial pollutant concentrations? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| e) Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

The project falls under the jurisdiction of the Mojave Desert Air Quality Management District (MDAQMD) and is located in the Mojave Desert Air Basin (MDAB). The Air Quality Management Plan (AQMP) aims to obtain attainment status for key monitored air pollution standards, based on current and future air pollution emissions resulting from employment and residential growth projections. To develop the AQMP, various agencies' General Plans and other projections for population and employment growth are taken into consideration. During project construction, emissions with regional effects are calculated using the California Emissions Estimator Model (CalEEMod); Version 2016.3.2 and would not exceed criteria pollutant thresholds established by the MDAQMD.

The proposed project is expected to have a minimal impact on the air quality of the area and would produce relatively few emissions during construction (three-month period) and negligible emissions during operation. In addition, the development of renewable energy sources is expected to produce cumulative and regional environmental benefits. Therefore, impacts are considered less than significant. Table 5 below presents the regional air quality significance thresholds.

Table 5: Air quality significance thresholds for MDAQMD

| EMISSION SOURCE | ROG | NOx | CO | SOx | PM10 | PM2.5 |
|---------------------------------------|------|-------|-------|------------|------|-------|
| Regional Significance Criteria | 137 | 137 | 548 | 137 | 82 | 65 |
| Project Construction Emissions | 2.10 | 24.46 | 35.29 | negligible | 1.88 | 1.14 |
| Significant? | No | No | No | No | No | No |

- a) Conflict with or obstruct implementation of the applicable air quality plan?

Less Than Significant Impact. As shown in Table 5 emissions from construction of the proposed project would be below MDAQMD air quality significance thresholds for all pollutants. Based on this, the proposed project would not be expected to conflict with or obstruct implementation of the AQMP. There would be no expected conflict or obstruction of any air quality plans. Most of the polluting emissions would be produced during the construction period where earthmovers, delivery trucks, and personal vehicles would be used during the construction phase. These emissions would be in the form of exhaust and dust. The amount of exhaust associated with the proposed project would be negligible compared to the yearly exhaust levels of San Bernardino County.

The proposed project is located within the MDAQMD which is non-attainment for ozone and PM10. The MDAQMD has adopted federal attainment plans (1995 for PM10 and 2004 for ozone) for these two pollutants. The proposed project is expected to generate minor particulate and ozone precursors during the approximately three-month construction period. However, these would be less than or roughly equal to pollutants generated by other land uses for this property such as farming (farrowing, plowing, etc.). Best Management Practices for the proposed project shall include use of water trucks to reduce particulate emissions during construction. In addition, a Dust Control Plan shall be developed and submitted to the County and MDAQMD for review and approval prior to issuance of a grading permit and/or land disturbance.

- b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?

Less Than Significant Impact. Emissions from operations of the project would be below the levels produced during construction and in effect, the air quality significance thresholds for all pollutants. Specifically, the project would not exceed MDAQMD significance thresholds for ozone precursors pollutants, VOC and NOx, as well as PM₁₀ and PM_{2.5} for which the MDAB is in non-attainment. Since the project's emissions are below the MDAQMD's project-specific thresholds, the project emissions would not be cumulatively considerable, and impacts would be less than significant.

c) Expose sensitive receptors to substantial pollutant concentrations?

Less Than Significant Impact. Sensitive receptors are defined as populations that are more susceptible to the effects of pollution than the population at large. The MDAQMD identifies the following as sensitive receptors: residences, schools, daycare centers, playgrounds, and medical facilities. The project is bordered by a rail line to the north and agricultural uses to the east. All pollutant levels for the proposed project are below the significance thresholds as defined by MDAQMD and CalEEMod. The only potential impacts to the surrounding sensitive receptors would be dust pollutants during the construction phase. A Dust Control Plan shall be developed and submitted to the County and MDAQMD for review and approval prior to issuance of a grading permit and/or land disturbance to reduce any potential impacts to less than significant. Overall, the proposed project would not expose any sensitive receptors to substantial pollutant concentrations and a less than significant impact would occur.

d) Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?

Less Than Significant Impact. During construction, diesel equipment operating at the site may generate some nuisance odors; however, due to the distance of sensitive receptors to the project site and the temporary nature of construction, odors associated with project construction would not be significant.

Land uses associated with odor complaints include agricultural uses, wastewater treatment plants, food processing plants, chemical plants, composting activities, refineries, landfills, dairies, and fiberglass molding operations. These land uses are not proposed for this project. Overall, the proposed solar use of the project odor impacts would not be significant.

8.0 REFERENCES

Association of Environmental Professionals. 2007. Recommendations by the Association of Environmental Professionals (AEP) on How to Analyze Greenhouse Gas Emissions and Global Climate Change in CEQA Documents. June.

California Air Pollution Control Officers Association. 2008. CEQA and Climate Change – Evaluating and Addressing Greenhouse Gas Emissions from Projects Subject to the California Environmental Quality Act. January.

California Air Resources Board. 2014. EMFAC2014 Emissions Model.

California Air Resources Board. 2008. Climate Change Scoping Plan. November.

ENVIRON. 2020. CalEEMod Model, Version 2020.4.0

MDAQMD. 2008. GHG Significance Threshold

MDAQMD. 2009. LST Look-up Tables.

MDAQMD. 2014. CEQA Significance Thresholds. <http://www.aqmd.gov/docs/default-source/ceqa/handbook/mdaqmd-air-quality-significance-thresholds.pdf?sfvrsn=2>

U.S. EPA. 2006. The U.S. Inventory of Greenhouse Gas Emissions and Sinks: Fast Facts. www.epa.gov/climatechange/emissions/downloads06/06FastFacts.pdf.



Appendix A: CalEEMod Results

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

Corral Solar**Mojave Desert AQMD Air District, Annual****1.0 Project Characteristics****1.1 Land Usage**

| Land Uses | Size | Metric | Lot Acreage | Floor Surface Area | Population |
|----------------------------|----------|----------|-------------|--------------------|------------|
| Other Non-Asphalt Surfaces | 1,067.20 | 1000sqft | 24.50 | 1,067,200.00 | 0 |

1.2 Other Project Characteristics

| | | | | | |
|----------------------------|--------------|----------------------------|-----|----------------------------|------|
| Urbanization | Rural | Wind Speed (m/s) | 2.6 | Precipitation Freq (Days) | 30 |
| Climate Zone | 10 | | | Operational Year | 2025 |
| Utility Company | User Defined | | | | |
| CO2 Intensity (lb/MWhr) | 0 | CH4 Intensity (lb/MWhr) | 0 | N2O Intensity (lb/MWhr) | 0 |

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use -

Construction Phase - 60 days for installation of Solar PV equipment based on a 3 MW project size

Off-road Equipment - The Equipment type is based off a 3 MW Solar Installation

Off-road Equipment - The Equipment type is based off a 3 MW Solar Installation

Off-road Equipment - The Equipment type is based off a 3 MW Solar Installation

Trips and VMT - The Equipment type is based off a 3 MW Solar Installation

Road Dust - The Equipment type is based off a 3 MW Solar Installation

Energy Mitigation -

| Table Name | Column Name | Default Value | New Value |
|----------------------|-------------|---------------|-----------|
| tblConstructionPhase | NumDays | 370.00 | 60.00 |

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

| | | | |
|---------------------------|----------------------------|---------------------------|---------------------------|
| tblConstructionPhase | PhaseEndDate | 7/31/2026 | 5/23/2025 |
| tblConstructionPhase | PhaseEndDate | 2/28/2025 | 1/22/2025 |
| tblOffRoadEquipment | HorsePower | 97.00 | 247.00 |
| tblOffRoadEquipment | HorsePower | 65.00 | 247.00 |
| tblOffRoadEquipment | HorsePower | 80.00 | 367.00 |
| tblOffRoadEquipment | HorsePower | 65.00 | 97.00 |
| tblOffRoadEquipment | LoadFactor | 0.37 | 0.40 |
| tblOffRoadEquipment | LoadFactor | 0.37 | 0.40 |
| tblOffRoadEquipment | LoadFactor | 0.38 | 0.48 |
| tblOffRoadEquipment | LoadFactor | 0.38 | 0.34 |
| tblOffRoadEquipment | OffRoadEquipmentType | Cranes | Aerial Lifts |
| tblOffRoadEquipment | OffRoadEquipmentType | Generator Sets | Skid Steer Loaders |
| tblOffRoadEquipment | OffRoadEquipmentType | | Tractors/Loaders/Backhoes |
| tblOffRoadEquipment | OffRoadEquipmentType | Rubber Tired Dozers | Skid Steer Loaders |
| tblOffRoadEquipment | OffRoadEquipmentType | Rubber Tired Dozers | Aerial Lifts |
| tblOffRoadEquipment | OffRoadEquipmentType | Scrapers | Rollers |
| tblOffRoadEquipment | OffRoadEquipmentType | Tractors/Loaders/Backhoes | Excavators |
| tblOffRoadEquipment | OffRoadEquipmentType | Tractors/Loaders/Backhoes | Excavators |
| tblOffRoadEquipment | OffRoadEquipmentType | Welders | Bore/Drill Rigs |
| tblOffRoadEquipment | OffRoadEquipmentType | | Rubber Tired Loaders |
| tblOffRoadEquipment | OffRoadEquipmentType | | Skid Steer Loaders |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 1.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 4.00 | 1.00 |
| tblOffRoadEquipment | UsageHours | 7.00 | 3.00 |
| tblProjectCharacteristics | UrbanizationLevel | Urban | Rural |
| tblRoadDust | RoadPercentPave | 100 | 15 |
| tblTripsAndVMT | VendorTripLength | 6.60 | 15.00 |
| tblTripsAndVMT | VendorTripLength | 6.60 | 15.00 |
| tblTripsAndVMT | VendorTripLength | 6.60 | 15.00 |

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

| | | | |
|----------------|------------------|--------|-------|
| tblTripsAndVMT | VendorTripNumber | 175.00 | 3.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 3.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 9.00 |
| tblTripsAndVMT | WorkerTripNumber | 448.00 | 30.00 |
| tblTripsAndVMT | WorkerTripNumber | 18.00 | 9.00 |
| tblTripsAndVMT | WorkerTripNumber | 13.00 | 9.00 |

2.0 Emissions Summary

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**2.1 Overall Construction**Unmitigated Construction

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|---------|-------------|-------------|-------------|-------------|---------------|--------------|-------------|----------------|---------------|-------------|----------|-----------|-----------|-------------|-------------|---------|--|
| Year | tons/yr | | | | | | | | | | MT/yr | | | | | | |
| 2024 | 7.5000e-004 | 7.1500e-003 | 8.1600e-003 | 2.0000e-005 | 2.4000e-004 | 2.4000e-004 | 4.8000e-004 | 7.0000e-005 | 2.2000e-004 | 2.9000e-004 | 0.0000 | 2.1789 | 2.1789 | 5.8000e-004 | 5.0000e-005 | 2.2069 | |
| 2025 | 0.0303 | 0.2642 | 0.3792 | 1.0900e-003 | 0.0141 | 9.3600e-003 | 0.0234 | 3.7800e-003 | 8.6100e-003 | 0.0124 | 0.0000 | 96.4849 | 96.4849 | 0.0270 | 8.7000e-004 | 97.4197 | |
| Maximum | 0.0303 | 0.2642 | 0.3792 | 1.0900e-003 | 0.0141 | 9.3600e-003 | 0.0234 | 3.7800e-003 | 8.6100e-003 | 0.0124 | 0.0000 | 96.4849 | 96.4849 | 0.0270 | 8.7000e-004 | 97.4197 | |

Mitigated Construction

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|---------|-------------|-------------|-------------|-------------|---------------|--------------|-------------|----------------|---------------|-------------|----------|-----------|-----------|-------------|-------------|---------|--|
| Year | tons/yr | | | | | | | | | | MT/yr | | | | | | |
| 2024 | 7.5000e-004 | 7.1500e-003 | 8.1600e-003 | 2.0000e-005 | 2.4000e-004 | 2.4000e-004 | 4.8000e-004 | 7.0000e-005 | 2.2000e-004 | 2.9000e-004 | 0.0000 | 2.1789 | 2.1789 | 5.8000e-004 | 5.0000e-005 | 2.2069 | |
| 2025 | 0.0303 | 0.2642 | 0.3792 | 1.0900e-003 | 0.0141 | 9.3600e-003 | 0.0234 | 3.7800e-003 | 8.6100e-003 | 0.0124 | 0.0000 | 96.4848 | 96.4848 | 0.0270 | 8.7000e-004 | 97.4196 | |
| Maximum | 0.0303 | 0.2642 | 0.3792 | 1.0900e-003 | 0.0141 | 9.3600e-003 | 0.0234 | 3.7800e-003 | 8.6100e-003 | 0.0124 | 0.0000 | 96.4848 | 96.4848 | 0.0270 | 8.7000e-004 | 97.4196 | |

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N2O | CO2e |
|-------------------|------|------|------|------|---------------|--------------|------------|----------------|---------------|-------------|----------|----------|-----------|------|------|------|
| Percent Reduction | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

| Quarter | Start Date | End Date | Maximum Unmitigated ROG + NOX (tons/quarter) | Maximum Mitigated ROG + NOX (tons/quarter) |
|---------|------------|-----------|--|--|
| 1 | 12-1-2024 | 2-28-2025 | 0.1255 | 0.1255 |
| 2 | 3-1-2025 | 5-31-2025 | 0.8110 | 0.8110 |
| | | Highest | 0.8110 | 0.8110 |

2.2 Overall OperationalUnmitigated Operational

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N2O | CO2e |
|----------|---------|-------------|-------------|--------|---------------|--------------|-------------|----------------|---------------|-------------|----------|----------|-----------|-------------|--------|--------|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Area | 0.1070 | 9.0000e-005 | 9.7800e-003 | 0.0000 | | 3.0000e-005 | 3.0000e-005 | | 3.0000e-005 | 3.0000e-005 | 0.0000 | 0.0191 | 0.0191 | 5.0000e-005 | 0.0000 | 0.0203 |
| Energy | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Mobile | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Waste | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Water | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total | 0.1070 | 9.0000e-005 | 9.7800e-003 | 0.0000 | 0.0000 | 3.0000e-005 | 3.0000e-005 | 0.0000 | 3.0000e-005 | 3.0000e-005 | 0.0000 | 0.0191 | 0.0191 | 5.0000e-005 | 0.0000 | 0.0203 |

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**2.2 Overall Operational****Mitigated Operational**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|--------------------|--------------------|---------------|---------------|--------------------|--------------------|----------------|--------------------|--------------------|---------------|---------------|---------------|--------------------|---------------|---------------|--|
| Category | tons/yr | | | | | | | | | | | MT/yr | | | | | |
| Area | 0.1070 | 9.0000e-005 | 9.7800e-003 | 0.0000 | | 3.0000e-005 | 3.0000e-005 | | 3.0000e-005 | 3.0000e-005 | 0.0000 | 0.0191 | 0.0191 | 5.0000e-005 | 0.0000 | 0.0203 | |
| Energy | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Mobile | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Waste | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Water | | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Total | 0.1070 | 9.0000e-005 | 9.7800e-003 | 0.0000 | 0.0000 | 3.0000e-005 | 3.0000e-005 | 0.0000 | 3.0000e-005 | 3.0000e-005 | 0.0000 | 0.0191 | 0.0191 | 5.0000e-005 | 0.0000 | 0.0203 | |

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N2O | CO2e |
|-------------------|------|------|------|------|---------------|--------------|------------|----------------|---------------|-------------|----------|----------|-----------|------|------|------|
| Percent Reduction | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

3.0 Construction Detail**Construction Phase**

| Phase Number | Phase Name | Phase Type | Start Date | End Date | Num Days Week | Num Days | Phase Description |
|--------------|--|-----------------------|------------|-----------|---------------|----------|-------------------|
| 1 | Site Preparation | Site Preparation | 12/28/2024 | 1/10/2025 | 5 | 10 | |
| 2 | Installation of Solar PV Equipment and Utility | Trenching | 1/11/2025 | 1/22/2025 | 5 | 8 | |
| 3 | Installation of Solar PV Equipment | Building Construction | 3/1/2025 | 5/23/2025 | 5 | 60 | |

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**Acres of Grading (Site Preparation Phase): 0****Acres of Grading (Grading Phase): 0****Acres of Paving: 24.5****Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)****OffRoad Equipment**

| Phase Name | Offroad Equipment Type | Amount | Usage Hours | Horse Power | Load Factor |
|--|---------------------------|--------|-------------|-------------|-------------|
| Site Preparation | Rubber Tired Loaders | 1 | 6.00 | 203 | 0.36 |
| Site Preparation | Skid Steer Loaders | 1 | 6.00 | 97 | 0.37 |
| Installation of Solar PV Equipment | Aerial Lifts | 1 | 6.00 | 63 | 0.31 |
| Site Preparation | Tractors/Loaders/Backhoes | 1 | 8.00 | 247 | 0.40 |
| Installation of Solar PV Equipment and Utility | Excavators | 2 | 8.00 | 158 | 0.38 |
| Installation of Solar PV Equipment | Tractors/Loaders/Backhoes | 1 | 3.00 | 97 | 0.37 |
| Installation of Solar PV Equipment | Skid Steer Loaders | 1 | 6.00 | 65 | 0.37 |
| Installation of Solar PV Equipment and Utility | Skid Steer Loaders | 1 | 8.00 | 247 | 0.40 |
| Site Preparation | Aerial Lifts | 1 | 6.00 | 63 | 0.31 |
| Installation of Solar PV Equipment and Utility | Rollers | 2 | 8.00 | 367 | 0.48 |
| Installation of Solar PV Equipment | Excavators | 1 | 3.00 | 158 | 0.38 |
| Installation of Solar PV Equipment and Utility | Tractors/Loaders/Backhoes | 2 | 8.00 | 97 | 0.37 |
| Site Preparation | Excavators | 1 | 6.00 | 158 | 0.34 |
| Installation of Solar PV Equipment | Bore/Drill Rigs | 2 | 7.00 | 221 | 0.50 |

Trips and VMT

| Phase Name | Offroad Equipment Count | Worker Trip Number | Vendor Trip Number | Hauling Trip Number | Worker Trip Length | Vendor Trip Length | Hauling Trip Length | Worker Vehicle Class | Vendor Vehicle Class | Hauling Vehicle Class |
|------------------------------------|-------------------------|--------------------|--------------------|---------------------|--------------------|--------------------|---------------------|----------------------|----------------------|-----------------------|
| Installation of Solar PV Equipment | 6 | 30.00 | 3.00 | 0.00 | 16.80 | 15.00 | 20.00 | LD_Mix | HDT_Mix | HHDT |

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

| | | | | | | | | | | |
|--|---|------|------|------|-------|-------|-------|--------|---------|------|
| Installation of Solar PV Equipment and Utility | 7 | 9.00 | 3.00 | 0.00 | 16.80 | 15.00 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Site Preparation | 5 | 9.00 | 9.00 | 0.00 | 16.80 | 15.00 | 20.00 | LD_Mix | HDT_Mix | HHDT |

3.1 Mitigation Measures Construction**3.2 Site Preparation - 2024****Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---------------|-------------|-------------|-------------|-------------|---------------|--------------|-------------|----------------|---------------|-------------|----------|-----------|-----------|-------------|--------|--------|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Fugitive Dust | | | | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Off-Road | 7.0000e-004 | 6.6100e-003 | 7.6900e-003 | 2.0000e-005 | | 2.4000e-004 | 2.4000e-004 | | 2.2000e-004 | 2.2000e-004 | 0.0000 | 1.7737 | 1.7737 | 5.7000e-004 | 0.0000 | 1.7880 |
| Total | 7.0000e-004 | 6.6100e-003 | 7.6900e-003 | 2.0000e-005 | 0.0000 | 2.4000e-004 | 2.4000e-004 | 0.0000 | 2.2000e-004 | 2.2000e-004 | 0.0000 | 1.7737 | 1.7737 | 5.7000e-004 | 0.0000 | 1.7880 |

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.2 Site Preparation - 2024****Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|--------------------|--------------------|--------------------|---------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|---------------|---------------|---------------|---------------|--------------------|---------------|--|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Vendor | 2.0000e-005 | 5.2000e-004 | 1.8000e-004 | 0.0000 | 1.2000e-004 | 1.0000e-005 | 1.3000e-004 | 4.0000e-005 | 1.0000e-005 | 4.0000e-005 | 0.0000 | 0.3221 | 0.3221 | 0.0000 | 4.0000e-005 | 0.3351 | |
| Worker | 3.0000e-005 | 2.0000e-005 | 2.9000e-004 | 0.0000 | 1.1000e-004 | 0.0000 | 1.1000e-004 | 3.0000e-005 | 0.0000 | 3.0000e-005 | 0.0000 | 0.0831 | 0.0831 | 0.0000 | 0.0000 | 0.0838 | |
| Total | 5.0000e-005 | 5.4000e-004 | 4.7000e-004 | 0.0000 | 2.3000e-004 | 1.0000e-005 | 2.4000e-004 | 7.0000e-005 | 1.0000e-005 | 7.0000e-005 | 0.0000 | 0.4052 | 0.4052 | 0.0000 | 4.0000e-005 | 0.4189 | |

Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|---------------|--------------------|--------------------|--------------------|--------------------|---------------|--------------------|--------------------|----------------|--------------------|--------------------|---------------|---------------|---------------|--------------------|---------------|---------------|--|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | | |
| Fugitive Dust | | | | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Off-Road | 7.0000e-004 | 6.6100e-003 | 7.6900e-003 | 2.0000e-005 | | 2.4000e-004 | 2.4000e-004 | | 2.2000e-004 | 2.2000e-004 | 0.0000 | 1.7737 | 1.7737 | 5.7000e-004 | 0.0000 | 1.7880 | |
| Total | 7.0000e-004 | 6.6100e-003 | 7.6900e-003 | 2.0000e-005 | 0.0000 | 2.4000e-004 | 2.4000e-004 | 0.0000 | 2.2000e-004 | 2.2000e-004 | 0.0000 | 1.7737 | 1.7737 | 5.7000e-004 | 0.0000 | 1.7880 | |

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.2 Site Preparation - 2024****Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|--------------------|--------------------|--------------------|---------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|---------------|---------------|---------------|---------------|--------------------|---------------|--|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Vendor | 2.0000e-005 | 5.2000e-004 | 1.8000e-004 | 0.0000 | 1.2000e-004 | 1.0000e-005 | 1.3000e-004 | 4.0000e-005 | 1.0000e-005 | 4.0000e-005 | 0.0000 | 0.3221 | 0.3221 | 0.0000 | 4.0000e-005 | 0.3351 | |
| Worker | 3.0000e-005 | 2.0000e-005 | 2.9000e-004 | 0.0000 | 1.1000e-004 | 0.0000 | 1.1000e-004 | 3.0000e-005 | 0.0000 | 3.0000e-005 | 0.0000 | 0.0831 | 0.0831 | 0.0000 | 0.0000 | 0.0838 | |
| Total | 5.0000e-005 | 5.4000e-004 | 4.7000e-004 | 0.0000 | 2.3000e-004 | 1.0000e-005 | 2.4000e-004 | 7.0000e-005 | 1.0000e-005 | 7.0000e-005 | 0.0000 | 0.4052 | 0.4052 | 0.0000 | 4.0000e-005 | 0.4189 | |

3.2 Site Preparation - 2025**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|---------------|--------------------|---------------|---------------|--------------------|---------------|--------------------|--------------------|----------------|--------------------|--------------------|---------------|---------------|---------------|--------------------|---------------|---------------|--|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | | |
| Fugitive Dust | | | | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Off-Road | 2.5800e-003 | 0.0226 | 0.0306 | 8.0000e-005 | | 8.1000e-004 | 8.1000e-004 | | 7.5000e-004 | 7.5000e-004 | 0.0000 | 7.0991 | 7.0991 | 2.3000e-003 | 0.0000 | 7.1565 | |
| Total | 2.5800e-003 | 0.0226 | 0.0306 | 8.0000e-005 | 0.0000 | 8.1000e-004 | 8.1000e-004 | 0.0000 | 7.5000e-004 | 7.5000e-004 | 0.0000 | 7.0991 | 7.0991 | 2.3000e-003 | 0.0000 | 7.1565 | |

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.2 Site Preparation - 2025****Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|---------------|---------------|---------------|--------------------|--------------------|---------------|--|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Vendor | 7.0000e-005 | 2.0700e-003 | 7.1000e-004 | 1.0000e-005 | 4.9000e-004 | 3.0000e-005 | 5.2000e-004 | 1.4000e-004 | 2.0000e-005 | 1.7000e-004 | 0.0000 | 1.2618 | 1.2618 | 0.0000 | 1.7000e-004 | 1.3124 | |
| Worker | 1.2000e-004 | 9.0000e-005 | 1.0700e-003 | 0.0000 | 4.5000e-004 | 0.0000 | 4.5000e-004 | 1.2000e-004 | 0.0000 | 1.2000e-004 | 0.0000 | 0.3211 | 0.3211 | 1.0000e-005 | 1.0000e-005 | 0.3237 | |
| Total | 1.9000e-004 | 2.1600e-003 | 1.7800e-003 | 1.0000e-005 | 9.4000e-004 | 3.0000e-005 | 9.7000e-004 | 2.6000e-004 | 2.0000e-005 | 2.9000e-004 | 0.0000 | 1.5829 | 1.5829 | 1.0000e-005 | 1.8000e-004 | 1.6361 | |

Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|---------------|--------------------|---------------|---------------|--------------------|---------------|--------------------|--------------------|----------------|--------------------|--------------------|---------------|---------------|---------------|--------------------|---------------|---------------|--|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | | |
| Fugitive Dust | | | | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Off-Road | 2.5800e-003 | 0.0226 | 0.0306 | 8.0000e-005 | | 8.1000e-004 | 8.1000e-004 | | 7.5000e-004 | 7.5000e-004 | 0.0000 | 7.0991 | 7.0991 | 2.3000e-003 | 0.0000 | 7.1565 | |
| Total | 2.5800e-003 | 0.0226 | 0.0306 | 8.0000e-005 | 0.0000 | 8.1000e-004 | 8.1000e-004 | 0.0000 | 7.5000e-004 | 7.5000e-004 | 0.0000 | 7.0991 | 7.0991 | 2.3000e-003 | 0.0000 | 7.1565 | |

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.2 Site Preparation - 2025****Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|---------------|---------------|---------------|--------------------|--------------------|---------------|--|
| Category | tons/yr | | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Vendor | 7.0000e-005 | 2.0700e-003 | 7.1000e-004 | 1.0000e-005 | 4.9000e-004 | 3.0000e-005 | 5.2000e-004 | 1.4000e-004 | 2.0000e-005 | 1.7000e-004 | 0.0000 | 1.2618 | 1.2618 | 0.0000 | 1.7000e-004 | 1.3124 | |
| Worker | 1.2000e-004 | 9.0000e-005 | 1.0700e-003 | 0.0000 | 4.5000e-004 | 0.0000 | 4.5000e-004 | 1.2000e-004 | 0.0000 | 1.2000e-004 | 0.0000 | 0.3211 | 0.3211 | 1.0000e-005 | 1.0000e-005 | 0.3237 | |
| Total | 1.9000e-004 | 2.1600e-003 | 1.7800e-003 | 1.0000e-005 | 9.4000e-004 | 3.0000e-005 | 9.7000e-004 | 2.6000e-004 | 2.0000e-005 | 2.9000e-004 | 0.0000 | 1.5829 | 1.5829 | 1.0000e-005 | 1.8000e-004 | 1.6361 | |

3.3 Installation of Solar PV Equipment and Utility - 2025**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|--------------|--------------------|---------------|---------------|--------------------|---------------|--------------------|--------------------|----------------|--------------------|--------------------|---------------|----------------|----------------|--------------------|---------------|----------------|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 7.6500e-003 | 0.0751 | 0.0928 | 1.9000e-004 | | 3.1600e-003 | 3.1600e-003 | | 2.9100e-003 | 2.9100e-003 | 0.0000 | 16.5919 | 16.5919 | 5.3700e-003 | 0.0000 | 16.7261 |
| Total | 7.6500e-003 | 0.0751 | 0.0928 | 1.9000e-004 | | 3.1600e-003 | 3.1600e-003 | | 2.9100e-003 | 2.9100e-003 | 0.0000 | 16.5919 | 16.5919 | 5.3700e-003 | 0.0000 | 16.7261 |

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.3 Installation of Solar PV Equipment and Utility - 2025****Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|--------------------|--------------------|--------------------|---------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|---------------|---------------|---------------|--------------------|--------------------|---------------|--|
| Category | tons/yr | | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Vendor | 2.0000e-005 | 6.9000e-004 | 2.4000e-004 | 0.0000 | 1.6000e-004 | 1.0000e-005 | 1.7000e-004 | 5.0000e-005 | 1.0000e-005 | 6.0000e-005 | 0.0000 | 0.4206 | 0.4206 | 0.0000 | 6.0000e-005 | 0.4375 | |
| Worker | 1.2000e-004 | 9.0000e-005 | 1.0700e-003 | 0.0000 | 4.5000e-004 | 0.0000 | 4.5000e-004 | 1.2000e-004 | 0.0000 | 1.2000e-004 | 0.0000 | 0.3211 | 0.3211 | 1.0000e-005 | 1.0000e-005 | 0.3237 | |
| Total | 1.4000e-004 | 7.8000e-004 | 1.3100e-003 | 0.0000 | 6.1000e-004 | 1.0000e-005 | 6.2000e-004 | 1.7000e-004 | 1.0000e-005 | 1.8000e-004 | 0.0000 | 0.7417 | 0.7417 | 1.0000e-005 | 7.0000e-005 | 0.7612 | |

Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|--------------|--------------------|---------------|---------------|--------------------|---------------|--------------------|--------------------|----------------|--------------------|--------------------|---------------|----------------|----------------|--------------------|---------------|----------------|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 7.6500e-003 | 0.0751 | 0.0928 | 1.9000e-004 | | 3.1600e-003 | 3.1600e-003 | | 2.9100e-003 | 2.9100e-003 | 0.0000 | 16.5919 | 16.5919 | 5.3700e-003 | 0.0000 | 16.7260 |
| Total | 7.6500e-003 | 0.0751 | 0.0928 | 1.9000e-004 | | 3.1600e-003 | 3.1600e-003 | | 2.9100e-003 | 2.9100e-003 | 0.0000 | 16.5919 | 16.5919 | 5.3700e-003 | 0.0000 | 16.7260 |

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.3 Installation of Solar PV Equipment and Utility - 2025****Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|--------------------|--------------------|--------------------|---------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|---------------|---------------|---------------|--------------------|--------------------|---------------|--|
| Category | tons/yr | | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Vendor | 2.0000e-005 | 6.9000e-004 | 2.4000e-004 | 0.0000 | 1.6000e-004 | 1.0000e-005 | 1.7000e-004 | 5.0000e-005 | 1.0000e-005 | 6.0000e-005 | 0.0000 | 0.4206 | 0.4206 | 0.0000 | 6.0000e-005 | 0.4375 | |
| Worker | 1.2000e-004 | 9.0000e-005 | 1.0700e-003 | 0.0000 | 4.5000e-004 | 0.0000 | 4.5000e-004 | 1.2000e-004 | 0.0000 | 1.2000e-004 | 0.0000 | 0.3211 | 0.3211 | 1.0000e-005 | 1.0000e-005 | 0.3237 | |
| Total | 1.4000e-004 | 7.8000e-004 | 1.3100e-003 | 0.0000 | 6.1000e-004 | 1.0000e-005 | 6.2000e-004 | 1.7000e-004 | 1.0000e-005 | 1.8000e-004 | 0.0000 | 0.7417 | 0.7417 | 1.0000e-005 | 7.0000e-005 | 0.7612 | |

3.4 Installation of Solar PV Equipment - 2025**Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|--------------|---------------|---------------|---------------|--------------------|---------------|--------------------|--------------------|----------------|--------------------|--------------------|---------------|----------------|----------------|---------------|---------------|----------------|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 0.0165 | 0.1562 | 0.2242 | 6.8000e-004 | | 5.2400e-003 | 5.2400e-003 | | 4.8200e-003 | 4.8200e-003 | 0.0000 | 59.2865 | 59.2865 | 0.0192 | 0.0000 | 59.7659 |
| Total | 0.0165 | 0.1562 | 0.2242 | 6.8000e-004 | | 5.2400e-003 | 5.2400e-003 | | 4.8200e-003 | 4.8200e-003 | 0.0000 | 59.2865 | 59.2865 | 0.0192 | 0.0000 | 59.7659 |

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.4 Installation of Solar PV Equipment - 2025****Unmitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|--------------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|--------------------|--------------------|---------------|----------------|----------------|--------------------|--------------------|----------------|--|
| Category | tons/yr | | | | | | | | | | | MT/yr | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Vendor | 1.7000e-004 | 5.1600e-003 | 1.7800e-003 | 3.0000e-005 | 1.2300e-003 | 6.0000e-005 | 1.3000e-003 | 3.6000e-004 | 6.0000e-005 | 4.2000e-004 | 0.0000 | 3.1545 | 3.1545 | 1.0000e-005 | 4.2000e-004 | 3.2811 | |
| Worker | 3.0900e-003 | 2.1300e-003 | 0.0267 | 9.0000e-005 | 0.0113 | 5.0000e-005 | 0.0113 | 3.0000e-003 | 4.0000e-005 | 3.0400e-003 | 0.0000 | 8.0283 | 8.0283 | 1.7000e-004 | 2.0000e-004 | 8.0929 | |
| Total | 3.2600e-003 | 7.2900e-003 | 0.0285 | 1.2000e-004 | 0.0125 | 1.1000e-004 | 0.0126 | 3.3600e-003 | 1.0000e-004 | 3.4600e-003 | 0.0000 | 11.1827 | 11.1827 | 1.8000e-004 | 6.2000e-004 | 11.3739 | |

Mitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|--------------|---------------|---------------|---------------|--------------------|---------------|--------------------|--------------------|----------------|--------------------|--------------------|---------------|----------------|----------------|---------------|---------------|----------------|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Off-Road | 0.0165 | 0.1562 | 0.2242 | 6.8000e-004 | | 5.2400e-003 | 5.2400e-003 | | 4.8200e-003 | 4.8200e-003 | 0.0000 | 59.2865 | 59.2865 | 0.0192 | 0.0000 | 59.7658 |
| Total | 0.0165 | 0.1562 | 0.2242 | 6.8000e-004 | | 5.2400e-003 | 5.2400e-003 | | 4.8200e-003 | 4.8200e-003 | 0.0000 | 59.2865 | 59.2865 | 0.0192 | 0.0000 | 59.7658 |

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.4 Installation of Solar PV Equipment - 2025****Mitigated Construction Off-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|--------------------|--------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|--------------------|--------------------|---------------|----------------|----------------|--------------------|--------------------|----------------|--|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Vendor | 1.7000e-004 | 5.1600e-003 | 1.7800e-003 | 3.0000e-005 | 1.2300e-003 | 6.0000e-005 | 1.3000e-003 | 3.6000e-004 | 6.0000e-005 | 4.2000e-004 | 0.0000 | 3.1545 | 3.1545 | 1.0000e-005 | 4.2000e-004 | 3.2811 | |
| Worker | 3.0900e-003 | 2.1300e-003 | 0.0267 | 9.0000e-005 | 0.0113 | 5.0000e-005 | 0.0113 | 3.0000e-003 | 4.0000e-005 | 3.0400e-003 | 0.0000 | 8.0283 | 8.0283 | 1.7000e-004 | 2.0000e-004 | 8.0929 | |
| Total | 3.2600e-003 | 7.2900e-003 | 0.0285 | 1.2000e-004 | 0.0125 | 1.1000e-004 | 0.0126 | 3.3600e-003 | 1.0000e-004 | 3.4600e-003 | 0.0000 | 11.1827 | 11.1827 | 1.8000e-004 | 6.2000e-004 | 11.3739 | |

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**4.0 Operational Detail - Mobile****4.1 Mitigation Measures Mobile**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|-------------|---------|--------|--------|--------|---------------|--------------|------------|----------------|---------------|-------------|----------|-----------|-----------|--------|--------|--------|--|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | | |
| Mitigated | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Unmitigated | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |

4.2 Trip Summary Information

| Land Use | Average Daily Trip Rate | | | Unmitigated | | Mitigated | |
|----------------------------|-------------------------|----------|--------|-------------|--|------------|--|
| | Weekday | Saturday | Sunday | Annual VMT | | Annual VMT | |
| Other Non-Asphalt Surfaces | 0.00 | 0.00 | 0.00 | | | | |
| Total | 0.00 | 0.00 | 0.00 | | | | |

4.3 Trip Type Information

| Land Use | Miles | | | Trip % | | | Trip Purpose % | | |
|----------------------------|------------|------------|-------------|------------|------------|-------------|----------------|----------|---------|
| | H-W or C-W | H-S or C-C | H-O or C-NW | H-W or C-W | H-S or C-C | H-O or C-NW | Primary | Diverted | Pass-by |
| Other Non-Asphalt Surfaces | 14.70 | 6.60 | 6.60 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |

4.4 Fleet Mix

| Land Use | LDA | LDT1 | LDT2 | MDV | LHD1 | LHD2 | MHD | HHD | OBUS | UBUS | MCY | SBUS | MH |
|----------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Other Non-Asphalt Surfaces | 0.533906 | 0.057134 | 0.174979 | 0.135238 | 0.028400 | 0.007566 | 0.006280 | 0.022304 | 0.000478 | 0.000157 | 0.027480 | 0.000931 | 0.005146 |

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Kilowatt Hours of Renewable Electricity Generated

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

5.2 Energy by Land Use - NaturalGas

Unmitigated

Mitigated

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**5.3 Energy by Land Use - Electricity****Unmitigated**

| | Electricity Use | Total CO2 | CH4 | N2O | CO2e |
|----------------------------|-----------------|---------------|---------------|---------------|---------------|
| Land Use | kWh/yr | MT/yr | | | |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total | | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

Mitigated

| | Electricity Use | Total CO2 | CH4 | N2O | CO2e |
|----------------------------|-----------------|---------------|---------------|---------------|---------------|
| Land Use | kWh/yr | MT/yr | | | |
| Other Non-Asphalt Surfaces | -3000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total | | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

6.0 Area Detail**6.1 Mitigation Measures Area**

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|-------------|---------|-------------|-------------|--------|---------------|--------------|-------------|----------------|---------------|-------------|----------|-----------|-----------|-------------|--------|--------|
| Category | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Mitigated | 0.1070 | 9.0000e-005 | 9.7800e-003 | 0.0000 | | 3.0000e-005 | 3.0000e-005 | | 3.0000e-005 | 3.0000e-005 | 0.0000 | 0.0191 | 0.0191 | 5.0000e-005 | 0.0000 | 0.0203 |
| Unmitigated | 0.1070 | 9.0000e-005 | 9.7800e-003 | 0.0000 | | 3.0000e-005 | 3.0000e-005 | | 3.0000e-005 | 3.0000e-005 | 0.0000 | 0.0191 | 0.0191 | 5.0000e-005 | 0.0000 | 0.0203 |

6.2 Area by SubCategoryUnmitigated

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|-----------------------|---------------|--------------------|--------------------|---------------|---------------|--------------------|--------------------|----------------|--------------------|--------------------|---------------|---------------|---------------|--------------------|---------------|---------------|
| SubCategory | tons/yr | | | | | | | | | | MT/yr | | | | | |
| Architectural Coating | 0.0371 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Consumer Products | 0.0690 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Landscaping | 9.0000e-004 | 9.0000e-005 | 9.7800e-003 | 0.0000 | | 3.0000e-005 | 3.0000e-005 | | 3.0000e-005 | 3.0000e-005 | 0.0000 | 0.0191 | 0.0191 | 5.0000e-005 | 0.0000 | 0.0203 |
| Total | 0.1070 | 9.0000e-005 | 9.7800e-003 | 0.0000 | | 3.0000e-005 | 3.0000e-005 | | 3.0000e-005 | 3.0000e-005 | 0.0000 | 0.0191 | 0.0191 | 5.0000e-005 | 0.0000 | 0.0203 |

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**6.2 Area by SubCategory****Mitigated**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|-----------------------|---------------|--------------------|--------------------|---------------|---------------|--------------------|--------------------|----------------|--------------------|--------------------|---------------|---------------|---------------|--------------------|---------------|---------------|--|
| SubCategory | tons/yr | | | | | | | | | | MT/yr | | | | | | |
| Architectural Coating | 0.0371 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Consumer Products | 0.0690 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Landscaping | 9.0000e-004 | 9.0000e-005 | 9.7800e-003 | 0.0000 | | 3.0000e-005 | 3.0000e-005 | | 3.0000e-005 | 3.0000e-005 | 0.0000 | 0.0191 | 0.0191 | 5.0000e-005 | 0.0000 | 0.0203 | |
| Total | 0.1070 | 9.0000e-005 | 9.7800e-003 | 0.0000 | | 3.0000e-005 | 3.0000e-005 | | 3.0000e-005 | 3.0000e-005 | 0.0000 | 0.0191 | 0.0191 | 5.0000e-005 | 0.0000 | 0.0203 | |

7.0 Water Detail**7.1 Mitigation Measures Water**

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

| | Total CO2 | CH4 | N2O | CO2e |
|-------------|-----------|--------|--------|--------|
| Category | MT/yr | | | |
| Mitigated | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Unmitigated | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

7.2 Water by Land Use**Unmitigated**

| | Indoor/Out door Use | Total CO2 | CH4 | N2O | CO2e |
|----------------------------|---------------------|---------------|---------------|---------------|---------------|
| Land Use | Mgal | MT/yr | | | |
| Other Non-Asphalt Surfaces | 0 / 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total | | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**7.2 Water by Land Use****Mitigated**

| | Indoor/Out door Use | Total CO2 | CH4 | N2O | CO2e |
|--------------------------------|------------------------|---------------|---------------|---------------|---------------|
| Land Use | Mgal | MT/yr | | | |
| Other Non- Asphalt Surfaces | 0 / 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total | | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

8.0 Waste Detail**8.1 Mitigation Measures Waste****Category/Year**

| | Total CO2 | CH4 | N2O | CO2e |
|-------------|-----------|--------|--------|--------|
| | MT/yr | | | |
| Mitigated | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Unmitigated | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**8.2 Waste by Land Use****Unmitigated**

| | Waste Disposed | Total CO2 | CH4 | N2O | CO2e |
|----------------------------|----------------|---------------|---------------|---------------|---------------|
| Land Use | tons | MT/yr | | | |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total | | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

Mitigated

| | Waste Disposed | Total CO2 | CH4 | N2O | CO2e |
|----------------------------|----------------|---------------|---------------|---------------|---------------|
| Land Use | tons | MT/yr | | | |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total | | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

9.0 Operational Offroad

| Equipment Type | Number | Hours/Day | Days/Year | Horse Power | Load Factor | Fuel Type |
|----------------|--------|-----------|-----------|-------------|-------------|-----------|
|----------------|--------|-----------|-----------|-------------|-------------|-----------|

Corral Solar - Mojave Desert AQMD Air District, Annual

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

| Equipment Type | Number | Hours/Day | Hours/Year | Horse Power | Load Factor | Fuel Type |
|----------------|--------|-----------|------------|-------------|-------------|-----------|
|----------------|--------|-----------|------------|-------------|-------------|-----------|

Boilers

| Equipment Type | Number | Heat Input/Day | Heat Input/Year | Boiler Rating | Fuel Type |
|----------------|--------|----------------|-----------------|---------------|-----------|
|----------------|--------|----------------|-----------------|---------------|-----------|

User Defined Equipment

| Equipment Type | Number |
|----------------|--------|
|----------------|--------|

11.0 Vegetation

Corral Solar**EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied****Mojave Desert AQMD Air District, Mitigation Report****Construction Mitigation Summary**

| Phase | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N2O | CO2e |
|--|------|------|------|------|--------------|---------------|----------|----------|-----------|------|------|------|
| Percent Reduction | | | | | | | | | | | | |
| Installation of Solar PV Equipment | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Installation of Solar PV Equipment and Utility | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Site Preparation | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

OFFROAD Equipment Mitigation

| Equipment Type | Fuel Type | Tier | Number Mitigated | Total Number of Equipment | DPF | Oxidation Catalyst |
|---------------------------|-----------|-----------|------------------|---------------------------|-----------|--------------------|
| Aerial Lifts | Diesel | No Change | 0 | 2 | No Change | 0.00 |
| Bore/Drill Rigs | Diesel | No Change | 0 | 2 | No Change | 0.00 |
| Rollers | Diesel | No Change | 0 | 2 | No Change | 0.00 |
| Excavators | Diesel | No Change | 0 | 4 | No Change | 0.00 |
| Rubber Tired Loaders | Diesel | No Change | 0 | 1 | No Change | 0.00 |
| Skid Steer Loaders | Diesel | No Change | 0 | 3 | No Change | 0.00 |
| Tractors/Loaders/Backhoes | Diesel | No Change | 0 | 4 | No Change | 0.00 |

Corral Solar**EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**

| Equipment Type | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---------------------------|--------------|--------------|--------------|--------------|--------------|---------------|-------------------|--------------|--------------|--------------|--------------|--------------|
| Unmitigated tons/yr | | | | | | | Unmitigated mt/yr | | | | | |
| Aerial Lifts | 8.90000E-004 | 1.36600E-002 | 2.86400E-002 | 4.00000E-005 | 2.30000E-004 | 2.20000E-004 | 0.00000E+000 | 3.87256E+000 | 3.87256E+000 | 1.25000E-003 | 0.00000E+000 | 3.90388E+000 |
| Bore/Drill Rigs | 1.09900E-002 | 9.79300E-002 | 1.06900E-001 | 5.00000E-004 | 3.21000E-003 | 2.96000E-003 | 0.00000E+000 | 4.36861E+001 | 4.36861E+001 | 1.41300E-002 | 0.00000E+000 | 4.40393E+001 |
| Excavators | 3.79000E-003 | 2.77400E-002 | 7.36800E-002 | 1.20000E-004 | 1.36000E-003 | 1.25000E-003 | 0.00000E+000 | 1.02605E+001 | 1.02605E+001 | 3.32000E-003 | 0.00000E+000 | 1.03434E+001 |
| Rollers | 5.26000E-003 | 5.46800E-002 | 4.89000E-002 | 1.20000E-004 | 2.25000E-003 | 2.07000E-003 | 0.00000E+000 | 1.07686E+001 | 1.07686E+001 | 3.48000E-003 | 0.00000E+000 | 1.08556E+001 |
| Rubber Tired Loaders | 8.80000E-004 | 7.32000E-003 | 5.54000E-003 | 2.00000E-005 | 2.50000E-004 | 2.30000E-004 | 0.00000E+000 | 2.06022E+000 | 2.06022E+000 | 6.70000E-004 | 0.00000E+000 | 2.07688E+000 |
| Skid Steer Loaders | 1.67000E-003 | 2.22900E-002 | 3.87600E-002 | 6.00000E-005 | 6.80000E-004 | 6.20000E-004 | 0.00000E+000 | 5.10988E+000 | 5.10988E+000 | 1.65000E-003 | 0.00000E+000 | 5.15120E+000 |
| Tractors/Loaders/Backhoes | 3.91000E-003 | 3.69000E-002 | 5.29100E-002 | 1.00000E-004 | 1.47000E-003 | 1.35000E-003 | 0.00000E+000 | 8.99342E+000 | 8.99342E+000 | 2.91000E-003 | 0.00000E+000 | 9.06613E+000 |

| Equipment Type | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---------------------------|--------------|--------------|--------------|--------------|--------------|---------------|-----------------|--------------|--------------|--------------|--------------|--------------|
| Mitigated tons/yr | | | | | | | Mitigated mt/yr | | | | | |
| Aerial Lifts | 8.90000E-004 | 1.36600E-002 | 2.86400E-002 | 4.00000E-005 | 2.30000E-004 | 2.20000E-004 | 0.00000E+000 | 3.87256E+000 | 3.87256E+000 | 1.25000E-003 | 0.00000E+000 | 3.90387E+000 |
| Bore/Drill Rigs | 1.09900E-002 | 9.79300E-002 | 1.06900E-001 | 5.00000E-004 | 3.21000E-003 | 2.96000E-003 | 0.00000E+000 | 4.36860E+001 | 4.36860E+001 | 1.41300E-002 | 0.00000E+000 | 4.40392E+001 |
| Excavators | 3.79000E-003 | 2.77400E-002 | 7.36800E-002 | 1.20000E-004 | 1.36000E-003 | 1.25000E-003 | 0.00000E+000 | 1.02605E+001 | 1.02605E+001 | 3.32000E-003 | 0.00000E+000 | 1.03434E+001 |
| Rollers | 5.26000E-003 | 5.46800E-002 | 4.89000E-002 | 1.20000E-004 | 2.25000E-003 | 2.07000E-003 | 0.00000E+000 | 1.07685E+001 | 1.07685E+001 | 3.48000E-003 | 0.00000E+000 | 1.08556E+001 |
| Rubber Tired Loaders | 8.80000E-004 | 7.32000E-003 | 5.54000E-003 | 2.00000E-005 | 2.50000E-004 | 2.30000E-004 | 0.00000E+000 | 2.06022E+000 | 2.06022E+000 | 6.70000E-004 | 0.00000E+000 | 2.07687E+000 |
| Skid Steer Loaders | 1.67000E-003 | 2.22900E-002 | 3.87600E-002 | 6.00000E-005 | 6.80000E-004 | 6.20000E-004 | 0.00000E+000 | 5.10987E+000 | 5.10987E+000 | 1.65000E-003 | 0.00000E+000 | 5.15119E+000 |
| Tractors/Loaders/Backhoes | 3.91000E-003 | 3.69000E-002 | 5.29100E-002 | 1.00000E-004 | 1.47000E-003 | 1.35000E-003 | 0.00000E+000 | 8.99341E+000 | 8.99341E+000 | 2.91000E-003 | 0.00000E+000 | 9.06612E+000 |

Corral Solar**EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**

| Equipment Type | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---------------------------|--------------|--------------|--------------|--------------|--------------|---------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Percent Reduction | | | | | | | | | | | | |
| Aerial Lifts | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 2.56155E-006 |
| Bore/Drill Rigs | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 1.37344E-006 | 1.37344E-006 | 0.00000E+000 | 0.00000E+000 | 1.13535E-006 |
| Excavators | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 9.74615E-007 | 9.74615E-007 | 0.00000E+000 | 0.00000E+000 | 9.66798E-007 |
| Rollers | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 9.28630E-007 | 9.28630E-007 | 0.00000E+000 | 0.00000E+000 | 9.21182E-007 |
| Rubber Tired Loaders | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 4.81491E-006 |
| Skid Steer Loaders | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 1.95699E-006 | 1.95699E-006 | 0.00000E+000 | 0.00000E+000 | 1.94130E-006 |
| Tractors/Loaders/Bulkhoes | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 0.00000E+000 | 1.11192E-006 | 1.11192E-006 | 0.00000E+000 | 0.00000E+000 | 1.10301E-006 |

Fugitive Dust Mitigation

| Yes/No | Mitigation Measure | Mitigation Input | Mitigation Input | Mitigation Input |
|--------|--------------------|------------------|------------------|------------------|
|--------|--------------------|------------------|------------------|------------------|

| | | | | | | | |
|----|--|--------------------|------|---------------------|------|---------------------|--|
| No | Soil Stabilizer for unpaved Roads | PM10 Reduction | | PM2.5 Reduction | | | |
| No | Replace Ground Cover of Area Disturbed | PM10 Reduction | | PM2.5 Reduction | | | |
| No | Water Exposed Area | PM10 Reduction | | PM2.5 Reduction | | Frequency (per day) | |
| No | Unpaved Road Mitigation | Moisture Content % | | Vehicle Speed (mph) | 0.00 | | |
| No | Clean Paved Road | % PM Reduction | 0.00 | | | | |

Corral Solar**EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**

| Phase | Source | Unmitigated | | Mitigated | | Percent Reduction | |
|--|---------------|-------------|-------|-----------|-------|-------------------|-------|
| | | PM10 | PM2.5 | PM10 | PM2.5 | PM10 | PM2.5 |
| Installation of Solar PV Equipment | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Installation of Solar PV Equipment | Roads | 0.01 | 0.00 | 0.01 | 0.00 | 0.00 | 0.00 |
| Installation of Solar PV Equipment and Utility | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Installation of Solar PV Equipment and Utility | Roads | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Site Preparation | Fugitive Dust | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Site Preparation | Roads | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

Operational Percent Reduction Summary

| Category | ROG | NOx | CO | SO2 | Exhaust PM10 | Exhaust PM2.5 | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|-----------------------|------|------|------|------|--------------|---------------|----------|-----------|-----------|------|------|------|
| Percent Reduction | | | | | | | | | | | | |
| Architectural Coating | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Consumer Products | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Hearth | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Landscaping | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Mobile | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Natural Gas | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Water Indoor | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Water Outdoor | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

Operational Mobile Mitigation

Corral Solar**EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**

Project Setting:

| Mitigation | Category | Measure | % Reduction | Input Value 1 | Input Value 2 | Input Value |
|------------|---------------------------|-------------------------------------|-------------|---------------|---------------|-------------|
| No | Land Use | Increase Density | 0.00 | | | |
| No | Land Use | Increase Diversity | 0.00 | 0.15 | | |
| No | Land Use | Improve Walkability Design | 0.00 | | | |
| No | Land Use | Improve Destination Accessibility | 0.00 | | | |
| No | Land Use | Increase Transit Accessibility | 0.25 | | | |
| No | Land Use | Integrate Below Market Rate Housing | 0.00 | | | |
| | Land Use | Land Use SubTotal | 0.00 | | | |
| No | Neighborhood Enhancements | Improve Pedestrian Network | | | | |
| No | Neighborhood Enhancements | Provide Traffic Calming Measures | | | | |
| No | Neighborhood Enhancements | Implement NEV Network | 0.00 | | | |
| | Neighborhood Enhancements | Neighborhood Enhancements Subtotal | 0.00 | | | |
| No | Parking Policy Pricing | Limit Parking Supply | 0.00 | | | |
| No | Parking Policy Pricing | Unbundle Parking Costs | 0.00 | | | |
| No | Parking Policy Pricing | On-street Market Pricing | 0.00 | | | |
| | Parking Policy Pricing | Parking Policy Pricing Subtotal | 0.00 | | | |
| No | Transit Improvements | Provide BRT System | 0.00 | | | |
| No | Transit Improvements | Expand Transit Network | 0.00 | | | |
| No | Transit Improvements | Increase Transit Frequency | 0.00 | | | |

Corral Solar

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

| | | | | | | |
|----|----------------------|--|------|--|------|--|
| | Transit Improvements | Transit Improvements Subtotal | 0.00 | | | |
| | | Land Use and Site Enhancement Subtotal | 0.00 | | | |
| No | Commute | Implement Trip Reduction Program | | | | |
| No | Commute | Transit Subsidy | | | | |
| No | Commute | Implement Employee Parking "Cash Out" | | | | |
| No | Commute | Workplace Parking Charge | | | | |
| No | Commute | Encourage Telecommuting and Alternative Work Schedules | 0.00 | | | |
| No | Commute | Market Commute Trip Reduction Option | 0.00 | | | |
| No | Commute | Employee Vanpool/Shuttle | 0.00 | | 2.00 | |
| No | Commute | Provide Ride Sharing Program | | | | |
| | Commute | Commute Subtotal | 0.00 | | | |
| No | School Trip | Implement School Bus Program | 0.00 | | | |
| | | Total VMT Reduction | 0.00 | | | |

Area Mitigation

| Measure Implemented | Mitigation Measure | Input Value |
|---------------------|--|-------------|
| No | Only Natural Gas Hearth | |
| No | No Hearth | |
| No | Use Low VOC Cleaning Supplies | |
| No | Use Low VOC Paint (Residential Interior) | 250.00 |
| No | Use Low VOC Paint (Residential Exterior) | 250.00 |

Corral Solar

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

| | | |
|----|--|--------|
| No | Use Low VOC Paint (Non-residential Interior) | 250.00 |
| No | Use Low VOC Paint (Non-residential Exterior) | 250.00 |
| No | Use Low VOC Paint (Parking) | 250.00 |
| No | % Electric Lawnmower | |
| No | % Electric Leafblower | |
| No | % Electric Chainsaw | |

Energy Mitigation Measures

| Measure Implemented | Mitigation Measure | Input Value 1 | Input Value 2 |
|---------------------|----------------------------------|---------------|---------------|
| No | Exceed Title 24 | | |
| No | Install High Efficiency Lighting | | |
| Yes | On-site Renewable | 3,000.00 | |

| Appliance Type | Land Use Subtype | % Improvement |
|----------------|------------------|---------------|
| ClothWasher | | 30.00 |
| DishWasher | | 15.00 |
| Fan | | 50.00 |
| Refrigerator | | 15.00 |

Water Mitigation Measures

| Measure Implemented | Mitigation Measure | Input Value 1 | Input Value 2 |
|---------------------|--------------------------------------|---------------|---------------|
| No | Apply Water Conservation on Strategy | | |

Corral Solar

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

| | | | |
|----|--|-------|--|
| No | Use Reclaimed Water | | |
| No | Use Grey Water | | |
| No | Install low-flow bathroom faucet | 32.00 | |
| No | Install low-flow Kitchen faucet | 18.00 | |
| No | Install low-flow Toilet | 20.00 | |
| No | Install low-flow Shower | 20.00 | |
| No | Turf Reduction | | |
| No | Use Water Efficient Irrigation Systems | 6.10 | |
| No | Water Efficient Landscape | | |

Solid Waste Mitigation

| Mitigation Measures | Input Value |
|--|-------------|
| Institute Recycling and Composting Services Percent Reduction in Waste Disposed | |

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

Corral Solar**Mojave Desert AQMD Air District, Summer****1.0 Project Characteristics****1.1 Land Usage**

| Land Uses | Size | Metric | Lot Acreage | Floor Surface Area | Population |
|----------------------------|----------|----------|-------------|--------------------|------------|
| Other Non-Asphalt Surfaces | 1,067.20 | 1000sqft | 24.50 | 1,067,200.00 | 0 |

1.2 Other Project Characteristics

| | | | | | |
|----------------------------|--------------|----------------------------|-----|----------------------------|------|
| Urbanization | Rural | Wind Speed (m/s) | 2.6 | Precipitation Freq (Days) | 30 |
| Climate Zone | 10 | | | Operational Year | 2025 |
| Utility Company | User Defined | | | | |
| CO2 Intensity (lb/MWhr) | 0 | CH4 Intensity (lb/MWhr) | 0 | N2O Intensity (lb/MWhr) | 0 |

1.3 User Entered Comments & Non-Default Data

Project Characteristics -

Land Use -

Construction Phase - 60 days for installation of Solar PV equipment based on a 3 MW project size

Off-road Equipment - The Equipment type is based off a 3 MW Solar Installation

Off-road Equipment - The Equipment type is based off a 3 MW Solar Installation

Off-road Equipment - The Equipment type is based off a 3 MW Solar Installation

Trips and VMT - The Equipment type is based off a 3 MW Solar Installation

Road Dust - The Equipment type is based off a 3 MW Solar Installation

Energy Mitigation -

| Table Name | Column Name | Default Value | New Value |
|----------------------|-------------|---------------|-----------|
| tblConstructionPhase | NumDays | 370.00 | 60.00 |

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

| | | | |
|---------------------------|----------------------------|---------------------------|---------------------------|
| tblConstructionPhase | PhaseEndDate | 7/31/2026 | 5/23/2025 |
| tblConstructionPhase | PhaseEndDate | 2/28/2025 | 1/22/2025 |
| tblOffRoadEquipment | HorsePower | 97.00 | 247.00 |
| tblOffRoadEquipment | HorsePower | 65.00 | 247.00 |
| tblOffRoadEquipment | HorsePower | 80.00 | 367.00 |
| tblOffRoadEquipment | HorsePower | 65.00 | 97.00 |
| tblOffRoadEquipment | LoadFactor | 0.37 | 0.40 |
| tblOffRoadEquipment | LoadFactor | 0.37 | 0.40 |
| tblOffRoadEquipment | LoadFactor | 0.38 | 0.48 |
| tblOffRoadEquipment | LoadFactor | 0.38 | 0.34 |
| tblOffRoadEquipment | OffRoadEquipmentType | Cranes | Aerial Lifts |
| tblOffRoadEquipment | OffRoadEquipmentType | Generator Sets | Skid Steer Loaders |
| tblOffRoadEquipment | OffRoadEquipmentType | | Tractors/Loaders/Backhoes |
| tblOffRoadEquipment | OffRoadEquipmentType | Rubber Tired Dozers | Skid Steer Loaders |
| tblOffRoadEquipment | OffRoadEquipmentType | Rubber Tired Dozers | Aerial Lifts |
| tblOffRoadEquipment | OffRoadEquipmentType | Scrapers | Rollers |
| tblOffRoadEquipment | OffRoadEquipmentType | Tractors/Loaders/Backhoes | Excavators |
| tblOffRoadEquipment | OffRoadEquipmentType | Tractors/Loaders/Backhoes | Excavators |
| tblOffRoadEquipment | OffRoadEquipmentType | Welders | Bore/Drill Rigs |
| tblOffRoadEquipment | OffRoadEquipmentType | | Rubber Tired Loaders |
| tblOffRoadEquipment | OffRoadEquipmentType | | Skid Steer Loaders |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 1.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 4.00 | 1.00 |
| tblOffRoadEquipment | UsageHours | 7.00 | 3.00 |
| tblProjectCharacteristics | UrbanizationLevel | Urban | Rural |
| tblRoadDust | RoadPercentPave | 100 | 15 |
| tblTripsAndVMT | VendorTripLength | 6.60 | 15.00 |
| tblTripsAndVMT | VendorTripLength | 6.60 | 15.00 |
| tblTripsAndVMT | VendorTripLength | 6.60 | 15.00 |

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

| | | | |
|----------------|------------------|--------|-------|
| tblTripsAndVMT | VendorTripNumber | 175.00 | 3.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 3.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 9.00 |
| tblTripsAndVMT | WorkerTripNumber | 448.00 | 30.00 |
| tblTripsAndVMT | WorkerTripNumber | 18.00 | 9.00 |
| tblTripsAndVMT | WorkerTripNumber | 13.00 | 9.00 |

2.0 Emissions Summary

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---------|--------|---------|---------|--------|---------------|--------------|------------|----------------|---------------|-------------|----------|------------|------------|--------|--------|------------|
| Year | lb/day | | | | | | | | | | lb/day | | | | | |
| 2024 | 0.7557 | 7.1206 | 8.2148 | 0.0246 | 0.2401 | 0.2431 | 0.4832 | 0.0665 | 0.2239 | 0.2904 | 0.0000 | 2,410.3122 | 2,410.3122 | 0.6355 | 0.0500 | 2,441.1063 |
| 2025 | 1.9547 | 18.9657 | 23.5811 | 0.0493 | 0.4249 | 0.7927 | 0.9494 | 0.1136 | 0.7294 | 0.7719 | 0.0000 | 4,785.0867 | 4,785.0867 | 1.4810 | 0.0488 | 4,827.3722 |
| Maximum | 1.9547 | 18.9657 | 23.5811 | 0.0493 | 0.4249 | 0.7927 | 0.9494 | 0.1136 | 0.7294 | 0.7719 | 0.0000 | 4,785.0867 | 4,785.0867 | 1.4810 | 0.0500 | 4,827.3722 |

Mitigated Construction

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---------|--------|---------|---------|--------|---------------|--------------|------------|----------------|---------------|-------------|----------|------------|------------|--------|--------|------------|
| Year | lb/day | | | | | | | | | | lb/day | | | | | |
| 2024 | 0.7557 | 7.1206 | 8.2148 | 0.0246 | 0.2401 | 0.2431 | 0.4832 | 0.0665 | 0.2239 | 0.2904 | 0.0000 | 2,410.3122 | 2,410.3122 | 0.6355 | 0.0500 | 2,441.1063 |
| 2025 | 1.9547 | 18.9657 | 23.5811 | 0.0493 | 0.4249 | 0.7927 | 0.9494 | 0.1136 | 0.7294 | 0.7719 | 0.0000 | 4,785.0867 | 4,785.0867 | 1.4810 | 0.0488 | 4,827.3722 |
| Maximum | 1.9547 | 18.9657 | 23.5811 | 0.0493 | 0.4249 | 0.7927 | 0.9494 | 0.1136 | 0.7294 | 0.7719 | 0.0000 | 4,785.0867 | 4,785.0867 | 1.4810 | 0.0500 | 4,827.3722 |

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**2.2 Overall Operational****Unmitigated Operational**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|--------------------|----------------|--------------------|--------------------|----------|---------------|---------------|--------------------|---------------|---------------|--|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Area | 0.5913 | 9.8000e-004 | 0.1087 | 1.0000e-005 | | 3.9000e-004 | 3.9000e-004 | | 3.9000e-004 | 3.9000e-004 | | 0.2336 | 0.2336 | 6.1000e-004 | | 0.2488 | |
| Energy | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Mobile | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Total | 0.5913 | 9.8000e-004 | 0.1087 | 1.0000e-005 | 0.0000 | 3.9000e-004 | 3.9000e-004 | 0.0000 | 3.9000e-004 | 3.9000e-004 | | 0.2336 | 0.2336 | 6.1000e-004 | 0.0000 | 0.2488 | |

Mitigated Operational

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|--------------------|----------------|--------------------|--------------------|----------|---------------|---------------|--------------------|---------------|---------------|--|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Area | 0.5913 | 9.8000e-004 | 0.1087 | 1.0000e-005 | | 3.9000e-004 | 3.9000e-004 | | 3.9000e-004 | 3.9000e-004 | | 0.2336 | 0.2336 | 6.1000e-004 | | 0.2488 | |
| Energy | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Mobile | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Total | 0.5913 | 9.8000e-004 | 0.1087 | 1.0000e-005 | 0.0000 | 3.9000e-004 | 3.9000e-004 | 0.0000 | 3.9000e-004 | 3.9000e-004 | | 0.2336 | 0.2336 | 6.1000e-004 | 0.0000 | 0.2488 | |

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N20 | CO2e |
|-------------------|------|------|------|------|---------------|--------------|------------|----------------|---------------|-------------|----------|----------|-----------|------|------|------|
| Percent Reduction | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

3.0 Construction Detail**Construction Phase**

| Phase Number | Phase Name | Phase Type | Start Date | End Date | Num Days Week | Num Days | Phase Description |
|--------------|--|-----------------------|------------|-----------|---------------|----------|-------------------|
| 1 | Site Preparation | Site Preparation | 12/28/2024 | 1/10/2025 | 5 | 10 | |
| 2 | Installation of Solar PV Equipment and Utility | Trenching | 1/11/2025 | 1/22/2025 | 5 | 8 | |
| 3 | Installation of Solar PV Equipment | Building Construction | 3/1/2025 | 5/23/2025 | 5 | 60 | |

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 24.5

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

| Phase Name | Offroad Equipment Type | Amount | Usage Hours | Horse Power | Load Factor |
|--|---------------------------|--------|-------------|-------------|-------------|
| Site Preparation | Rubber Tired Loaders | 1 | 6.00 | 203 | 0.36 |
| Site Preparation | Skid Steer Loaders | 1 | 6.00 | 97 | 0.37 |
| Installation of Solar PV Equipment | Aerial Lifts | 1 | 6.00 | 63 | 0.31 |
| Site Preparation | Tractors/Loaders/Backhoes | 1 | 8.00 | 247 | 0.40 |
| Installation of Solar PV Equipment and Utility | Excavators | 2 | 8.00 | 158 | 0.38 |
| Installation of Solar PV Equipment | Tractors/Loaders/Backhoes | 1 | 3.00 | 97 | 0.37 |
| Installation of Solar PV Equipment | Skid Steer Loaders | 1 | 6.00 | 65 | 0.37 |
| Installation of Solar PV Equipment and Utility | Skid Steer Loaders | 1 | 8.00 | 247 | 0.40 |

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

| | | | | | |
|--|---------------------------|---|------|-----|------|
| Site Preparation | Aerial Lifts | 1 | 6.00 | 63 | 0.31 |
| Installation of Solar PV Equipment and Utility | Rollers | 2 | 8.00 | 367 | 0.48 |
| Installation of Solar PV Equipment | Excavators | 1 | 3.00 | 158 | 0.38 |
| Installation of Solar PV Equipment and Utility | Tractors/Loaders/Backhoes | 2 | 8.00 | 97 | 0.37 |
| Site Preparation | Excavators | 1 | 6.00 | 158 | 0.34 |
| Installation of Solar PV Equipment | Bore/Drill Rigs | 2 | 7.00 | 221 | 0.50 |

Trips and VMT

| Phase Name | Offroad Equipment Count | Worker Trip Number | Vendor Trip Number | Hauling Trip Number | Worker Trip Length | Vendor Trip Length | Hauling Trip Length | Worker Vehicle Class | Vendor Vehicle Class | Hauling Vehicle Class |
|--|-------------------------|--------------------|--------------------|---------------------|--------------------|--------------------|---------------------|----------------------|----------------------|-----------------------|
| Installation of Solar PV Equipment | 6 | 30.00 | 3.00 | 0.00 | 16.80 | 15.00 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Installation of Solar PV Equipment and Utility | 7 | 9.00 | 3.00 | 0.00 | 16.80 | 15.00 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Site Preparation | 5 | 9.00 | 9.00 | 0.00 | 16.80 | 15.00 | 20.00 | LD_Mix | HDT_Mix | HHDT |

3.1 Mitigation Measures Construction

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.2 Site Preparation - 2024****Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|---------------|--------|--------|--------|--------|---------------|--------------|------------|----------------|---------------|-------------|----------|------------|------------|--------|-----|--------|------------|
| Category | lb/day | | | | | | | | | | lb/day | | | | | | |
| Fugitive Dust | | | | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 | |
| Off-Road | 0.6992 | 6.6052 | 7.6883 | 0.0202 | | 0.2363 | 0.2363 | | 0.2174 | 0.2174 | | 1,955.1273 | 1,955.1273 | 0.6323 | | | 1,970.9355 |
| Total | 0.6992 | 6.6052 | 7.6883 | 0.0202 | 0.0000 | 0.2363 | 0.2363 | 0.0000 | 0.2174 | 0.2174 | | 1,955.1273 | 1,955.1273 | 0.6323 | | | 1,970.9355 |

Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|----------|--------|--------|--------|-------------|---------------|--------------|------------|----------------|---------------|-------------|----------|-----------|-----------|-------------|-------------|--------|----------|
| Category | lb/day | | | | | | | | | | lb/day | | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Vendor | 0.0181 | 0.4934 | 0.1818 | 3.3800e-003 | 0.1252 | 6.2900e-003 | 0.1315 | 0.0360 | 6.0100e-003 | 0.0420 | | 354.8395 | 354.8395 | 1.0500e-003 | 0.0478 | | 369.0995 |
| Worker | 0.0384 | 0.0219 | 0.3447 | 9.9000e-004 | 0.1150 | 4.9000e-004 | 0.1155 | 0.0305 | 4.5000e-004 | 0.0309 | | 100.3454 | 100.3454 | 2.0800e-003 | 2.2600e-003 | | 101.0713 |
| Total | 0.0565 | 0.5153 | 0.5265 | 4.3700e-003 | 0.2401 | 6.7800e-003 | 0.2469 | 0.0665 | 6.4600e-003 | 0.0730 | | 455.1848 | 455.1848 | 3.1300e-003 | 0.0500 | | 470.1707 |

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.2 Site Preparation - 2024****Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|---------------|--------|--------|--------|--------|---------------|--------------|------------|----------------|---------------|-------------|----------|------------|------------|--------|-----|--------|------------|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Fugitive Dust | | | | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 | |
| Off-Road | 0.6992 | 6.6052 | 7.6883 | 0.0202 | | 0.2363 | 0.2363 | | 0.2174 | 0.2174 | 0.0000 | 1,955.1273 | 1,955.1273 | 0.6323 | | | 1,970.9355 |
| Total | 0.6992 | 6.6052 | 7.6883 | 0.0202 | 0.0000 | 0.2363 | 0.2363 | 0.0000 | 0.2174 | 0.2174 | 0.0000 | 1,955.1273 | 1,955.1273 | 0.6323 | | | 1,970.9355 |

Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|----------|--------|--------|--------|-------------|---------------|--------------|------------|----------------|---------------|-------------|----------|-----------|-----------|----------|-------------|-------------|----------|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 0.0181 | 0.4934 | 0.1818 | 3.3800e-003 | 0.1252 | 6.2900e-003 | 0.1315 | 0.0360 | 6.0100e-003 | 0.0420 | | | 354.8395 | 354.8395 | 1.0500e-003 | 0.0478 | 369.0995 |
| Worker | 0.0384 | 0.0219 | 0.3447 | 9.9000e-004 | 0.1150 | 4.9000e-004 | 0.1155 | 0.0305 | 4.5000e-004 | 0.0309 | | | 100.3454 | 100.3454 | 2.0800e-003 | 2.2600e-003 | 101.0713 |
| Total | 0.0565 | 0.5153 | 0.5265 | 4.3700e-003 | 0.2401 | 6.7800e-003 | 0.2469 | 0.0665 | 6.4600e-003 | 0.0730 | | | 455.1848 | 455.1848 | 3.1300e-003 | 0.0500 | 470.1707 |

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.2 Site Preparation - 2025**Unmitigated Construction On-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|---------------|--------|--------|--------|--------|---------------|--------------|------------|----------------|---------------|-------------|----------|------------|------------|--------|-----|--------|------------|
| Category | lb/day | | | | | | | | | | lb/day | | | | | | |
| Fugitive Dust | | | | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 | |
| Off-Road | 0.6440 | 5.6419 | 7.6489 | 0.0202 | | 0.2030 | 0.2030 | | 0.1868 | 0.1868 | | 1,956.3443 | 1,956.3443 | 0.6327 | | | 1,972.1623 |
| Total | 0.6440 | 5.6419 | 7.6489 | 0.0202 | 0.0000 | 0.2030 | 0.2030 | 0.0000 | 0.1868 | 0.1868 | | 1,956.3443 | 1,956.3443 | 0.6327 | | | 1,972.1623 |

Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|----------|--------|--------|--------|-------------|---------------|--------------|------------|----------------|---------------|-------------|----------|-----------|-----------|-------------|-------------|--------|----------|
| Category | lb/day | | | | | | | | | | lb/day | | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Vendor | 0.0176 | 0.4872 | 0.1752 | 3.3100e-003 | 0.1252 | 6.2600e-003 | 0.1314 | 0.0360 | 5.9900e-003 | 0.0420 | | 347.5042 | 347.5042 | 1.0000e-003 | 0.0467 | | 361.4326 |
| Worker | 0.0357 | 0.0195 | 0.3186 | 9.6000e-004 | 0.1150 | 4.6000e-004 | 0.1154 | 0.0305 | 4.3000e-004 | 0.0309 | | 96.8908 | 96.8908 | 1.8700e-003 | 2.1000e-003 | | 97.5637 |
| Total | 0.0533 | 0.5067 | 0.4938 | 4.2700e-003 | 0.2401 | 6.7200e-003 | 0.2469 | 0.0665 | 6.4200e-003 | 0.0729 | | 444.3950 | 444.3950 | 2.8700e-003 | 0.0488 | | 458.9962 |

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.2 Site Preparation - 2025****Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|---------------|--------|--------|--------|--------|---------------|--------------|------------|----------------|---------------|-------------|----------|------------|------------|--------|-----|--------|------------|
| Category | lb/day | | | | | | | | | | lb/day | | | | | | |
| Fugitive Dust | | | | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 | |
| Off-Road | 0.6440 | 5.6419 | 7.6489 | 0.0202 | | 0.2030 | 0.2030 | | 0.1868 | 0.1868 | 0.0000 | 1,956.3443 | 1,956.3443 | 0.6327 | | | 1,972.1623 |
| Total | 0.6440 | 5.6419 | 7.6489 | 0.0202 | 0.0000 | 0.2030 | 0.2030 | 0.0000 | 0.1868 | 0.1868 | 0.0000 | 1,956.3443 | 1,956.3443 | 0.6327 | | | 1,972.1623 |

Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|----------|--------|--------|--------|-------------|---------------|--------------|------------|----------------|---------------|-------------|----------|-----------|-----------|-------------|-------------|--------|----------|
| Category | lb/day | | | | | | | | | | lb/day | | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Vendor | 0.0176 | 0.4872 | 0.1752 | 3.3100e-003 | 0.1252 | 6.2600e-003 | 0.1314 | 0.0360 | 5.9900e-003 | 0.0420 | | 347.5042 | 347.5042 | 1.0000e-003 | 0.0467 | | 361.4326 |
| Worker | 0.0357 | 0.0195 | 0.3186 | 9.6000e-004 | 0.1150 | 4.6000e-004 | 0.1154 | 0.0305 | 4.3000e-004 | 0.0309 | | 96.8908 | 96.8908 | 1.8700e-003 | 2.1000e-003 | | 97.5637 |
| Total | 0.0533 | 0.5067 | 0.4938 | 4.2700e-003 | 0.2401 | 6.7200e-003 | 0.2469 | 0.0665 | 6.4200e-003 | 0.0729 | | 444.3950 | 444.3950 | 2.8700e-003 | 0.0488 | | 458.9962 |

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.3 Installation of Solar PV Equipment and Utility - 2025****Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|--------------|---------------|----------------|----------------|---------------|---------------|---------------|---------------|----------------|---------------|---------------|----------|-------------------|-------------------|---------------|-----|-------------------|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Off-Road | 1.9132 | 18.7838 | 23.2041 | 0.0472 | | 0.7902 | 0.7902 | | 0.7270 | 0.7270 | | 4,572.3611 | 4,572.3611 | 1.4788 | | 4,609.3310 |
| Total | 1.9132 | 18.7838 | 23.2041 | 0.0472 | | 0.7902 | 0.7902 | | 0.7270 | 0.7270 | | 4,572.3611 | 4,572.3611 | 1.4788 | | 4,609.3310 |

Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|--------------|---------------|---------------|---------------|--------------------|---------------|--------------------|---------------|----------------|--------------------|---------------|----------|-----------------|-----------------|--------------------|---------------|-----------------|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 5.8500e-003 | 0.1624 | 0.0584 | 1.1000e-003 | 0.0417 | 2.0900e-003 | 0.0438 | 0.0120 | 2.0000e-003 | 0.0140 | | 115.8347 | 115.8347 | 3.3000e-004 | 0.0156 | 120.4775 |
| Worker | 0.0357 | 0.0195 | 0.3186 | 9.6000e-004 | 0.1150 | 4.6000e-004 | 0.1154 | 0.0305 | 4.3000e-004 | 0.0309 | | 96.8908 | 96.8908 | 1.8700e-003 | 2.1000e-003 | 97.5637 |
| Total | 0.0416 | 0.1819 | 0.3770 | 2.0600e-003 | 0.1567 | 2.5500e-003 | 0.1592 | 0.0425 | 2.4300e-003 | 0.0449 | | 212.7256 | 212.7256 | 2.2000e-003 | 0.0177 | 218.0412 |

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.3 Installation of Solar PV Equipment and Utility - 2025****Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|----------------|----------------|---------------|---------------|---------------|---------------|----------------|---------------|---------------|---------------|-------------------|-------------------|---------------|-----|-------------------|--|
| Category | lb/day | | | | | | | | | | lb/day | | | | | | |
| Off-Road | 1.9132 | 18.7838 | 23.2041 | 0.0472 | | 0.7902 | 0.7902 | | 0.7270 | 0.7270 | 0.0000 | 4,572.3611 | 4,572.3611 | 1.4788 | | 4,609.3310 | |
| Total | 1.9132 | 18.7838 | 23.2041 | 0.0472 | | 0.7902 | 0.7902 | | 0.7270 | 0.7270 | 0.0000 | 4,572.3611 | 4,572.3611 | 1.4788 | | 4,609.3310 | |

Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|---------------|---------------|--------------------|---------------|--------------------|---------------|----------------|--------------------|---------------|----------|-----------------|-----------------|--------------------|---------------|-----------------|--|
| Category | lb/day | | | | | | | | | | lb/day | | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Vendor | 5.8500e-003 | 0.1624 | 0.0584 | 1.1000e-003 | 0.0417 | 2.0900e-003 | 0.0438 | 0.0120 | 2.0000e-003 | 0.0140 | | 115.8347 | 115.8347 | 3.3000e-004 | 0.0156 | 120.4775 | |
| Worker | 0.0357 | 0.0195 | 0.3186 | 9.6000e-004 | 0.1150 | 4.6000e-004 | 0.1154 | 0.0305 | 4.3000e-004 | 0.0309 | | 96.8908 | 96.8908 | 1.8700e-003 | 2.1000e-003 | 97.5637 | |
| Total | 0.0416 | 0.1819 | 0.3770 | 2.0600e-003 | 0.1567 | 2.5500e-003 | 0.1592 | 0.0425 | 2.4300e-003 | 0.0449 | | 212.7256 | 212.7256 | 2.2000e-003 | 0.0177 | 218.0412 | |

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.4 Installation of Solar PV Equipment - 2025****Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------------|---------------|----------|-------------------|-------------------|---------------|-----|-------------------|--|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Off-Road | 0.5485 | 5.2076 | 7.4745 | 0.0225 | | 0.1746 | 0.1746 | | 0.1607 | 0.1607 | | 2,178.4066 | 2,178.4066 | 0.7045 | | 2,196.0201 | |
| Total | 0.5485 | 5.2076 | 7.4745 | 0.0225 | | 0.1746 | 0.1746 | | 0.1607 | 0.1607 | | 2,178.4066 | 2,178.4066 | 0.7045 | | 2,196.0201 | |

Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|---------------|---------------|--------------------|---------------|--------------------|---------------|----------------|--------------------|---------------|----------|-----------------|-----------------|--------------------|---------------|-----------------|--|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Vendor | 5.8500e-003 | 0.1624 | 0.0584 | 1.1000e-003 | 0.0417 | 2.0900e-003 | 0.0438 | 0.0120 | 2.0000e-003 | 0.0140 | | 115.8347 | 115.8347 | 3.3000e-004 | 0.0156 | 120.4775 | |
| Worker | 0.1190 | 0.0650 | 1.0620 | 3.2000e-003 | 0.3832 | 1.5400e-003 | 0.3847 | 0.1016 | 1.4200e-003 | 0.1030 | | 322.9694 | 322.9694 | 6.2300e-003 | 7.0000e-003 | 325.2122 | |
| Total | 0.1249 | 0.2273 | 1.1204 | 4.3000e-003 | 0.4249 | 3.6300e-003 | 0.4286 | 0.1136 | 3.4200e-003 | 0.1170 | | 438.8042 | 438.8042 | 6.5600e-003 | 0.0226 | 445.6898 | |

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.4 Installation of Solar PV Equipment - 2025****Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------------|---------------|---------------|-------------------|-------------------|---------------|-----|-------------------|--|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Off-Road | 0.5485 | 5.2076 | 7.4745 | 0.0225 | | 0.1746 | 0.1746 | | 0.1607 | 0.1607 | 0.0000 | 2,178.4066 | 2,178.4066 | 0.7045 | | 2,196.0201 | |
| Total | 0.5485 | 5.2076 | 7.4745 | 0.0225 | | 0.1746 | 0.1746 | | 0.1607 | 0.1607 | 0.0000 | 2,178.4066 | 2,178.4066 | 0.7045 | | 2,196.0201 | |

Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|---------------|---------------|--------------------|---------------|--------------------|---------------|----------------|--------------------|---------------|----------|-----------------|-----------------|--------------------|---------------|-----------------|--|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Vendor | 5.8500e-003 | 0.1624 | 0.0584 | 1.1000e-003 | 0.0417 | 2.0900e-003 | 0.0438 | 0.0120 | 2.0000e-003 | 0.0140 | | 115.8347 | 115.8347 | 3.3000e-004 | 0.0156 | 120.4775 | |
| Worker | 0.1190 | 0.0650 | 1.0620 | 3.2000e-003 | 0.3832 | 1.5400e-003 | 0.3847 | 0.1016 | 1.4200e-003 | 0.1030 | | 322.9694 | 322.9694 | 6.2300e-003 | 7.0000e-003 | 325.2122 | |
| Total | 0.1249 | 0.2273 | 1.1204 | 4.3000e-003 | 0.4249 | 3.6300e-003 | 0.4286 | 0.1136 | 3.4200e-003 | 0.1170 | | 438.8042 | 438.8042 | 6.5600e-003 | 0.0226 | 445.6898 | |

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**4.0 Operational Detail - Mobile****4.1 Mitigation Measures Mobile**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|-------------|--------|--------|--------|--------|---------------|--------------|------------|----------------|---------------|-------------|----------|-----------|-----------|--------|--------|--------|--|
| Category | lb/day | | | | | | | | | | lb/day | | | | | | |
| Mitigated | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Unmitigated | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |

4.2 Trip Summary Information

| Land Use | Average Daily Trip Rate | | | Unmitigated | | Mitigated | | |
|----------|----------------------------|------|----------|-------------|------------|-----------|------------|--|
| | Weekday | | Saturday | Sunday | Annual VMT | | Annual VMT | |
| | Other Non-Asphalt Surfaces | 0.00 | 0.00 | 0.00 | | | | |
| Total | 0.00 | 0.00 | 0.00 | 0.00 | | | | |

4.3 Trip Type Information

| Land Use | Miles | | | Trip % | | | Trip Purpose % | | |
|----------------------------|------------|------------|-------------|------------|------------|-------------|----------------|----------|---------|
| | H-W or C-W | H-S or C-C | H-O or C-NW | H-W or C-W | H-S or C-C | H-O or C-NW | Primary | Diverted | Pass-by |
| Other Non-Asphalt Surfaces | 14.70 | 6.60 | 6.60 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |

4.4 Fleet Mix

| Land Use | LDA | LDT1 | LDT2 | MDV | LHD1 | LHD2 | MHD | HHD | OBUS | UBUS | MCY | SBUS | MH |
|----------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Other Non-Asphalt Surfaces | 0.533906 | 0.057134 | 0.174979 | 0.135238 | 0.028400 | 0.007566 | 0.006280 | 0.022304 | 0.000478 | 0.000157 | 0.027480 | 0.000931 | 0.005146 |

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**5.0 Energy Detail**

Historical Energy Use: N

5.1 Mitigation Measures Energy

Kilowatt Hours of Renewable Electricity Generated

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|------------------------|--------|--------|--------|--------|---------------|--------------|------------|----------------|---------------|-------------|----------|-----------|-----------|--------|--------|--------|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| NaturalGas Mitigated | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| NaturalGas Unmitigated | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**5.2 Energy by Land Use - NaturalGas****Unmitigated**

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|----------------------------|----------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------------|---------------|----------|---------------|---------------|---------------|---------------|---------------|
| Land Use | kBTU/yr | lb/day | | | | | | | | | | lb/day | | | | | |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

Mitigated

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|----------------------------|----------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------------|---------------|----------|---------------|---------------|---------------|---------------|---------------|
| Land Use | kBTU/yr | lb/day | | | | | | | | | | lb/day | | | | | |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

6.0 Area Detail**6.1 Mitigation Measures Area**

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|-------------|--------|-------------|--------|-------------|---------------|--------------|-------------|----------------|---------------|-------------|----------|-----------|-------------|-----|--------|------|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Mitigated | 0.5913 | 9.8000e-004 | 0.1087 | 1.0000e-005 | | 3.9000e-004 | 3.9000e-004 | | 3.9000e-004 | 3.9000e-004 | 0.2336 | 0.2336 | 6.1000e-004 | | 0.2488 | |
| Unmitigated | 0.5913 | 9.8000e-004 | 0.1087 | 1.0000e-005 | | 3.9000e-004 | 3.9000e-004 | | 3.9000e-004 | 3.9000e-004 | 0.2336 | 0.2336 | 6.1000e-004 | | 0.2488 | |

6.2 Area by SubCategoryUnmitigated

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|-----------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|--------------------|----------------|--------------------|--------------------|---------------|---------------|--------------------|-----|---------------|--------|
| SubCategory | lb/day | | | | | | | | | | lb/day | | | | | |
| Architectural Coating | 0.2033 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | | | 0.0000 |
| Consumer Products | 0.3780 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | | | 0.0000 |
| Landscaping | 0.0100 | 9.8000e-004 | 0.1087 | 1.0000e-005 | | 3.9000e-004 | 3.9000e-004 | | 3.9000e-004 | 3.9000e-004 | 0.2336 | 0.2336 | 6.1000e-004 | | 0.2488 | |
| Total | 0.5913 | 9.8000e-004 | 0.1087 | 1.0000e-005 | | 3.9000e-004 | 3.9000e-004 | | 3.9000e-004 | 3.9000e-004 | 0.2336 | 0.2336 | 6.1000e-004 | | 0.2488 | |

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**6.2 Area by SubCategory****Mitigated**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|-----------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|--------------------|----------------|--------------------|--------------------|----------|---------------|---------------|--------------------|-----|---------------|
| SubCategory | lb/day | | | | | | | | | | lb/day | | | | | |
| Architectural Coating | 0.2033 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Consumer Products | 0.3780 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Landscaping | 0.0100 | 9.8000e-004 | 0.1087 | 1.0000e-005 | | 3.9000e-004 | 3.9000e-004 | | 3.9000e-004 | 3.9000e-004 | | 0.2336 | 0.2336 | 6.1000e-004 | | 0.2488 |
| Total | 0.5913 | 9.8000e-004 | 0.1087 | 1.0000e-005 | | 3.9000e-004 | 3.9000e-004 | | 3.9000e-004 | 3.9000e-004 | | 0.2336 | 0.2336 | 6.1000e-004 | | 0.2488 |

7.0 Water Detail**7.1 Mitigation Measures Water**

Corral Solar - Mojave Desert AQMD Air District, Summer

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**8.0 Waste Detail**

8.1 Mitigation Measures Waste**9.0 Operational Offroad**

| Equipment Type | Number | Hours/Day | Days/Year | Horse Power | Load Factor | Fuel Type |
|----------------|--------|-----------|-----------|-------------|-------------|-----------|
|----------------|--------|-----------|-----------|-------------|-------------|-----------|

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

| Equipment Type | Number | Hours/Day | Hours/Year | Horse Power | Load Factor | Fuel Type |
|----------------|--------|-----------|------------|-------------|-------------|-----------|
|----------------|--------|-----------|------------|-------------|-------------|-----------|

Boilers

| Equipment Type | Number | Heat Input/Day | Heat Input/Year | Boiler Rating | Fuel Type |
|----------------|--------|----------------|-----------------|---------------|-----------|
|----------------|--------|----------------|-----------------|---------------|-----------|

User Defined Equipment

| Equipment Type | Number |
|----------------|--------|
|----------------|--------|

11.0 Vegetation

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**Corral Solar****Mojave Desert AQMD Air District, Winter****1.0 Project Characteristics****1.1 Land Usage**

| Land Uses | Size | Metric | Lot Acreage | Floor Surface Area | Population |
|----------------------------|----------|----------|-------------|--------------------|------------|
| Other Non-Asphalt Surfaces | 1,067.20 | 1000sqft | 24.50 | 1,067,200.00 | 0 |

1.2 Other Project Characteristics

| | | | | | |
|----------------------------|--------------|----------------------------|-----|----------------------------|------|
| Urbanization | Rural | Wind Speed (m/s) | 2.6 | Precipitation Freq (Days) | 30 |
| Climate Zone | 10 | | | Operational Year | 2025 |
| Utility Company | User Defined | | | | |
| CO2 Intensity (lb/MWhr) | 0 | CH4 Intensity (lb/MWhr) | 0 | N2O Intensity (lb/MWhr) | 0 |

1.3 User Entered Comments & Non-Default Data

Project Characteristics - No Utility will be used. The project is community solar.

Land Use -

Construction Phase - 60 days for installation of Solar PV equipment based on a 3 MW project size

Off-road Equipment - The Equipment type is based off a 3 MW Solar Installation.

Off-road Equipment - Equipment is based off a 3 MW solar project.

Off-road Equipment - Equipment is based off a 3 MW solar project.

Trips and VMT - All truck trips based off construction plan for a 3 MW solar project.

Road Dust - project site will not be paved. Solar will be elevated above soil.

Mobile Land Use Mitigation -

Energy Mitigation -

Water Mitigation -

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

| Table Name | Column Name | Default Value | New Value |
|----------------------|----------------------|---------------------------|---------------------------|
| tblConstructionPhase | NumDays | 370.00 | 60.00 |
| tblConstructionPhase | PhaseEndDate | 12/13/2024 | 12/25/2024 |
| tblConstructionPhase | PhaseStartDate | 5/15/2026 | 3/19/2025 |
| tblConstructionPhase | PhaseStartDate | 12/14/2024 | 12/26/2024 |
| tblOffRoadEquipment | HorsePower | 97.00 | 247.00 |
| tblOffRoadEquipment | HorsePower | 65.00 | 97.00 |
| tblOffRoadEquipment | LoadFactor | 0.31 | 0.31 |
| tblOffRoadEquipment | LoadFactor | 0.38 | 0.38 |
| tblOffRoadEquipment | LoadFactor | 0.36 | 0.36 |
| tblOffRoadEquipment | LoadFactor | 0.37 | 0.40 |
| tblOffRoadEquipment | LoadFactor | 0.38 | 0.38 |
| tblOffRoadEquipment | LoadFactor | 0.37 | 0.37 |
| tblOffRoadEquipment | LoadFactor | 0.38 | 0.38 |
| tblOffRoadEquipment | LoadFactor | 0.31 | 0.31 |
| tblOffRoadEquipment | LoadFactor | 0.37 | 0.37 |
| tblOffRoadEquipment | LoadFactor | 0.37 | 0.37 |
| tblOffRoadEquipment | LoadFactor | 0.38 | 0.38 |
| tblOffRoadEquipment | LoadFactor | 0.50 | 0.50 |
| tblOffRoadEquipment | OffRoadEquipmentType | | Aerial Lifts |
| tblOffRoadEquipment | OffRoadEquipmentType | | Excavators |
| tblOffRoadEquipment | OffRoadEquipmentType | | Rubber Tired Loaders |
| tblOffRoadEquipment | OffRoadEquipmentType | | Excavators |
| tblOffRoadEquipment | OffRoadEquipmentType | | Skid Steer Loaders |
| tblOffRoadEquipment | OffRoadEquipmentType | | Rollers |
| tblOffRoadEquipment | OffRoadEquipmentType | Tractors/Loaders/Backhoes | Skid Steer Loaders |
| tblOffRoadEquipment | OffRoadEquipmentType | Welders | Aerial Lifts |
| tblOffRoadEquipment | OffRoadEquipmentType | | Tractors/Loaders/Backhoes |
| tblOffRoadEquipment | OffRoadEquipmentType | | Skid Steer Loaders |

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

| | | | |
|---------------------------|----------------------------|--------|-----------------|
| tblOffRoadEquipment | OffRoadEquipmentType | | Excavators |
| tblOffRoadEquipment | OffRoadEquipmentType | | Bore/Drill Rigs |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 4.00 | 1.00 |
| tblOffRoadEquipment | OffRoadEquipmentUnitAmount | 3.00 | 1.00 |
| tblOffRoadEquipment | UsageHours | 7.00 | 3.00 |
| tblProjectCharacteristics | UrbanizationLevel | Urban | Rural |
| tblRoadDust | RoadPercentPave | 100 | 10 |
| tblTripsAndVMT | VendorTripLength | 6.60 | 15.00 |
| tblTripsAndVMT | VendorTripLength | 6.60 | 15.00 |
| tblTripsAndVMT | VendorTripLength | 6.60 | 15.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 9.00 |
| tblTripsAndVMT | VendorTripNumber | 175.00 | 3.00 |
| tblTripsAndVMT | VendorTripNumber | 0.00 | 3.00 |
| tblTripsAndVMT | WorkerTripNumber | 13.00 | 9.00 |
| tblTripsAndVMT | WorkerTripNumber | 448.00 | 30.00 |
| tblTripsAndVMT | WorkerTripNumber | 18.00 | 9.00 |

2.0 Emissions Summary

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---------|--------|--------|---------|--------|---------------|--------------|------------|----------------|---------------|-------------|----------|------------|------------|--------|--------|------------|
| Year | lb/day | | | | | | | | | | lb/day | | | | | |
| 2024 | 0.7684 | 7.2728 | 10.0410 | 0.0267 | 0.4249 | 0.2812 | 0.6163 | 0.1136 | 0.2588 | 0.3013 | 0.0000 | 2,601.2215 | 2,601.2215 | 0.7141 | 0.0502 | 2,626.1104 |
| 2025 | 0.6680 | 5.4581 | 8.3756 | 0.0265 | 0.4249 | 0.1787 | 0.6036 | 0.1136 | 0.1645 | 0.2781 | 0.0000 | 2,588.4977 | 2,588.4977 | 0.7134 | 0.0227 | 2,613.0955 |
| Maximum | 0.7684 | 7.2728 | 10.0410 | 0.0267 | 0.4249 | 0.2812 | 0.6163 | 0.1136 | 0.2588 | 0.3013 | 0.0000 | 2,601.2215 | 2,601.2215 | 0.7141 | 0.0502 | 2,626.1104 |

Mitigated Construction

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|---------|--------|--------|---------|--------|---------------|--------------|------------|----------------|---------------|-------------|----------|------------|------------|--------|--------|------------|
| Year | lb/day | | | | | | | | | | lb/day | | | | | |
| 2024 | 0.7684 | 7.2728 | 10.0410 | 0.0267 | 0.4249 | 0.2812 | 0.6163 | 0.1136 | 0.2588 | 0.3013 | 0.0000 | 2,601.2215 | 2,601.2215 | 0.7141 | 0.0502 | 2,626.1104 |
| 2025 | 0.6680 | 5.4581 | 8.3756 | 0.0265 | 0.4249 | 0.1787 | 0.6036 | 0.1136 | 0.1645 | 0.2781 | 0.0000 | 2,588.4977 | 2,588.4977 | 0.7134 | 0.0227 | 2,613.0955 |
| Maximum | 0.7684 | 7.2728 | 10.0410 | 0.0267 | 0.4249 | 0.2812 | 0.6163 | 0.1136 | 0.2588 | 0.3013 | 0.0000 | 2,601.2215 | 2,601.2215 | 0.7141 | 0.0502 | 2,626.1104 |

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**2.2 Overall Operational****Unmitigated Operational**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|--------------------|----------------|--------------------|--------------------|----------|---------------|---------------|--------------------|---------------|---------------|--|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Area | 0.5913 | 9.8000e-004 | 0.1087 | 1.0000e-005 | | 3.9000e-004 | 3.9000e-004 | | 3.9000e-004 | 3.9000e-004 | | 0.2336 | 0.2336 | 6.1000e-004 | | 0.2488 | |
| Energy | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Mobile | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Total | 0.5913 | 9.8000e-004 | 0.1087 | 1.0000e-005 | 0.0000 | 3.9000e-004 | 3.9000e-004 | 0.0000 | 3.9000e-004 | 3.9000e-004 | | 0.2336 | 0.2336 | 6.1000e-004 | 0.0000 | 0.2488 | |

Mitigated Operational

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|--------------------|----------------|--------------------|--------------------|----------|---------------|---------------|--------------------|---------------|---------------|--|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Area | 0.5913 | 9.8000e-004 | 0.1087 | 1.0000e-005 | | 3.9000e-004 | 3.9000e-004 | | 3.9000e-004 | 3.9000e-004 | | 0.2336 | 0.2336 | 6.1000e-004 | | 0.2488 | |
| Energy | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Mobile | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Total | 0.5913 | 9.8000e-004 | 0.1087 | 1.0000e-005 | 0.0000 | 3.9000e-004 | 3.9000e-004 | 0.0000 | 3.9000e-004 | 3.9000e-004 | | 0.2336 | 0.2336 | 6.1000e-004 | 0.0000 | 0.2488 | |

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio-CO2 | Total CO2 | CH4 | N2O | CO2e |
|-------------------|------|------|------|------|---------------|--------------|------------|----------------|---------------|-------------|----------|----------|-----------|------|------|------|
| Percent Reduction | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

3.0 Construction Detail**Construction Phase**

| Phase Number | Phase Name | Phase Type | Start Date | End Date | Num Days Week | Num Days | Phase Description |
|--------------|--|-----------------------|------------|------------|---------------|----------|------------------------------------|
| 1 | Site Preparation | Site Preparation | 12/1/2024 | 12/13/2024 | 5 | 10 | Site Prep |
| 2 | Installation of Solar PV Equipment and Utility | Trenching | 12/14/2024 | 12/25/2024 | 5 | 8 | Installation of Solar PV Equipment |
| 3 | Installation of Solar PV Equipment | Building Construction | 12/26/2024 | 3/19/2025 | 5 | 60 | Installation of Solar PV Equipment |

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 24.5

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

| Phase Name | Offroad Equipment Type | Amount | Usage Hours | Horse Power | Load Factor |
|--|---------------------------|--------|-------------|-------------|-------------|
| Site Preparation | Aerial Lifts | 1 | 6.00 | 63 | 0.31 |
| Site Preparation | Excavators | 1 | 6.00 | 158 | 0.38 |
| Site Preparation | Rubber Tired Loaders | 1 | 6.00 | 203 | 0.36 |
| Installation of Solar PV Equipment and Utility | Excavators | 2 | 4.00 | 158 | 0.38 |
| Installation of Solar PV Equipment and Utility | Skid Steer Loaders | 1 | 4.00 | 65 | 0.37 |
| Installation of Solar PV Equipment | Aerial Lifts | 1 | 6.00 | 63 | 0.31 |
| Installation of Solar PV Equipment | Tractors/Loaders/Backhoes | 1 | 3.00 | 97 | 0.37 |
| Installation of Solar PV Equipment | Skid Steer Loaders | 1 | 6.00 | 65 | 0.37 |

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

| | | | | | |
|--|---------------------------|---|------|-----|------|
| Installation of Solar PV Equipment | Excavators | 1 | 3.00 | 158 | 0.38 |
| Installation of Solar PV Equipment and Utility | Rollers | 2 | 4.00 | 80 | 0.38 |
| Site Preparation | Tractors/Loaders/Backhoes | 1 | 8.00 | 247 | 0.40 |
| Installation of Solar PV Equipment and Utility | Tractors/Loaders/Backhoes | 2 | 7.00 | 97 | 0.37 |
| Installation of Solar PV Equipment | Bore/Drill Rigs | 2 | 7.00 | 221 | 0.50 |
| Site Preparation | Skid Steer Loaders | 1 | 6.00 | 97 | 0.37 |

Trips and VMT

| Phase Name | Offroad Equipment Count | Worker Trip Number | Vendor Trip Number | Hauling Trip Number | Worker Trip Length | Vendor Trip Length | Hauling Trip Length | Worker Vehicle Class | Vendor Vehicle Class | Hauling Vehicle Class |
|--|-------------------------|--------------------|--------------------|---------------------|--------------------|--------------------|---------------------|----------------------|----------------------|-----------------------|
| Site Preparation | 5 | 9.00 | 9.00 | 0.00 | 16.80 | 15.00 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Installation of Solar PV Equipment | 6 | 30.00 | 3.00 | 0.00 | 16.80 | 15.00 | 20.00 | LD_Mix | HDT_Mix | HHDT |
| Installation of Solar PV Equipment and Utility | 7 | 9.00 | 3.00 | 0.00 | 16.80 | 15.00 | 20.00 | LD_Mix | HDT_Mix | HHDT |

3.1 Mitigation Measures Construction

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.2 Site Preparation - 2024****Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|---------------|--------|--------|--------|--------|---------------|--------------|------------|----------------|---------------|-------------|----------|------------|------------|--------|-----|--------|------------|
| Category | lb/day | | | | | | | | | | lb/day | | | | | | |
| Fugitive Dust | | | | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 | |
| Off-Road | 0.7149 | 6.7277 | 7.9592 | 0.0207 | | 0.2423 | 0.2423 | | 0.2229 | 0.2229 | | 1,998.0605 | 1,998.0605 | 0.6462 | | | 2,014.2158 |
| Total | 0.7149 | 6.7277 | 7.9592 | 0.0207 | 0.0000 | 0.2423 | 0.2423 | 0.0000 | 0.2229 | 0.2229 | | 1,998.0605 | 1,998.0605 | 0.6462 | | | 2,014.2158 |

Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|----------|--------|--------|--------|-------------|---------------|--------------|------------|----------------|---------------|-------------|----------|-----------|-----------|-------------|-------------|--------|----------|
| Category | lb/day | | | | | | | | | | lb/day | | | | | | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Vendor | 0.0173 | 0.5226 | 0.1868 | 3.3800e-003 | 0.1252 | 6.2900e-003 | 0.1315 | 0.0360 | 6.0200e-003 | 0.0421 | | 355.3574 | 355.3574 | 1.0000e-003 | 0.0479 | | 369.6563 |
| Worker | 0.0362 | 0.0225 | 0.2689 | 8.8000e-004 | 0.1150 | 4.9000e-004 | 0.1155 | 0.0305 | 4.5000e-004 | 0.0309 | | 89.1128 | 89.1128 | 2.0500e-003 | 2.2900e-003 | | 89.8478 |
| Total | 0.0535 | 0.5451 | 0.4557 | 4.2600e-003 | 0.2401 | 6.7800e-003 | 0.2469 | 0.0665 | 6.4700e-003 | 0.0730 | | 444.4702 | 444.4702 | 3.0500e-003 | 0.0502 | | 459.5041 |

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.2 Site Preparation - 2024****Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|---------------|--------|--------|--------|--------|---------------|--------------|------------|----------------|---------------|-------------|----------|------------|------------|--------|-----|--------|------------|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Fugitive Dust | | | | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 | |
| Off-Road | 0.7149 | 6.7277 | 7.9592 | 0.0207 | | 0.2423 | 0.2423 | | 0.2229 | 0.2229 | 0.0000 | 1,998.0605 | 1,998.0605 | 0.6462 | | | 2,014.2158 |
| Total | 0.7149 | 6.7277 | 7.9592 | 0.0207 | 0.0000 | 0.2423 | 0.2423 | 0.0000 | 0.2229 | 0.2229 | 0.0000 | 1,998.0605 | 1,998.0605 | 0.6462 | | | 2,014.2158 |

Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|----------|--------|--------|--------|-------------|---------------|--------------|------------|----------------|---------------|-------------|----------|-----------|-----------|----------|-------------|-------------|----------|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 0.0173 | 0.5226 | 0.1868 | 3.3800e-003 | 0.1252 | 6.2900e-003 | 0.1315 | 0.0360 | 6.0200e-003 | 0.0421 | | | 355.3574 | 355.3574 | 1.0000e-003 | 0.0479 | 369.6563 |
| Worker | 0.0362 | 0.0225 | 0.2689 | 8.8000e-004 | 0.1150 | 4.9000e-004 | 0.1155 | 0.0305 | 4.5000e-004 | 0.0309 | | | 89.1128 | 89.1128 | 2.0500e-003 | 2.2900e-003 | 89.8478 |
| Total | 0.0535 | 0.5451 | 0.4557 | 4.2600e-003 | 0.2401 | 6.7800e-003 | 0.2469 | 0.0665 | 6.4700e-003 | 0.0730 | | | 444.4702 | 444.4702 | 3.0500e-003 | 0.0502 | 459.5041 |

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.3 Installation of Solar PV Equipment and Utility - 2024****Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------------|---------------|----------|-------------------|-------------------|---------------|-----|--------|-------------------|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Off-Road | 0.6079 | 5.8609 | 9.7098 | 0.0143 | | 0.2786 | 0.2786 | | 0.2564 | 0.2564 | | 1,381.6710 | 1,381.6710 | 0.4469 | | | 1,392.8425 |
| Total | 0.6079 | 5.8609 | 9.7098 | 0.0143 | | 0.2786 | 0.2786 | | 0.2564 | 0.2564 | | 1,381.6710 | 1,381.6710 | 0.4469 | | | 1,392.8425 |

Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|---------------|---------------|--------------------|---------------|--------------------|---------------|----------------|--------------------|---------------|----------|-----------------|-----------------|--------------------|---------------|-----------------|--------|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 5.7800e-003 | 0.1742 | 0.0623 | 1.1300e-003 | 0.0417 | 2.1000e-003 | 0.0438 | 0.0120 | 2.0100e-003 | 0.0140 | | 118.4525 | 118.4525 | 3.3000e-004 | 0.0160 | 123.2188 | |
| Worker | 0.0362 | 0.0225 | 0.2689 | 8.8000e-004 | 0.1150 | 4.9000e-004 | 0.1155 | 0.0305 | 4.5000e-004 | 0.0309 | | 89.1128 | 89.1128 | 2.0500e-003 | 2.2900e-003 | 89.8478 | |
| Total | 0.0419 | 0.1967 | 0.3311 | 2.0100e-003 | 0.1567 | 2.5900e-003 | 0.1593 | 0.0425 | 2.4600e-003 | 0.0450 | | 207.5653 | 207.5653 | 2.3800e-003 | 0.0183 | 213.0666 | |

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.3 Installation of Solar PV Equipment and Utility - 2024****Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------------|---------------|---------------|-------------------|-------------------|---------------|-----|--------|-------------------|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Off-Road | 0.6079 | 5.8609 | 9.7098 | 0.0143 | | 0.2786 | 0.2786 | | 0.2564 | 0.2564 | 0.0000 | 1,381.6710 | 1,381.6710 | 0.4469 | | | 1,392.8425 |
| Total | 0.6079 | 5.8609 | 9.7098 | 0.0143 | | 0.2786 | 0.2786 | | 0.2564 | 0.2564 | 0.0000 | 1,381.6710 | 1,381.6710 | 0.4469 | | | 1,392.8425 |

Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|---------------|---------------|--------------------|---------------|--------------------|---------------|----------------|--------------------|---------------|----------|-----------------|-----------------|--------------------|---------------|-----------------|--|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Vendor | 5.7800e-003 | 0.1742 | 0.0623 | 1.1300e-003 | 0.0417 | 2.1000e-003 | 0.0438 | 0.0120 | 2.0100e-003 | 0.0140 | | 118.4525 | 118.4525 | 3.3000e-004 | 0.0160 | 123.2188 | |
| Worker | 0.0362 | 0.0225 | 0.2689 | 8.8000e-004 | 0.1150 | 4.9000e-004 | 0.1155 | 0.0305 | 4.5000e-004 | 0.0309 | | 89.1128 | 89.1128 | 2.0500e-003 | 2.2900e-003 | 89.8478 | |
| Total | 0.0419 | 0.1967 | 0.3311 | 2.0100e-003 | 0.1567 | 2.5900e-003 | 0.1593 | 0.0425 | 2.4600e-003 | 0.0450 | | 207.5653 | 207.5653 | 2.3800e-003 | 0.0183 | 213.0666 | |

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.4 Installation of Solar PV Equipment - 2024****Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------------|---------------|----------|-------------------|-------------------|---------------|-----|--------|-------------------|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Off-Road | 0.5643 | 5.4227 | 7.4994 | 0.0226 | | 0.1877 | 0.1877 | | 0.1727 | 0.1727 | | 2,185.7263 | 2,185.7263 | 0.7069 | | | 2,203.3990 |
| Total | 0.5643 | 5.4227 | 7.4994 | 0.0226 | | 0.1877 | 0.1877 | | 0.1727 | 0.1727 | | 2,185.7263 | 2,185.7263 | 0.7069 | | | 2,203.3990 |

Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|---------------|---------------|--------------------|---------------|--------------------|---------------|----------------|--------------------|---------------|----------|-----------------|-----------------|--------------------|---------------|-----------------|--------|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Vendor | 5.7800e-003 | 0.1742 | 0.0623 | 1.1300e-003 | 0.0417 | 2.1000e-003 | 0.0438 | 0.0120 | 2.0100e-003 | 0.0140 | | 118.4525 | 118.4525 | 3.3000e-004 | 0.0160 | 123.2188 | |
| Worker | 0.1205 | 0.0749 | 0.8962 | 2.9400e-003 | 0.3832 | 1.6300e-003 | 0.3848 | 0.1016 | 1.5000e-003 | 0.1031 | | 297.0427 | 297.0427 | 6.8500e-003 | 7.6500e-003 | 299.4926 | |
| Total | 0.1263 | 0.2491 | 0.9585 | 4.0700e-003 | 0.4249 | 3.7300e-003 | 0.4287 | 0.1136 | 3.5100e-003 | 0.1171 | | 415.4951 | 415.4951 | 7.1800e-003 | 0.0236 | 422.7114 | |

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.4 Installation of Solar PV Equipment - 2024****Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------------|---------------|---------------|-------------------|-------------------|---------------|-----|--------|-------------------|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Off-Road | 0.5643 | 5.4227 | 7.4994 | 0.0226 | | 0.1877 | 0.1877 | | 0.1727 | 0.1727 | 0.0000 | 2,185.7263 | 2,185.7263 | 0.7069 | | | 2,203.3990 |
| Total | 0.5643 | 5.4227 | 7.4994 | 0.0226 | | 0.1877 | 0.1877 | | 0.1727 | 0.1727 | 0.0000 | 2,185.7263 | 2,185.7263 | 0.7069 | | | 2,203.3990 |

Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|---------------|---------------|--------------------|---------------|--------------------|---------------|----------------|--------------------|---------------|----------|-----------------|-----------------|--------------------|---------------|--------|-----------------|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Vendor | 5.7800e-003 | 0.1742 | 0.0623 | 1.1300e-003 | 0.0417 | 2.1000e-003 | 0.0438 | 0.0120 | 2.0100e-003 | 0.0140 | | 118.4525 | 118.4525 | 3.3000e-004 | 0.0160 | | 123.2188 |
| Worker | 0.1205 | 0.0749 | 0.8962 | 2.9400e-003 | 0.3832 | 1.6300e-003 | 0.3848 | 0.1016 | 1.5000e-003 | 0.1031 | | 297.0427 | 297.0427 | 6.8500e-003 | 7.6500e-003 | | 299.4926 |
| Total | 0.1263 | 0.2491 | 0.9585 | 4.0700e-003 | 0.4249 | 3.7300e-003 | 0.4287 | 0.1136 | 3.5100e-003 | 0.1171 | | 415.4951 | 415.4951 | 7.1800e-003 | 0.0236 | | 422.7114 |

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.4 Installation of Solar PV Equipment - 2025****Unmitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------------|---------------|----------|-------------------|-------------------|---------------|-----|-------------------|--|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Off-Road | 0.5501 | 5.2195 | 7.4861 | 0.0226 | | 0.1751 | 0.1751 | | 0.1611 | 0.1611 | | 2,185.5937 | 2,185.5937 | 0.7069 | | 2,203.2653 | |
| Total | 0.5501 | 5.2195 | 7.4861 | 0.0226 | | 0.1751 | 0.1751 | | 0.1611 | 0.1611 | | 2,185.5937 | 2,185.5937 | 0.7069 | | 2,203.2653 | |

Unmitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|---------------|---------------|--------------------|---------------|--------------------|---------------|----------------|--------------------|---------------|----------|-----------------|-----------------|--------------------|---------------|-----------------|--|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Vendor | 5.5900e-003 | 0.1720 | 0.0601 | 1.1000e-003 | 0.0417 | 2.0900e-003 | 0.0438 | 0.0120 | 2.0000e-003 | 0.0140 | | 116.0050 | 116.0050 | 3.2000e-004 | 0.0156 | 120.6601 | |
| Worker | 0.1123 | 0.0666 | 0.8294 | 2.8400e-003 | 0.3832 | 1.5400e-003 | 0.3847 | 0.1016 | 1.4200e-003 | 0.1030 | | 286.8991 | 286.8991 | 6.1700e-003 | 7.1000e-003 | 289.1701 | |
| Total | 0.1179 | 0.2386 | 0.8895 | 3.9400e-003 | 0.4249 | 3.6300e-003 | 0.4286 | 0.1136 | 3.4200e-003 | 0.1171 | | 402.9040 | 402.9040 | 6.4900e-003 | 0.0227 | 409.8302 | |

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**3.4 Installation of Solar PV Equipment - 2025****Mitigated Construction On-Site**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------------|---------------|---------------|-------------------|-------------------|---------------|-----|-------------------|--|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Off-Road | 0.5501 | 5.2195 | 7.4861 | 0.0226 | | 0.1751 | 0.1751 | | 0.1611 | 0.1611 | 0.0000 | 2,185.5937 | 2,185.5937 | 0.7069 | | 2,203.2653 | |
| Total | 0.5501 | 5.2195 | 7.4861 | 0.0226 | | 0.1751 | 0.1751 | | 0.1611 | 0.1611 | 0.0000 | 2,185.5937 | 2,185.5937 | 0.7069 | | 2,203.2653 | |

Mitigated Construction Off-Site

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|--------------|---------------|---------------|---------------|--------------------|---------------|--------------------|---------------|----------------|--------------------|---------------|----------|-----------------|-----------------|--------------------|---------------|-----------------|--|
| Category | lb/day | | | | | | | | | | | | | | | lb/day | |
| Hauling | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Vendor | 5.5900e-003 | 0.1720 | 0.0601 | 1.1000e-003 | 0.0417 | 2.0900e-003 | 0.0438 | 0.0120 | 2.0000e-003 | 0.0140 | | 116.0050 | 116.0050 | 3.2000e-004 | 0.0156 | 120.6601 | |
| Worker | 0.1123 | 0.0666 | 0.8294 | 2.8400e-003 | 0.3832 | 1.5400e-003 | 0.3847 | 0.1016 | 1.4200e-003 | 0.1030 | | 286.8991 | 286.8991 | 6.1700e-003 | 7.1000e-003 | 289.1701 | |
| Total | 0.1179 | 0.2386 | 0.8895 | 3.9400e-003 | 0.4249 | 3.6300e-003 | 0.4286 | 0.1136 | 3.4200e-003 | 0.1171 | | 402.9040 | 402.9040 | 6.4900e-003 | 0.0227 | 409.8302 | |

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**4.0 Operational Detail - Mobile****4.1 Mitigation Measures Mobile**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e | |
|-------------|--------|--------|--------|--------|---------------|--------------|------------|----------------|---------------|-------------|----------|-----------|-----------|--------|--------|--------|--|
| Category | lb/day | | | | | | | | | | lb/day | | | | | | |
| Mitigated | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| Unmitigated | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |

4.2 Trip Summary Information

| Land Use | Average Daily Trip Rate | | | Unmitigated | | Mitigated | |
|----------------------------|-------------------------|----------|--------|-------------|------------|------------|------------|
| | Weekday | Saturday | Sunday | Annual VMT | Annual VMT | Annual VMT | Annual VMT |
| Other Non-Asphalt Surfaces | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| Total | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

4.3 Trip Type Information

| Land Use | Miles | | | Trip % | | | Trip Purpose % | | |
|----------------------------|------------|------------|-------------|------------|------------|-------------|----------------|----------|---------|
| | H-W or C-W | H-S or C-C | H-O or C-NW | H-W or C-W | H-S or C-C | H-O or C-NW | Primary | Diverted | Pass-by |
| Other Non-Asphalt Surfaces | 14.70 | 6.60 | 6.60 | 0.00 | 0.00 | 0.00 | 0 | 0 | 0 |

4.4 Fleet Mix

| Land Use | LDA | LDT1 | LDT2 | MDV | LHD1 | LHD2 | MHD | HHD | OBUS | UBUS | MCY | SBUS | MH |
|----------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Other Non-Asphalt Surfaces | 0.533906 | 0.057134 | 0.174979 | 0.135238 | 0.028400 | 0.007566 | 0.006280 | 0.022304 | 0.000478 | 0.000157 | 0.027480 | 0.000931 | 0.005146 |

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**5.0 Energy Detail**

Historical Energy Use: N

5.1 Mitigation Measures Energy

Kilowatt Hours of Renewable Electricity Generated

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|------------------------|--------|--------|--------|--------|---------------|--------------|------------|----------------|---------------|-------------|----------|-----------|-----------|--------|--------|--------|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| NaturalGas Mitigated | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| NaturalGas Unmitigated | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**5.2 Energy by Land Use - NaturalGas****Unmitigated**

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|----------------------------|----------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------------|---------------|----------|---------------|---------------|---------------|---------------|---------------|
| Land Use | kBTU/yr | lb/day | | | | | | | | | | lb/day | | | | | |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

Mitigated

| | NaturalGas Use | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|----------------------------|----------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------------|---------------|----------|---------------|---------------|---------------|---------------|---------------|
| Land Use | kBTU/yr | lb/day | | | | | | | | | | lb/day | | | | | |
| Other Non-Asphalt Surfaces | 0 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |
| Total | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 |

6.0 Area Detail**6.1 Mitigation Measures Area**

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|-------------|--------|-------------|--------|-------------|---------------|--------------|-------------|----------------|---------------|-------------|----------|-----------|-------------|-----|--------|------|
| Category | lb/day | | | | | | | | | | lb/day | | | | | |
| Mitigated | 0.5913 | 9.8000e-004 | 0.1087 | 1.0000e-005 | | 3.9000e-004 | 3.9000e-004 | | 3.9000e-004 | 3.9000e-004 | 0.2336 | 0.2336 | 6.1000e-004 | | 0.2488 | |
| Unmitigated | 0.5913 | 9.8000e-004 | 0.1087 | 1.0000e-005 | | 3.9000e-004 | 3.9000e-004 | | 3.9000e-004 | 3.9000e-004 | 0.2336 | 0.2336 | 6.1000e-004 | | 0.2488 | |

6.2 Area by SubCategoryUnmitigated

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|-----------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|--------------------|----------------|--------------------|--------------------|---------------|---------------|--------------------|-----|---------------|--------|
| SubCategory | lb/day | | | | | | | | | | lb/day | | | | | |
| Architectural Coating | 0.2033 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | | | 0.0000 |
| Consumer Products | 0.3780 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | 0.0000 | 0.0000 | | | | 0.0000 |
| Landscaping | 0.0100 | 9.8000e-004 | 0.1087 | 1.0000e-005 | | 3.9000e-004 | 3.9000e-004 | | 3.9000e-004 | 3.9000e-004 | 0.2336 | 0.2336 | 6.1000e-004 | | 0.2488 | |
| Total | 0.5913 | 9.8000e-004 | 0.1087 | 1.0000e-005 | | 3.9000e-004 | 3.9000e-004 | | 3.9000e-004 | 3.9000e-004 | 0.2336 | 0.2336 | 6.1000e-004 | | 0.2488 | |

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**6.2 Area by SubCategory****Mitigated**

| | ROG | NOx | CO | SO2 | Fugitive PM10 | Exhaust PM10 | PM10 Total | Fugitive PM2.5 | Exhaust PM2.5 | PM2.5 Total | Bio- CO2 | NBio- CO2 | Total CO2 | CH4 | N2O | CO2e |
|-----------------------|---------------|--------------------|---------------|--------------------|---------------|--------------------|--------------------|----------------|--------------------|--------------------|----------|---------------|---------------|--------------------|-----|---------------|
| SubCategory | lb/day | | | | | | | | | | lb/day | | | | | |
| Architectural Coating | 0.2033 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Consumer Products | 0.3780 | | | | | 0.0000 | 0.0000 | | 0.0000 | 0.0000 | | | 0.0000 | | | 0.0000 |
| Landscaping | 0.0100 | 9.8000e-004 | 0.1087 | 1.0000e-005 | | 3.9000e-004 | 3.9000e-004 | | 3.9000e-004 | 3.9000e-004 | | 0.2336 | 0.2336 | 6.1000e-004 | | 0.2488 |
| Total | 0.5913 | 9.8000e-004 | 0.1087 | 1.0000e-005 | | 3.9000e-004 | 3.9000e-004 | | 3.9000e-004 | 3.9000e-004 | | 0.2336 | 0.2336 | 6.1000e-004 | | 0.2488 |

7.0 Water Detail**7.1 Mitigation Measures Water**

Corral Solar - Mojave Desert AQMD Air District, Winter

EMFAC Off-Model Adjustment Factors for Gasoline Light Duty Vehicle to Account for the SAFE Vehicle Rule Not Applied**8.0 Waste Detail**

8.1 Mitigation Measures Waste**9.0 Operational Offroad**

| Equipment Type | Number | Hours/Day | Days/Year | Horse Power | Load Factor | Fuel Type |
|----------------|--------|-----------|-----------|-------------|-------------|-----------|
|----------------|--------|-----------|-----------|-------------|-------------|-----------|

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

| Equipment Type | Number | Hours/Day | Hours/Year | Horse Power | Load Factor | Fuel Type |
|----------------|--------|-----------|------------|-------------|-------------|-----------|
|----------------|--------|-----------|------------|-------------|-------------|-----------|

Boilers

| Equipment Type | Number | Heat Input/Day | Heat Input/Year | Boiler Rating | Fuel Type |
|----------------|--------|----------------|-----------------|---------------|-----------|
|----------------|--------|----------------|-----------------|---------------|-----------|

User Defined Equipment

| Equipment Type | Number |
|----------------|--------|
|----------------|--------|

11.0 Vegetation
