APPENDIX 11

NOISE IMPACT ANALYSIS



San Bernardino Animal Care Center Noise Impact Analysis County of San Bernardino

PREPARED BY:

William Maddux bmaddux@urbanxroads.com (619) 788-1971

DECEMBER 8, 2023

15264-04 Noise Study.docx

TABLE OF CONTENTS

TA	TABLE OF CONTENTSI				
AF	PPENI	DICES	. 11		
LIS	ST OF	EXHIBITS	. 11		
LIS	ST OF	TABLES	. II		
LIS	ST OF	ABBREVIATED TERMS			
EX	ECUT		. 1		
1	IP		. 3		
	1.1	Site Location	3		
	1.2	Project Description	3		
2	F	JNDAMENTALS	. 7		
	2.1	Range of Noise	7		
	2.2	Noise Descriptors	8		
	2.3	Sound Propagation	8		
	2.4	Noise Control	10		
	2.5	Noise Barrier Attenuation	10		
	2.6	Land Use Compatibility With Noise	10		
	2.7	Community Response to Noise	10		
	2.8	Vibration	11		
3	R	EGULATORY SETTING	15		
	3.1	State of California Noise Requirements	15		
	3.2	County of San Bernardino Development Code	15		
	3.3	Construction Noise Standards	17		
	3.4	Construction Vibration Standards	18		
4	SI	GNIFICANCE CRITERIA	19		
	4.1	CEQA Guidelines Not Further Analyzed	19		
	4.2	Noise-Sensitive Receivers	19		
	4.3	Significance Criteria Summary	20		
0	FF-SIT	F	21		
N	DISE-	= SENSITIVE ¹	21		
IF	AMB	IENT IS < 60 DBA CNEL	21		
≥!	5 DBA	CNEL PROJECT INCREASE	21		
IF	AMB	IENT IS 60 - 65 DBA CNEL	21		
≥3	3 DBA	CNEL PROJECT INCREASE	21		
IF	АМВ	IENT IS > 65 DBA CNEL	21		
≥ :	1.5 DI	BA CNEL PROJECT INCREASE	21		
5	EX	KISTING NOISE LEVEL MEASUREMENTS	23		
	5.1	Measurement Procedure and Criteria	23		
	5.2	Noise Measurement Locations	23		
	5.3	Noise Measurement Results	24		
6	0	FF-SITE TRANSPORTATION NOISE IMPACTS	27		
7	SI	ENSITIVE RECEIVER LOCATIONS	29		
8	0	PERATIONAL NOISE IMPACTS	31		



	8.1	Operational Noise Sources	. 31
	8.2	Reference Noise Levels	. 31
	8.2.1	Measurement Procedures	. 31
	8.3	CadnaA Noise Prediction Model	. 34
	8.4	Project Operational Noise Levels	. 35
	8.5	Project Operational Noise Level Compliance	. 36
	8.6	Project Operational Noise Level Increases	. 36
9	CO	NSTRUCTION IMPACTS	. 39
	9.1	Construction Noise Levels	. 39
	9.2	Typical Construction Reference Noise Levels	. 39
	9.3	Construction Noise Analysis	.41
	9.4	Construction Noise Level Compliance	. 42
	9.6	Construction Vibration Impacts	. 43
10	REF	ERENCES	. 45
11	CEF	RTIFICATION	. 47

APPENDICES

APPENDIX 3.1:	COUNTY OF SAN BERNARDINO MUNICIPAL CODE
APPENDIX 5.1:	NOISE LEVEL MEASUREMENT WORKSHEETS
APPENDIX 8.1:	CADNAA OPERATIONAL NOISE MODEL INPUTS
APPENDIX 9.1:	CADNAA CONSTRUCTION NOISE MODEL INPUTS

LIST OF EXHIBITS

EXHIBIT 1-A:	LOCATION MAP	4
EXHIBIT 1-B:	SITE PLAN	5
EXHIBIT 2-A:	TYPICAL NOISE LEVELS	7
EXHIBIT 2-B:	NOISE LEVEL INCREASE PERCEPTION	11
EXHIBIT 2-C:	TYPICAL LEVELS OF GROUND-BORNE VIBRATION	13
EXHIBIT 3-A:	COUNTY OF SAN BERNARDINO MOBILE NOISE LEVEL STANDARDS	16
EXHIBIT 5-A:	NOISE MEASUREMENT LOCATIONS	25
EXHIBIT 7-A:	SENSITIVE RECEIVER LOCATIONS	30
EXHIBIT 8-A:	OPERATIONAL NOISE SOURCE LOCATIONS	32
EXHIBIT 9-A:	CONSTRUCTION NOISE ACTIVITY	40

LIST OF TABLES

TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS	. 1
TABLE 3-1: OPERATIONAL NOISE LEVEL STANDARDS 1	17
TABLE 4-1: SIGNIFICANCE CRITERIA SUMMARY 2	21
TABLE 5-1: 24-HOUR AMBIENT NOISE LEVEL MEASUREMENTS	24
TABLE 8-1: REFERENCE NOISE LEVEL MEASUREMENTS	33
TABLE 8-2: DAYTIME PROJECT OPERATIONAL NOISE LEVELS	35
TABLE 8-3: NIGHTTIME PROJECT OPERATIONAL NOISE LEVELS	36
TABLE 8-4: OPERATIONAL NOISE LEVEL COMPLIANCE	36
TABLE 8-5: DAYTIME PROJECT OPERATIONAL NOISE LEVEL INCREASES	38
TABLE 8-6: NIGHTTIME OPERATIONAL NOISE LEVEL INCREASES	38



TABLE 9-1: CONSTRUCTION REFERENCE NOISE LEVELS	41
TABLE 9-2: CONSTRUCTION EQUIPMENT NOISE LEVEL SUMMARY	42
TABLE 9-3: CONSTRUCTION NOISE LEVEL COMPLIANCE	42
TABLE 9-4: VIBRATION SOURCE LEVELS FOR CONSTRUCTION EQUIPMENT	43
TABLE 9-5: PROJECT CONSTRUCTION VIBRATION LEVELS	44

LIST OF ABBREVIATED TERMS

(1)	Reference
ADT	Average Daily Traffic
ANSI	American National Standards Institute
Calveno	California Vehicle Noise
CEQA	California Environmental Quality Act
CNEL	Community Noise Equivalent Level
dBA	A-weighted decibels
EPA	Environmental Protection Agency
FHWA	Federal Highway Administration
FTA	Federal Transit Administration
INCE	Institute of Noise Control Engineering
L _{eq}	Equivalent continuous (average) sound level
L _{max}	Maximum level measured over the time interval
L _{min}	Minimum level measured over the time interval
mph	Miles per hour
OPR	Office of Planning and Research
PPV	Peak particle velocity
Project	San Bernardino Animal Care Center
REMEL	Reference Energy Mean Emission Level
RMS	Root-mean-square
VdB	Vibration Decibels

This page intentionally left blank



EXECUTIVE SUMMARY

Urban Crossroads, Inc. has prepared this noise study to determine the potential noise impacts and the necessary noise mitigation measures, if any, for San Bernardino Animal Care Center development ("Project"). The proposed Project consists of a new 14,826 square foot (sf) administrative office building, five dog housing/kennel buildings at 5,824-sf each (totaling 29,120 sf), two smaller dog housing/kennel buildings at 3,363-sf each (totaling 6,726-sf), a 2,758-sf medical clinic, a 8,896-sf support building, a 5,830-sf cat and other animal housing building, a 5,934-sf medical dog building, a 436-sf Euthanasia building, and 540-sf car wash (total of 74,391sf). This study has been prepared to satisfy applicable County of San Bernardino standards and thresholds of significance based on guidance provided by Appendix G of the California Environmental Quality Act (CEQA) Guidelines. (1)

The results of this San Bernardino Animal Care Center Noise Impact Analysis are summarized below based on the significance criteria in Section 4 of this report. Table ES-1 shows the findings of significance for each potential noise and/or vibration impact under CEQA before and after any required mitigation measures.

Analysis	Report Section	Significance Findings		
Analysis		Unmitigated	Mitigated	
Off-site Traffic	6	Less Than Significant	-	
Operational Noise	8	Less Than Significant	-	
Construction Noise	9	Less Than Significant	-	
Construction Vibration		Less Than Significant	-	

TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS



This page intentionally left blank



1 INTRODUCTION

This noise analysis has been completed to determine the noise impacts associated with the development of San Bernardino Animal Care Center ("Project"). This noise study briefly describes the proposed Project, provides information regarding noise fundamentals, sets out the local regulatory setting, and evaluates the potential Project-related long-term stationary-source operational noise and short-term construction noise and vibration impacts.

1.1 SITE LOCATION

The San Bernardino Animal Care Center Project is located north of San Bernardino Freeway and south of Valley Boulevard, in the Bloomington area in the County of San Bernardino, as shown on Exhibit 1-A.

1.2 PROJECT DESCRIPTION

The proposed Project site is approximately 6.0-acres in size. The existing Devore Animal Shelter has currently exceeded its useful life span and is unable to accommodate the growth required due to existing facility deterioration, limited wastewater and sewage capacity, remote location, and other factors. As such, the Project is proposed to enhance services and expand capacity and additional work areas to accommodate the growth of the Animal Care Division.

The Project will include enhanced services, expanded capacity, and additional work areas to accommodate the growth of the Animal Care Division. The new facility will increase animal housing units to allow the County to serve additional municipalities in the Central Valley Region of the County. Program services will be enhanced to include a veterinary clinic; expanded pet adoption areas; animal exercise play yard; increased staffing work areas; volunteer work areas; expanded parking and other provisions to allow the Division to accommodate growth and increased demand for services. The new shelter will consist of a two-story, 14,691 square-foot (sf) administrative office building, seven dog housing/kennel buildings totaling 35,846-sf, a 2,758-sf medical clinic, 8,896-sf support building, 5830-sf cat and other animal housing building, 5,934-sf medical dog building with a 436-sf euthanasia facility, and 540-sf car wash structure (total of 74,391-sf). The prelim inary Project site plan is shown on Exhibit 1-B.

The on-site Project-related noise sources are expected to include: kennels, dog yards/parks, air conditioning units, parking lot vehicle movements, an emergency generator, and trash enclosure activity. This noise analysis is intended to describe noise level impacts associated with the expected typical operational activities at the Project site.





EXHIBIT 1-A: LOCATION MAP





EXHIBIT 1-B: SITE PLAN

Ņ



This page intentionally left blank



2 FUNDAMENTALS

Noise is simply defined as "unwanted sound." Sound becomes unwanted when it interferes with normal activities, when it causes actual physical harm or when it has adverse effects on health. Noise is measured on a logarithmic scale of sound pressure level known as a decibel (dB). A-weighted decibels (dBA) approximate the subjective response of the human ear to broad frequency noise source by discriminating against very low and very high frequencies of the audible spectrum. They are adjusted to reflect only those frequencies which are audible to the human ear. Exhibit 2-A presents a summary of the typical noise levels and their subjective loudness and effects that are described in more detail below.

COMMON OUTDOOR ACTIVITIES	COMMON INDOOR ACTIVITIES	A - WEIGHTED SOUND LEVEL dBA	SUBJECTIVE LOUDNESS	EFFECTS OF NOISE	
THRESHOLD OF PAIN		140	1		
NEAR JET ENGINE		130	INTOLERABLE OR		
		120	DEAFENING	INFARING LOSS	
JET FLY-OVER AT 300m (1000 ft)	ROCK BAND	110		increasing to the	
LOUD AUTO HORN		100			
GAS LAWN MOWER AT 1m (3 ft)		90	VERY NOISY		
DIESEL TRUCK AT 15m (50 ft), at 80 km/hr (50 mph)	FOOD BLENDER AT 1m (3 ft)	80			
NOISY URBAN AREA, DAYTIME	VACUUM CLEANER AT 3m (10 ft)	70	LOUD	SPEECH	
HEAVY TRAFFIC AT 90m (300 ft)	NORMAL SPEECH AT 1m (3 ft)	60	2000	MITCH ENLIGE	
QUIET URBAN DAYTIME	LARGE BUSINESS OFFICE	50	MODERATE		
QUIET URBAN NIGHTTIME	THEATER, LARGE CONFERENCE ROOM (BACKGROUND)	40		DISTURBANCE	
QUIET SUBURBAN NIGHTTIME	LIBRARY	30			
QUIET RURAL NIGHTTIME	BEDROOM AT NIGHT, CONCERT HALL (BACKGROUND)	20	FAINT		
	BROADCAST/RECORDING STUDIO	10		NO EFFECT	
LOWEST THRESHOLD OF HUMAN HEARING	LOWEST THRESHOLD OF HUMAN HEARING	0	VENT FAINT		

EXHIBIT 2-A: TYPICAL NOISE LEVELS

2.1 RANGE OF NOISE

Since the range of intensities that the human ear can detect is so large, the scale frequently used to measure intensity is a scale based on multiples of 10, the logarithmic scale. The scale for measuring intensity is the decibel scale. The most common sounds vary between 40 dBA (very quiet) to 100 dBA (very loud). Normal conversation at three feet is roughly at 60 dBA, while loud jet engine noises equate to 110 dBA at approximately 100 feet, which can cause serious discomfort. (2) Another important aspect of noise is the duration of the sound and the way it is described and distributed in time.



2.2 NOISE DESCRIPTORS

Environmental noise descriptors are generally based on averages, rather than instantaneous, noise levels. The most used figure is the equivalent level (L_{eq}). Equivalent sound levels are not measured directly but are calculated from sound pressure levels typically measured in A-weighted decibels (dBA). The equivalent sound level (L_{eq}) represents a steady state sound level containing the same total energy as a time varying signal over a given sample period (typically one hour) and is commonly used to describe the "average" noise levels within the environment.

To describe the time-varying character of environmental noise, the statistical or percentile noise descriptors L_{50} , L_{25} , L_8 and L_2 , are commonly used. The percentile noise descriptors are the noise levels equaled or exceeded during 50 percent, 25 percent, 8 percent and 2 percent of a stated time. Sound levels associated with the L_2 and L_8 typically describe transient or short-term events, while levels associated with the L_{50} describe the steady state (or median) noise conditions. The relies on the percentile noise levels to describe the stationary source noise level limits. While the L_{50} describes the noise levels occurring 50 percent of the time, the L_{eq} accounts for the total energy (average) observed for the entire hour.

Peak hour or average noise levels, while useful, do not completely describe a given noise environment. Noise levels lower than peak hour may be disturbing if they occur during times when quiet is most desirable, namely evening and nighttime (sleeping) hours. To account for this, the Community Noise Equivalent Level (CNEL), representing a composite 24-hour noise level is utilized. The CNEL is the weighted average of the intensity of a sound, with corrections for time of day, and averaged over 24 hours. The time-of-day corrections require the addition of 5 decibels to dBA L_{eq} sound levels in the evening from 7:00 p.m. to 10:00 p.m., and the addition of 10 decibels to dBA L_{eq} sound levels at night between 10:00 p.m. and 7:00 a.m. These additions are made to account for the noise sensitive time periods during the evening and night hours when sound appears louder. CNEL does not represent the actual sound level heard at any time, but rather represents the total sound exposure. The County of San Bernardino relies on the 24-hour CNEL level to assess land use compatibility with transportation related noise sources.

Sound levels used for compliance modeling, sound level limitations on equipment, and product labeling use another descriptor, known and the sound power level (Lw). Sound power is the rate at which sound energy is emitted from a source per unit time. Knowing the sound power level of a device allows for the objective comparison of the sound output of different devices, without any knowledge of the environment in which they were tested or the distance at which measurements were taken. This makes sound power levels ideal for verifying compliance with property line noise level limits.

2.3 SOUND PROPAGATION

When sound propagates over a distance, it changes in level and frequency content. The way noise reduces with distance depends on the following factors.



2.3.1 GEOMETRIC SPREADING

Sound from a localized source (i.e., a stationary point source) propagates uniformly outward in a spherical pattern. The sound level attenuates (or decreases) at a rate of 6 dB for each doubling of distance from a point source. Highways consist of several localized noise sources on a defined path and hence can be treated as a line source, which approximates the effect of several point sources. Noise from a line source propagates outward in a cylindrical pattern, often referred to as cylindrical spreading. Sound levels attenuate at a rate of 3 dB for each doubling of distance from a line source. (3)

2.3.2 GROUND ABSORPTION

The propagation path of noise from a highway to a receiver is usually very close to the ground. Noise attenuation from ground absorption and reflective wave canceling adds to the attenuation associated with geometric spreading. Traditionally, the excess attenuation has also been expressed in terms of attenuation per doubling of distance. This approximation is usually sufficiently accurate for distances of less than 200 ft. For acoustically hard sites (i.e., sites with a reflective surface between the source and the receiver, such as a parking lot or body of water), no excess ground attenuation is assumed. For acoustically absorptive or soft sites (i.e., those sites with an absorptive ground surface between the source and the receiver and the receiver such as soft dirt, grass, or scattered bushes and trees), an excess ground attenuation value of 1.5 dB per doubling of distance is normally assumed. When added to the cylindrical spreading, the excess ground attenuation results in an overall drop-off rate of 4.5 dB per doubling of distance from a line source. (4)

2.3.3 ATMOSPHERIC EFFECTS

Receivers located downwind from a source can be exposed to increased noise levels relative to calm conditions, whereas locations upwind can have lowered noise levels. Sound levels can be increased at large distances (e.g., more than 500 feet) due to atmospheric temperature inversion (i.e., increasing temperature with elevation). Other factors such as air temperature, humidity, and turbulence can also have significant effects. (3)

2.3.4 SHIELDING

A large object or barrier in the path between a noise source and a receiver can substantially attenuate noise levels at the receiver. The amount of attenuation provided by shielding depends on the size of the object and the frequency content of the noise source. Shielding by trees and other such vegetation typically only has an "out of sight, out of mind" effect. That is, the perception of noise impact tends to decrease when vegetation blocks the line-of-sight to nearest residents. However, for vegetation to provide a substantial, or even noticeable, noise reduction, the vegetation area must be at least 15 feet in height, 100 feet wide and dense enough to completely obstruct the line-of sight between the source and the receiver. This size of vegetation may provide up to 5 dBA of noise reduction. The Federal Highway Administration (FHWA) does not consider the planting of vegetation to be a noise abatement measure. (4)



2.3.5 REFLECTION

Field studies conducted by the FHWA have shown that the reflection from barriers and buildings does not substantially increase noise levels. (4) If all the noise striking a structure was reflected back to a given receiving point, the increase would be theoretically limited to 3 dBA. Further, not all the acoustical energy is reflected back to same point. Some of the energy would go over the structure, some is reflected to points other than the given receiving point, some is scattered by ground coverings (e.g., grass and other plants), and some is blocked by intervening structures and/or obstacles (e.g., the noise source itself). Additionally, some of the reflected energy is lost due to the longer path that the noise must travel. FHWA measurements made to quantify reflective increases in traffic noise have not shown an increase of greater than 1-2 dBA; an increase that is not perceptible to the average human ear.

2.4 NOISE CONTROL

Noise control is the process of obtaining an acceptable noise environment for an observation point or receiver by controlling the noise source, transmission path, receiver, or all three. This concept is known as the source-path-receiver concept. In general, noise control measures can be applied to these three elements.

2.5 Noise Barrier Attenuation

Effective noise barriers can reduce noise levels by up to 10 to 15 dBA, cutting the loudness of traffic noise in half. A noise barrier is most effective when placed close to the noise source or receiver. Noise barriers, however, do have limitations. For a noise barrier to work, it must be high enough and long enough to block the path of the noise source. (4)

2.6 LAND USE COMPATIBILITY WITH NOISE

Some land uses are more tolerant of noise than others. For example, schools, hospitals, churches, and residences are more sensitive to noise intrusion than are commercial or industrial developments and related activities. As ambient noise levels affect the perceived amenity or livability of a development, so too can the mismanagement of noise impacts impair the economic health and growth potential of a community by reducing the area's desirability as a place to live, shop and work. For this reason, land use compatibility with the noise environment is an important consideration in the planning and design process. The FHWA encourages State and Local government to regulate land development in such a way that noise-sensitive land uses are either prohibited from being located adjacent to a highway, or that the developments are planned, designed, and constructed in such a way that noise impacts are minimized. (5)

2.7 COMMUNITY RESPONSE TO NOISE

Community responses to noise may range from registering a complaint by telephone or letter, to initiating court action, depending upon everyone's susceptibility to noise and personal attitudes about noise. Several factors are related to the level of community annoyance including:

• Fear associated with noise producing activities;



- Socio-economic status and educational level; •
- Perception that those affected are being unfairly treated; •
- Attitudes regarding the usefulness of the noise-producing activity; •
- Belief that the noise source can be controlled. •

Approximately ten percent of the population has a very low tolerance for noise and will object to any noise not of their making. Consequently, even in the quietest environment, some complaints will occur. Twenty-five percent of the population will not complain even in very severe noise environments. Thus, a variety of reactions can be expected from people exposed to any given noise environment. (6) Surveys have shown that about ten percent of the people exposed to traffic noise of 60 dBA will report being highly annoyed with the noise, and each increase of one dBA is associated with approximately two percent more people being highly annoyed. When traffic noise exceeds 60 dBA or aircraft noise exceeds 55 dBA, people may begin to complain. (6) Despite this variability in behavior on an individual level, the population can be expected to exhibit the following responses to changes in noise levels as shown on Exhibit 2-B. A change of 3 dBA are considered *barely perceptible*, and changes of 5 dBA are considered *readily perceptible*. (4)



EXHIBIT 2-B: NOISE LEVEL INCREASE PERCEPTION

2.8 VIBRATION

Per the Federal Transit Administration (FTA) Transit Noise and Vibration Impact Assessment Manual, vibration is the periodic oscillation of a medium or object. The rumbling sound caused by the vibration of room surfaces is called structure-borne noise. Sources of ground-borne vibrations include natural phenomena (e.g., earthquakes, volcanic eruptions, sea waves, landslides) or human-made causes (e.g., explosions, machinery, traffic, trains, construction equipment). Vibration sources may be continuous, such as factory machinery, or transient, such as explosions. As is the case with airborne sound, ground-borne vibrations may be described by amplitude and frequency.

Additionally, in contrast to airborne noise, ground-borne vibration outdoors is not a common environmental problem and annoyance from ground-borne vibration is almost exclusively an indoor phenomenon (7). Therefore, the effects of vibrations should only be evaluated at a structure and the effects of the building structure on the vibration should be considered. Woodframe buildings, such as typical residential structures, are more easily excited by ground vibration than heavier buildings. In contrast, large masonry buildings with spread footings have a low



response to ground vibration (7). In general, the heavier a building is, the lower the response will be to the incident vibration energy. However, all structurers reduce vibration levels due to the coupling of the building to the soil.

There are several different methods that are used to quantify vibration. The peak particle velocity (PPV) is defined as the maximum instantaneous peak of the vibration signal (7). The PPV is most frequently used to describe vibration impacts to buildings but is not always suitable for evaluating human response (annoyance) because it takes some time for the human body to respond to vibration signals. Instead, the human body responds to average vibration amplitude often described as the root mean square (RMS). The RMS amplitude is defined as the average of the squared amplitude of the signal and is most frequently used to describe the effect of vibration on the human body (7). However, the RMS amplitude and PPV are related mathematically, and the RMS amplitude of equipment is typically calculated from the PPV reference level. The RMS amplitude is approximately 70% of the PPV (8). Thus, either can be used on the description of vibration impacts.

While not universally accepted, vibration decibel notation (VdB) is another vibration notation developed and used by the FTA in their guidance manual to describe vibration levels and provide a background of common vibration levels and set vibration limits (9). Decibel notation (VdB) serves to reduce the range of numbers used to describe vibration levels and is used in this report to describe vibration levels.

As stated in the FTA guidance manual, the background vibration-velocity level in residential areas is generally 50 VdB. Ground-borne vibration is normally perceptible to humans at approximately 65 VdB. For most people, a vibration-velocity level of 75 VdB is the approximate dividing line between barely perceptible and distinctly perceptible levels. Typical outdoor sources of perceptible ground-borne vibration are construction equipment, steel-wheeled trains, and traffic on rough roads. If a roadway is smooth, the ground-borne vibration is rarely perceptible. The range of interest is from approximately 50 VdB, which is the typical background vibration-velocity level, to 100 VdB, which is the general threshold where minor damage can occur in fragile buildings. Exhibit 2-C illustrates common vibration sources and the human and structural response to ground-borne vibration.







* RMS Vibration Velocity Level in VdB relative to 10⁻⁶ inches/second

Source: Federal Transit Administration (FTA) Transit Noise and Vibration Impact Assessment Manual.



This page intentionally left blank



3 REGULATORY SETTING

To limit population exposure to physically and/or psychologically damaging as well as intrusive noise levels, the federal government, the State of California, various county governments, and most municipalities in the state have established standards and ordinances to control noise. In most areas, automobile and truck traffic is the major source of environmental noise. Traffic activity generally produces an average sound level that remains constant with time. Air and rail traffic, and commercial and industrial activities are also major sources of noise in some areas. Federal, state, and local agencies regulate different aspects of environmental noise. Federal and state agencies generally set noise standards for mobile sources such as aircraft and motor vehicles, while regulation of stationary sources is left to local agencies.

3.1 STATE OF CALIFORNIA NOISE REQUIREMENTS

The State of California regulates freeway noise, sets standards for sound transmission, provides occupational noise control criteria, identifies noise standards, and provides guidance for local land use compatibility. State law requires that each county and city adopt a General Plan that includes a Noise Element which is to be prepared per guidelines adopted by the Governor's Office of Planning and Research (OPR). (10) The purpose of the Noise Element is to *limit the exposure of the community to excessive noise levels*. In addition, the California Environmental Quality Act (CEQA) requires that all known environmental effects of a project be analyzed, including environmental noise impacts.

3.2 COUNTY OF SAN BERNARDINO DEVELOPMENT CODE

While the County of San Bernardino Hazards Element provides guidelines and criteria to assess transportation noise on sensitive land uses, the County Code, Title 8 Development Code contains the noise level limits for mobile, stationary, and construction-related noise sources. (11)

3.2.1 TRANSPORTATION NOISE STANDARDS

Section 83.01.080(d), Table 83-3, contains the County of San Bernardino's mobile noise sourcerelated standards, shown on Exhibit 3-A. Based on the County's mobile noise source standards, there are no exterior noise level standards for the Project commercial land use. Exterior transportation (mobile) noise level standards for residential land uses in the Project study area are shown to be 60 dBA CNEL, while non-noise-sensitive land uses, such as office uses, require exterior noise levels of 65 dBA CNEL per the County's Table 83-3 mobile noise source standards.





Noise Standards for Adjacent Mobile Noise Sources					
Land Use Ldn (or CNEL) dB(A)					
Categories	Uses	Interior (1)	Exterior (2)		
Residential	Single and multi-family, duplex, mobile homes	45	60(3)		
Commercial	Hotel, motel, transient housing	45	60(3)		
	Commercial retail, bank, restaurant	50	N/A		
	Office building, research and development, professional offices	45	65		
	Amphitheater, concert hall, auditorium, movie theater	45	N/A		
Institutional/Public	Hospital, nursing home, school classroom, religious institution, library	45	65		
Open Space	Park	N/A	65		
 (2) The outdoor environment shall be limited to: Hospital/office building patios Hotel and motel recreation areas Mobile home parks Multi-family private patios or balconies Park picnic areas Private yard of single-family dwellings School playgrounds 					
(3) An exterior noise le mitigated through a rea exceed 45 dB(A) (or CNI acceptable interior noi	evel of up to 65 dB(A) (or CNEL) shall be allowed provided exterior noise levels have asonable application of the best available noise reduction technology, and interior EL) with windows and doors closed. Requiring that windows and doors remain clos se level shall necessitate the use of air conditioning or mechanical ventilation.	e been substan noise exposu ed to achieve	tially re does not an		
CNEL = (Community Noi addition of approximation in the night from 10:00	se Equivalent Level). The average equivalent A-weighted sound level during a 24-ho tely five decibels to sound levels in the evening from 7:00 p.m. to 10:00 p.m. and ter p.m. to 7:00 a.m.	ur day, obtain n decibels to s	ed after ound levels		

EXHIBIT 3-A: COUNTY OF SAN BERNARDINO MOBILE NOISE LEVEL STANDARDS

Source: County of San Bernardino County Code, Title 8 Development Code, Table 83-3.

3.2.2 OPERATIONAL NOISE STANDARDS

To analyze noise impacts originating from a designated fixed location or private property such as the San Bernardino Animal Care Center Project, stationary-source (operational) noise such as the expected kennels, dog yards/parks, air conditioning units, parking lot vehicle movements, an emergency generator, and trash enclosure activity are typically evaluated against standards established under a jurisdiction's Municipal Code. The County of San Bernardino County Code, Title 8 Development Code, Section 83.01.080(c) establishes the noise level standards for stationary noise sources. Since the Project's land use will potentially impact adjacent noisesensitive uses in the Project study area, this noise study relies on the more conservative residential noise level standards to describe potential operational noise impacts.

For residential properties, the exterior noise level shall not exceed 55 dBA L_{eq} during the daytime hours (7:00 a.m. to 10:00 p.m.) and 45 dBA L_{eq} during the nighttime hours (10:00 p.m. to 7:00 a.m.) for both the whole hour, and for not more than 30 minutes in any hour. (11) The exterior noise level standards shall apply for a cumulative period of 30 minutes in any hour, as well as the standard plus 5 dBA cannot be exceeded for a cumulative period of more than 15 minutes in any hour, or the standard plus 10 dBA for a cumulative period of more than 5 minutes in any hour,



or the standard plus 15 dBA for a cumulative period of more than 1 minute in any hour, or the standard plus 20 dBA for any period of time. Further, Section 83.01.080(e) indicates that if the existing ambient noise level already exceeds any of the exterior noise level limit categories, then the standard shall be adjusted to reflect the ambient conditions. The County of San Bernardino operational noise level standards are shown on Table 3-1 and included in Appendix 3.1.

Affected Land Uses (Receiving Noise)	7:00 a.m 10:00 p.m. (dBA L _{eq})	10:00 p.m 7:00 a.m. (dBA L _{eq})
Residential	55	45
Professional Services	55	55
Other Commercial	60	60
Industrial	70	70

TABLE 3-1: OPERATIONAL NOISE LEVEL STANDARDS

 L_{eq} = (Equivalent Energy Level). The sound level corresponding to a steady-state sound level containing the same total energy as a time-varying signal over a given sample period, typically one, eight or 24 hours. dB(A) = (A-weighted Sound Pressure Level). The sound pressure level, in decibels, as measured on a sound level

meter using the A-weighting filter network. The A-weighting filter de-emphasizes the very low and very high frequency components of the sound, placing greater emphasis on those frequencies within the sensitivity range of the human ear.

The percentile noise descriptors are provided to ensure that the duration of the noise source is fully considered. However, due to the relatively constant intensity of the Project operational activities, the L_{50} or average L_{eq} noise level metrics best describe the kennels, dog yards/parks, air conditioning units, parking lot vehicle movements, an emergency generator, and trash enclosure activity. In addition, the L_{eq} noise level metric accounts for noise fluctuations over time by averaging the louder and quieter events and giving more weight to the louder events. In addition, due to the mathematical relationship between the median (L_{50}) and the mean (L_{eq}), the L_{eq} will always be larger than or equal to the L_{50} . The more variable the noise becomes, the larger the L_{eq} becomes in comparison to the L_{50} . Therefore, this noise study conservatively relies on the average L_{eq} sound level limits to describe the Project operational noise levels.

3.3 CONSTRUCTION NOISE STANDARDS

Section 83.01.080(g)(3) of the County of San Bernardino Development Code, provided in Appendix 3.1, indicates that construction activity is considered exempt from the noise level standards between the hours of 7:00 a.m. to 7:00 p.m. except on Sundays and Federal holidays. (11) However, neither the County of San Bernardino General Plan or Municipal Code establish numeric maximum acceptable construction source noise levels at potentially affected receivers, which would allow for a quantified determination of what CEQA constitutes a *substantial temporary or periodic noise increase*. Therefore, a numerical construction threshold based on Federal Transit Administration (FTA) *Transit Noise and Vibration Impact Assessment Manual* is used for analysis of daytime construction impacts, as discussed below.

According to the FTA, local noise ordinances are typically not very useful in evaluating construction noise. They usually relate to nuisance and hours of allowed activity, and sometimes



specify limits in terms of maximum levels, but are generally not practical for assessing the impact of a construction project. Project construction noise criteria should account for the existing noise environment, the absolute noise levels during construction activities, the duration of the construction, and the adjacent land use. Due to the lack of standardized construction noise thresholds, the FTA provides guidelines that can be considered reasonable criteria for construction noise assessment. The FTA considers a daytime exterior construction noise level of 80 dBA L_{eq} as a threshold for noise sensitive residential land use, a noise level of 85 dBA L_{eq} for commercial locations, and 90 dBA L_{eq} for industrial locations. (7)

3.4 CONSTRUCTION VIBRATION STANDARDS

Construction activity can result in varying degrees of ground-borne vibration, depending on the equipment and methods used, distance to the affected structures and soil type. Construction vibration is generally associated with pile driving and rock blasting. Other construction equipment such as air compressors, light trucks, hydraulic loaders, etc., generates little or no ground vibration. (7)

The County of San Bernardino Development Code, Section 83.01.090(a) states that vibration shall be no greater than or equal to two-tenths inches per second measured at or beyond the lot line. (11) Therefore, to determine if the vibration levels due to the operation and construction of the Project, the peak particle velocity (PPV) vibration level standard of 0.2 inches per second is used.





4 SIGNIFICANCE CRITERIA

The following significance criteria are based on currently adopted guidance provided by Appendix G of the California Environmental Quality Act (CEQA) Guidelines. (10) For the purposes of this report, impacts would be potentially significant if the Project results in or causes:

- A. Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?
- B. Generation of excessive ground-borne vibration or ground-borne noise levels?
- C. For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?

While the County of San Bernardino General Plan Guidelines provide direction on noise compatibility and establish noise standards by land use type that are sufficient to assess the significance of noise impacts, they do not define the levels at which increases are considered substantial for use under Guideline A. CEQA Appendix G Guideline C applies to nearby public and private airports, if any, and the Project's land use compatibility.

4.1 CEQA GUIDELINES NOT FURTHER ANALYZED

The Project site is not located within two miles of a public airport or within an airport land use plan. The closest airport is the Flabob Airport located over 5 miles south of the Project site. As such, the Project site would not be exposed to excessive noise levels from airport operations, and therefore, impacts are considered *less than significant*, and no further noise analysis is conducted in relation to CEQA Appendix G Guideline C.

Since the Project is relocating the San Bernardino Animal Care Center facility, the Project is not anticipated to generate a substantial amount of traffic and would not result in a substantial increase in off-site traffic noise levels, impacts are considered *less than significant*, and no further noise analysis is conducted in relation to CEQA Appendix G Guideline C.

4.2 NOISE-SENSITIVE RECEIVERS

Noise level increases resulting from the Project are evaluated based on the Appendix G CEQA Guidelines described above at the closest sensitive receiver locations. Under CEQA, consideration must be given to the magnitude of the increase, the existing ambient noise levels, and the location of noise-sensitive receivers to determine if a noise increase represents a significant adverse environmental impact. This approach recognizes *that there is no single noise increase that renders the noise impact significant.* (12)

Unfortunately, there is no completely satisfactory way to measure the subjective effects of noise or of the corresponding human reactions of annoyance and dissatisfaction. This is primarily because of the wide variation in individual thresholds of annoyance and differing individual experiences with noise. Thus, an important way of determining a person's subjective reaction to



a new noise is the comparison of it to the existing environment to which one has adapted—the so-called *ambient* environment. In general, the more a new noise exceeds the previously existing ambient noise level, the less acceptable the new noise will typically be judged. The Federal Interagency Committee on Noise (FICON) (13) developed guidance to be used for the assessment of project-generated increases in noise levels that consider the ambient noise level. The FICON recommendations are based on studies that relate aircraft noise levels to the percentage of persons highly annoyed by aircraft noise. Although the FICON recommendations are often used in environmental noise impact assessments involving the use of cumulative noise exposure metrics, such as the average-daily noise level (CNEL) and equivalent continuous noise level (L_{eq}).

As previously stated, the approach used in this noise study recognizes *that there is no single noise increase that renders the noise impact significant*, based on a 2008 California Court of Appeal ruling on Gray v. County of Madera. (12) For example, if the ambient noise environment is quiet (<60 dBA) and the new noise source greatly increases the noise levels, an impact may occur if the noise criteria may be exceeded. Therefore, for this analysis, FICON identifies a *readily perceptible* 5 dBA or greater project-related noise level increase is considered a significant impact when the noise criteria for a given land use is exceeded. Per the FICON, in areas where the without project noise levels range from 60 to 65 dBA, a 3 dBA *barely perceptible* noise level already exceed 65 dBA, any increase in community noise louder than 1.5 dBA or greater is considered a significant impact if the noise criteria for a given land use is exceeded, since it likely contributes to an existing noise exposure exceedance.

The FICON guidance provides an established source of criteria to assess the impacts of substantial temporary or permanent increase in ambient noise levels. Based on the FICON criteria, the amount to which a given noise level increase is considered acceptable is reduced when the without Project noise levels are already shown to exceed certain land-use specific exterior noise level criteria. The specific levels are based on typical responses to noise level increases of 5 dBA or *readily perceptible*, 3 dBA or *barely perceptible*, and 1.5 dBA depending on the underlying without Project noise levels for noise-sensitive uses. These levels of increases and their perceived acceptance are consistent with guidance provided by both the Federal Highway Administration (4 p. 9) and Caltrans (14 p. 2_48).

4.3 SIGNIFICANCE CRITERIA SUMMARY

Noise impacts shall be considered significant if any of the following occur as a direct result of the proposed Project. Table 4-1 shows the significance criteria summary matrix.





Analysis	Land Use	Condition(s)	Significance Criteria		
			Daytime	Nighttime	
		if ambient is < 60 dBA CNEL	≥ 5 dBA CNEL Project increase		
Off-Site	Noise-	if ambient is 60 - 65 dBA CNEL	≥ 3 dBA CNEL Project increase		
	Sensitive	if ambient is > 65 dBA CNEL	≥ 1.5 dBA CNEL	Project increase	
	Residential	Exterior Noise Level Limit ²	55 dBA L _{eq}	45 dBA L _{eq}	
Operational	Noise- Sensitive ¹	if ambient is < 60 dBA L_{eq}	\geq 5 dBA L _{eq} Project increase		
Operational		if ambient is 60 - 65 dBA L_{eq}	\geq 3 dBA L _{eq} Project increase		
		if ambient is > 65 dBA L_{eq}	\geq 1.5 dBA L _{eq} Project increase		
	All	Permitted between 7:00 a. and Fede	m. to 7:00 p.m.; exc eral holidays. ³	ept Sundays	
	Residential		80 dBA L _{eq}	n/a	
Construction	Commercial	Noise Level Threshold ⁴	85 dBA L _{eq}	n/a	
	Industrial		90 dBA L _{eq}	n/a	
	All	Vibration Level Threshold ⁵	0.2 PPV in/sec	n/a	

TABLE 4-1: SIGNIFICANCE CRITERIA SUMMARY

¹ FICON, 1992.

² County of San Bernardino Development Code, Title 8, Section 83.01.080 (Appendix 3.1)

³ Section 83.01.080(g)(3) of the County of San Bernardino County Code.

⁴ Federal Transit Administration, Transit Noise and Vibration Impact Assessment Manual.

⁵ Section 83.01.090(a) of the County of San Bernardino County Code.

"Daytime" = 7:00 a.m. to 10:00 p.m.; "Nighttime" = 10:00 p.m. to 7:00 a.m. "n/a" = construction activities are not planned during the nighttime hours; "PPV" = peak particle velocity.



This page intentionally left blank



5 EXISTING NOISE LEVEL MEASUREMENTS

To assess the existing noise level environment, 24-hour noise level measurements were taken at four locations in the Project study area. The receiver locations were selected to describe and document the existing noise environment within the Project study area. Exhibit 5-A provides the boundaries of the Project study area and the noise level measurement locations. To fully describe the existing noise conditions, noise level measurements were collected by Urban Crossroads, Inc. on Wednesday, December 14th, 2022.

5.1 MEASUREMENT PROCEDURE AND CRITERIA

To describe the existing noise environment, the hourly noise levels were measured during typical weekday conditions over a 24-hour period. By collecting individual hourly noise level measurements, it is possible to describe the daytime and nighttime hourly noise levels and calculate the 24-hour CNEL. The long-term noise readings were recorded using Piccolo Type 2 integrating sound level meter and dataloggers. The Piccolo sound level meters were calibrated using a Larson-Davis calibrator, Model CAL 150. All noise meters were programmed in "slow" mode to record noise levels in "A" weighted form. The sound level meters and microphones were equipped with a windscreen during all measurements. All noise level measurement equipment satisfies the American National Standards Institute (ANSI) standard specifications for sound level meters ANSI S1.4-2014/IEC 61672-1:2013. (15)

5.2 NOISE MEASUREMENT LOCATIONS

The long-term noise level measurements were positioned as close to the nearest sensitive receiver locations as possible to assess the existing ambient hourly noise levels surrounding the Project site. Both Caltrans and the FTA recognize that it is not reasonable to collect noise level measurements that can fully represent every part of a private yard, patio, deck, or balcony normally used for human activity when estimating impacts for new development projects. This is demonstrated in the Caltrans general site location guidelines which indicate that, *sites must be free of noise contamination by sources other than sources of interest. Avoid sites located near sources such as barking dogs, lawnmowers, pool pumps, and air conditioners unless it is the express intent of the analyst to measure these sources. (3) Further, FTA guidance states, that it is not necessary nor recommended that existing noise exposure be determined by measuring at every noise-sensitive location in the project area. Rather, the recommended approach is to characterize the noise environment for clusters of sites based on measurements or estimates at representative locations in the community. (7)*

Based on recommendations of Caltrans and the FTA, it is not necessary to collect measurements at each individual building or residence, because each receiver measurement represents a group of buildings that share acoustical equivalence. (7) In other words, the area represented by the receiver shares similar shielding, terrain, and geometric relationship to the reference noise source. Receivers represent a location of noise sensitive areas and are used to estimate the future noise level impacts. Collecting reference ambient noise level measurements at the nearby sensitive receiver locations allows for a comparison of the before and after Project noise levels



and is necessary to assess potential noise impacts due to the Project's contribution to the ambient noise levels.

5.3 NOISE MEASUREMENT RESULTS

The noise measurements presented below focus on the average or equivalent sound levels (L_{eq}). The equivalent sound level (L_{eq}) represents a steady state sound level containing the same total energy as a time varying signal over a given sample period. Table 5-1 identifies the hourly daytime (7:00 a.m. to 10:00 p.m.) and nighttime (10:00 p.m. to 7:00 a.m.) noise levels at each noise level measurement location.

Location ¹	Description	Energy Average Noise Level (dBA L _{eq}) ²	
		Daytime	Nighttime
L1	Located west of the Project site near single-family residence at 18259 Valley Boulevard A.	70.5	66.8
L2	Located south of the Project site near single-family residences at 18363 Valley Boulevard.	65.5	65.0
L3	Located east of the Project site near single-family residences at 18363 Valley Boulevard.	66.2	64.7
L4	Located north of the Project site near single-family residence at 18301 Marygold Avenue.	64.0	59.4

 TABLE 5-1: 24-HOUR AMBIENT NOISE LEVEL MEASUREMENTS

¹ See Exhibit 5-A for the noise level measurement locations.

² Energy (logarithmic) average levels. The long-term 24-hour measurement worksheets are included in Appendix 5.2.

"Daytime" = 7:00 a.m. to 7:00 p.m.; "Nighttime" = 10:00 p.m. to 7:00 a.m.

Table 5-1 provides the (energy average) noise levels used to describe the daytime and nighttime ambient conditions. These daytime and nighttime energy average noise levels represent the average of all hourly noise levels observed during these time periods expressed as a single number. Appendix 5.2 provides summary worksheets of the noise levels for each hour as well as the minimum, maximum, L₁, L₂, L₅, L₈, L₂₅, L₅₀, L₉₀, L₉₅, and L₉₉ percentile noise levels observed during the daytime and nighttime periods.

The background ambient noise levels in the Project study area are dominated by the transportation-related noise associated with surface streets in addition to background industrial land use activities. This includes the auto and heavy truck activities on study area roadway segments near the noise level measurement locations.





EXHIBIT 5-A: NOISE MEASUREMENT LOCATIONS

LEGEND: N 🛆 Measurement Locations



This page intentionally left blank.



6 OFF-SITE TRANSPORTATION NOISE IMPACTS

The Project would result in a small increase in regional and local traffic volumes. The expected Project is anticipated to generate a maximum of 318 daily trips which would represent an incremental increase to the existing roadway volumes and would not double traffic volumes on local roads. Therefore, the Project is not expected to generate perceptible noise level increase (i.e., 3 dBA) at nearby sensitive land uses adjacent to study area roadways. Due to the low traffic volumes generated by the Project, the off-site traffic noise levels generated by the Project are considered *less than significant* and no further analysis is required.



This page intentionally left blank.



7 SENSITIVE RECEIVER LOCATIONS

To assess the potential for long-term operational and short-term construction noise impacts, the following sensitive receiver locations, as shown on Exhibit 7-A, were identified as representative locations for analysis. Sensitive receivers are generally defined as locations where people reside or where the presence of unwanted sound could otherwise adversely affect the use of the land. Noise-sensitive land uses are generally considered to include schools, hospitals, single-family dwellings, mobile home parks, churches, libraries, and recreation areas. Moderately noise-sensitive land uses typically include multi-family dwellings, hotels, motels, dormitories, outpatient clinics, cemeteries, golf courses, country clubs, athletic/tennis clubs, and equestrian clubs. Land uses that are considered relatively insensitive to noise include business, commercial, and professional developments. Land uses that are typically not affected by noise include: industrial, manufacturing, utilities, agriculture, undeveloped land, parking lots, warehousing, liquid and solid waste facilities, salvage yards, and transit terminals.

To describe the potential off-site Project noise levels, three receiver locations in the vicinity of the Project site were identified. All distances are measured from the Project site boundary to the outdoor living areas (e.g., private backyards) or at the building façade, whichever is closer to the Project site. The selection of receiver locations is based on FHWA guidelines and is consistent with additional guidance provided by Caltrans and the FTA, as previously described in Section 5.2. Other sensitive land uses in the Project study area that are located at greater distances than those identified in this noise study will experience lower noise levels than those presented in this report due to the additional attenuation from distance and the shielding of intervening structures. Distance is measured in a straight line from the project boundary to each receiver location.

- R1: Location R1 represents the existing noise sensitive residence at 1825 Valley Boulevard, approximately 15 feet west of the Project site. Receiver R1 is placed in the private outdoor living areas facing the Project site. A 24-hour noise measurement was taken near this location, L1, to describe the existing ambient noise environment.
- R2: Location R2 represents the existing noise sensitive residence at 18301 Marygold Avenue, approximately 748 feet north of the Project site. Receiver R2 is placed in the private outdoor living areas facing the Project site. A 24-hour noise measurement was taken near this location, L4, to describe the existing ambient noise environment.
- R3: Location R3 represents the existing noise sensitive residence at 18349 Valley Boulevard, approximately 159 feet south of the Project site. Receiver R3 is placed in the private outdoor living areas facing the Project site. A 24-hour noise measurement was taken near this location, L3, to describe the existing ambient noise environment.
- R4: Location R4 represents the existing noise sensitive residence at 18363 Valley Boulevard, approximately 149 feet east of the Project site. Receiver R4 is placed in the private outdoor living area facing the Project site. A 24-hour noise measurement was taken near this location, L2, to describe the ambient noise environment.




EXHIBIT 7-A: SENSITIVE RECEIVER LOCATIONS

LEGEND:

Site Boundary — Distance from receiver to Project site boundary (in feet)

8 OPERATIONAL NOISE IMPACTS

This section analyzes the potential stationary-source operational noise impacts at the nearest receiver locations, identified in Section 7, resulting from the operation of the San Bernardino Animal Care Center Project. Exhibit 8-A identifies the representative noise source activities used to assess the operational noise levels.

8.1 **OPERATIONAL NOISE SOURCES**

This operational noise analysis is intended to describe noise level impacts associated with the typical daytime and nighttime activities at the Project site. The on-site Project-related noise sources are expected to include: kennels, dog yards/parks, air conditioning units, parking lot vehicle movements, an emergency generator, and trash enclosure activity.

8.2 **REFERENCE NOISE LEVELS**

To estimate the Project operational noise impacts, reference noise level measurements were collected from similar types of activities to represent the noise levels expected with the development of the proposed Project. This section provides a detailed description of the reference noise level measurements shown on Table 8-1 used to estimate the Project operational noise impacts. It is important to note that the following projected noise levels assume the worst-case noise environment with the kennels, dog yards/parks, air conditioning units, parking lot vehicle movements, an emergency generator, and trash enclosure activity all operating continuously. These sources of noise activity will likely vary throughout the day.

8.2.1 MEASUREMENT PROCEDURES

The reference noise level measurements presented in this section were collected using a Larson Davis LxT Type 1 precisions sound level meter (serial number 01146). The LxT sound level meter was calibrated using a Larson-Davis calibrator, Model CAL 200, was programmed in "slow" mode to record noise levels in "A" weighted form and was located at approximately five feet above the ground elevation for each measurement. The sound level meters and microphones were equipped with a windscreen during all measurements. All noise level measurement equipment satisfies the American National Standards Institute (ANSI) standard specifications for sound level meters ANSI S1.4-2014/IEC 61672-1:2013. (15)

8.2.2 ANIMAL DROP-OFF AND DOG PARK/MEET AND GREET ACTIVITY

To describe the potential noise level impacts associated with the Project's animal drop-off and dog park/meet and greet activities, Urban Crossroads, Inc. collected a reference noise level measurement at High Valley Veterinarian Clinic in the County of San Diego. The reference noise level measurement describes large and small dogs growling, whining, baying, and barking at other dogs within the facility. At 50 feet from the noise source, a reference noise level of 64.1 dBA L_{eq}.







EXHIBIT 8-A: OPERATIONAL NOISE SOURCE LOCATIONS



Noise Source ¹	Noise Source	Min./	Hour ²	Reference Noise Level	Sound Power
Noise Source-	Height (Feet)	Day	Night	(dBA L _{eq}) @ 50 Feet	Level (dBA) ³
Animal Drop-Off	3'	60	60	64.1	95.7
Dog Park/Meet and Greet Activity	3'	60	0	64.1	95.7
Roof-Top Air Conditioning Units	5'	39	28	47.4	79.0
Parking Lot Vehicle Movements	5'	60	0	42.8	74.4
Trash Enclosure Activity	5'	10	10	57.4	89.0
Truck Wash	5'	30	30	62.4	94.0
Generator	8'	30	0	83.3	114.9

TABLE 8-1: REFERENCE NOISE LEVEL MEASUREMENTS

¹ As measured by Urban Crossroads, Inc.

² Anticipated duration (minutes within the hour) of noise activity during typical hourly conditions expected at the Project site. "Daytime" = 7:00 a.m. - 10:00 p.m.; "Nighttime" = 10:00 p.m. - 7:00 a.m.

³ Sound power level represents the total amount of acoustical energy (noise level) produced by a sound source independent of distance or surroundings. Sound power levels calculated using the CadnaA noise model at the reference distance to the noise source. Numbers may vary due to size differences between point and area noise sources.

8.2.3 AIR CONDITIONING UNITS

The noise level measurements describe a single mechanical air conditioning unit. The reference noise level represents a Lennox SCA120 series 10-ton model packaged air conditioning unit. At the uniform reference distance of 50 feet, the reference noise level is 57.2 dBA L_{eq}. Based on the typical operating conditions observed over a four-day measurement period, the roof-top air conditioning units are estimated to operate for and average 39 minutes per hour during the daytime hours, and 28 minutes per hour during the nighttime hours. These operating conditions reflect peak summer cooling requirements with measured temperatures approaching 96 degrees Fahrenheit (°F) with average daytime temperatures of 82°F. For this noise analysis, the air conditioning units are expected to be ground mounted adjacent to the Project's administration building.

8.2.4 PARKING LOT VEHICLE MOVEMENTS

To describe the on-site parking lot activity a reference noise level of 56.1 dBA L_{eq} at 50 feet is used. Parking lot activity are expected to take place during the full hour (60 minutes) throughout the daytime and evening hours. The parking lot is anticipated to have little to no traffic at night. The parking lot noise levels are mainly due cars pulling in and out of parking spaces in combination with sales staff talking to customers.

8.2.5 TRASH ENCLOSURE ACTIVITY

To describe the noise levels associated with a trash enclosure activity, Urban Crossroads collected a reference noise level measurement at an existing trash enclosure containing two dumpster bins. The trash enclosure noise levels describe metal gates opening and closing, metal scraping



against concrete floor sounds, dumpster movement on metal wheels, and trash dropping into the metal dumpster. The reference noise levels describe trash enclosure noise activities when trash is dropped into an empty metal dumpster, as would occur at the Project Site. The measured reference noise level at the uniform 50-foot reference distance is 57.3 dBA L_{eq} for the trash enclosure activity. The reference noise level describes the expected noise source activities associated with the trash enclosures for the Project's proposed building. Typical trash enclosure activities are estimated to occur for 10 minutes per hour and may occur during the daytime and nighttime.

8.2.6 TRUCK WASH

To describe the noise levels associated with truck washout activity, Urban Crossroads collected a reference noise level measurement at an existing vehicle washing facility. The vehicle washing noise levels describe a gas powered pressure washer operating for 30 minutes washing out metal bins. The measured reference noise level at the uniform 50-foot reference distance is 62.4 dBA L_{eq} for the trash enclosure activity. Typical truck washing activities are estimated to occur for 30 minutes per hour and may occur during the daytime or nighttime.

8.2.7 GENERATOR

The Project would also include a generator located within a weather enclosure. The location of the generator is shown in Exhibit 8-A. According to the Project applicant, the generator is anticipated to be a 600 kilo Watt (kW) unit. The 600 kW generators can produce an uncontrolled noise level of 90 dBA L_{max} at 23 feet. The generator would have a standard muffler, which would provide approximately 15 dBA reduction from the uncontrolled noise levels. The generators are for emergency purposes and would only be operated under normal operations for half an hour each week for maintenance and testing. The only scenario in which they would operate for a full hour would be in the case of a power outage. Even in this scenario, the generators would likely only operate at 70 percent of maximum capacity. Therefore, for assessment purposes, the generators were modeled operating at full power for 30 minutes during daytime hours.

8.3 CADNAA NOISE PREDICTION MODEL

To fully describe the exterior operational noise levels from the Project, Urban Crossroads, Inc. developed a noise prediction model using the CadnaA (Computer Aided Noise Abatement) computer program. CadnaA can analyze multiple types of noise sources using the spatially accurate Project site plan, georeferenced Nearmap aerial imagery, topography, buildings, and barriers in its calculations to predict outdoor noise levels.

Using the ISO 9613 protocol, CadnaA will calculate the distance from each noise source to the noise receiver locations, using the ground absorption, distance, and barrier/building attenuation inputs to provide a summary of noise level at each receiver and the partial noise level contributions by noise source. Consistent with the ISO 9613 protocol, the CadnaA noise prediction model relies on the reference sound power level (L_w) to describe individual noise sources. While sound pressure levels (e.g., L_{eq}) quantify in decibels the intensity of given sound sources at a reference distance, sound power levels (L_w) are connected to the sound source and

are independent of distance. Sound pressure levels vary substantially with distance from the source and diminish because of intervening obstacles and barriers, air absorption, wind, and other factors. Sound power is the acoustical energy emitted by the sound source and is an absolute value that is not affected by the environment.

The operational noise level calculations provided in this noise study account for the distance attenuation provided due to geometric spreading, when sound from a localized stationary source (i.e., a point source) propagates uniformly outward in a spherical pattern. A default ground attenuation factor of 0.5 was used in the CadnaA noise analysis to account for a mix of soft and hard site conditions. Appendix 8.1 includes the detailed noise model inputs.

8.4 PROJECT OPERATIONAL NOISE LEVELS

Using the reference noise levels to represent the proposed Project operations that include kennels, dog yards/parks, air conditioning units, parking lot vehicle movements, an emergency generator, and trash enclosure activity, Urban Crossroads, Inc. calculated the operational source noise levels that are expected to be generated at the Project site and the Project-related noise level increases that would be experienced at each of the sensitive receiver locations. Table 8-2 shows the Project operational noise levels during the daytime hours of 7:00 a.m. to 10:00 p.m. The daytime hourly noise levels at the off-site receiver locations are expected to range from 39.9 to 50.0 dBA L_{eq} .

Noise Sourcel	Daytime Noise Level (dBA L _{eq})					
Noise Source-	R1	R2	R3	R4		
Animal Drop-Off	48.5	36.4	40.5	46.5		
Dog Park/Meet and Greet	42.3	36.7	47.0	43.9		
Roof-Top Air Conditioning Units	39.8	25.0	32.3	33.4		
Parking Lot Vehicle Movements	32.1	26.1	34.0	27.0		
Trash Enclosure Activity	14.6	15.7	20.2	28.9		
Truck Wash	23.0	19.1	28.5	37.5		
Generator	58.3	38.4	44.5	45.7		
Total (All Noise Sources)	50.0	39.9	48.2	48.9		

TABLE 8-2: DAYTIME PROJECT OPERATIONAL NOISE LEVELS

¹ See Exhibit 8-A for the noise source locations. CadnaA noise model calculations are included in Appendix 8.1.

Table 8-3 shows the Project operational noise levels during the nighttime hours of 10:00 p.m. to 7:00 a.m. The nighttime hourly noise levels at the off-site receiver locations are expected to range from 33.0 to 38.2 dBA L_{eq}. The differences between the daytime and nighttime noise levels are largely related to the duration of noise activity with minimal nighttime operations (Table 9-1).



Noise Sourcel	Nighttime Noise Level (dBA L _{eq})					
Noise Source-	R1	R2	R3	R4		
Animal Drop-Off	27.6	32.3	36.5	42.5		
Dog Park/Meet and Greet	0.0	0.0	0.0	0.0		
Roof-Top Air Conditioning Units	37.4	22.5	29.9	31.0		
Parking Lot Vehicle Movements	25.0	15.7	19.9	25.0		
Trash Enclosure Activity	13.7	14.7	19.3	27.9		
Truck Wash	21.7	17.9	27.3	36.2		
Generator	0.0	0.0	0.0	0.0		
Total (All Noise Sources)	38.2	33.0	37.9	43.8		

TABLE 8-3: NIGHTTIME PROJECT OPERATIONAL NOISE LEVELS

¹ See Exhibit 8-A for the noise source locations. CadnaA noise model calculations are included in Appendix 8.1.

8.5 PROJECT OPERATIONAL NOISE LEVEL COMPLIANCE

To demonstrate compliance with local noise regulations, the Project-only operational noise levels are evaluated against exterior noise level thresholds based on the County of San Bernardino exterior noise level standards at nearest noise-sensitive receiver locations. Table 9-4 shows the operational noise levels associated with the Project will satisfy the County of San Bernardino exterior noise level standards at all nearby receiver locations. Therefore, the operational noise impacts are considered *less than significant* at the nearest noise-sensitive receiver locations.

TABLE 8-4: OPERATIONAL NOISE LEVEL COMPLIANCE	

Receiver Location ¹	Project OperationalReceiverNoise LevelsLocation1(dBA Leq)2		Exterio Level St (dBA	or Noise andards (L _{eq}) ³	Noise Level Standards Exceeded? ⁴		
	Daytime	Nighttime	Daytime	Nighttime	Daytime	Nighttime	
R1	50.0	38.2	55	45	No	No	
R2	39.9	33.0	55	45	No	No	
R3	48.2	37.9	55	45	No	No	
R4	48.9	43.8	55	45	No	No	

¹ See Exhibit 7-A for the receiver locations.

² Proposed Project operational noise levels as shown in Tables 8-3 and 8-4.

³ Exterior noise level standards are shown in Table 3-1.

⁴ Do the estimated Project operational noise source activities exceed the noise level standards?

"Daytime" = 7:01 a.m. to 10:00 p.m.; "Nighttime" = 10:01 p.m. to 7:00 a.m.

8.6 PROJECT OPERATIONAL NOISE LEVEL INCREASES

To describe the Project operational noise level increases, the Project operational noise levels are combined with the existing ambient noise levels measurements for the nearest receiver locations potentially impacted by Project operational noise sources. Since the units used to measure noise, decibels (dB), are logarithmic units, the Project-operational and existing ambient noise levels



cannot be combined using standard arithmetic equations. (3) Instead, they must be logarithmically added using the following base equation:

$$SPL_{Total} = 10log_{10}[10^{SPL1/10} + 10^{SPL2/10} + \dots 10^{SPLn/10}]$$

Where "SPL1," "SPL2," etc. are equal to the sound pressure levels being combined, or in this case, the Project-operational and existing ambient noise levels. The difference between the combined Project and ambient noise levels describes the Project noise level increases to the existing ambient noise environment. As indicated on Tables 8-5 and 8-6, the Project will generate daytime and nighttime operational noise level increases ranging from less than 0.1 to 0.1 dBA L_{eq} at the nearest receiver locations. Project-related operational noise level increases will satisfy the operational noise level increase significance criteria presented on Table 4-1. Therefore, the incremental Project operational noise level increase is considered *less than significant* at all receiver locations.



Receiver Location ¹	Total Project Operational Noise Level ²	Measurement Location ³	Reference Ambient Noise Levels ⁴	Combined Project and Ambient ⁵	Project Increase ⁶	Increase Criteria ⁷	Increase Criteria Exceeded?
R1	50.0	L1	70.5	70.5	0.0	3	No
R2	39.9	L2	65.5	65.5	0.0	3	No
R3	48.2	L3	66.2	66.3	0.1	3	No
R4	48.9	L4	64.0	64.1	0.1	3	No

TABLE 8-5: DAYTIME PROJECT OPERATIONAL NOISE LEVEL INCREASES

¹ See Exhibit 7-A for the receiver locations.

² Total Project daytime operational noise levels as shown on Table 8-4.

³ Reference noise level measurement locations as shown on Exhibit 5-A.

⁴ Observed daytime ambient noise levels as shown on Table 5-1.

⁵ Represents the combined ambient conditions plus the Project activities.

⁶ The noise level increase expected with the addition of the proposed Project activities.

⁷ Significance increase criteria as shown on Table 4-1.

TABLE 8-6: NIGHTTIME OPERATIONAL NOISE LEVEL INCREASES

Receiver Location ¹	Total Project Operational Noise Level ²	Measurement Location ³	Reference Ambient Noise Levels ⁴	Combined Project and Ambient ⁵	Project Increase ⁶	Increase Criteria ⁷	Increase Criteria Exceeded?
R1	38.2	L1	70.5	70.5	0.0	3	No
R2	33.0	L2	65.5	65.5	0.0	3	No
R3	37.9	L3	66.2	66.2	0.0	3	No
R4	43.8	L4	64.0	64.0	0.0	3	No

¹ See Exhibit 7-A for the receiver locations.

² Total Project nighttime operational noise levels as shown on Table 8-5.

³ Reference noise level measurement locations as shown on Exhibit 5-A.

⁴ Observed nighttime ambient noise levels as shown on Table 5-1.

⁵ Represents the combined ambient conditions plus the Project activities.

⁶ The noise level increase expected with the addition of the proposed Project activities.

⁷ Significance increase criteria as shown on Table 4-1.



9 CONSTRUCTION IMPACTS

This section analyzes potential impacts resulting from the short-term construction activities associated with the development of the Project. Exhibit 9-A shows the construction noise source activity location in relation to the nearest sensitive receiver locations previously described in Section 7. To prevent high levels of construction noise from impacting noise-sensitive land uses, County of San Bernardino Development Code Section 83.01.080(g)(3), states that construction activities are limited to the hours of 7:00 a.m. to 7:00 p.m. on any day and limited at any time on Sundays and federal holidays.

9.1 CONSTRUCTION NOISE LEVELS

Noise generated by the Project construction equipment will include a combination of trucks, power tools, concrete mixers, and portable generators that when combined can reach high levels. The number and mix of construction equipment are expected to occur in the following stages:

- Site Preparation
- Grading
- Building Construction
- Paving
- Architectural Coating

9.2 Typical Construction Reference Noise Levels

To describe peak construction noise activities, this construction noise analysis was prepared using reference noise level measurements published in the *FHWA Road Construction Nosie Model* (RCNM) (16). The RCNM database provides a conservative source of reference construction noise levels. Table 9-1 provides a summary of the FHWA construction reference noise level measurements expressed in hourly average dBA L_{eq} using the estimated FHWA RCNM usage factors to describe the typical construction activities for each stage of Project construction (16).





EXHIBIT 9-A: CONSTRUCTION NOISE ACTIVITY

Construction Activity — Distance from receiver to construction activity (in feet)

Construction Stage	Construction Equipment	Reference Noise Level @ 50 Feet (dBA L _{eq}) ¹	Combined Reference Noise Level (dBA L _{eq})	
C'I	Tractor	80.0		
Site	Grader	81.0	84.4	
reparation	Excavator	76.7		
	Dozer	77.7		
Grading	Front End Loader	75.1	80.6	
	Backhoe	73.6		
	Front End Loader	75.1		
Building	Crane	72.6	81.4	
construction	Gradall	79.4		
	Paver	74.2		
Paving	Roller	73.0	77.8	
	Vacuum Street Sweeper	71.6		
Arch Costing	Man Lift	67.8	74.9	
Arch. Coating	Compressor (air)	73.8	74.8	

TABLE 9-1: CONSTRUCTION REFERENCE NOISE LEVELS

¹ FHWA's Roadway Construction Noise Model, January 2006.

9.3 CONSTRUCTION NOISE ANALYSIS

Using the reference construction equipment noise levels and the CadnaA noise prediction model, calculations of the Project construction noise level impacts at the nearest sensitive receiver locations were completed. To assess the worst-case construction noise levels, the Project construction noise analysis relies on the highest noise level impacts when equipment with the highest reference noise level is operating at the closest point from the edge of primary construction activity (Project site boundary) to each receiver location. This is simulated by modeling multiple pieces of construction as moving point sources. As shown on Table 9-2, the construction noise levels are expected to range from 46.0 to 69.7 dBA L_{eq} , and the highest construction levels are expected to range from 53.2 to 69.7 dBA L_{eq} at the nearest receiver locations. Appendix 9.1 includes the detailed CadnaA construction noise model inputs.



_ ·	Construction Noise Levels (dBA L _{max})								
Receiver Location ¹	Site Preparation	Grading	Building Construction	Paving	Arch. Coating	Highest Levels ²			
R1	69.7	66.4	68.1	62.9	62.5	69.7			
R2	53.2	49.9	51.6	46.4	46.0	53.2			
R3	62.0	58.7	60.4	55.2	54.8	62.0			
R4	63.0	59.7	61.4	56.2	55.8	63.0			

TABLE 9-2: CONSTRUCTION EQUIPMENT NOISE LEVEL SUMMARY

¹Noise receiver locations are shown on Exhibit 7-A.

² Construction noise level calculations based on distance from the project site boundaries (construction activity area) to nearby receiver locations. CadnaA construction noise model inputs are included in Appendix 9.1.

9.4 CONSTRUCTION NOISE LEVEL COMPLIANCE

To evaluate whether the Project will generate potentially significant short-term noise levels at nearest receiver locations, a construction-related daytime noise level threshold of 80 dBA L_{eq} is used as a reasonable threshold to assess the daytime construction noise level impacts at residential locations. The construction noise analysis shows that the nearest receiver locations will satisfy the reasonable daytime significance thresholds shown in Table 4-1 during Project construction activities as shown on Table 9-3. Therefore, the noise impacts due to Project construction noise is considered *less than significant* at all receiver locations.

	Construction Noise Levels (dBA Lmax)						
Receiver Location ¹	Highest Construction Noise Levels ²	Threshold ³	Threshold Exceeded? ⁴				
R1	69.7	80	No				
R2	53.2	80	No				
R3	62.0	80	No				
R4	63.0	80	No				

TABLE 9-3: CONSTRUCTION NOISE LEVEL COMPLIANCE

¹Noise receiver locations are shown on Exhibit 7-A.

² Highest construction noise level calculations based on distance from the construction noise source activity to nearby receiver locations as shown on Table 9-2.

³ Construction noise level thresholds are limited to the noise sensitive receiver locations (Section 3.5).

⁴ Do the estimated Project construction noise levels exceed the construction noise level threshold?



9.6 CONSTRUCTION VIBRATION IMPACTS

Construction activity can result in varying degrees of ground vibration, depending on the equipment and methods used, distance to the affected structures and soil type. It is expected that ground-borne vibration from Project construction activities would cause only intermittent, localized intrusion. Ground-borne vibration levels resulting from typical construction activities occurring within the Project site were estimated by data published by the Federal Transit Administration (FTA) (7) and Caltrans (8). However, while vehicular traffic is rarely perceptible, construction has the potential to result in varying degrees of temporary ground vibration, depending on the specific construction activities and equipment used.

Ground vibration levels associated with various types of construction equipment are summarized on Table 9-4. Based on the representative vibration levels presented for various construction equipment types, it is possible to estimate the potential Project construction vibration levels using the following vibration assessment methods defined by Caltrans. Caltrans provides the following equation: $PPV_{equip} = PPV_{ref} x (25/D)^{1.5} (17)$.

Equipment	PPV (in/sec) at 25 feet
Small bulldozer	0.003
Jackhammer	0.035
Loaded Trucks	0.076
Large bulldozer	0.089

TABLE 9-4: VIBRATION SOURCE LEVELS FOR CONSTRUCTION EQUIPMENT

Federal Transit Administration, Transit Noise and Vibration Impact Assessment Manual

Table 9-5 presents the expected Project related vibration levels at the nearby receiver locations. At distances ranging from 15 feet to 748 feet from Project construction activities (at the Project site boundary), construction vibration levels are estimated to range from less than 0.01 to 0.15 PPV (in/sec) and will remain below the County of San Bernardino 0.2 PPV (in/sec) threshold for vibration at all receiver locations. Therefore, the Project-related vibration impacts are considered *less than significant* during the construction activities at the Project site.

Further, vibration levels at the site of the closest sensitive receiver are unlikely to be sustained during the entire construction period but will occur rather only during the times that heavy construction equipment is operating simultaneously adjacent to the Project site perimeter.



	Distance to	-	Typical Const P	Thresholds	Thresholds			
Receiver ¹	Const. Activity (Feet) ²	Small bulldozer	Jackhammer	Loaded Trucks	Large bulldozer	Highest Vibration Level	PPV (in/sec)⁴	Inresholds Exceeded? ⁵
R1	15′	0.00	0.86	0.16	0.19	0.19	0.20	No
R2	748'	0.00	0.00	0.00	0.00	0.00	0.20	No
R3	159'	0.00	0.00	0.00	0.01	0.01	0.20	No
R4	149'	0.00	0.00	0.01	0.01	0.01	0.20	No

TABLE 9-5: PROJECT CONSTRUCTION VIBRATION LEVELS

¹Receiver locations are shown on Exhibit 9-A.

² Distance from Project construction boundary to the receiver building structure.

³ Based on the Vibration Source Levels of Construction Equipment (Table 9-4).

⁴ Caltrans 2020.

⁵ Does the peak vibration exceed the acceptable vibration thresholds?

"PPV" = Peak Particle Velocity

Moreover, the impacts at the site of the closest sensitive receivers are unlikely to be sustained during the entire construction period but will occur rather only during the times that heavy construction equipment is operating adjacent to the Project site perimeter.



10 REFERENCES

- 1. State of California. California Environmental Quality Act, Appendix G. 2018.
- 2. Environmental Protection Agency Office of Noise Abatement and Control. Information on Levels of Environmental Noise Requisite to Protect Public Health and Welfare with an Adequate Margin of Safety. March 1974. EPA/ONAC 550/9/74-004.
- 3. California Department of Transportation Environmental Program. *Technical Noise Supplement A Technical Supplement to the Traffic Noise Analysis Protocol.* Sacramento, CA : s.n., September 2013.
- 4. U.S. Department of Transportation, Federal Highway Administration, Office of Environment and Planning, Noise and Air Quality Branch. *Highway Traffic Noise Analysis and Abatement Policy and Guidance*. December 2011.
- 5. **U.S. Department of Transportation, Federal Highway Administration.** *Highway Traffic Noise in the United States, Problem and Response.* April 2000. p. 3.
- 6. U.S. Environmental Protection Agency Office of Noise Abatement and Control. *Noise Effects Handbook-A Desk Reference to Health and Welfare Effects of Noise.* October 1979 (revised July 1981). EPA 550/9/82/106.
- 7. U.S. Department of Transportation, Federal Transit Administration. *Transit Noise and Vibration Impact Assessment Manual, FTA Report No. 0123.* September 2018.
- 8. California Department of Transportation. *Transportation and Construction Vibration Guidance Manual*. April 2020.
- 9. U.S. Department of Transportation, Federal Transit Administration. *Transit Noise and Vibration Impact Assessment Manual, FTA-VA-90-1003-06.* May 2006.
- 10. Office of Planning and Research. State of California General Plan Guidelines. October 2017.
- 11. **County of San Bernardino.** *Code of Ordinances, Title 8 Development Code, Chapter 83.01 General Performance Standards.*
- 12. California Court of Appeal. *Gray v. County of Madera, F053661.* 167 Cal.App.4th 1099; Cal.Rptr.3d, October 2008.
- 13. Federal Interagency Committee on Noise. Federal Agency Review of Selected Airport Noise Analysis Issues. August 1992.
- 14. California Department of Transportation. *Technical Noise Supplement*. November 2009.
- 15. American National Standards Institute (ANSI). Specification for Sound Level Meters ANSI S1.4-2014/IEC 61672-1:2013.
- 16. U.S. Department of Transportation, Federal Highway Administration. Road Construction Noise Model, version 1.0. 2006.
- 17. California Department of Transportation. *Transportation and Construction Vibration Guidance Manual*. April 2020.





This page intentionally left blank



11 CERTIFICATION

The contents of this noise study report represent an accurate depiction of the noise environment and impacts associated with the proposed San Bernardino Animal Care Center Project. The information contained in this noise study report is based on the best available data at the time of preparation. If you have any questions, please contact me directly at (619) 778-1971.

William Maddux Senior Associate URBAN CROSSROADS, INC. (619) 788-1971 <u>bmaddux@urbanxroads.com</u>

EDUCATION

Bachelor of Science in Urban and Regional Planning California Polytechnic State University, Pomona • June 2000

PROFESSIONAL AFFILIATIONS

ASA – Acoustical Society of America AEP – Association of Environmental Planners AWMA – Air and Waste Management Association INCE – Institute of Noise Control Engineers

PROFESSIONAL CERTIFICATIONS

Approved Acoustical Consultant • County of San Diego FHWA Traffic Noise Model of Training • November 2004 CadnaA Basic and Advanced Training Certificate • October 2008.



This page intentionally left blank



APPENDIX 3.1:

COUNTY OF SAN BERNARDINO MUNICIPAL CODE



This page intentionally left blank



§ 83.01.080 Noise.

This Section establishes standards concerning acceptable noise levels for both noise-sensitive land uses and for noise-generating land uses.

(a) Noise Measurement. Noise shall be measured:

(1) At the property line of the nearest site that is occupied by, and/or zoned or designated to allow the development of noise-sensitive land uses;

(2) With a sound level meter that meets the standards of the American National Standards Institute (ANSI § SI4 1979, Type 1 or Type 2);

(3) Using the "A" weighted sound pressure level scale in decibels (ref. pressure = 20 micronewtons per meter squared). The unit of measure shall be designated as dB(A).

(b) Noise Impacted Areas. Areas within the County shall be designated as "noise-impacted" if exposed to existing or projected future exterior noise levels from mobile or stationary sources exceeding the standards listed in Subdivision (d) (Noise Standards for Stationary Noise Sources) and Subdivision (e) (Noise Standards for Adjacent Mobile Noise Sources), below. New development of residential or other noise-sensitive land uses shall not be allowed in noise-impacted areas unless effective mitigation measures are incorporated into the project design to reduce noise levels to these standards. Noise-sensitive land uses shall include residential uses, schools, hospitals, nursing homes, religious institutions, libraries, and similar uses.

(c) Noise Standards for Stationary Noise Sources.

(1) *Noise Standards.* Table 83-2 (Noise Standards for Stationary Noise Sources) describes the noise standard for emanations from a stationary noise source, as it affects adjacent properties:

Table 83-2 Noise Standards for Stationary Noise Sources													
Noise Standards for Stationary Noise Sources Affected Land Uses (Receiving Noise) 7:00 a.m 10:00 p.m. Leq 10:00 p.m 7:00 a.m. Leq													
Affected Land Uses (Receiving Noise)	7:00 a.m 10:00 p.m. Leq	10:00 p.m 7:00 a.m. Leq											
	Table 83-2												
Noise Standards for Stationary Noise Sources													
Affected Land Uses (Receiving Noise)	7:00 a.m 10:00 p.m. Leq	10:00 p.m 7:00 a.m. Leq											
Residential	55 dB(A)	45 dB(A)											
Professional Services	55 dB(A)	55 dB(A)											
Other Commercial	60 dB(A)	60 dB(A)											
Industrial	70 dB(A)	70 dB(A)											
Leq = (Equivalent Energy Level containing the same total energ one, eight or 24 hours.). The sound level corresponding y as a time-varying signal over a g	to a steady-state sound level given sample period, typically											
one, eight or 24 hours. dB(A) = (A-weighted Sound Pressure Level). The sound pressure level, in decibels, as measured on a sound level meter using the A-weighting filter network. The A-weighting filter de- emphasizes the very low and very high frequency components of the sound, placing greater emphasis on those frequencies within the sensitivity range of the human ear.													
emphasis on those frequencies within the sensitivity range of the human ear. Ldn = (Day-Night Noise Level). The average equivalent A-weighted sound level during a 24-hour day obtained by adding 10 decibels to the hourly noise levels measured during the night (from 10:00 p.m. to 7:00 a.m.). In this way Ldn takes into acted unt the lower tolerance of people for noise during nighttime periods.													

(2) *Noise Limit Categories.* No person shall operate or cause to be operated a source of sound at a location or allow the creation of noise on property owned, leased, occupied, or otherwise controlled by the person, which causes the noise level, when measured on another property, either incorporated or unincorporated, to exceed any one of the following:

(A) The noise standard for the receiving land use as specified in Subdivision (b) (Noise-Impacted Areas), above, for a cumulative period of more than 30 minutes in any hour.

(B) The noise standard plus five dB(A) for a cumulative period of more than 15 minutes in any hour.

- (C) The noise standard plus ten dB(A) for a cumulative period of more than five minutes in any hour.
- (D) The noise standard plus 15 dB(A) for a cumulative period of more than one minute in any hour.
- (E) The noise standard plus 20 dB(A) for any period of time.

(d) Noise Standards for Adjacent Mobile Noise Sources. Noise from mobile sources may affect adjacent properties adversely. When it does, the noise shall be mitigated for any new development to a level that shall not exceed the standards described in the following Table 83-3 (Noise Standards for Adjacent Mobile Noise Sources).

	Table 83-3		
	Noise Standards for Adjacent Mobile Noise	Sources	
	Land Use	Ldn (or CN	EL) dB(A)
Categories	Uses	Interior ⁽¹⁾	Exterior ⁽²⁾
	Table 83-3		
	Noise Standards for Adjacent Mobile Noise	e Sources	
	Land Use	Ldn (or Cl	NEL) dB(A)
Categories	Uses	Interior ⁽¹⁾	Exterior ⁽²⁾
Residential	Single and multi-family, duplex, mobile homes	45	60 ⁽³⁾
Commercial	Hotel, motel, transient housing	45	60 ⁽³⁾
	Commercial retail, bank, restaurant	50	N/A
	Office building, research and development, professional offices	45	65
	Amphitheater, concert hall, auditorium, movie theater	45	N/A
Institutional/Public	Hospital, nursing home, school classroom, religious institution, library	45	65
Open Space	Park	N/A	65
Notes:			
(1) The indoor envir	onment shall exclude bathrooms, kitchens, toil	ets, closets and	corridors.
 (2) The outdoor env Hospital/office Hotel and mote Mobile home p Multi family prior 	vironment shall be limited to: building patios el recreation areas arks vate patios or balconies		

- Park picnic areas
- Private yard of single-family dwellings
- School playgrounds

(3) An exterior noise level of up to 65 dB(A) (or CNEL) shall be allowed provided exterior noise levels have been substantially mitigated through a reasonable application of the best available noise reduction technology, and interior noise exposure does not exceed 45 dB(A) (or CNEL) with windows and doors closed. Requiring that windows and doors remain closed to achieve an acceptable interior noise level shall necessitate the use of air conditioning or mechanical ventilation.

CNEL = (Community Noise Equivalent Level). The average equivalent A-weighted sound level during a 24-hour day, obtained after addition of approximately five decibels to sound levels in the evening from 7:00 p.m. to 10:00 p.m. and ten decibels to sound levels in the night from 10:00 p.m. to 7:00 a.m.

(e) Increases in Allowable Noise Levels. If the measured ambient level exceeds any of the first four noise limit categories in Subdivision (d)(2), above, the allowable noise exposure standard shall be increased to reflect the ambient noise level. If the ambient noise level exceeds the fifth noise limit category in Subdivision (d)(2), above, the maximum allowable noise level under this category shall be increased to reflect the maximum ambient noise level.

(f) *Reductions in Allowable Noise Levels.* If the alleged offense consists entirely of impact noise or simple tone noise, each of the noise levels in Table 83-2 (Noise Standards for Stationary Noise Sources) shall be reduced by five dB(A).

(g) *Exempt Noise*. The following sources of noise shall be exempt from the regulations of this Section:

- (1) Motor vehicles not under the control of the commercial or industrial use.
- (2) Emergency equipment, vehicles, and devices.

(3) Temporary construction, maintenance, repair, or demolition activities between 7:00 a.m. and 7:00 p.m., except Sundays and Federal holidays.

(h) *Noise Standards for Other Structures.* All other structures shall be sound attenuated against the combined input of all present and projected exterior noise to not exceed the criteria.

Table 83-4	
Noise Standards for Other Struc	ctures
Typical Uses	12-Hour Equivalent Sound Level (Interior) in dBA Ldn
Educational, institutions, libraries, meeting facilities, etc.	45
General office, reception, etc.	50
Retail stores, restaurants, etc.	55
Other areas for manufacturing, assembly, testing, warehousing, etc.	65

In addition, the average of the maximum levels on the loudest of intrusive sounds occurring during a 24-hour period shall not exceed 65 dBA interior.

(Ord. 4011, passed - -2007; Am. Ord. 4245, passed - -2014)

This page intentionally left blank



APPENDIX 5.1:

NOISE LEVEL MEASUREMENT WORKSHEETS



This page intentionally left blank



						24-Ho	ur Noise Le	evel Measu	urement Su	ummary						
Date: Project:	Wednesday Bloomingto	v, December n Animal She	14, 2022 elter		Location: Source:	L1 - Located residence at	west of the P 18259 Valley	roject site no Boulevard A	ear single-far	nily	Meter:	Piccolo II			JN: Analyst:	15264 A. Shami
							Hourly L _{eq} d	IBA Readings	(unadjusted)							
85. 80.1 75																
e 70.					Location: I Source: T Source: T Sour		<u>, </u>	e ~	- 4	• •	<u>v o</u>	<u> </u>			~	
<u></u> 60. <u>></u> 55.	0	33.2 53.8	64.8	69.	Location: L Source: 1 Source: 1 Location: L Source: 1 Location: L Source: 1 Location: L Source: 1 Location: L Source: 1 Location: L Source: 1 Location: L Source: 1 Location: L Location: L Source: 1 Location: L Location: L		2		- <mark>5 - 5</mark>	2 <u></u> 2		2	20 69.	2 2	68.2	65.1
5 50. 9 45.					Source: Testuence Sourc											
35.	ŏ + +				-	6 7 8 11% L2% 74.0 73.4 72.2 71.8 73.4 72.8 73.6 73.1 74.9 74.4 77.6 77.1 78.0 77.6 77.2 76.8 76.5 76.0										
	0	1 2	3	4 5	6	6 7 8 11% 12% 74.0 73.4 72.2 71.8 73.4 72.8 73.6 73.1 74.9 74.4 77.6 77.1 78.0 77.6		0 11 Hour Be	12 13 ginning	3 14	15 16	5 17	18 19	20	21 22	23
Timeframe	Hour	,	,	1	11%	17%	15%	18%	125%	150%	190%	105%	100%	1	Adi	Adi I
Timejrume	0	63.9	74.4	55.6	74.0	73.4	71.2	68.7	62.2	58.8	56.6	56.2	55.7	63.9	10.0	73.9
	1	63.2	72.5	55.3	72.2	71.8	70.5	68.7	62.4	58.5	56.1	55.8	55.4	63.2	10.0	73.2
	2	63.8	73.7	57.2	73.4	72.8	70.9	68.7	62.0	59.6	57.9	57.6	57.3	63.8	10.0	73.8
Night	3	64.8	74.0	58.6	73.6	73.1	71.6	69.9	63.8	60.9	59.2	58.9	58.6	64.8	10.0	74.8
	4	66.6	75.2	59.7	74.9	74.4	73.1	71.8	66.4	62.7	60.3	60.0	59.8	66.6	10.0	76.6
	6	70.9	78.7	62.4	78.3	77.8	75.4	74.2	71.8	68.7	63.4	63.0	62.6	70.9	10.0	80.9
	7	71.6	78.4	62.3	78.0	77.6	76.5	75.9	73.0	69.7	63.7	62.9	62.4	71.6	0.0	71.6
	8	70.8	77.5	59.1	77.2	76.8	75.8	75.0	72.4	68.8	61.1	60.2	59.3	70.8	0.0	70.8
	9	70.2	76.8	57.8	76.5	76.0	75.0	74.4	71.9	68.4	61.0	59.4	58.0	70.2	0.0	70.2
	10	71.6	80.7	58.2	80.3	79.4	76.7	75.5	72.6	69.4	61.7	60.1	58.5	71.6	0.0	71.6
	11	70.2	76.1 77.0	56.2	75.9	75.5	74.7 75.2	74.1	72.0	69.0 69.0	61.0 60.4	59.3	58.3	70.2	0.0	70.2
	12	70.4	76.8	56.8	76.5	76.1	74.8	73.9	72.0	68.7	60.4	58.5	57.0	70.4	0.0	70.4
Day	14	70.1	76.1	58.3	75.8	75.4	74.4	73.8	71.7	69.0	61.7	60.3	58.7	70.1	0.0	70.1
	15	71.2	78.7	59.0	78.2	77.5	75.9	74.9	72.5	69.8	62.6	60.9	59.3	71.2	0.0	71.2
	16	71.0	77.0	60.1	76.7	76.3	75.3	74.8	72.5	69.7	62.8	61.3	60.2	71.0	0.0	71.0
	1/	70.9 70.1	//.6 76.6	60.5	77.3	/6./	75.3 74.0	/4.6 74.2	72.3	69.6	63.0	61.6	60.7	70.9 70.1	0.0	70.9 70.1
	10	69.4	76.8	59.2	76.5	76.1	74.9	74.2	70.9	66.5	60.4	59.7	59.3	69.4	5.0	74.4
	20	70.8	81.9	61.1	81.5	81.0	77.7	75.1	69.7	65.9	61.9	61.5	61.2	70.8	5.0	75.8
	21	68.2	76.5	59.1	76.2	75.6	74.1	73.1	69.0	64.6	59.9	59.5	59.1	68.2	5.0	73.2
Night	22	66.5	75.7	57.9	75.3	74.8	73.1	71.6	66.5	61.9	58.6	58.3	58.0	66.5	10.0	76.5
Timeframe	23 Hour	65.1	/4.8	56./	/4.5	/3.9	/2.1	/0.4	64.1	60.0	57.5	57.2	56.8	65.1	10.0	/5.1
nnejrune	Min	68.2	76.1	56.8	75.8	75.4	74.1	73.1	69.0	64.6	59.9	58.5	57.0		Daytime	Nighttime
Day	Max	71.6	81.9	62.3	81.5	81.0	77.7	75.9	73.0	69.8	63.7	62.9	62.4	24-Hour	(7am-10pm)	(10pm-7am)
Energy	Average	70.5	Aver	rage:	77.3	76.8	75.4	74.5	71.7	68.4	61.5	60.3	59.3			
Night	Min Max	63.2 70.9	72.5 78.7	55.3 62.4	72.2	71.8 77.8	70.5 76.1	68.7 75.0	62.0 71.8	58.5 68.7	56.1 63.4	55.8 63.0	55.4 62.6	69.5	70.5	66.8
Energy	Average	66.8	Aver	rage:	74.9	74.4	72.7	71.0	65.4	61.9	59.1	58.7	58.4			



						24-Ho	ur Noise Le	vel Measu	urement S	ummary						
Date: Project:	Wednesday Bloomingto	, December on Animal She	14, 2022 elter		Location: Source:	L2 - Located residence at	north of the F 18301 Maryg	Project site n old Avenue.	iear single-fa	amily	Meter:	Piccolo II			JN: Analyst:	15264 A. Shami
							Hourly L _{eq} d	BA Readings	(unadjusted)							
95	0															
	0															
Re 70.	0															
- 65. - 60.	0		4	e. 7 9.5	Location: L2 - Locator Source: residence 5 6 7 68.1 6 71.5 7 73.6 7 70.0 9 71.6 71.7 71.0 9 71.8 9 71.5 9 71.5 9 71.5 9 71.5 9 73.3		- <u>n</u>	!m	- <mark>N - </mark> F	<u> </u>	- 4 - 4		- vi — - vi —	7.6		
<u>א</u> 55. ג 50.	0	62.2	65	64	No. No. No. No. 5 6 7 11% 12% 69.0 68.5 68.1 67.0 71.5 70.0 71.5 70.0 73.4 72.9 73.4 72.7 70.6 70.0 70.6 70.0 70.6 70.0		64.	6 <mark></mark>	- <mark>12</mark> - C		65 65		64		0	63
우 45. 40.	0															
35.	0 + +	1 2	2	4 5		7 0	0 1	0 11	12 1	2 14	15 10	17	10 10	20	21 22	
	0	1 2	3	4 5	D	/ 8	9 1	U II Hour Be	IZ I ginning	3 14	15 16	1/	18 19	20	21 22	23
Timeframe	Hour	<i>L</i>	L	Lta	11%	12%	15%	18%	125%	150%	190%	195%	199%	<i>L</i>	Adi.	Adi. L
	0	61.5	69.4	57.0	69.0	68.5	66.6	65.1	61.3	59.6	57.8	57.4	57.1	61.5	10.0	71.5
	1	62.2	68.8	58.3	68.5	68.0	66.3	65.6	62.6	60.8	59.0	58.7	58.4	62.2	10.0	72.2
	2	62.9	68.4	59.7	68.1	67.6	66.6	65.9	63.4	62.0	60.4	60.1	59.8	62.9	10.0	72.9
Night	3	65.4	71.8	61.4	71.0	70.3	69.0	68.2	65.7	64.5	62.4	61.9	61.5	65.4	10.0	75.4
	5	67.9	72.0	64.7	73.6	73.2	71.9	70.9	68.2	66.8	65.3	65.1	64.8	67.9	10.0	74.9
	6	67.8	73.3	64.2	72.9	72.4	71.4	70.7	68.4	66.8	64.9	64.6	64.3	67.8	10.0	77.8
	7	67.9	74.0	64.2	73.4	72.7	71.4	70.7	68.4	66.9	64.8	64.5	64.3	67.9	0.0	67.9
	8	65.8	72.0	60.6	71.7	71.2	70.0	69.2	66.8	64.5	61.6	61.1	60.7	65.8	0.0	65.8
	9	64.5 65 1	/1.1	58.1	/0.6 70.6	/0.0 70.1	68.6 60.1	67.8 69 E	65.5 66.4	63.2 64.2	59.3	58.7	58.2	64.5 65.1	0.0	64.5 65.1
	10	64.3	70.9	57.9	70.0	70.1 69.6	68.8	68.1	65.4	63.1	58.9	58.1	57.5	64.3	0.0	64.3
	12	64.2	70.2	56.8	69.9	69.5	68.5	67.8	65.4	63.1	58.3	57.6	56.9	64.2	0.0	64.2
	13	63.7	69.8	56.3	69.5	69.2	67.9	67.2	64.9	62.8	57.9	57.0	56.4	63.7	0.0	63.7
Day	14	64.6	72.2	57.9	71.8	71.1	69.4	68.3	65.3	63.0	59.3	58.6	58.0	64.6	0.0	64.6
	15	64.4	71.2	57.0	70.7	70.0	68.7	67.8	65.4	63.2	58.6	57.8	57.2	64.4	0.0	64.4
	10	65.4 65.7	72.0	59.9 60.1	71.0	71.0	69.4 69.3	68.0	66.7	64.3 64.9	61.3	60.5 60.8	60.0	65.4 65.7	0.0	65.4 65.7
	18	65.5	72.0	60.5	71.5	70.8	69.6	68.6	66.4	64.4	61.4	60.9	60.6	65.5	0.0	65.5
	19	64.5	69.7	60.0	69.5	69.1	68.2	67.6	65.6	63.6	60.9	60.5	60.1	64.5	5.0	69.5
	20	67.6	73.8	64.1	73.4	72.9	71.7	70.3	67.8	66.7	64.9	64.5	64.2	67.6	5.0	72.6
	21	66.8	73.6	63.2	73.3	72.9	70.8	69.2	67.2	65.8	63.9	63.6	63.3	66.8	5.0	71.8
Night	22	63.0	70.5	59.6 59.0	70.2 70.3	69.8 69.9	68.0 67.9	66.9 66.5	64.0 63.4	62.1	60.3 59.7	60.0 59.4	59.7 59.1	63.6 63.2	10.0	/3.6 73.2
Time <u>fram</u> e	Hour	L _{ea}	L max	L _{min}	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	03.2	L _{eq} (dBA)	13.2
Day	Min	63.7	69.7	56.3	69.5	69.1	67.9	67.2	64.9	62.8	57.9	57.0	56.4	24-Hour	Daytime	Nighttime
Duy	Max	67.9	74.0	64.2	73.4	72.9	71.7	70.7	68.4	66.9	64.9	64.5	64.3	Larnour	(7am-10pm)	(10pm-7am)
Energy	Average	65.5	Ave	rage:	71.3	70.7	69.4	68.5	66.2	64.2	60.8	60.2	59.7	65.2	65 F	
Night	Max	67.9	74.1	64.7	73.6	73.2	71.9	70.9	61.3	66.8	65.3	57.4 65.1	64.8	05.5	02.2	05.0
Energy	Average	65.0	Ave	rage:	70.6	70.0	68.5	67.5	64.7	63.1	61.4	61.1	60.7	Ì		



	Date: Wednesday, December 14, 2022 Location: L3- Located south of the Project site near single-family Meter: Piccolo II JN: 15264 Project: Bloomington Animal Shelter Source: residence at 18363 Valley Boulevard. Analyst: A. Shami															
Date: Project:	Wednesday Bloomingto	, December on Animal She	14, 2022 elter		Location: Source:	L3- Located s residence at	south of the P 18363 Valley	roject site n Boulevard.	ear single-fa	mily	Meter:	Piccolo II			JN: Analyst:	15264 A. Shami
							Hourly L _{eq} d	BA Readings	(unadjusted)							
85.0																
A 75.0	0			Location: L3. Source: res												
6 5.0	Ő			0 5 6 7 4 5 6 7 Lmin L1% 56.9 66.9 57.2 66.8 58.2 68.2 60.6 68.2 63.6 71.5		- ·						u	4 0		0	
<u>></u> 55.0	62.3	62.2 63.4	64.1	67	64.0	67	9 <mark>9 - 1</mark>	<u>65.</u>		<mark></mark>	66.	<u> </u>	66	99	65. 64.2	63.5
우 45.0 우 45.0					5 6 7 8 9 66.9 66.5 2 66.8 66.4 2 68.2 67.7											
35.	õ + +	1 2	2	4 5		7 0	1	0 11	12 1	2 14	15 10	17	19 10	20	21 22	22
	0	1 2	5	4 J	0	/ 0	9 1	Hour Be	ginning	5 14	15 10	D 17	16 19	20	21 22	23
Timeframe	Hour	L _{eq}	L _{max}	L _{min}	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	L _{eq}	Adj.	Adj. L _{ea}
-	0	62.3	67.9	56.9	66.9	66.5	65.5	64.9	63.3	61.7	58.7	58.0	57.3	62.3	10.0	72.3
	1	62.2	67.6	57.2	66.8	66.4	65.5	65.0	63.2	61.6	58.8	58.2	57.6	62.2	10.0	72.2
Night	2	63.4 64 5	69.4 69.1	58.2	68.2	67.7	66.9 67.0	66.0	64.2	62.7	59.9	59.3	58.6	63.4	10.0	73.4
Night	4	67.0	72.7	63.6	71.5	70.8	69.5	68.9	67.4	66.5	64.9	64.5	64.0	67.0	10.0	74.3
	5	67.5	70.8	65.0	70.1	69.7	69.2	68.9	68.1	67.4	66.1	65.8	65.4	67.5	10.0	77.5
	6	64.3	69.9	61.7	68.5	68.0	66.6	65.8	64.7	63.9	62.7	62.4	62.0	64.3	10.0	74.3
	7	67.1	70.6	64.7	69.8	69.4	68.7	68.4	67.6	66.9	65.7	65.4	65.0	67.1	0.0	67.1
	o Q	66.5	72.7	63.3	71.7 69.8	71.1 69.2	68 5	68.2	67.7	66.2	64.6	64.1	63.6	66.5	0.0	66.5
	10	65.7	72.2	62.2	70.6	69.8	68.3	67.4	66.1	65.2	63.5	63.1	62.6	65.7	0.0	65.7
	11	65.2	69.3	62.0	68.4	68.0	67.4	67.0	65.8	64.9	63.4	62.9	62.4	65.2	0.0	65.2
	12	65.3	69.6	62.1	68.6	68.3	67.5	67.0	65.9	65.1	63.4	63.0	62.5	65.3	0.0	65.3
David	13	65.3	69.2	62.1	68.4	68.0	67.3	66.9	66.0	65.1	63.5	63.0	62.5	65.3	0.0	65.3
Day	14	65.4	/1.4	62.4	69.7	69.0	67.8 67.0	6/.1	65.8 65.0	65.0	63.6	63.2	62.8	65.4 64.6	0.0	65.4
	15	66.1	70.9	63.3	72.1	70.8	68.5	67.6	66.3	65.5	64.3	64.0	63.6	66.1	0.0	66.1
	17	66.5	70.4	64.5	69.5	69.0	67.9	67.5	66.8	66.3	65.4	65.1	64.8	66.5	0.0	66.5
	18	67.4	71.7	65.2	70.7	70.1	69.0	68.6	67.7	67.2	66.1	65.9	65.5	67.4	0.0	67.4
	19	66.9	72.9	64.3	70.0	69.5	68.7	68.3	67.3	66.6	65.4	65.1	64.7	66.9	5.0	71.9
	20	66.7	70.8	63.5	70.0	69.7	69.0	68.5	67.3	66.4	64.7	64.3	63.9	66.7	5.0	71.7
	21	65.6	72.2	61.9	70.9	70.3	68.8	67.7	65.9	64.9	63.2	62.8	62.3	65.6	5.0	70.6
Night	22	63.5	70.6	58.6	69.2	68.7	66.5	65.6	64.9 64.1	62.8	60.3	59.7	59.0	63.5	10.0	74.2
Timeframe	Hour	L _{eq}	L max	L _{min}	L1%	L2%	L5%	L8%	L25%	L50%	L90%	L95%	L99%	03.5	L _{eg} (dBA)	73.5
Dav	Min	64.6	69.2	61.6	68.4	68.0	67.0	66.3	65.0	64.2	62.9	62.5	62.0	24-Hour	Daytime	Nighttime
Day	Max	67.4	74.5	65.2	72.1	71.1	69.3	68.8	67.7	67.2	66.1	65.9	65.5	-2	(7am-10pm)	(10pm-7am)
Energy	Average	66.2	Ave	rage:	70.0	69.4	68.2	67.7	66.6	65.7	64.3	64.0	63.5	65.7	66.2	647
Night	Max	62.2	72.7	65.0	71.5	70.8	69.5	68.9	63.2	61.6	58.7 66.1	58.0 65.8	65.4	05./	00.2	04./
Energy	Average	64.7	Ave	rage:	68.6	68.1	67.0	66.4	65.0	63.8	61.7	61.2	60.6			



Andrys: Andrys: Hourly L _{eg} dBA Readings (unadjusted) Andrys: Night dBA Readings (unadjusted) Andrys: Normal State	
Hourly L _{eg} dBA Readings (unded)used) Store Nondelines (unded)used) Store Store Store Store Store Store Store Store Store Store Store Store Store Store Store Store Store Store Store Store Store Store Store Store	
S5.0 (Yg) S0.0 (S) S0.0 (S)	
Wight Hour Leg Lmin Ll%	
Image Hour Les Land Li%	
Josephi State Josephi	22
V V	73
9000 40.0 35.0 90 5 90 7 80 5 90 5 46.7 41.8 4 41.2 4 40.2 4 40.1 4 39.9 4 46.6 4 10.0 4 1 68.6 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 7.8 <	
Image: state Image: state <th< td=""><td>22</td></th<>	22
33.0	· 72
Timeframe Hour Leq Lmax Lmin L1% L2% L5% L8% L25% L50% L90% L95% L99% Leq Adj. 1 68.6 66.7 39.9 59.7 58.0 52.9 46.7 41.8 41.2 40.2 40.1 39.9 46.6 10.0 1 68.6 76.1 54.5 75.8 75.5 74.8 74.3 70.4 62.0 56.1 55.3 54.6 68.6 10.0 2 44.9 52.8 41.9 52.4 51.9 50.0 47.8 44.3 43.2 42.1 42.0 41.9 44.9 10.0 Night 3 48.9 55.2 42.1 54.7 54.1 53.0 52.6 50.6 47.7 42.5 42.3 42.1 48.9 10.0 4 47.9 56.6 41.5 56.0 55.2 53.7 52.6 48.4 44.2 41.7 41.6 41.4 47.9 10.0 5 48.6 53.5 42.7 <td< td=""><td></td></td<>	
Timeframe Hour Leq Lmax Lmin L1% L2% L5% L2% L5% L9% L9% Leq Adj. 0 46.6 61.7 39.9 59.7 58.0 52.9 46.7 41.8 41.2 40.2 40.1 39.9 46.6 10.0 1 68.6 76.1 54.5 75.8 75.5 74.8 74.3 70.4 62.0 56.1 55.3 54.6 68.6 10.0 2 44.9 52.8 41.9 52.4 51.9 50.0 47.8 44.3 43.2 42.1 42.0 41.9 44.9 10.0 Night 3 48.9 55.2 42.1 54.7 54.1 53.0 52.6 50.6 47.7 42.5 42.3 42.1 48.9 10.0 5 48.6 53.5 42.7 53.3 53.1 52.7 52.1 50.2 47.4 43.2 42.9 42.7 48.6	. 23
IntegrativeHour L_{eq} L_{max} L_{mb} L_{12} L_{23} L_{23	Adi I
Night 0 44.6 61.7 53.9 53.7 53.0 52.9 44.7 41.6 41.2 40.2 40.1 53.9 46.6 10.0 1 68.6 76.1 54.5 75.8 75.5 74.8 74.3 70.4 62.0 56.1 55.3 54.6 68.6 10.0 2 44.9 52.8 41.9 52.4 51.9 50.0 47.8 44.3 43.2 42.1 42.0 41.9 44.9 10.0 4 47.9 55.6 41.5 56.0 55.2 53.7 52.6 50.6 47.7 42.5 42.3 42.1 48.9 10.0 5 48.6 53.5 42.7 53.3 53.1 52.7 52.1 50.6 47.7 43.2 42.9 42.7 48.6 10.0 6 48.8 57.8 43.4 57.5 57.0 55.3 53.3 47.8 46.1 43.9 43.7 43.5	Auj. L _{eq}
1 56.6 76.1 57.5 77	78.6
Night 3 48.9 55.2 42.1 54.7 54.1 53.0 52.6 50.6 47.7 42.5 42.3 42.1 48.9 10.0 4 47.9 56.6 41.5 56.0 55.2 53.0 52.6 50.6 47.7 42.5 42.3 42.1 48.9 10.0 5 48.6 53.5 41.5 56.0 55.2 53.7 52.6 48.4 44.2 41.7 41.6 41.4 47.9 10.0 5 48.6 53.5 42.7 53.3 53.1 52.7 52.1 50.2 47.4 43.2 42.9 42.7 48.6 10.0 6 48.8 57.8 43.4 57.5 57.0 55.3 53.3 47.8 46.1 43.9 43.7 43.5 48.8 10.0 7 50.2 61.0 44.6 60.5 59.7 56.8 54.0 48.6 46.6 45.1 44.9 44.7	54.9
4 47.9 56.6 41.5 56.0 55.2 53.7 52.6 48.4 44.2 41.7 41.6 41.4 47.9 10.0 5 48.6 53.5 42.7 53.3 53.1 52.7 52.1 50.2 47.4 43.2 42.9 42.7 48.6 10.0 6 48.8 57.8 43.4 57.5 57.0 55.3 53.3 47.8 46.1 43.9 43.7 43.5 48.8 10.0 7 50.2 61.0 44.6 60.5 59.7 56.8 54.0 48.6 46.6 45.1 44.9 44.7 50.2 0.0 8 61.7 70.4 50.6 69.9 69.3 68.0 67.2 62.2 57.3 51.7 51.3 50.9 61.7 0.0 9 60.6 68.8 43.2 68.6 68.2 67.5 66.3 61.0 54.3 44.8 43.8 43.3 60.6	58.9
5 48.6 53.5 42.7 53.3 53.1 52.7 52.1 50.2 47.4 43.2 42.9 42.7 48.6 10.0 6 48.8 57.8 43.4 57.5 57.0 55.3 53.3 47.8 46.1 43.9 43.7 43.5 48.6 10.0 7 50.2 61.0 44.6 60.5 59.7 55.8 54.0 48.6 46.1 43.9 43.7 43.5 48.8 10.0 8 61.7 70.4 50.6 69.9 69.3 68.0 67.2 62.2 57.3 51.7 51.3 50.9 61.7 0.0 9 60.6 68.8 43.2 68.6 68.2 67.5 66.3 61.0 54.3 54.3 54.3 54.3 44.8 43.8 43.3 60.6 0.0 9 60.6 68.8 43.2 68.6 68.2 67.5 66.3 61.0 54.3 54.8	57.9
6 48.8 57.8 43.4 57.5 57.0 55.3 53.3 47.8 46.1 43.9 43.7 43.5 48.8 10.0 7 50.2 61.0 44.6 60.5 59.7 56.8 54.0 48.6 46.6 45.1 44.9 44.7 50.2 0.0 8 61.7 70.4 50.6 69.9 69.3 68.0 67.2 62.2 57.3 51.7 51.3 50.9 61.7 0.0 9 60.6 68.8 43.2 68.6 68.2 67.5 66.3 61.0 54.3 44.8 43.8 43.3 60.6 0.0 10 57.5 66.4 44.8 65.8 65.3 63.5 62.4 58.8 52.6 46.9 45.7 44.9 57.5 0.0	58.6
7 50.2 61.0 44.6 60.5 59.7 56.8 54.0 48.6 46.6 45.1 44.9 44.7 50.2 0.0 8 61.7 70.4 50.6 69.9 69.3 68.0 67.2 62.2 57.3 51.7 51.3 50.9 61.7 0.0 9 60.6 68.8 43.2 68.6 68.2 67.5 66.3 61.0 54.3 44.8 43.8 43.3 60.6 0.0 10 57.5 66.4 44.8 65.8 65.3 63.5 62.4 58.8 52.6 46.9 45.7 44.9 57.5 0.0	58.8
8 61.7 70.4 50.6 69.9 69.3 68.0 67.2 62.2 57.3 51.7 51.3 50.9 61.7 0.0 9 60.6 68.8 43.2 68.6 68.2 67.5 66.3 61.0 54.3 44.8 43.3 60.6 0.0 10 57.5 66.4 44.8 65.8 65.3 63.5 62.4 58.8 52.6 46.9 45.7 44.9 57.5 0.0	50.2
9 60.6 68.8 43.2 68.6 68.2 67.5 66.3 61.0 54.3 44.8 43.8 43.3 60.6 0.0	61.7
	60.6 E7 E
	57.5 42.7
12 73.3 77.7 67.8 77.0 76.6 75.8 75.4 74.3 73.1 70.2 69.5 68.4 73.3 0.0	73.3
13 70.4 78.4 60.7 77.3 76.4 73.9 73.2 71.4 69.6 64.2 63.0 61.4 70.4 0.0	70.4
Day 14 61.3 68.7 52.2 68.3 67.6 66.3 65.7 62.1 59.1 53.7 52.9 52.4 61.3 0.0	61.3
15 50.5 61.2 38.9 60.9 60.4 57.8 55.5 49.5 44.4 39.7 39.3 38.9 50.5 0.0	50.5
16 49.2 57.2 40.9 56.7 56.1 54.9 53.9 49.8 46.4 42.2 41.6 41.0 49.2 0.0	49.2
17 50.0 57.9 41.7 57.5 57.1 55.7 54.7 50.9 46.3 42.4 42.1 41.7 50.0 0.0	50.0
18 48.8 56.7 43.1 56.3 55.9 54.2 53.0 49.2 46.1 43.8 43.4 43.2 48.8 0.0 10 50.6 50.9 57.9 54.2 53.0 49.2 46.1 43.8 43.4 43.2 48.8 0.0	48.8
19 50.0 58.3 45.0 57.9 57.4 55.8 54.9 50.9 48.3 45.5 45.3 45.1 50.0 5.0 50.0 50.0 50.0 50.0 50.0 50	55.0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	55.2
21 50.2 50.2 11.0 50.0 50.1 50.1 50.0 10.0 10.1 11.0 12.0 50.1 5	60.8
Night 23 43.1 46.8 41.5 46.5 46.2 45.3 44.8 43.4 42.6 41.8 41.7 41.5 43.1 10.0	53.1
Timeframe Hour L _{eq} L _{max} L _{min} L1% L2% L5% L8% L25% L50% L90% L95% L99% L _{eq} (dBA))
Day Min 42.7 50.9 37.6 50.4 49.6 47.4 46.4 44.3 39.3 37.9 37.7 37.6 24-Hour Daytime	Nighttime
Max 73.3 78.4 67.8 77.3 76.6 75.8 75.4 74.3 73.1 70.2 69.5 68.4 (7am-10pm)	n) (10pm-7am)
Energy Average 64.0 Average: 62.7 62.1 60.5 59.4 55.8 51.9 47.7 47.1 46.6 Min 43.1 46.8 30.0 46.5 44.8 41.8 41.2 40.2 40.1 20.0 62.0 62.0 62.0 62.0 60.5 59.4 55.8 51.9 47.7 47.1 46.6	E0 4
Night Max 68.6 76.1 54.5 75.8 75.5 74.8 74.3 70.4 62.0 56.1 55.3 54.6	59.4
Energy Average 59.4 Average: 57.1 56.5 55.0 53.4 49.9 46.8 43.8 43.5 43.3	



APPENDIX 8.1:

CADNAA OPERATIONAL NOISE MODEL INPUTS

This page intentionally left blank



15264 - Bloomington Animal Shelter

CadnaA Noise Prediction Model: 15264-03_Operation.cna Date: 08.12.23 Analyst: B. Maddux

Calculation Configuration

Configurat	ion
Parameter	Value
General	
Max. Error (dB)	0.00
Max. Search Radius (#(Unit,LEN))	2000.01
Min. Dist Src to Rcvr	0.00
Partition	
Raster Factor	0.50
Max. Length of Section (#(Unit,LEN))	999.99
Min. Length of Section (#(Unit,LEN))	1.01
Min. Length of Section (%)	0.00
Proj. Line Sources	On
Proj. Area Sources	On
Ref. Time	
Daytime Penalty (dB)	0.00
Recr. Time Penalty (dB)	5.00
Night-time Penalty (dB)	10.00
DTM	
Standard Height (m)	0.00
Model of Terrain	Triangulation
Reflection	
max. Order of Reflection	2
Search Radius Src	100.00
Search Radius Rcvr	100.00
Max. Distance Source - Rcvr	1000.00 1000.00
Min. Distance Rvcr - Reflector	1.00 1.00
Min. Distance Source - Reflector	0.10
Industrial (ISO 9613)	
Lateral Diffraction	some Obj
Obst. within Area Src do not shield	On
Screening	Incl. Ground Att. over Barrier
	Dz with limit (20/25)
Barrier Coefficients C1,2,3	3.0 20.0 0.0
Temperature (#(Unit,TEMP))	10
rel. Humidity (%)	70
Ground Absorption G	0.50
Wind Speed for Dir. (#(Unit,SPEED))	3.0
Roads (TNM)	
Railways (FTA/FRA)	
Aircraft (???)	
Strictly acc. to AzB	

Receiver Noise Levels

Name	М.	ID		Level Lr		Lir	mit. Val	ue		Land	l Use	Height		Coordinates			
			Day	Night	CNEL	Day	Night	CNEL	Type Auto Noise Type				х	Y	Z		
			(dBA)	(dBA)	(dBA)	(dBA)	(dBA)	(dBA)				(ft)		(ft)	(ft)	(ft)	
R1		R1	58.9	38.2	56.1	0.0	0.0	0.0		x	Total	5.00	r	6211558.93	2334869.61	5.00	
R2		R2	42.2	33.0	42.0	0.0	0.0	0.0		x	Total	5.00	r	6211974.93	2335776.78	5.00	
R3		R3	49.7	37.9	48.5	0.0	0.0	0.0		x	Total	5.00	r	6212093.42	2334941.71	5.00	
R4		R4	50.6	43.9	51.9	0.0	0.0	0.0		x Total		5.00	r	6212079.83	2334529.90	5.00	

Point Source(s)

Name	М.	ID	R	esult. PW	'L		Lw/L	i	Ope	erating Ti	me	Heigh	t	C	oordinates	
			Day	Evening	Night	Туре	Value	norm.	Day	Special	Night			Х	Y	Z
			(dBA)	(dBA)	(dBA)			dB(A)	(min)	(min)	(min)	(ft)		(ft)	(ft)	(ft)
GEN1		GEN1	114.9	114.9	114.9	Lw	114.9		450.00	0.00	0.00	8.00	а	6211620.86	2334738.61	8.00
DROP01		DROP01	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211611.14	2334805.89	3.00
DROP02		DROP02	95.7	95.7	95.7	Lw	95.7		900.00	0.00	270.00	3.00	а	6211860.20	2334459.32	3.00
DROP03		DROP03	95.7	95.7	95.7	Lw	95.7		900.00	0.00	270.00	3.00	а	6211860.46	2334486.57	3.00
DROP04		DROP04	95.7	95.7	95.7	Lw	95.7		900.00	0.00	270.00	3.00	а	6211860.90	2334516.44	3.00
DROP05		DROP05	95.7	95.7	95.7	Lw	95.7		900.00	0.00	270.00	3.00	а	6211860.64	2334542.65	3.00
DROP06		DROP06	95.7	95.7	95.7	Lw	95.7		900.00	0.00	270.00	3.00	а	6211859.77	2334568.15	3.00
DROP07		DROP07	95.7	95.7	95.7	Lw	95.7		900.00	0.00	270.00	3.00	а	6211860.75	2334598.32	3.00
TRASH1		TRASH1	89.0	89.0	89.0	Lw	89		150.00	0.00	90.00	8.00	а	6211907.55	2334384.97	8.00
AA01		AA01	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211686.59	2334803.17	3.00
AA02		AA02	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211685.28	2334782.60	3.00
AA03		AA03	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211685.02	2334762.28	3.00
AA04		AA04	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211685.80	2334742.49	3.00
AA05		AA05	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211851.43	2334840.41	3.00
AA06		AA06	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211821.74	2334840.15	3.00
AA07		AA07	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211851.95	2334813.59	3.00

Name	М.	ID	R	esult. PW	/L		Lw/L	i	Ope	erating Ti	me	Heigh	t	Co	oordinates	
			Day	Evening	Night	Туре	Value	norm.	Day	Special	Night			Х	Y	Z
			(dBA)	(dBA)	(dBA)			dB(A)	(min)	(min)	(min)	(ft)		(ft)	(ft)	(ft)
AA08		AA08	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211820.18	2334814.11	3.00
AA09		AA09	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211851.69	2334785.72	3.00
AA10		AA10	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211817.84	2334784.68	3.00
AA11		AA11	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211850.91	2334754.47	3.00
AA12		AA12	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211817.58	2334750.83	3.00
AA13		AA13	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211751.52	2334708.08	3.00
AA14		AA14	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211751.52	2334681.69	3.00
AA15		AA15	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211752.39	2334640.89	3.00
AA16		AA16	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211751.00	2334616.06	3.00
AA17		AA17	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211750.65	2334575.09	3.00
AA18		AA18	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211750.48	2334549.05	3.00
AA19		AA19	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211750.13	2334509.12	3.00
AA20		AA20	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211749.78	2334481.86	3.00
AA21		AA21	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211749.91	2334442.21	3.00
AA22		AA22	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211749.39	2334416.34	3.00
AA23		AA23	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211770.09	2334458.53	3.00
AA24		AA24	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211770.31	2334483.49	3.00
AA25		AA25	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211770.74	2334524.18	3.00
AA26		AA26	95.7	95.7	95.7	Lw	95.7		900.00	0.00	0.00	3.00	а	6211771.07	2334550.33	3.00
AC01		AC01	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211715.81	2334897.94	17.00
AC02		AC02	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211774.49	2334896.90	17.00
AC03		AC03	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211832.82	2334896.55	17.00
AC04		AC04	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211616.50	2334916.69	3.00
AC05		AC05	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211851.57	2334655.23	3.00
AC06		AC06	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211851.61	2334659.21	3.00
AC07		AC07	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211645.71	2334835.17	17.00
AC08		AC08	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211644.84	2334783.95	17.00
AC09		AC09	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211645.27	2334809.13	17.00
AC10		AC10	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211714.72	2334813.90	17.00
AC11		AC11	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211714.28	2334758.35	17.00
AC12		AC12	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211663.94	2334692.81	17.00
AC13		AC13	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211712.55	2334691.94	17.00
AC14		AC14	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211658.73	2334626.84	17.00
AC15		AC15	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211711.68	2334628.57	17.00
AC16		AC16	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211656.12	2334558.26	17.00
AC17		AC17	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211709.94	2334557.39	17.00
AC18		AC18	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211657.86	2334494.02	17.00
AC19		AC19	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211711.68	2334494.02	17.00
AC20		AC20	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211653.52	2334428.05	17.00
AC21		AC21	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211711.68	2334427.18	17.00
AC22		AC22	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211810.64	2334468.85	17.00
AC23		AC23	79.0	79.0	79.0	Lw	79		585.00	0.00	252.00	3.00	g	6211810.64	2334539.16	17.00
WASH1		WASH1	94.0	94.0	94.0	Lw	94		450.00	270.00	252.00	5.00	а	6211824.00	2334396.63	5.00
WASH2		WASH2	94.0	94.0	94.0	Lw	94		450.00	270.00	252.00	5.00	а	6211819.14	2334423.71	5.00

Line Source(s)

Name	М.	ID	R	Result. PWL Day Evening Nig IBA) (dBA) (dB		R	esult. PW	L'		Lw/L	i	Ор	erating Ti	ime		Moving	Pt. Src		Heigh	t
			Day	Evening	Night	Day	Evening	Night	Туре	Value	norm.	Day	Special	Night		Number				
			(dBA)	(dBA)	(dBA)	(dBA)	(dBA)	(dBA)			dB(A)	(min)	(min)	(min)	Day	Evening	Night	(mph)	(ft)	

Name	ID	He	ight		Coordinates							
		Begin	End	x	У	z	Ground					
		(ft)	(ft)	(ft)	(ft)	(ft)	(ft)					

Area Source(s)

Name	М.	ID	R	esult. PW	'L	Re	esult. PW	L''		Lw/L	i	Ope	erating Ti	me	Height	t
			Day	Evening	Night	Day	Evening	Night	Туре	Value	norm.	Day	Special	Night	(ft)	Г
			(dBA)	(dBA)	(dBA)	(dBA)	(dBA)	(dBA)			dB(A)	(min)	(min)	(min)		
PARK1		PARK1	78.8	78.8	78.8	48.3	48.3	48.3	Lw	78.8		900.00	0.00	540.00	5	а
PARK2		PARK2	81.8	81.8	81.8	55.6	55.6	55.6	Lw	81.8		900.00	0.00	540.00	5	a
PARK3		PARK3	80.9	80.9	80.9	51.5	51.5	51.5	Lw	80.9		900.00	0.00	540.00	5	а
PARK4		PARK4	86.5	86.5	86.5	55.2	55.2	55.2	Lw	86.5		900.00	0.00	0.00	5	a

Name	ID	Height				Coordinates						
		Begin		End		х	У	z	Ground			
		(ft)		(ft)		(ft)	(ft)	(ft)	(ft)			
PARK1	PARK1	5.00	а			6211921.72	2334806.38	5.00	0.00			
						6211919.11	2334411.19	5.00	0.00			
						6211887.87	2334410.33	5.00	0.00			
						6211892.38	2334806.67	5.00	0.00			
PARK2	PARK2	5.00	а			6211740.51	2334372.36	5.00	0.00			
						6211740.77	2334346.32	5.00	0.00			
						6211572.28	2334347.10	5.00	0.00			
						6211572.80	2334374.70	5.00	0.00			
PARK3	PARK3	5.00	а			6211618.79	2334415.47	5.00	0.00			

Name	ID	Height				Coordinates							
		Begin		End		x	У	z	Ground				
		(ft)		(ft)		(ft)	(ft)	(ft)	(ft)				
						6211589.45	2334415.65	5.00	0.00 0.00				
						6211589.61	2334723.21	5.00					
						6211621.38	2334722.60	5.00	0.00				
PARK4	PARK4	5.00	а			6211636.17	2335009.42	5.00	0.00				
						6211867.74	2335007.54	5.00	0.00				
						6211869.30	2334945.04	5.00	0.00				
						6211633.41	2334946.75	5.00	0.00				

Barrier(s)

Name	Sel.	М.	ID	Abso	rption	Z-Ext.	Z-Ext. Cantilever		Height			Height Coordina			Coordinates			
				left	right		horz.	vert.	Begin		End	x	У	z	Ground			
						(ft)	(ft)	(ft)	(ft)		(ft)	(ft)	(ft)	(ft)	(ft)			
BARRIERPLANNED			0						8.00	а		6211575.10	2334897.28	8.00	0.00			
												6211570.00	2334302.73	8.00	0.00			
												6211926.98	2334305.99	8.00	0.00			
												6211929.15	2334885.42	8.00	0.00			
BARRIERPLANNED			0						10.00	а		6211612.66	2334746.92	10.00	0.00			
												6211612.66	2334730.53	10.00	0.00			
												6211632.43	2334730.53	10.00	0.00			
												6211632.43	2334747.41	10.00	0.00			
												6211612.90	2334747.16	10.00	0.00			

Building(s)

Danan	51-	<i>'</i>	-	_								
Name	Sel.	м.	ID	RB	Residents	Absorption	Height	:		Coordinat	es	
							Begin		x	у	z	Ground
							(ft)		(ft)	(ft)	(ft)	(ft)
BUILDING			BUILDING00001	x	0		14.00	а	6211872.46	2334922.60	14.00	0.00
									6211872.67	2334865.35	14.00	0.00
									6211736.67	2334865.94	14.00	0.00
									6211736.97	2334874.92	14.00	0.00
									6211687.39	2334875.03	14.00	0.00
									6211687.39	2334923.30	14.00	0.00
BUILDING			BUILDING00002	x	0		14.00	а	6211673.24	2334924.12	14.00	0.00
									6211673.24	2334871.69	14.00	0.00
									6211620.46	2334872.73	14.00	0.00
									6211620.81	2334924.12	14.00	0.00
BUILDING			BUILDING00003	x	0		14.00	а	6211743.29	2334840.14	14.00	0.00
									6211742.25	2334732.50	14.00	0.00
									6211688.36	2334732.04	14.00	0.00
									6211689.75	2334840.37	14.00	0.00
BUILDING			BUILDING00004	x	0		14.00	а	6211672.80	2334864.96	14.00	0.00
									6211671.41	2334756.63	14.00	0.00
									6211619.33	2334756.98	14.00	0.00
									6211619.68	2334865.66	14.00	0.00
BUILDING			BUILDING00005	x	0		14.00	a	6211671.76	2334751.59	14.00	0.00
									6211671.76	2334734.93	14.00	0.00
									6211645.03	2334734.93	14.00	0.00
									6211645.03	2334751.59	14.00	0.00
BUILDING			BUILDING00006	x	0		14.00	a	6211868.98	2334740.64	14.00	0.00
									6211868.29	2334673.97	14.00	0.00
									6211848.15	2334673.97	14.00	0.00
									6211847.80	2334583.69	14.00	0.00
									6211799.89	2334584.39	14.00	0.00
									6211801.62	2334740.98	14.00	0.00
BUILDING			BUILDING00007	x	0		14.00	a	6211746.67	2334720.39	14.00	0.00
									6211746.67	2334668.30	14.00	0.00
									6211633.83	2334668.65	14.00	0.00
									6211634.17	2334720.74	14.00	0.00
BUILDING			BUILDING00008	x	0		14.00	а	6211746.54	2334654.59	14.00	0.00
					-			-	6211746.54	2334602.51	14.00	0.00
									6211633.70	2334602.85	14.00	0.00
									6211634.04	2334654.94	14.00	0.00
BUILDING			BUILDING00009	x	0		14.00	a	6211745.07	2334588.44	14.00	0.00
								i i	6211745.07	2334536.36	14.00	0.00
									6211632.22	2334536.71	14.00	0.00
									6211632.57	2334588.79	14.00	0.00
BUILDING			BUILDING00010	x	0		14.00	a	6211744.68	2334522.25	14.00	0.00
- 5125.10				L.			1	ŭ	6211744.68	2334470.17	14.00	0.00
									6211631.83	2334470.52	14.00	0.00
								H	6211632 18	2334522 60	14.00	0.00
BUILDING			BUILDING00011	×	0		14.00	a	6211743 98	2334455 24	14.00	0.00
- 5125.10				<u> </u>			1		6211743.98	2334403.16	14.00	0.00
								H	6211631 14	2334403 50	14.00	0.00
									6211631 48	2334455 59	14 00	0.00
		-	BUILDING00012	y v	0		14 00	2	6211840 86	2334496 01	14.00	0.00
SOLDING	1		0000012	. ^	. 0		17.00		0000000		17.00	0.00
Name	Sel.	М.	ID	RB	Residents	Absorption	Height	:		Coordinat	es	
----------	------	----	---------------	----	-----------	------------	--------	---	------------	------------	-------	--------
							Begin		x	У	z	Ground
							(ft)		(ft)	(ft)	(ft)	(ft)
									6211840.86	2334444.82	14.00	0.00
									6211775.41	2334445.17	14.00	0.00
									6211775.75	2334497.25	14.00	0.00
BUILDING			BUILDING00013	x	0		14.00	a	6211841.38	2334563.57	14.00	0.00
									6211841.38	2334511.49	14.00	0.00
									6211774.89	2334511.84	14.00	0.00
									6211775.23	2334563.92	14.00	0.00

Ground Absorption(s)

					- (-)	
ame	Sel.	М.	ID	G	Coord	inates
					х	У
					(ft)	(ft)
	ame	ame Sel.	ame Sel. M.	ame Sel. M. ID	ame Sel. M. ID G	ame Sel. M. ID G Coord

Contour(s)

	_	· ·	-						
Name	Sel.	М.	ID	OnlyPts	Hei	ght	C	oordinates	
					Begin	End	х	У	z
					(ft)	(ft)	(ft)	(ft)	(ft)

Vertical Area Source(s)

Name	ID	He	eight		Coordinat	es	
		Begin	End	х	У	z	Ground
		(ft)	(ft)	(ft)	(ft)	(ft)	(ft)

Rail

Name	Sel.	М.	ID	L	N'	Train Class	Correct.	Vmax
				Day Night			Track	
				(dBA) (dBA)			(dB)	(km(mph)

Sound Level Spectra

Name	ID	Туре					Okta	ive Spe	ctrum (o	dB)					Source
			Weight.	31.5	63	125	250	500	1000	2000	4000	8000	А	lin	

Roads

Name	Sel.	М.	ID		Lme		Cour	nt Data		e	xact Cou	nt Data			Speed	l Limit	SCS	Surf	ace	Gradient	Mul	t. Reflec	tion
				Day	Evening	Night	DTV	Str.class.		М			p (%)		Auto	Truck	Dist.	Dstro	Туре		Drefl	Hbuild	Dist.
				(dBA)	(dBA)	(dBA)			Day	Day Evening Night		Day	Evening	Night	(mph)	(mph)		(dB)		(%)	(dB)	(ft)	(ft)

RoadsGeo

Name	ŀ	lei	ight		Coordinat	es	_	Dist	LSlope
	Begin		End	х	У	z	Ground	(ft)	(%)
	(ft)		(ft)	(ft)	(ft)	(ft)	(ft)		

APPENDIX 9.1:

CADNAA CONSTRUCTION NOISE MODEL INPUTS

This page intentionally left blank



15264 - Bloomington Animal Shelter

CadnaA Noise Prediction Model: 15264-02_Construction.cna Date: 12.07.23 Analyst: B. Maddux

Calculation Configuration

Configurat	ion
Parameter	Value
General	
Max. Error (dB)	0.00
Max. Search Radius (#(Unit,LEN))	2000.01
Min. Dist Src to Rcvr	0.00
Partition	
Raster Factor	0.50
Max. Length of Section (#(Unit,LEN))	999.99
Min. Length of Section (#(Unit,LEN))	1.01
Min. Length of Section (%)	0.00
Proj. Line Sources	On
Proj. Area Sources	On
Ref. Time	
Daytime Penalty (dB)	0.00
Recr. Time Penalty (dB)	5.00
Night-time Penalty (dB)	10.00
DTM	
Standard Height (m)	0.00
Model of Terrain	Triangulation
Reflection	
max. Order of Reflection	2
Search Radius Src	100.00
Search Radius Rcvr	100.00
Max. Distance Source - Rcvr	1000.00 1000.00
Min. Distance Rvcr - Reflector	1.00 1.00
Min. Distance Source - Reflector	0.10
Industrial (ISO 9613)	
Lateral Diffraction	some Obj
Obst. within Area Src do not shield	On
Screening	Incl. Ground Att. over Barrier
	Dz with limit (20/25)
Barrier Coefficients C1,2,3	3.0 20.0 0.0
Temperature (#(Unit,TEMP))	10
rel. Humidity (%)	70
Ground Absorption G	0.50
Wind Speed for Dir. (#(Unit,SPEED))	3.0
Roads (TNM)	
Railways (FTA/FRA)	
Aircraft (???)	
Strictly acc. to AzB	

Receiver Noise Levels

Name	М.	ID		Level Lr		Lir	nit. Val	ue		Lanc	l Use	Height		C	oordinates	
			Day	Night	CNEL	Day	Night	CNEL	Туре	Auto	Noise Type			Х	Y	Z
			(dBA)	(dBA)	(dBA)	(dBA)	(dBA)	(dBA)				(ft)		(ft)	(ft)	(ft)
R1		R1	69.7	-30.3	66.7	0.0	0.0	0.0		x	Total	5.00	r	6211558.93	2334869.61	5.00
R2		R2	53.2	-46.8	50.2	0.0	0.0	0.0		x	Total	5.00	r	6211974.93	2335776.78	5.00
R3		R3	62.0	-38.0	59.0	0.0	0.0	0.0		x	Total	5.00	r	6212093.42	2334941.71	5.00
R4		R4	63.0	-37.0	60.0	0.0	0.0	0.0		x	Total	5.00	r	6212079.83	2334529.90	5.00

Point Source(s)

Name	М.	ID	R	esult. PW	/L		Lw/L	i	Op	erating Ti	ime	Heigh	t	C	oordinates	
			Day	ay Evening Night		Туре	Value	norm.	Day	Special	Night			Х	Y	Z
			(dBA)	(dBA)	(dBA)			dB(A)	(min)	(min)	(min)	(ft)		(ft)	(ft)	(ft)

Line Source(s)

			•																	
Name	M.	ID	R	esult. PW	'L	R	esult. PW	Ľ		Lw / L	i	Op	erating Ti	ime		Moving	Pt. Src		Heigh	ht
			Day	Evening	Night	Day	Evening	Night	Туре	Value	norm.	Day	Special	Night		Number		Speed		
			(dBA)	(dBA)	(dBA)	(dBA)	(dBA)	(dBA)			dB(A)	(min)	(min)	(min)	Day	Evening	Night	(mph)	(ft)	\square

Name	ID	H	eight		Coordinat	tes	
		Begin	End	х	У	z	Ground
		(ft)	(ft)	(ft)	(ft)	(ft)	(ft)

Area Source(s)

Name	М.	ID	R	esult. PW	Ľ	Re	esult. PW	L''		Lw / Li		Op	erating Ti	ime	Height	
			Day	Evening	Night	Day	Evening	Night	Туре	Value	norm.	Day	Special	Night	(ft)	
			(dBA)	(dBA)	(dBA)	(dBA)	(dBA)	(dBA)			dB(A)	(min)	(min)	(min)		
CONSTRUCTIONAREA		CA1	115.6	15.6	15.6	71.7	-28.3	-28.3	PWL-Pt	115.6					8	r

Name	ID	ŀ	lei	ght		Coordinat	es	
		Begin		End	х	У	z	Ground
		(ft)		(ft)	(ft)	(ft)	(ft)	(ft)
CONSTRUCTIONAREA	CA1	8.00	r		6211935.14	2335030.21	8.00	0.00
					6211929.11	2334306.32	8.00	0.00
					6211818.11	2334306.41	8.00	0.00
					6211760.13	2334306.45	8.00	0.00
					6211570.03	2334295.39	8.00	0.00
					6211575.59	2335032.81	8.00	0.00
					6211824.14	2335031.03	8.00	0.00

Barrier(s)

-	-	·-/												
Name	Sel.	М.	ID	Abso	rption	Z-Ext.	Canti	ilever	Hei	ght		Coordinat	es	
				left	right		horz.	vert.	Begin End		x	У	z	Ground
						(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)	(ft)

Building(s)

-		<u> </u>												
Name	Sel.	М.	ID	RB	Residents	Absorption	Height	Coordinates						
							Begin	x y z Groun						
							(ft)	(ft)	(ft)	(ft)	(ft)			

Ground Absorption(s)

				-	•••			
Name	Sel.	М.	ID	G	Coord	inates		
					х	У		
					(ft) (ft)			

Contour(s)

		-	-						
Name	Sel.	М.	ID	OnlyPts	Hei	ight	C	oordinates	-
					Begin	End	х	у	z
					(ft)	(ft)	(ft)	(ft)	(ft)

Vertical Area Source(s)

Name	ID	Н	eight		Coordinat	tes	
		Begin	End	x	У	z	Ground
		(ft)	(ft)	(ft)	(ft)	(ft)	(ft)

Rail

Nan	ne	Sel.	М.	ID	L	v'	Train Class	Correct.	Vmax
					Day Night			Track	
					(dBA)	(dBA)		(dB)	(km(mph)

Sound Level Spectra

Name	ID	Туре					Okta	ive Spe	trum (o	iB)					Source
			Weight.	31.5	63	125	250	500	1000	2000	4000	8000	А	lin	

Roads

Name	Sel	. M	1.	D		Lme		Cour	nt Data		е	xact Cou	nt Data			Speed	l Limit	SCS	Surf	ace	Gradient	Mult	. Reflec	tion
					Day	Evening	Night	DTV	Str.class.	М				p (%)		Auto	Truck	Dist.	Dstro	Туре		Drefl	Hbuild	Dist.
					(dBA)	(dBA)	(dBA)			Day	Day Evening Night		Day	Evening	Night	(mph)	(mph)		(dB)		(%)	(dB)	(ft)	(ft)

RoadsGeo

Name	ŀ	lei	ight			Coordinat	es	-	Dist	LSlope
	Begin		End		x	У	z	Ground	(ft)	(%)
	(ft)		(ft)		(ft)	(ft)	(ft)	(ft)		