

Conservation Plan

Date: 7/10/2015

Customer(s): SKY PARK SANTA'S VILLAGE LLC

Field Office: Redlands

District: Inland Empire RCD

Agency: USDA-NRCS

Approximate Acres: 233.76

Assisted By: KIMBERLY LARY

Legend

Practices (points)

Practice name

Structures for Wildlife

Water and Sediment Control Basin

Practices (lines)

Practice name

Hedgerow Planting

Lined Waterway or Outlet

Streambank and Shoreline Protection


Practices (polygons)

Practice name

Herbaceous Weed Control

Obstruction Removal

Consplan





REDLANDS SERVICE CENTER
 25864 BUSINESS CENTER DR STE K
 REDLANDS, CA 92374-4515
 (909) 799-7407

KIMBERLY LARY
 DISTRICT CONSERVATIONIST

Conservation Plan

SKY PARK SANTA'S VILLAGE LLC
 28950 HWY 18
 SKY FOREST, CA 92385

OBJECTIVE(S)

To restore and enhance meadow within the Forestland. Conservation practices will promote wildlife by providing cover, water and food.

Forest

Tract: 18064

Hedgerow Planting

A living fence of shrubs, and/or trees will be established and maintained within, across or around a field. These will delineate field boundaries, serve as fences, establish contour guidelines, provide wildlife food and cover or vegetative screens. Performance will be according to Specification No. 422 for this practice.

Field	Planned Amount	Month	Year	Applied Amount	Date
1	750 ft	9	2017		
Total:	750 ft				

Hedgerow Planting

A living fence of shrubs, and/or trees will be established and maintained within, across or around a field. These will delineate field boundaries, serve as fences, establish contour guidelines, provide wildlife food and cover or vegetative screens. Performance will be according to Specification No. 422 for this practice.

Planned	Applied
---------	---------

Field	Amount	Month	Year	Amount	Date
1	970 ft	9	2017		
Total:	970 ft				

Herbaceous Weed Control

Remove or control of herbaceous weeds including invasive, noxious or prohibited plants.

Field	Planned Amount	Month	Year	Applied Amount	Date
1	3.7 ac	3	2017		
Total:	3.7 ac				

Lined Waterway or Outlet

A waterway or outlet will be lined and maintained with erosion-resistant or permanent materials. Soil erosion and sedimentation will be reduced and water quality improved. Safe disposal of runoff from conservation structures or natural concentrations will be provided. Installation will be according to approved plans and Specification No. 468 for this practice.

Field	Planned Amount	Month	Year	Applied Amount	Date
1	250 ft	9	2017		
Total:	250 ft				

Lined Waterway or Outlet

A waterway or outlet will be lined and maintained with erosion-resistant or permanent materials. Soil erosion and sedimentation will be reduced and water quality improved. Safe disposal of runoff from conservation structures or natural concentrations will be provided. Installation will be according to approved plans and Specification No. 468 for this practice.

Field	Planned Amount	Month	Year	Applied Amount	Date
1	430 ft	9	2017		
Total:	430 ft				

Lined Waterway or Outlet

A waterway or outlet will be lined and maintained with erosion-resistant or permanent materials. Soil erosion and sedimentation will be reduced and water quality improved. Safe disposal of runoff from conservation structures or natural concentrations will be provided. Installation will be according to approved plans and Specification No. 468 for this practice.

Field	Planned Amount	Month	Year	Applied Amount	Date
1	290 ft	9	2017		
Total:	290 ft				

Obstruction Removal

Obstructions and unwanted materials will be safely removed to install a conservation practice or to facilitate planned land use. Performance will be according to approved plans and Specification No. 500 for this practice.

Field	Planned Amount	Month	Year	Applied Amount	Date
1	0.2 ac	9	2016		
Total:	0.2 ac				

Obstruction Removal

Obstructions and unwanted materials will be safely removed to install a conservation practice or to facilitate planned land use. Performance will be according to approved plans and Specification No. 500 for this practice.

Field	Planned Amount	Month	Year	Applied Amount	Date
1	0.1 ac	9	2016		
Total:	0.1 ac				

Streambank and Shoreline Protection

Vegetation and/or structures will be installed and maintained to stabilize and protect shorelines of lakes against scour and erosion. This prevents the loss of land or damage to facilities, reduces sedimentation and improves habitat for fish and wildlife. Installation will be according to approved plans and Specification No. 580 for this practice.

Field	Planned Amount	Month	Year	Applied Amount	Date
1	245 ft	9	2017		
Total:	245 ft				

Streambank and Shoreline Protection

Vegetation and/or structures will be installed and maintained to stabilize and protect shorelines of lakes against scour and erosion. This prevents the loss of land or damage to facilities, reduces sedimentation and improves habitat for fish and wildlife. Installation will be according to approved plans and Specification No. 580 for this practice.

Field	Planned Amount	Month	Year	Applied Amount	Date
1	280 ft	9	2017		
Total:	280 ft				

Streambank and Shoreline Protection

Vegetation and/or structures will be installed and maintained to stabilize and protect shorelines of lakes against scour and erosion. This prevents the loss of land or damage to facilities, reduces sedimentation and improves habitat for fish and wildlife. Installation will be according to approved plans and Specification No. 580 for this practice.

Field	Planned Amount	Month	Year	Applied Amount	Date
1	415 ft	9	2017		
Total:	415 ft				

Structures for Wildlife

Brush Pile: Construct, install, maintain a wildlife brush pile to provide escape, nesting, and resting cover. It is applied on sites where a habitat evaluation has revealed that ground cover is a limiting factor for the targeted wildlife species and where natural recovery of that habitat element is either unlikely or will take many years. A brush pile consists of at least 1 cubic yard of stacked woody materials (branches, logs, etc.) found on site that are a by-product of another treatment (e.g., thinning). Rock piles may also be developed when the targeted species are reptiles/amphibians.

Field	Planned Amount	Month	Year	Applied Amount	Date
1	1 no	5	2016		
1	1 no	5	2016		
1	1 no	5	2016		
Total:	3 no				

Structures for Wildlife

Install down wood of all ages and decay classes ≥ 12 in (31 cm) in diameter and 20 ft (6 m) as a wildlife habitat component.

Field	Planned Amount	Month	Year	Applied Amount	Date
1	1 no	5	2016		
1	1 no	5	2016		
1	1 no	5	2016		
1	1 no	5	2016		
1	1 no	5	2016		
Total:	5 no				

Structures for Wildlife

Nesting Box, Small: This practice involves constructing, installing, maintaining, and monitoring artificial wildlife structures to provide nesting/roosting cover. It is applied on sites where a habitat evaluation has revealed that nesting or roosting cover is a limiting factor for the targeted wildlife species and where natural recovery of those habitat elements is either unlikely or will take many years. Simple nesting/roosting structures include simple songbird houses, bat houses (single-chambered), or bee boxes that are typically secured to an existing feature (barn, tree, post, etc.) and do not require installation of an additional support structure. Structures are typically built/installed according to designs and specifications contained in: "Artificial Nesting Structures" (NRCS Tech. Note 190-23), "Bats" (NRCS Tech. Note 190-4), bat house designs from Bat Conservation International, "Farming for Bees: Guidelines for Providing Native Bee Habitat on Farms" (The Xerces Society), "Nests for Native Bees" (The Xerces Society).

Field	Planned Amount	Month	Year	Applied Amount	Date
1	1 no	5	2016		
Total:	1 no				

Structures for Wildlife

Nesting Box, Small: This practice involves constructing, installing, maintaining, and monitoring artificial wildlife structures to provide nesting/roosting cover. It is applied on sites where a habitat evaluation has revealed that nesting or roosting cover is a limiting factor for the targeted wildlife species and where natural recovery of those habitat elements is either unlikely or will take many years. Simple nesting/roosting structures include simple songbird houses, bat houses (single-chambered), or bee boxes that are typically secured to an existing feature (barn, tree, post, etc.) and do not require installation of an additional support structure. Structures are typically built/installed according to designs and specifications contained in: "Artificial Nesting Structures" (NRCS Tech. Note 190-23), "Bats" (NRCS Tech. Note 190-4), bat house designs from Bat Conservation International, "Farming for Bees: Guidelines for Providing Native Bee Habitat on Farms" (The Xerces Society), "Nests for Native Bees" (The Xerces Society).

Field	Planned Amount	Month	Year	Applied Amount	Date
1	1 no	5	2016		
Total:	1 no				

Structures for Wildlife

Nesting Box, Small: This practice involves constructing, installing, maintaining, and monitoring artificial wildlife structures to provide nesting/roosting cover. It is applied on sites where a habitat evaluation has revealed that nesting or roosting cover is a limiting factor for the targeted wildlife species and where natural recovery of those habitat elements is either unlikely or will take many years. Simple nesting/roosting structures include simple songbird houses, bat houses (single-chambered), or bee boxes that are typically secured to an existing feature (barn, tree, post, etc.) and do not require installation of an additional support structure. Structures are typically built/installed according to designs and specifications contained in: "Artificial Nesting Structures" (NRCS Tech. Note 190-23), "Bats" (NRCS Tech. Note 190-4), bat house designs from Bat Conservation International, "Farming for Bees: Guidelines for Providing Native Bee Habitat on Farms" (The Xerces Society), "Nests for Native Bees" (The Xerces Society).

Field	Planned Amount	Month	Year	Applied Amount	Date
1	1 no	5	2016		

1	1 no	5	2016		
Total:	2 no				

Water and Sediment Control Basin

An impoundment will be constructed and maintained to form a sediment trap and water retention basin. This structure reduces water course and gully erosion, traps sediment, reduces and manages onsite and downstream runoff and improves downstream water quality. Installation will be according to approved plans and Specification No. 638 for this practice.

Field	Planned Amount	Month	Year	Applied Amount	Date
1	1 no	9	2017		
Total:	1 no				

Water and Sediment Control Basin

An impoundment will be constructed and maintained to form a sediment trap and water retention basin. This structure reduces water course and gully erosion, traps sediment, reduces and manages onsite and downstream runoff and improves downstream water quality. Installation will be according to approved plans and Specification No. 638 for this practice.

Field	Planned Amount	Month	Year	Applied Amount	Date
1	1 no	8	2017		
Total:	1 no				

Water and Sediment Control Basin

An impoundment will be constructed and maintained to form a sediment trap and water retention basin. This structure reduces water course and gully erosion, traps sediment, reduces and manages onsite and downstream runoff and improves downstream water quality. Installation will be according to approved plans and Specification No. 638 for this practice.

Field	Planned Amount	Month	Year	Applied Amount	Date
1	1 no	9	2017		
Total:	1 no				

CERTIFICATION OF PARTICIPANTS

SKY PARK SANTA'S VILLAGE DATE

CERTIFICATION OF:

DISTRICT CONSERVATIONIST

KIMBERLY LARY DATE

CONSERVATION DISTRICT

INLAND EMPIRE RESOURCE CO DATE

PUBLIC BURDEN STATEMENT

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collections is 0578-0013. The time required to complete this information collection is estimated to average 45/0.75 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection information.

PRIVACY ACT

The above statements are made in accordance with the Privacy Act of 1974 (5 U.S.C 522a). Furnishing this information is voluntary; however failure to furnish correct, complete information will result in the withholding or withdrawal of such technical or financial assistance. The information may be furnished to other USDA agencies, the Internal Revenue Service, the Department of Justice, or other state or federal law enforcement agencies, or in response to orders of a court, magistrate, or administrative tribunal.

USDA NON-DISCRIMINATION STATEMENT

The U.S. Department of Agriculture (USDA) prohibits discrimination against its customers. If you believe you experienced discrimination when obtaining services from USDA, participating in a USDA program, or participating in a program that receives financial assistance from USDA, you may file a complaint with USDA. Information about how to file a discrimination complaint is available from the Office of the Assistant Secretary for Civil Rights. USDA prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex (including gender identity and expression), marital status, familial status, parental status, religion, sexual orientation, political beliefs, genetic information, reprisal, or because all or part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) To file a complaint of discrimination, complete, sign, and mail a program discrimination complaint form, available at any USDA office location or online at www.ascr.usda.gov, or write to:

USDA Office of the Assistant Secretary for Civil Rights

1400 Independence Avenue, SW.

Washington, DC 20250-9410

Or call toll free at (866) 632-9992 (voice) to obtain additional information, the appropriate office or to request documents. Individuals who are deaf, hard of hearing, or have speech disabilities may contact USDA through the Federal Relay service at (800) 877-8339 or (800) 845-6136 (in Spanish). USDA is an equal opportunity provider, employer, and lender. Persons with disabilities who require alternative means for communication of program information (e.g., Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

- Spring
 - Summer
 - fall

Plant or Seed Mix Report

Enter Criteria

[Choose Location on a Map](#)

Practice **Sub Practice** **Irrigated**
SEARCH Plant characteristics: **Resident Status** **Plant Type** **Growth Cycle**
MLRA **4ETa Zone** **Vegetative Soil Group**


Select plants, specify percentages

[VIEW FINAL REPORT](#)

To include a plant or seed mix in the final report, click on **Percent**, and specify a percentage.
 For plants, click on Scientific Name for more information. For mixes, click on SYMBOL to see components.

LBS: PLS pounds / acre at 100%

87 results

Percent	Common Name	SYMBOL	Scientific Name	Cultivar	Plant Type	Resident Status	Growth Cycle	Bloom	Drilled LBS	Broadcast LBS	Spacing feet	Notes	Suitability
0 %	Common yarrow	ACMI2	Achillea millefolium		Forb	native	Perennial	Apr-Aug	0.3	0.5	2	77	

0 %	Common deerweed		Acmispon glaber		Legum e	native	Perenni al	Mar-Aug	6.4	9	2	77
0 %	Chamise	<u>ADFA</u>	Adenostoma fasciculatum		Shrub	native	Perenni al	Jun-Aug			6	77
0 %	western false indigo	<u>AMFR</u>	Amorpha fruticosa		Legum e	native	Perenni al	Feb-Apr				77
0 %	big berry manzanita	<u>ARGL4</u>	Arctostaphylos glauca		Shrub	native	Perenni al	Jan-Feb				77
0 %	Greenleaf manzanita	<u>ARPA6</u>	Arctostaphylos patula		Shrub	native	Perenni al	Jan-Feb	36.3	50.8	6	77
0 %	Narrow-leaf milkweed or Mexican whorled milkweed	<u>ASFA</u>	Asclepias fascicularis		Forb	native	Perenni al	Jun-Sep	8.4	11.7	2	77 ✚
0 %	'Marana' Fourwing saltbush	<u>ATCA2</u>	Atriplex canescens	Marana	Shrub	native	Perenni al	May-Jun	13	19	8	77

0 %	'Casa' Quailbush	<u>ATLE</u>	Atriplex lentiformis	Casa	Shrub	native	Perennial	Jun-Jul	5	7	12	77
0 %	Brewer saltbush	<u>ATLEB</u>	Atriplex lentiformis ssp. breweri		Shrub	native	Perennial	Jun-Jul	2.7	3.8	5	
0 %	Desert saltbush	<u>ATPO</u>	Atriplex polycarpa		Shrub	native	Perennial	Jul-Aug	5	7	6	
0 %	Coyote brush	<u>BAPI</u>	Baccharis pilularis		Shrub	native	Perennial	Sep-Jan	0.1	0.2	6	77
0 %	Mule fat	<u>BASA4</u>	Baccharis salicifolia		Shrub	native	Perennial	Jan-Dec	0.1	0.1	5	77
0 %	Hollyleaved barberry, Oregon grape	<u>MAAQ2</u>	Berberis aquifolium		Shrub	native	Perennial	Feb-Apr			8	77
0 %	Beard grass	<u>BOBA3</u>	Bothriochloa barbinodis		Grass	native	Perennial	Feb-Sep				77

0 %	California brome	<u>BRC A5</u>	Bromus carinatus		Grass	native	Annual / Perennial	Feb-Mar	10.5	14.7			
0 %	San Diego sedge	<u>CASP6</u>	Carex spissa		Grass	native	Perennial					77	
0 %	buck brush	<u>CECU</u>	Ceanothus cuneatus		Shrub	native	Perennial	Feb-Apr				77	
0 %	Buckbrush	<u>CECUC</u> <u>3</u>	Ceanothus cuneatus var. cuneatus		Shrub	native	Perennial	Feb-Apr	24.2	33.9	5		
0 %	'Concha' Wild lilac	<u>CEGL</u>	Ceanothus gloriosus	Concha	Shrub	native	Perennial	Mar-Apr	24.2	33.9	5	77	
0 %	Wild lilac	<u>CEGL</u>	Ceanothus gloriosus		Shrub	native	Perennial	Mar-Apr	24.2	33.9	6	77	
0 %	deer brush	<u>CEIN3</u>	Ceanothus integerrimus		Shrub	native	Perennial	May-Jun				77	

0 %	Blue blossom ceanothus	<u>CETH</u>	Ceanothus thyrsiflorus		Shrub	native	Perennial	Mar-May	10.9	15.2	10	77
0 %	'Treasure Island' Blue blossom ceanothus	<u>CETH</u>	Ceanothus thyrsiflorus	Treasure Island	Shrub	native	Perennial	Mar-May	10.9	15.2	10	77
0 %	'Yankee Point' Carmel creeper		Ceanothus thyrsiflorus var. griseus	Yankee Point	Shrub	native	Perennial	Mar-May	24.2	33.9	4	
0 %	Carmel creeper		Ceanothus thyrsiflorus var. griseus		Shrub	native	Perennial	Mar-May	24.2	33.9	4	
0 %	woolly leaf ceanothus	<u>CETO</u>	Ceanothus tomentosus		Shrub	native	Perennial	Mar-May				77
0 %	Western redbud	<u>CECAT</u>	Cercis occidentalis		Legume	native	Perennial	Feb-Apr			10	77 ✚
0 %	fireweed	<u>CHAN9</u>	Chamerion angustifolium		Forb	native	Perennial	Jul-Sep	0.1	0.1		77


0 %	Green rabbitbrush	<u>CHV18</u>	Chrysothamnus viscidiflorus		Shrub	native	Perennial	Aug-Oct					77	
0 %	woodland clarkia	<u>CLUN</u>	Clarkia unguiculata		Forb	native	Perennial	Jun-Sep	0.6	0.9			77	
0 %	western dogwood	<u>COSE16</u>	Cornus sericea		Tree	native	Perennial	Jun-Aug					77	
0 %	Tufted hairgrass	<u>DECE</u>	Deschampsia cespitosa		Grass	native	Perennial	Jul	0.6	0.8			77	
0 %	Bottlebrush squirreltail	<u>ELEL5</u>	Elymus elymoides		Grass	native	Perennial	Apr-May	8	11.2				
0 %	Blue wildrye	<u>ELGL</u>	Elymus glaucus		Grass	native	Perennial	May-Jul	8.1	11.3			77	
0 %	'Yolo' Slender wheatgrass	<u>ELTRI</u>	Elymus trachycaulus ssp. trachycaulus	Yolo	Grass	native	Perennial	May-Jun	8.1	11.4				


0 %	Creeping wildrye or Beardless wildrye	LETR5	<i>Elymus triticoides</i>		Grass	native	Perennial	Jun-Jul	9.6	13.4	1		
0 %	'Rio' Creeping wildrye or Beardless wildrye	LETR5	<i>Elymus triticoides</i>	Rio	Grass	native	Perennial	Jun-Jul	9.6	13.4			
0 %	Hummingbird trumpet or California fuchsia	EPCA3	<i>Epilobium canum</i>		Forb	native	Perennial	Aug-Oct				77	
0 %	'Duro' California buckwheat	ERFA2	<i>Eriogonum fasciculatum</i>	Duro	Shrub	native	Perennial	Apr-Sep	3.3	4.6	4	77	
0 %	California buckwheat	ERFA2	<i>Eriogonum fasciculatum</i>		Shrub	native	Perennial	Apr-Sep	3.3	4.6	3	77	
0 %	St. Catherine's lace	ERGI2	<i>Eriogonum giganteum</i> var. <i>giganteum</i>		Shrub	native	Perennial	Mar-Oct	1	1.4	2		
0 %	'Sierra' Sulphur flower buckwheat	ERUM	<i>Eriogonum umbellatum</i>	Sierra	Shrub	native	Perennial	Aug-Oct	7.8	10.9	3	77	

0 %	Sulphur flower buckwheat	<u>ERUM</u>	Eriogonum umbellatum		Shrub	native	Perennial	Aug-Oct	7.8	10.9	3	77	
0 %	California poppy	<u>ESCA2</u>	Eschscholzia californica		Forb	native	Perennial	Apr-Jul	3.7	5.2		77	
0 %	Western goldenrod	<u>EUOC4</u>	Euthamia occidentalis		Forb	native	Perennial	Aug-Oct	4.4	6.1		77	
0 %	California fescue	<u>FECA</u>	Festuca californica		Grass	native	Perennial	Feb-Apr	5.4	7.6		77	
0 %	California buckthorn or coffeeberry	<u>FRCA1</u> <u>2</u>	Frangula californica		Shrub	native	Perennial	Jun-Aug			10	77	
0 %	Flannelbush	<u>FRCA6</u>	Fremontodendron californicum		Shrub	native	Perennial	May-Jun			12	77	✚
0 %	California gilia	<u>GIAC2</u>	Gilia achilleifolia		Forb	native	Annual	Feb-Apr				77	
0 %	Blue Field Gilia	<u>GICA5</u>	Gilia capitata		Forb	native	Annual	Feb-Apr	1.1	1.5		77	

0 %	bird's eyes	<u>GITR2</u>	<i>Gilia tricolor</i>		Forb	native	Annual	Apr- Aug	1.1	1.5		77	
0 %	Great Valley gumweed	<u>GRCA</u>	<i>Grindelia camporum</i>		Forb	native	Perennial	Apr- Oct	2.7	3.7		77	
0 %	Sneezeweed	<u>HEPU2</u>	<i>Helenium puberulum</i>		Forb	native	Annual	Jun- Aug				77	
0 %	Chinese Parsley	<u>HECU3</u>	<i>Heliotropium curassavicum</i>		Forb	native	Perennial	May- Jun	1.5	2		77	
0 %	Toyon	<u>HEAR5</u>	<i>Heteromeles arbutifolia</i>		Shrub	native	Perennial	Jun- Aug	16	22.4	10	77	✚
0 %	Oceanspray	<u>HODI</u>	<i>Holodiscus discolor</i>		Shrub	native	Perennial	May- Jul			6	77	
0 %	Meadow barley	<u>HOBRR2</u>	<i>Hordeum brachyantherum</i> ssp. <i>brachyantherum</i>		Grass	native	Perennial	Jun- Jul	10.8	15.1			

0 %	California barley	<u>HOBRC2</u>	Hordeum brachyantherum ssp. californicum	Grass	native	Perennial	May-Jul	8.6	12			
0 %	Point Reyes horkelia	<u>HOMA3</u>	Horkelia marinensis	Forb	native	Perennial	May-Sep	0.6	0.8		77	
0 %	giant western lupine	<u>LUFOR</u>	Lupinus formosus var. robustus	Legume	native	Perennial	Jun-Oct	125	175			
0 %	chick lupine	<u>LUDED</u>	Lupinus microcarpus var. densiflorus	Legume	native	Annual	May-Jun	250	350			
0 %	Arroyo lupine	<u>LUSU3</u>	Lupinus succulentus	Legume	native	Annual	Feb-May	72.6	101.6		77	
0 %	common madia	<u>MAEL</u>	Madia elegans	Forb	native	Annual	Jun-Sep	6.6	9.2		77	
0 %	Giant Blazingstar	<u>MELA2</u>	Mentzelia laevicaulis	Forb	native	Perennial	Aug-Oct				77	

0 %	Deergrass	MURI2	Muhlenbergia rigens	Grass	native	Perennial	May-Jun	0.2	0.3	2	77	
0 %	five spot	NEMA	Nemophila maculata	Forb	native	Annual	Feb-Apr	4.2	5.9		77	
0 %	Hooker's Evening Primrose	OEEL	Oenothera elata	Forb	native	Perennial	Jun-Sep	0.8	1.1		77	
0 %	Rock phacelia	PHCA	Phacelia californica	Forb	native	Perennial	Mar-Aug				77	
0 %	giant flowerd phacelia	PHGR	Phacelia grandiflora	Forb	native	Annual	Feb-Jun	0.3	0.4		77	
0 %	imbricate phacelia	PHIM	Phacelia imbricata	Forb	native	Perennial	Feb-Apr				77	
0 %	Tansy phacelia	PHTA	Phacelia tanacetifolia	Forb	native	Annual	Mar-May	1.3	1.9		35	
0 %	common lippia	PHNO2	Phyla nodiflora	Forb	native	Perennial	May-Jun				77	

0 %	Hollyleaf cherry	<u>PRIL</u>	<i>Prunus ilicifolia</i>	Shrub	native	Perennial	Feb-Apr			6	77	
0 %	California wildrose	<u>ROCA2</u>	<i>Rosa californica</i>	Shrub	native	Perennial	May-Aug	13.6	19.1	12	77	
0 %	California blackberry	<u>RUUR</u>	<i>Rubus ursinus</i>	Shrub	native	Perennial	Feb-May			12	77	
0 %	Common elderberry	<u>SANI0</u>	<i>Sambucus nigra</i> ssp. <i>caerulea</i>	Shrub	native	Perennial	Mar-Jul	32	44.8	10	77	
0 %	Elderberry	<u>SARAM</u> 4	<i>Sambucus racemosa</i> var. <i>melanocarpa</i>	Shrub	native	Perennial	Jul-Aug			12		
0 %	California goldenrod		<i>Solidago velutina</i> ssp. <i>californica</i>	Forb	native	Perennial	Jul-Oct					
0 %	Hedge Nettle	<u>STAJ</u>	<i>Stachys ajugoides</i>	Forb	native	Perennial	Feb-Apr	0.2	0.3		77	

0 %	California hedgenettle	STBU	<i>Stachys bullata</i>		Forb	native	Perennial	Apr-Sep					77
0 %	Twiggy wreath plant	STVI2	<i>Stephanomeria virgata</i>		Forb	native	Annual	Jul-Oct					77
0 %	Purple needlegrasses	NAPU4	<i>Stipa pulchra</i>		Grass	native	Perennial	Mar-May	9.9	13.9	1		77
0 %	Desert needlegrasses	ACSP12	<i>Stipa speciosa</i>		Grass	native	Perennial	Apr-Jul	7.3	10.2			77
0 %	vinegarweed	TRLA4	<i>Trichostema lanceolatum</i>		Forb	native	Annual	Aug-Oct					77
0 %	Bull clover	TRFU	<i>Trifolium fucatum</i>		Legume	native	Perennial	Apr-Jun	7.5	10.5			7
0 %	starflower	TROB2	<i>Trifolium obtusiflorum</i>		Legume	native	Annual	Apr-Jul	9.3	13			77

NOTES:

- 7 Poisonous to humans and/or livestock
- 35 Bee-friendly plants, attracts native pollinating insects

SUITABILITY WARNINGS: (click on the links above to see details)

- C** Climate factors of the location are not suitable for this plant
- E** The elevation of the location is not suitable for this plant

77 Attracts beneficial insects

 Culturally significant -- click to see PLANTS summary

S Soil factors of the location are not suitable for this plant

X This plant has not been reported growing wild near the location

no data Data for this plant is not available to determine suitability