



LAND USE SERVICES DEPARTMENT PLANNING COMMISSION STAFF REPORT

HEARING DATE: October 20, 2022

AGENDA ITEM #2

Project Description

APN: 0232-161-18 & 19
Applicant: WPT Acquisitions
Community: Fontana/2nd Supervisorial District
Location: 15719 & 15755 Arrow Route
Project No: PROJ-2020-00235/CUP
Staff: Steven Valdez
Rep: Jennifer Gillen, Albert A. Webb and Associates
Proposal: A CONDITIONAL USE PERMIT TO ALLOW THE CONSTRUCTION AND OPERATION OF A 209,759 SQUARE FOOT LOGISTICS WAREHOUSE WITH 10,000 SQUARE FEET OF OFFICE SPACE ON APPROXIMATELY 9.23 ACRES.

Vicinity Map -



8 Hearing Notices Sent on : October 6, 2022

Report Prepared By: Steven Valdez, Senior Planner

SITE INFORMATION:

Parcel Size: 9.23 acres
Terrain: Relatively flat automobile and pallet storage yard
Vegetation: No native or disturbed vegetation is located onsite

TABLE 1 – SITE AND SURROUNDING LAND USES AND ZONING:


AREA	EXISTING LAND USE	Land Use Category	Land Use Zoning District
SITE	Unoccupied automotive and dismantling/parts business	General Industrial (GI)	Regional Industrial (IR)
North	Manufacturing Shops	General Industrial (GI)	Regional Industrial (IR)
South	Vacant, undeveloped	General Industrial (GI)	Regional Industrial (IR)
East	Industrial Uses – Sand, gravel and concrete operations	City of Fontana – General Industrial (I-G)	City of Fontana – Open Space (OS)
West	Auto Dismantlers	General Industrial (GI)	Regional Industrial (IR)

City Sphere of Influence:	<u>Agency</u> City of Fontana	<u>Comment</u> None
Water Service:	Fontana Water Company (FWC)	Per Service Agreement Resolution
Sewer Service:	EHS	Per EHS and State approvals

STAFF RECOMMENDATION: That the Planning Commission **ADOPT** the Mitigated Negative Declaration, **ADOPT** the recommended Findings, **APPROVE** the Conditional Use Permit subject to the Conditions of Approval, and **FILE** a Notice of Determination.¹

¹ In accordance with Section 86.08.010 of the Development Code, the Planning Commission action may be appealed to the Board of Supervisors


VICINITY MAP:



LAND USE DISTRICT MAP:



PROPOSED SITE PLAN:



BUILDING ELEVATIONS:



SITE PHOTOS

South View from Arrow Route



West view from Arrow Highway



PROJECT DESCRIPTION:

Albert A. Webb & Associates (Applicant) requests approval of a Conditional Use Permit (CUP) to construct a 209,759 square-foot non-refrigerated industrial warehouse building with 10,000 square feet of potential office space on approximately 9.23 acres (Project). The Project site is located on the south side of Arrow Route, west of Tokay Avenue, and east of Lime Avenue in the unincorporated area of Fontana within the General Industrial (GI) Land Use Category and Regional Industrial (IR) Zoning District. The Applicant has presented a detailed project description in a letter of intent (Exhibit A).

The former automotive dismantling/parts businesses, storage facilities with office space, and associated outbuilding/garages occupied by Riteway Auto Dismantlers and Arrow Salvage will be demolished as part of the Project. On January 16, 2022, the office building located at 15755 Arrow Route was damaged by a structure fire caused by transients who illegally occupied the building. The fire caused structural damage that posed a risk to public safety, which required the building to be demolished. To address public safety concerns and prevent further potential risk from unauthorized occupation, all structures were demolished under a permit issued by Building and Safety. The remainder of the on-site infrastructure will be demolished prior to site grading, which includes the existing fence along the southern perimeter and within the Project site and the existing pavement and concrete within the Project site. The existing ornamental trees on the north portion of the Project site, along Arrow Route, will be removed.

The proposed development includes paved circulation and parking areas, including semi-trailer parking, an underground chamber water quality infiltration system, septic system, and loading docks. The Applicant is proposing a speculative building as there is no tenant identified at this time. The speculative warehouse building is assumed to operate 24 hours a day seven days a week.

PROJECT ANALYSIS:

Site Planning: The proposed development has been designed to comply with the applicable San Bernardino County Development Code (SBCDC) and Countywide Plan Standards for Regional Industrial (IR) uses. The warehouse building will provide approximately 28 dock doors on the western side of the proposed building. Landscaping, walls and fences would be provided on site as required for screening, privacy, and security. The Project also includes approximately 15.2% of on-site landscaping. The existing block wall along the west and east side of the Project site will remain and then transition to the proposed 8-foot-high steel tube fence that will be constructed along portions of the west and east side and the entire length of south side of the Project site. Truck loading docks and truck parking will be located on the western side of the Project site and will be accessed via two 8-foot high metal swing door gates placed at the north and southeast side of the truck yard. Vehicle parking located on the north side of the building and the buildings frontage will be visible from Arrow Route. The Project site plan provides adequate area to accommodate all parking, loading areas, and access and circulation requirements needed to comply with San Bernardino County (County) requirements (See Table 2 below).

Hours of Operation: The operator(s)/tenant(s) of the Project have not been pre-identified, so the precise nature of the facility operation cannot be specified at this time. Technical studies performed for the environmental analysis assume a relatively intensive operation for seven days per week, 24 hours a day.

Code Compliance Summary: As noted above, the Project satisfies all applicable standards of the Development Code for development in the IR Land Use District, as illustrated in Table 2:

Table 2: PROJECT CODE COMPLIANCE

Project Component	Development Code Standard/Regional Industrial		Project Plans
Logistics Warehouse	CUP		CUP
Parking	120		121
Landscaping	Trees Minimum Landscaping	12 in parking lot 15%	71 15.2% (50,304 sq. ft.)
Building Setbacks	Front Side Rear	25' 10' 20'	25' 185' and 74' 46'3"
Building Height	150 feet maximum		42 feet
Floor Area Ratio	.85:1		.85:1
Drive Aisles	26'		30'

Landscaping: The conceptual landscape plan provides 15.2% site coverage in drought-tolerant landscaping, with a variety of trees, groundcover, and shrubs in compliance with Development Code Section 83.10.060, Landscape Area Requirements. The Development Code only specifies a minimum number of trees in the parking area (one tree per 10 spaces). The Project exceeds that requirement and has ample tree planting in the perimeter landscaping, with a total of 71 trees.

CALIFORNIA ENVIRONMENTAL QUALITY ACT COMPLIANCE

Pursuant to the requirements of the California Environmental Quality Act (CEQA), the County, as Lead Agency, prepared an Initial Study (IS) for the Project (Exhibit B). The IS concludes that the Project will not have a significant adverse impact on the environment with the implementation of recommended mitigation measures contained in the IS, which have been incorporated in the Conditions of Approval (Exhibit C). A Notice of Availability/Notice of Intent (NOA/NOI) to adopt a Mitigated Negative Declaration (MND) was advertised and distributed to initiate a 30-day public comment period, which concluded on April 18, 2022. Seven comment letters to the NOA/NOI (Exhibit D) were received from: (1) Blum Collins & Ho, LLP on behalf of Golden State Environmental Justice Alliance, (2) Center for Community Action and Environmental Justice, (3) Adam Salcido, (4) Mitchell M. Tsai on behalf of Southwest Regional Council of Carpenters, (5) San Bernardino County, Department of Public Works, (6) City of Fontana, and (7) Golden State Environmental Justice Alliance withdrawing comments in their initial letter. Responses to comments and were provided (Exhibit E). Subsequent to preparation of the Responses to Comments, the Southwest Regional Council of Carpenters also withdrew the comments in their initial letter (Exhibit F).

Following are summaries of topics addressed in the IS/MND:

Aesthetics: The proposed Project will include a concrete, tilt-up structure, painted in different shades of gray, with blue glazing on the windows facing Arrow Route, all of which are complementary to the existing warehouse facilities in the vicinity. The single-story building will be 42 feet tall, with two office tower design features at the corners of the building to provide vertical articulation. The Project design includes a landscape buffer and building features that will hide truck staging and loading activities and dock doors, thus the impacts would be less than significant.

Air Quality: The Project air quality analysis shows that the Project will not violate any air quality standards or contribute substantially to an existing or projected air quality violation, because the proposed use would not exceed thresholds of concern as established by the South Coast Air Quality Management District (SCAQMD). A dust control plan will be required as a standard condition to regulate short-term construction

activities that could create windblown dust. Painting activities will be restricted as needed to comply with SCAQMD standards.

Water Quality: A Preliminary Water Quality Management Plan (WQMP) has been approved by the Land Development Division of Land Use Services to comply with the requirements of the San Bernardino County National Pollutant Discharge Elimination System (NPDES) Area-wide Stormwater Program. The Project drainage system will collect storm water runoff in two on-site underground corrugated metal pipe infiltration systems designed and sized to accept storm water flows for on-site percolation within the prescribed period of time to avoid the nuisance of standing water. Requirements for approval of the final WQMP have been incorporated in the Conditions of Approval.

Traffic: A combined Traffic Impact Analysis and Vehicle Miles Traveled Screening Analysis (Traffic Analysis) was submitted (dated August 17, 2021), to determine if a full Traffic Impact Analysis (TIA) and/or Vehicle Miles Traveled (VMT) analysis will be required for a proposed Project. This screening analysis was based on the San Bernardino County Transportation Impact Study Guidelines (Guidelines) which were adopted on July 9, 2019.

Per the County Guidelines, projects can be exempted from conducting a full TIA analysis by:

1. Generating less than 100 trips during any peak hour, or
2. Being located further than 300' of an intersection of two streets designated as Collector or higher in the County's General Plan or the Department's Master Plan or an intersection determined as impacted by the Traffic Division, or
3. Not creating safety or operational concerns, or
4. Generating insignificant VMT as noted in significance criteria in the County Guidelines, or
5. Having other project-based or location-based special concerns.

The Project was compared to the above County Guidelines screening criteria. The results are as follows:

1. The Project generates 33 AM peak hour trips and 37 PM peak hour trips per the ITE Trip Generation Manual and the approved Project scoping agreement which is far below the 100 peak hour trip threshold in the Guidelines.
2. The Project is located at the southwest corner of Arrow Route and Almeria Avenue. Per the County General Plan, only Arrow Route is designated as a Collector or higher within 300' of the project. The nearest intersecting roadway designated as a Collector or higher is Beech Avenue 2,640' to the west.
3. The Project is replacing the existing auto scrapyard business and will be constructing access driveways in similar locations to the existing business driveways. The Project is not anticipated to introduce any new traffic safety or operational concerns at Project driveways or nearby intersections.

Per the County Guidelines, projects can be exempted from conducting a full VMT analysis by:

1. Being considered a local-serving project, or
2. Being a small development generating less than 110 daily vehicle trips, or
3. Being located within a Transit Priority Area (TPA), as determined by the SCAG RTP/SCS, or
4. Being located in an area that currently produces low VMT per the County screening map.

The screening analysis conducted for the proposed Project included utilizing the County traffic model, known as SBTAM, and analyzing project trips, origins, and destinations to determine estimated project VMT per capita, VMT per service population, or other measurements. The SBCTA VMT Screening Tool was utilized to determine if the Project can be screened from conducting a full VMT analysis.

According to the VMT Screening Tool, the traffic analysis zone (TAZ) VMT is lower than the County's baseline VMT Per Worker metric by 11.79% in the year 2016, lower than the County's baseline VMT by 11.64% in the year 2021, and lower than the County's baseline VMT by 11.04% in the year 2040.

The VMT analysis concluded that the Project is eligible for VMT exemption because the Project site is located in a low VMT generating area in the base year 2016, present year 2021, and future year 2040 and VMT impacts are minimal. Therefore, the Project would not be in conflict with or inconsistent with CEQA Guidelines section 15064.3, subdivision (b) and impacts would be less than significant.

A fee program is in place to fund improvements to the regional transportation system. The Project's obligation under this fee program, based on floor area, is estimated to be \$458,107.26.

Public Comments:

Project notices were sent to surrounding property owners within 300 feet of the Project site, as required by Development Code Section 85.03.080. A notice of availability of the Draft IS/MND was sent to surrounding property owners and responsible agencies, as part of the CEQA process. As noted, in response to the Project notices, seven comment letters (Exhibit D) were received. Responses provided are attached as Exhibit E. As noted above, several comment letters on the draft IS/MND were received and two letters (Golden State Environmental Justice Alliance and Southwest Regional Council of Carpenters) were withdrawn as of the date of the preparation of this Staff Report. The comments provided were related to air quality, health risk assessment analysis, and traffic. Additional comments were provided by the City of Fontana that were related to screening and buffering the use from the public right-of-way and adjacent properties. All comments were responded to in the responses to comments and Conditions of Approval were added to address the City of Fontana's concerns.

RECOMMENDATION:

That the Planning Commission:

1. **ADOPT** the Mitigated Negative Declaration and Mitigation Monitoring and Reporting Program (Exhibits B and G);
2. **ADOPT** the recommended Findings for approval of the Project (Exhibit H);
3. **APPROVE** the Conditional Use Permit for the construction of a 209,759 square foot warehouse building with 10,000 square feet of office space, subject to Conditions of Approval (Exhibit C); and
4. **DIRECT** staff to file the Notice of Determination.

ATTACHMENTS:

EXHIBIT A: Letter of Intent
EXHIBIT B: Initial Study/Mitigated Negative Declaration
EXHIBIT C: Conditions of Approval
EXHIBIT D: Comment Letters
EXHIBIT E: Responses to Comments
EXHIBIT F: Withdrawn Comment Letters
EXHIBIT G: Mitigation Monitoring and Reporting Program
EXHIBIT H: Findings
EXHIBIT I: Site Plan

EXHIBIT A

Letter of Intent

Letter of Intent

Applicant: WPT REIT Industrial, Jonah Chodosh
Mailing Address: 12405 Venice Blvd., #383
Los Angeles, CA 90066
Phone Number: (310) 977-2857
Business Name: _____

Date: 12/03/20
Primary Contact: Nicole Torstvet, Webb Associates
(951) 320-6066
APN(s): 0232-161-18 and 0232-161-19

If needed, you may attach additional documents to provide more detailed information.

Brief description of proposed use:

WPT is proposing to develop a 195,960 SF speculative warehouse building, consisting of 4,000SF of office space, on approximately 9.24 acres located at 15719- 15755 Arrow Blvd. The project also proposes 98 auto stalls and 42 trailer stalls.

Brief Description of proposed location and surrounding properties as they currently exist:

Land is located at 15719-15755 Arrow Blvd., in San Bernardino County, CA, on approximately 9.24± acres and zoned light industrial. This is an infill project surrounded by Auto shops to the North, vacant land to the south, Concrete company to the East and Recycling Center to the West.

Logistics (Truck trips, hours of business, parking, number of employees, etc.):

This is to be determined at a later date, as we are currently proposing a speculative building and have no tenant at this time.

Goals and Objectives:

- Specific comments on site plan (Architectural, Landscape, Parking, etc.)
- On-site design requirements
- The projects site road frontage appears to be built to ultimate width. Do you see the need for additional improvements, beyond closing/opening the driveways to match the new site use?
- Other potential conditions of approval for off-sites
- Fees – What type of fees will be associated with plan check review, development impact fees, and transportation uniform mitigation fees? We are trying to get an overall understanding of costs for the project.
- Feedback regarding the process, timing, and expectations due to COVID

EXHIBIT B

Initial Study/Mitigated Negative Declaration

**SAN BERNARDINO COUNTY
INITIAL STUDY/MITIGATED NEGATIVE DECLARATION
ENVIRONMENTAL CHECKLIST FORM**

This form and the descriptive information in the application package constitute the contents of Initial Study pursuant to County Guidelines under Ordinance 3040 and Section 15063 of the State CEQA Guidelines.

PROJECT LABEL:

APNs:	0232-161-18 and 0232-161-19	USGS Quad:	USGS 7.5 Minute Fontana, California
Applicant:	Jonah Chodosh WPT Arrow Boulevard, LP 150 South 5th Street, Suite 2675 Minneapolis, MN 55402	T, R, Section:	Section 12, Township 1 South, Range 6 West, San Bernardino Base and Meridian
Location	15719 and 15755 Arrow Blvd., City of Fontana Sphere of Influence, Unincorporated San Bernardino County		
Project No:	PROJ-2020-00235	Community Plan:	N/A
Rep	Eliza Laws, Albert A. Webb Associates	LUZD:	Regional Industrial (IR)
Proposal:	A Conditional Use Permit request to allow the construction of an approximately. 209,759 square foot industrial non-refrigerated warehouse building with office space on 9.23 acres, located at 15719 and 15755 Arrow Route in the General Industrial (GI) Land Use Category (LUC) and the Regional Industrial (IR) Zoning District in the City of Fontana Sphere of Influence,	Overlays:	N/A

PROJECT CONTACT INFORMATION:

Lead agency: County of San Bernardino
Land Use Services Department
385 N. Arrowhead Avenue, 1st Floor
San Bernardino, CA 92415-0182

Contact person: Steven Valdez, Senior Planner
Phone No: (909) 387-4421 **Fax No:** (909) 387-3223
E-mail: steven.valdez@lus.sbcounty.gov

Project Sponsor Jonah Chodosh
WPT Arrow Boulevard, LP

150 South 5th Street, Suite 2675
Minneapolis, MN 55402

PROJECT DESCRIPTION:

Summary

The proposed 15719 and 15755 Arrow Route Warehouse Project (Project) consists of an application for a Conditional Use Permit (PROJ-2020-00235) to re-develop an approximately 9.23 net acre site with a single 209,759 square-foot (sf) building, in conjunction with a Lot Merger to combine APNs 232-161-18 and 232-161-19 into one parcel. The Project site is located in the unincorporated area of San Bernardino County and within the Sphere of Influence of the City of Fontana. Specifically, the Project site is located on 15719 and 15755 Arrow Route, which is west of Tokay Avenue and east of Lime Avenue. The Project site includes three former automotive dismantling/parts businesses which are currently unoccupied. On January 16, 2022, the All Auto Parts Office building located at 15755 Arrow Route was damaged by a structure fire caused by transients who illegally occupied the building. The fire caused structural damage that poses a risk to public safety, which requires the building to be demolished. To address public safety concerns and prevent further potential risk from unauthorized occupation, all structures are being demolished under a permit to be issued by the Building and Safety Department. The remainder of the on-site infrastructure will be demolished prior to site grading. The Project proposes to construct a non-refrigerated warehouse building with two potential office areas, loading docks, landscaping, and associated truck and passenger vehicle parking.

Project Location and Setting

The approximate 9.23 net acre Project site is located along the southern side of Arrow Route, west of Tokay Avenue, and east of Lime Avenue in an unincorporated area of San Bernardino County, immediately adjacent to the City of Fontana, California. The Project site is located within Section 12, Township 1 South, Range 6 West, San Bernardino Base and Meridian, on the Fontana, 7.5-minute topographical quadrangle map. **Figure 1 – Vicinity Map**, **Figure 2 – Aerial Map** and **Figure 3 – USGS Topographic Map** shows the regional location and local vicinity of the Project site, respectively.

The Project site, which consists of two parcels (Assessor's parcel number (APNs) 232-161-18 and 232-161-19), is relatively flat and is situated at an elevation approximately 1,230 feet (ft) to 1,250 ft above mean sea level. The Project site is within the City of Fontana's Sphere of Influence (SOI). The San Bernardino Countywide Plan Policy Plan Land Use Map categorizes the sites as General Industrial (GI) and the Development Code's Zoning District Map designates the Project site as "Regional Industrial" (IR) as shown on **Figure 4 – General Plan Land Use and Zoning Map**. The area surrounding the Project site is currently dominated by light industrial uses to the north, east, and west, and vacant undeveloped land to the south. The Project site contains three former automotive dismantling/parts businesses, including four single-story storage facilities with office space, and associated outbuilding/garages. The Project site was previously occupied by Riteway Auto Dismantlers, All Auto Parts, and Arrow Salvage (pallet storage and sales operations).

The Project site is located on land designated by the California Department of Conservation's Farmland Mapping and Monitoring Program as Urban and Built-Up Land.

The proposed Project site is located outside of the airport influence area (AIA) of the Ontario International Airport (ONT).

Project Description

The proposed 15719 and 15755 Arrow Route Warehouse Project (herein referred to as proposed Project or Project and as further described below) involves the demolition of the existing development and the construction and operation of an industrial non-refrigerated warehouse building.

Demolition of Existing Development

The former automotive dismantling/parts businesses, including the storage facilities with office space, and associated outbuilding/garages are currently unoccupied. On January 16, 2022, the All Auto Parts Office building located at 15755 Arrow Route was damaged by a structure fire caused by transients who illegally occupied the building. The fire caused structural damage that poses a risk to public safety. To address public safety concerns and prevent further potential risk from unauthorized occupation, all structures are being demolished under a permit to be issued by the Building and Safety Department. The remainder of the on-site infrastructure will be demolished prior to site grading, which includes the existing fence along the southern perimeter and within the Project site and the existing pavement and concrete within the Project site. The existing ornamental trees on the north portion of the Project site, along Arrow Route, will be removed.

Proposed Warehouse

The approximately 209,759-square-foot (sf), industrial non-refrigerated warehouse building includes 10,000-sf of potential office space on an approximately 9.23 net acre site (see **Figure 5 – Proposed Site Plan** and **Figure 6 – Proposed Elevations**). The proposed development includes paved circulation and parking areas, including semi-trailer parking, an underground chamber water quality infiltration system, septic system, and loading docks. The applicant is proposing a speculative building as there is no tenant identified at this time. The speculative warehouse building is assumed to operate 24 hours a day seven days a week.

The proposed development has been designed to comply with the applicable San Bernardino County Development Code (SBCDC) and Countywide Plan Standards for Regional Industrial (IR) uses. The warehouse building will provide approximately 28 dock doors on the western side of the proposed building. Landscaping, walls and fences would be provided on site as required for screening, privacy, and security as shown on **Figure 7 – Proposed Landscape Plan**. The Project also includes approximately 44,880 sf of on-site landscaping. The existing block wall along the west and east side of the Project site will remain and then transition to the proposed 8-foot-high steel tube fence that will be constructed along portions of the west and east side and the entire length of south side of the Project site. Truck loading docks and truck parking will be located on the western side of the Project site and will be accessed via two 8-ft high metal swing

door gates placed at the north and southeast side of the truck yard. Vehicle parking located on the north side of the building and the buildings frontage will be visible from Arrow Route.

The Project includes curb and gutter, and storm drains to convey on-site flows to the proposed perforated underground chamber infiltration system located along the western portion of the Project site, near the truck trailer parking stalls. The infiltration system is sized to fully capture the postconstruction water quality volume and to mitigate for increased runoff. During high intensity runoff events, the upstream head will push runoff above the water quality volume out of the chambers via an overflow curb weir in the southwest corner of the Project site and surface flow to the southwest draining into the West Fontana Channel before entering existing flood control Banana Basin.

Access to the Project site will be from Arrow Route via two driveways; the westerly driveway would be for truck and passenger vehicle access and the easterly driveway would be only for passenger vehicle access. As shown on **Figure 5 – Proposed Site Plan**, automobile and trailer parking will be provided on the site. A total of 105 standard parking stalls, seven American Disabilities Act-compliant (ADA) handicapped parking spaces, and nine vanpool/EV/ clean air stalls will be provided, for a total of 121 vehicle parking spaces. The Project will also include 37 trailer parking spaces. The number of parking spaces provided would be consistent with the parking requirements outlined in SBCDC, Chapter 83.11. In addition to the required parking spaces added, seven short term and long-term bicycle parking stalls will also be provided.

Arrow Route, according to the Countywide Plan, is considered a Major Highway. A Major Highway typically contains two to four lanes and a right-of-way (ROW) width of 104 ft minimum with a curb-to-curb separation of 80 feet. To meet the required Major Highway road widths, the proposed Project will be required to expand the existing 36 ft roadway to 40 ft, add curb and gutter, and add landscaping on the southerly portion of Arrow Route, along the Project site's frontage.

The Project's potable water pipeline will connect to existing connections in Arrow Route. Wastewater generated by the Project site will be treated by an on-site septic system. The existing power poles along Arrow Route, will be undergrounded or relocated within right-of-way.

The proposed Project would be constructed in a single phase, with construction expected to commence in January 2022 and be completed by November 2022.

Surrounding Land Uses and Setting

Existing Land Use and Land Use Zoning Districts			
Location	Existing Land Use	Land Use Category	Land Use Zoning District
Project Site	Unoccupied automotive dismantling/parts businesses	General Industrial (GI)	Regional Industrial (IR)
North	Manufacturing Shops	General Industrial (GI)	Regional Industrial (IR)
South	Vacant, Undeveloped	General Industrial (GI)	Regional Industrial (IR)
East	Industrial Uses- Sand, gravel and concrete operations	City of Fontana – General Industrial (I-G)	City of Fontana – Open Space (OS)
West	Auto Dismantlers	General Industrial (GI)	Regional Industrial (IR)

ADDITIONAL APPROVAL REQUIRED BY OTHER PUBLIC AGENCIES

Federal: None.

State of California: None.

County of San Bernardino: Land Use Services Department-Building and Safety, Public Health-Environmental Health Services, Transportation, Fire Department and Public Works.

Regional: South Coast Air Quality Management District, Santa Ana Regional Water Quality Control Board.


Local: None

CONSULTATION WITH CALIFORNIA NATIVE AMERICAN TRIBES

Have California Native American tribes traditionally and culturally affiliated with the project area requested consultation pursuant to Public Resources Code section 21080.3.1? If so, is there a plan for consultation that includes, for example, the determination of significance of impacts to tribal cultural resources, procedures regarding confidentiality, etc.?

Note: Conducting consultation early in the CEQA process allows tribal governments, lead agencies, and project proponents to discuss the level of environmental review, identify and address potential adverse impacts to tribal cultural resources, and reduce the potential for delay and conflict in the environmental review process. (See Public Resources Code section 21083.3.2.) Information may also be available from the California Native American Heritage Commission's Sacred Lands File per Public Resources Code section 5097.96 and the California Historical Resources Information System administered by the California Office of Historic Preservation. Please also note that Public Resources Code section 21082.3(c) contains provisions specific to confidentiality.

Yes. The County's compliance with Assembly Bill (AB 52) is discussed in Threshold XVIIIa(ii) of the IS/MND analysis.



H:\2020\20-0225\GIS\Vicinity.mxd; Map created 10 Mar 2021

Sources: San Bernadino Co. GIMS, 2021;
Riverside County GIS, 2021

Figure 1 – Vicinity Map
15719 and 15755 Arrow Route Warehouse








Figure 2 - Aerial Map
15719 and 15755 Arrow Route Warehouse

H:\2020\20-0225\GIS\USGS.mxd; Map created 10 Mar 2021; Nanette




Sources: ESRI / USGS 7.5min Quad:
FONTANA

Figure 3 - USGS Topographic Map
15719 and 15755 Arrow Route Warehouse




ALBERT A.
WEBB
ASSOCIATES

H:\2020\20-0225\GIS\GPLU_Zoning.mxd; Map created 22 Mar 2021



Sources: City of Fontana. 2020;
San Bernardino Co., 2020

Figure 4 - General Plan Land Use
15719 and 15755 Arrow Route Warehouse



H:\2020\20-0225\GIS\Fig 5 - Site Plan.mxd; Map created 13 Aug 2021




Figure 5 – Proposed Site Plan
15719 and 15755 Arrow Route Warehouse



Not to Scale

ALBERT A.
WEBB
ASSOCIATES




Figure 6 – Proposed Elevations
15719 and 15755 Arrow Route Warehouse

ALBERT A.
WEBB
ASSOCIATES

Source: HPA Architecture, August 2021.

Not to Scale




Figure 7 – Proposed Landscape Plan
15719 and 15755 Arrow Route Warehouse

**ALBERT A.
WEBB
ASSOCIATES**



Not to Scale

EVALUATION FORMAT

This Initial Study is prepared in compliance with the California Environmental Quality Act (CEQA) pursuant to Public Resources Code Section 21000, et seq. and the State CEQA Guidelines (California Code of Regulations Section 15000, et seq.). Specifically, the preparation of an Initial Study is guided by Section 15063 of the State CEQA Guidelines. This format of the study is presented as follows. The project is evaluated based on its effect on 20 major categories of environmental factors. Each factor is reviewed by responding to a series of questions regarding the impact of the project on each element of the overall factor. The Initial Study checklist provides a formatted analysis that provides a determination of the effect of the project on the factor and its elements. The effect of the project is categorized into one of the following four categories of possible determinations:

Potentially Significant Impact	Less than Significant With Mitigation Incorporated	Less than Significant	No Impact
--------------------------------	----------------------------------------------------	-----------------------	-----------

Substantiation is then provided to justify each determination. One of the four following conclusions is then provided as a summary of the analysis for each of the major environmental factors.

1. **No Impact:** No impacts are identified or anticipated and no mitigation measures are required.
2. **Less than Significant Impact:** No significant adverse impacts are identified or anticipated and no mitigation measures are required.
3. **Less than Significant Impact with Mitigation Incorporated:** Possible significant adverse impacts have been identified or anticipated and the following mitigation measures are required as a condition of project approval to reduce these impacts to a level below significant. The required mitigation measures are: (List of mitigation measures)
4. **Potentially Significant Impact:** Significant adverse impacts have been identified or anticipated. An Environmental Impact Report (EIR) is required to evaluate these impacts, which are (List of the impacts requiring analysis within the EIR).

At the end of the analysis the required mitigation measures are restated and categorized as being either self- monitoring or as requiring a Mitigation Monitoring and Reporting Program.

ENVIRONMENTAL FACTORS POTENTIALLY AFFECTED:


The environmental factors checked below will be potentially affected by this project, involving at least one impact that is a "Potentially Significant Impact" as indicated by the checklist on the following pages.

- | | | |
|--------------------------------------------------------------------|-----------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| <input type="checkbox"/> Aesthetics | <input type="checkbox"/> Agriculture and Forestry Resources | <input type="checkbox"/> Air Quality |
| <input type="checkbox"/> Biological Resources | <input type="checkbox"/> Cultural Resources | <input type="checkbox"/> Energy |
| <input type="checkbox"/> Geology/Soils | <input type="checkbox"/> Greenhouse Gas Emissions | <input type="checkbox"/> Hazards & Hazardous Materials |
| <input type="checkbox"/> Hydrology/Water Quality | <input type="checkbox"/> Land Use/Planning | <input type="checkbox"/> Mineral Resources |
| <input type="checkbox"/> Noise | <input type="checkbox"/> Population/Housing | <input type="checkbox"/> Public Services |
| <input type="checkbox"/> Recreation | <input type="checkbox"/> Transportation | <input type="checkbox"/> Tribal Cultural Resources |
| <input type="checkbox"/> Utilities/Service Systems | <input type="checkbox"/> Wildfire | <input type="checkbox"/> Mandatory Findings of Significance |

DETERMINATION: (To be completed by the Lead Agency)

On the basis of this initial evaluation, the following finding is made:

<input type="checkbox"/>	The proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION shall be prepared.
<input checked="" type="checkbox"/>	Although the proposed project could have a significant effect on the environment, there shall not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION shall be prepared.
<input type="checkbox"/>	The proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.
<input type="checkbox"/>	The proposed project MAY have a "potentially significant impact" or "potentially significant unless mitigated" impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.
<input type="checkbox"/>	Although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required.


Signature: (prepared by Steven Valdez, Senior Planner)

David Prusch
Signature: (David Prusch, Supervising Planner)

March 14, 2022
Date

March 14, 2022
Date

Issues	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant	No Impact
I. AESTHETICS – Except as provided in Public Resources Code Section 21099, would the project:				

- | | | | | | |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------------------------|-------------------------------------|-------------------------------------|
| a) | Have a substantial adverse effect on a scenic vista? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| b) | Substantially damage scenic resources, including but not limited to trees, rock outcroppings, and historic buildings within a state scenic highway? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| c) | In non-urbanized areas, substantially degrade the existing visual character or quality of public views of the site and its surroundings? (Public views are those that are experienced from a publicly accessible vantage point). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| d) | Create a new source of substantial light or glare, which will adversely affect day or nighttime views in the area? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

SUBSTANTIATION: (Check ☐ if project is located within the view-shed of any Scenic Route listed in the General Plan):

Countywide Plan, 2020; Countywide Plan Final Environmental Impact Report, 2020; San Bernardino County Development Code; Submitted Project Materials

- a) Have a substantial adverse effect on a scenic vista?

The Project site is within the Valley Region of the Countywide Plan and in the Sphere of Influence of the City of Fontana. Views from this area include the San Gabriel and San Bernardino Mountains and Jurupa Hills. The Project site is approximately five miles south from the San Gabriel Mountains, ten miles south from the San Bernardino Mountains, and approximately four miles north from the Jurupa Hills. Due to distance and intervening topography, the Project would not have an adverse effect on long-distance views of these mountain ranges. Moreover, as required by SBCDC Chapter 82.06.060 Industrial and Special Purpose Land Use Zoning District Site Planning and Building Standards, the proposed building would not exceed the 150 feet height limit in the IR Zoning District. Therefore, potential impacts associated with scenic vistas would be less than significant.

Less Than Significant.

- b) *Substantially damage scenic resources, including but not limited to trees, rock outcroppings, and historic buildings within a state scenic highway*

The Project site is developed and does not contain rock outcroppings, historical buildings or landmarks. The existing trees along Arrow Route, which front the Project site, will be removed to expand the southerly portion of Arrow Route and to add a sidewalk. However, new trees will be planted onsite and in the right-of-way that will not impact scenic resources. There are no state scenic highways within the Valley Region; however, there are some roads that are eligible for the state scenic highways designation including Carbon Canyon Road/SR-142 in Chino Hills (approximately 25 miles from the Project site), SR-330/SR-210 in Highland and Redlands (approximately 15 miles from the Project site), and SR-38/Mentone Boulevard in Mentone (approximately 20 miles from the Project site) (CWP EIR, p. 5.1-16). Due to distance and intervening topography, these eligible state scenic highways will not be impacted by the proposed Project since the Project. Therefore, potential impacts associated with scenic resources would be less than significant.

Less Than Significant.

- c) *In non-urbanized areas, substantially degrade the existing visual character or quality of public views of the site and its surroundings? (Public views are those that are experienced from a publicly accessible vantage point). If the project is in an urbanized area, would the project conflict with applicable zoning and other regulations governing scenic quality?*

The Project site is located in an industrial area that is predominantly developed. There are several automotive and manufacturing shops along Arrow Route, near the Project Site. Currently, the Project site has limited landscape and so the buildings and the parking lots are seen from Arrow Route. The proposed Project will improve the existing condition by screening the proposed warehouse and associated parking with manicured landscaping. Additionally, the Project would be designed to conform with Regional Industrial (IR) development standards, including setbacks, Floor Area Ratio (FAR), lot coverage, height limit, fencing, parking and loading standards, and lighting standards. With the approval of the proposed Conditional Use the proposed Project would be consistent with the IR Zoning District. Therefore, no potential impacts associated with the degradation of public views of the Project site would occur.

No Impact.

- d) *Create a new source of substantial light or glare, which will adversely affect day or nighttime views in the area?*

The Project site is located in an urbanized area within the County and experiences the highest levels of ambient light and light pollution. (CWP EIR, p. 5.1-23) Existing sources of light and glare in the immediate Project area include streetlights, along Arrow Route, outdoor safety and security lighting associated with adjacent developments, and vehicle

headlights. To ensure the Project does not create a new source of substantial light or glare, the Project would be designed to conform with SBCDCs *83.07.030 Glare and Outdoor Lighting- Valley Region* standards.

To address potential light and glare impacts, Project lighting would be directed inward and downward and/or shielded to minimize the light from adversely affecting adjacent properties. Perimeter walls and landscaping/trees would also serve to block and filter mobile light sources, such as from passenger vehicles and trucks, from adversely affecting adjacent properties. The exterior façade would consist of non-reflective materials, such as concrete. In addition, the windows would be comprised of blue reflective glazing, which reduces glare over other transparent surfaces. Through these design features and adherence with the San Bernardino Development Code, potential impacts associated with lighting that may affect day or nighttime views in the area would be less than significant.

Less Than Significant.

Therefore, no significant adverse impacts are identified or anticipated and no mitigation measures are required.

	Issues	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant	No Impact
II.	AGRICULTURE AND FORESTRY RESOURCES - In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Dept. of Conservation as an optional model to use in assessing impacts on agriculture and farmland. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state's inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment project; and forest carbon measurement methodology provided in Forest Protocols adopted by the California Air Resources Board. Would the project:				
a)	Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland) as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b)	Conflict with existing zoning for agricultural use, or a Williamson Act contract?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c)	Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d)	Result in the loss of forest land or conversion of forest land to non-forest use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e)	Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
SUBSTANTIATION: (Check <input type="checkbox"/> if project is located in the Important Farmlands Overlay):					
Countywide Plan, 2020 (CWP); California Department of Conservation Farmland Mapping and Monitoring Program; Submitted Project Materials					

- a) *Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland) as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?*

The Project site is developed with industrial uses, not prime farmland. Moreover, the Farmland Mapping and Monitoring Program from the Department of Conservation (DOC), designates the Project site as "Urban and Built-Up land." (DOC-A). Therefore, the Project would not result in the conversion of Prime Farmland, Unique Farmland, or Farmland of Statewide Importance to non-agricultural use, and no impacts would occur.

No Impact.

- b) *Conflict with existing zoning for agricultural use, or a Williamson Act contract?*

The Project site is developed with industrial uses and is zoned Regional Industrial (R). Moreover, there are no nearby properties zoned for agricultural land uses in the Project vicinity (see **Figure 4**). Therefore, implementation of the Project has no potential to conflict with existing zoning for an agricultural use and no impacts would occur.

According to Countywide Plan Environmental Impact Report (EIR) *Figure 5.2-1 Agricultural Resources, Valley Region*, the Project site is not under a Williams Act Contract. (CWP EIR, p. 5.2-8.) Therefore, implementation of the Project has no potential to conflict with a Williamson Act Contract. No impacts will occur.

No Impact.

- c) *Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?*

The Project site is zoned Regional Industrial and allows for industrial land uses. The property is not zoned for forest land, timberland, or Timberland Production, nor is it surrounded by forest land, timberland, or Timberland Production land. Therefore, implementation of the Project has no potential to conflict with or cause the rezoning of any areas currently zoned as forest, timberland, or Timberland Production and would not result in the rezoning of any such lands. No impacts would occur.

No Impact.

- d) *Result in the loss of forest land or conversion of forest land to non-forest use?*

The Project site nor the surrounding area contain forest land. The area is mostly developed with various industrial developments. Therefore, implementation of the Project would not result in the loss of forest land or conversion of forest land to non-forest use and no impacts would occur.

No Impact.

- e) *Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use?*

“Farmland” is defined in Section II(a) of Appendix G of the CEQA Guidelines to mean “Prime Farmland,” “Unique Farmland” or “Farmland of Statewide Importance.” The Project site does not contain any soils mapped by the DOC as Farmland. (DOC-A.) Additionally, the Project site and surrounding areas do not contain forest lands or areas designated for forest land uses. Therefore, implementation of the Project would not result in the conversion of Farmland to non-agricultural use or the conversion of forest land to non-forest use. No impact would occur.

No Impact.

Therefore, no significant adverse impacts are identified or anticipated and no mitigation measures are required.

<i>Issues</i>		<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
III. AIR QUALITY - Where available, the significance criteria established by the applicable air quality management district or air pollution control district might be relied upon to make the following determinations. Would the project:					
a)	Conflict with or obstruct implementation of the applicable air quality plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b)	Result in a cumulatively considerable net increase of any criteria pollutant for which the Project region is non-attainment under an applicable federal or state ambient air quality standard?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c)	Expose sensitive receptors to substantial pollutant concentrations?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d)	Result in other emissions (such as those leading to odors adversely affecting a substantial number of people?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
SUBSTANTIATION: <i>(Discuss conformity with the South Coast Air Quality Management Plan, if applicable):</i>					
Countywide Plan, 2020 (CWP); Air Quality/Greenhouse Gas Analysis (WEBB-A, Appendix A); Air Quality/Greenhouse Gas Analysis/ Energy/HRA Evaluation (WEBB-G, Appendix A.1); Health Risk Assessment (WEBB-B, Appendix B); Submitted Project Materials					

An Air Quality/Greenhouse Gas Analysis was prepared on May 20, 2021 (WEBB-A) for the Project. At the time the studies were prepared, the proposed Project included an approximately 196,654-square foot (sf) warehouse of which 4,000 sf was office space with 22 truck loading docks. The Project was designed to include two office areas and employee parking along Arrow Route and the loading dock and truck trailer parking lot were located on the south side of the building. The Project site was redesigned in August 2021. As a result, the building's orientation changed and the size of the warehouse building increased by 13,105 sf to a total of 209,759 sf and the loading dock number increased by 6 docks to 28 docks. The warehouse increased approximately 6.7 percent in building size and the loading docks increased by 27 percent compared to the smaller 196,654-sf building that was previously analyzed. The current Project site design includes one office area with 10,000 sf split between two levels, an employee parking area on the eastern portion of the Project site and loading docks and the truck trailer parking area on the west side of the Project site. These site plan revisions were evaluated in the *Air Quality/Greenhouse Gas Analysis/ Energy/HRA Evaluation for the 15719 and 15755 Arrow Route Warehouse Project (CUP No. 2020-00235 Memorandum dated September 2, 2021 (WEBB-G)*. The evaluation determined that the larger warehouse would not substantively change impacts

compared to the smaller warehouse previously analyzed and that the significance determined remains less than significant and no mitigation is required.

In January 2022, the All Auto Parts Office building was damaged by a structure fire. As a result, the demolition of the Project site will be done in two stages. The buildings are being demolished initially to ensure public safety, and the remainder of the on-site infrastructure improvements will be demolished prior to site grading. At the time the Air Quality/Greenhouse Gas Analysis was prepared, the demolition was assumed to occur in one phase. However, the demolition will now occur in two stages. For the purposes of the Air Quality/Greenhouse Gas Analysis, evaluating demolition in one phase results in higher emissions and is therefore more conservative as opposed to evaluating the demolition in two phases because the equipment usage would not increase, and the overall duration of demolition activities would be similar.

The following air quality analysis for the air quality impacts a-d, which incorporates the original Air Quality analysis prepared, determined that the Project would result in less than significant air quality impacts.

a) *Conflict with or obstruct implementation of the applicable air quality plan?*

The Project site is located in the western portion of San Bernardino County which is located within the South Coast Air Basin (Basin). The South Coast Air Quality Management District (SCAQMD) prepares the Air Quality Management Plan (AQMP) for the Basin. The AQMP sets forth a comprehensive program that will lead the Basin into compliance with all federal and state air quality standards. The AQMP's control measures and related emission reduction estimates are based upon emissions projections for a future development scenario derived from land use, population, and employment characteristics defined in consultation with local governments. Accordingly, if a project demonstrates compliance with local land use plans and/or population projections, then the AQMP would have taken into account such uses when it was developed.

The San Bernardino Development Code's Zoning District Map designates the Project site as "Regional Industrial" (IR) as shown on **Figure 4**. The Project Applicant proposes to operate the building as a non-refrigerated warehouse distribution facility which is a permitted use under the IR land use designation. Therefore, this land use and associated air quality emissions would have been accounted for in the SCAQMD's 2016 AQMP.

Population and employment estimates for the County are compiled by the Southern California Association of Governments (SCAG) in their Regional Transportation Plan/Sustainable Communities Strategy (RTP/SCS). The proposed Project will increase employment opportunities within the County. The employment projections in the RTP/SCS are based on information gathered from cities within SCAG's jurisdiction. Hence, because the proposed Project is consistent with the land use designation in the County's Zoning and the Countywide Plan, employment estimates associated with implementation of the proposed Project would have also been accounted for in SCAG's RTP/SCS. Therefore, because the proposed Project is compliant with local and use plans and population projections, the proposed Project would not conflict with or obstruct implementation of the AQMP. Thus, impacts will be less than significant.

Less Than Significant.

- b) *Result in a cumulatively considerable net increase of any criteria pollutant for which the Project region is non-attainment under an applicable federal or state ambient air quality standard?*

The portion of the Basin within which the proposed Project site is located is designated as a non-attainment area for particulate matter less than 10 microns in diameter (PM-10) under state standards, and for ozone and particulate matter less than 2.5 microns in diameter (PM-2.5) under both state and federal standards (CARB-A). The SCAQMD considers the thresholds for project-specific impacts and cumulative impacts to be the same (SCAQMD-A). Therefore, projects that exceed project-specific significance thresholds are considered by SCAQMD to be cumulatively considerable. Based on SCAQMD's regulatory jurisdiction over regional air quality, it is reasonable to rely on its thresholds to determine whether there is a cumulative air quality impact.

Air quality impacts can be described in a short- and long-term perspective. Short-term impacts occur during site grading and Project construction and consist of fugitive dust and other particulate matter, as well as exhaust emissions generated by construction-related vehicles. Long-term air quality impacts occur once the Project is in operation.

Construction Activities

The Project will be required to comply with existing SCAQMD rules for the reduction of fugitive dust emissions. SCAQMD Rule 403 establishes these procedures. Compliance with this rule is achieved through application of standard best management practices in construction and operation activities, such as application of water or chemical stabilizers to disturbed soils, managing haul road dust by application of water, covering haul vehicles, restricting vehicle speeds on unpaved roads to 15 mph, sweeping loose dirt from paved site access roadways, cessation of construction activity when winds exceed 25 mph and establishing a permanent, stabilizing ground cover on finished sites. In addition, projects that disturb 50 or more acres or more of soil or move 5,000 cubic yards of materials per day are required to submit a Fugitive Dust Control Plan or a Large Operation Notification Form to SCAQMD. Based on the size of this Project's disturbance area (approximately 9.53 acres), a Fugitive Dust Control Plan or a Large Operation Notification Form would not be required.

An Air Quality/Greenhouse Gas Analysis was prepared for the Project by Albert A. Webb Associates and is dated May 20, 2021 (WEBB-A). Short-term emissions from Project construction were evaluated using the California Emissions Estimator Model (CalEEMod) version 2016.3.2. The results of this analysis are summarized in **Table A – Unmitigated Estimated Maximum Daily Construction Emissions**, below.

Table A – Unmitigated Estimated Maximum Daily Construction Emissions

Activity	Peak Daily Emissions (lbs/day)					
	VOC	NO _x	CO	SO ₂	PM-10	PM-2.5
SCAQMD Daily Construction Thresholds	75	100	550	150	150	55
Demolition ¹	3.06	30.20	23.05	0.05	2.15	1.41
Grading	3.60	38.88	27.28	0.07	2.00	1.48
Building Construction	5.15	43.67	53.01	0.11	4.15	1.75
Paving	0.97	9.25	12.22	0.02	0.63	0.47
Architectural Coatings	46.74	1.98	3.75	0.01	0.50	0.22
Maximum²	52.86	54.90	68.98	0.14	5.28	2.44
Exceeds Threshold?	No	No	No	No	No	No

Source: Table 2 – Unmitigated Estimated Maximum Daily Construction Emissions, Appendix A of the Initial Study.

Notes: ¹The demolition phase assumed that all buildings and structures would be demolished at one time, a worst-case scenario. As a result of the structure fire (see Project Description), a two-discrete phase demolition will occur, which would not result in an increase in the equipment or duration of activities.

²Maximum emissions are the greater of either demolition alone or grading alone, or the sum of building construction, paving and architectural coating since these activities overlap. Maximum emissions are shown in bold.

As shown in **Table-A** above, the emissions from construction of the Project are below the SCAQMD daily construction thresholds for all the criteria pollutants

Operational Activities

Long-term operational emissions are evaluated at build-out of a project. The Project is assumed to be operational in 2022. Mobile source emissions refer to on-road motor vehicle emissions generated from the Project's traffic and based on the trip generation provided in the Project-specific Traffic Impact Analysis and Vehicle Miles Traveled Screening Analysis (hereinafter referred to as the Traffic Analysis) (WEBB-D). An average truck trip length of approximately 55 miles was assumed, which is based on the weighted average distance to the following destinations: the Ports of Los Angeles/Long Beach (70 miles), the Banning Pass (46 miles), the San Diego County line (61 miles), the Cajon Pass (30 miles), and Downtown Los Angeles (52 miles). On-site service equipment (i.e., forklifts) are assumed to be electric and therefore do not have any direct emissions of criteria pollutants.

Area source emissions from the Project include stationary combustion emissions of natural gas used for space and water heating (shown in a separate row as energy), yard and landscape maintenance, and an average building square footage to be repainted each year. CalEEMod computes area source emissions based upon default factors and land use assumptions. The Project's energy emissions were adjusted to reflect the improvements expected from 2019 Title 24 standards, which became effective January 1, 2020¹. Separate emissions were computed for both the summer and winter and the results are summarized in **Table B – Unmitigated Estimated Daily Project Operation Emissions (Summer)** and **Table C – Unmitigated Estimated Daily Project Operation Emissions (Winter)**, below.

Table B – Unmitigated Estimated Daily Project Operation Emissions (Summer)

Source	Peak Daily Emissions (lb/day)					
	VOC	NO _x	CO	SO ₂	PM-10	PM-2.5
SCAQMD Daily Thresholds	55	55	550	150	150	55
Area	4.49	0.00	0.02	0.00	0.00	0.00
Energy	0.01	0.08	0.06	0.00	0.01	0.01
Mobile	1.46	24.45	20.12	0.15	8.37	2.35
Total	5.96	24.53	20.20	0.15	8.38	2.36
Exceeds Threshold?	No	No	No	No	No	No

Source: WEBB-A, Table 3 (Appendix A).

Note: Emissions reported as zero are rounded and not necessarily equal to zero.

Table C – Unmitigated Estimated Daily Project Operation Emissions (Winter)

Source	Peak Daily Emissions (lb/day)					
	VOC	NO _x	CO	SO ₂	PM-10	PM-2.5
SCAQMD Daily Thresholds	55	55	550	150	150	55
Area	4.49	0.00	0.02	0.00	0.00	0.00
Energy	0.01	0.08	0.06	0.00	0.01	0.01
Mobile	1.39	24.87	17.77	0.14	8.37	2.35
Total	5.89	24.95	17.85	0.14	8.38	2.36
Exceeds Threshold?	No	No	No	No	No	No

Source: WEBB-A, Table 3 (Appendix A).

Note: Emissions reported as zero are rounded and not necessarily equal to zero.

Evaluation of the data presented on the above tables indicates that criteria pollutant emissions from operation of this Project will not exceed the SCAQMD regional daily thresholds during summer or winter.

As discussed above the Project's construction emissions would not exceed the SCAQMD thresholds of significance. As shown in **Table B** and **Table C**, above, the Project's operational emissions would not exceed the applicable SCAQMD thresholds of significance. As such, the Project will not result in a cumulatively considerable net increase of any criteria pollutant for which the Project region is in non-attainment. Therefore, cumulative impacts will be less than significant.

Less than Significant Impact.

c) Expose sensitive receptors to substantial pollutant concentrations?

For purposes of CEQA, the SCAQMD considers a sensitive receptor to be a location where a sensitive individual could remain for 24 hours, such as residences, hospitals, or convalescent facilities (SCAQMD-B). Staff at the SCAQMD have developed localized

¹ The 2019 Title 24 standards are 7 percent more efficient for residential uses and 30 percent more efficient for non-residential uses than the 2016 standards in CalEEMod: https://www.energy.ca.gov/sites/default/files/2020-03/Title_24_2019_Building_Standards_FAQ_ada.pdf

significance threshold (LST) methodology that can be used by public agencies to determine whether or not a project may generate significant adverse localized air quality impacts (both short- and long-term). Additional analyses were conducted to evaluate impacts to sensitive receptors regarding Carbon Monoxide (CO) hot spots and health risk from mobile sources.

Localized Significance Threshold (LST)

The construction LST is estimated using the maximum daily disturbed area (in acres) and the distance of the Project site to the nearest sensitive receptors (in meters). The SCAQMD's Fact Sheet for Applying CalEEMod to Localized Significance Thresholds is used to determine the maximum site acreage that is actively disturbed based on the construction equipment fleet and equipment hours as estimated in CalEEMod. Based on this SCAQMD guidance and the Project's equipment list during grading (WEBB-A), the Project will disturb approximately four acres per day. The closest sensitive receptors to the Project site are existing residences to the south and east of the Project site, approximately 341 meters (1,120 feet) and 410 meters (1,345 feet). LST thresholds are provided for distances to sensitive receptors of 25, 50, 100, 200, and 500 meters. Therefore, a receptor distance of 200 meters (656 feet) was used ensure a conservative analysis. The results are summarized in **Table D – LST Results for Daily Construction Emissions**.

Table D – Unmitigated LST Results for Daily Construction Emissions

Source	Peak Daily Emissions (lb/day)			
	NO _x	CO	PM-10	PM-2.5
LST for 4-acre at 200 meters¹	450	7,803	98	32
Demolition ²	28.76	22.13	1.83	1.32
Grading	38.64	26.56	1.79	1.42
Building Construction	36.96	45.26	1.74	1.68
Paving	9.03	11.70	0.47	0.43
Architectural Coatings	1.88	2.42	0.11	0.11
Maximum³	47.87	59.38	2.32	2.22
Exceeds Threshold?	No	No	No	No

Source: WEBB-A, Table 5 (Appendix A).

Note: ¹ LST for 4-acre site predicted using Appendix K of SCAQMD LST Methodology

²The demolition phase assumed that all buildings and structures would be demolished at one time, a worst-case scenario. As a result of the structure fire, a two-discrete phase demolition will occur, which would not result in an increase in the equipment or duration of activities.

³Maximum emissions are the greater of either demolition alone or grading alone, or the sum of building construction, paving and architectural coating since these activities overlap. Maximum emissions are shown in bold.

As shown in Table D, emissions from construction of the Project will be below the LST established by SCAQMD for the Project.

According to the LST methodology, LSTs only apply to the operational phase if a project includes stationary sources or attracts mobile sources that may spend long periods of time idling at the site, such as warehouse/transfer facilities. Because the proposed Project will operate as a warehouse distribution facility and has the potential to attract mobile sources that can reasonably be assumed to idle at the site, a long-term LST analysis was prepared for this Project. Although the Project site exceeds five acres, per SCAQMD, the LST lookup

tables can be used as a screening tool to determine if dispersion modeling would be necessary.

CalEEMod version 2016.3.2 was utilized to estimate the Project's emissions from trucks traveling on the Project site. An on-site distance of 0.31 miles was conservatively assumed to be traveled for each one of the Project's truck trips identified in the Traffic Analysis (WEBB-D). The output is attached to the Air Quality/Greenhouse Gas Analysis prepared for this Project (included as Appendix A) and summarized below. Idling emissions from trucks at loading docks is not available in CalEEMod; therefore, PM-10 and PM 2.5 idling emissions were calculated separately to account for 15-minutes of on-site idling per truck per day (included as Appendix A). The results were added to the total PM-10 and PM-2.5 emissions from CalEEMod and presented in the table below. As stated above, the closest sensitive receptors to the Project site are the existing residences to the south and east of the Project site, approximately 341 and 410 meters away. Therefore, a receptor distance of 200 meters (656 feet) was used to provide a conservative analysis. The results are summarized in **Table E – LST Results for Daily Operational Emissions**.

Table E – Unmitigated LST Results for Daily Operational Emissions

Source	Peak Daily Emissions (lb/day)			
	NO _x	CO	PM-10 ¹	PM-2.5 ¹
LST Threshold for 5-acre at 200 meters	486	8,532	26	9
On-Site Mobile	8.60	1.43	0.05	0.02
Exceeds Threshold?	No	No	No	No

Source: WEBB-A, Table 5 (Appendix A).

Note: The greater of summer or winter emissions from CalEEMod is shown. Output attached herewith.

¹ CalEEMod output emissions added to idling emissions

Health Risk Assessment (HRA)

A Health Risk Assessment (HRA) was prepared for the Project by Albert A. Webb Associates dated May 18, 2021 (WEBB-B) and included as Appendix B. HRAs are commonly used to estimate the health risks to the surrounding community from projects that significantly increase the number of diesel vehicles and hence increase the amount of diesel particulate matter (DPM) in the area. The correlation between project-specific emissions and potential health impacts is complex and the SCAQMD has determined the attempting to quantify health risks from small projects (such as this) would not be appropriate because it may be misleading and unreliable for various reasons including modeling limitations as well as where in the atmosphere the air pollutants interact and form. (SCAQMD-C, pp.9-15.) Notwithstanding, the analysis herein includes an HRA and a localized impact analysis, discussed above, for the immediate vicinity that is based on the potential to exceed the most stringent ambient air quality standards developed for the most sensitive individuals.

The proposed Project is a single warehouse distribution facility building, which will result in an increase in the number of diesel trucks in the Project vicinity. The estimation of health risks (both cancer and non-cancer) from DPM was performed following the guidelines established by the SCAQMD for health risk assessments from known DPM. Specifically,

cancer risks are a calculated probability of the number of people who will develop cancer after exposure to DPM at the same concentration, 24 hours a day, 350 days a year for a lifetime of 70 years.

Nine sensitive receptors and two off-site worker receptors were modeled in the HRA, as shown on **Figure 8 – Discrete Receptor Locations** at the end of Section III. Receptor 1 through Receptors 4, 6, and 9 are residential uses located adjacent to roadways the Project's trucks will use on Arrow Route and Citrus Avenue. Receptors 5, 7, and 8 are located at local schools (Citrus Elementary, Fontana High (and Truman Middle, respectively) on Citrus Avenue. Receptors 10 and 11 are existing industrial uses east and west of the Project site along Arrow Route. (WEBB-B, p. 16.)

DPM concentrations were predicted at modeled receptor locations for each age bin using the emission factors described above. The Project's anticipated increases in DPM and cancer risk were modeled to determine if the Project would result in excess cancer risk above the SCAQMD threshold of 10 in one million. (WEBB-B, p. 16.)

As shown in Table F – Project-Generated Cancer Risk, none of the modeled receptor locations are exposed to excess cancer risks from DPM on the modeled roadways that exceed the SCAQMD threshold of 10 in one million. (WEBB-B, p. 17.) The highest cancer risk at modeled receptor locations is 1.1 per million, located at Receptor 1, the property boundary of a sensitive receptor. The highest cancer risk at modeled off-site worker receptors is 0.2 per million, located at Receptor 10. The reported maximum modeled DPM concentration results in a cancer risk of 1.8 per million and is located within the loading area of the Project site.

Table F – Project-Generated Cancer Risk

Receptor	Cancer Risk (per million)
Sensitive Receptors	
1	1.1
2	0.8
3	0.8
4	0.7
6	0.8
9	0.7
School Child Receptor	
5	0.2
7	0.3
8	0.3
Off-site Worker Receptors	
10	0.2
11	0.1

Source: WEBB-B, Table 4 (Appendix B).

In terms of non-cancer risks, the Office of Environmental Health Hazard Assessment (OEHHA) has developed acute and chronic reference exposure levels (REL) for

determining the non-cancer health impacts of toxic substances. The non-cancer risks can be described as acute (short-term, generally 1-hour peak exposures) or chronic (long-term exposure, defined as 12 percent of a lifetime or about 8 years for humans) health impacts. Exceeding the acute or chronic REL does not necessarily indicate that an adverse health impact will occur; however, levels of exposure above the REL have an increasing but undefined probability of resulting in an adverse health impact, particularly in sensitive individuals. For DPM, there is no value for the acute REL and the chronic REL is $5 \mu\text{g}/\text{m}^3$. (WEBB-B, p. 18).

The maximum DPM concentration is $0.03592 \mu\text{g}/\text{m}^3$ is reported for the first age bin and it occurs on site, near the loading dock doors which results in a hazard index of 0.007 which is less than one percent of the allowed threshold of 1.

Based on the discussion above, the Project will not result in localized criteria pollutant impacts during construction or operation, will not generate a CO hot spots, and will not exceed SCAQMD cancer and non-cancer risk thresholds of significance. Therefore, impacts will be less than significant with mitigation.

Less Than significant Impact.

- d) *Result in other emissions (such as those leading to odors adversely affecting a substantial number of people?*


The proposed Project presents the potential to result in other emissions, such as those leading to odors in the form of diesel exhaust during construction in the immediate vicinity of the proposed Project site. The closest sensitive receptors to the Project construction site are the existing residences to the south and east of the Project site, approximately 341 meters (1,120 feet) and 410 meters (1,345 feet) near Tokay Avenue and along Citron Avenue. However, odors generated during construction will be short-term and will not result in a long-term odorous impact to the surrounding area.

Additionally, the California Air Resources Board (CARB) has developed an Air Quality and Land Use Handbook to outline common sources of odor complaints, which include sewage treatment plants, landfills, recycling facilities, and petroleum refineries (CARB-B). The Project applicant proposes to operate the industrial building as a non-refrigerated warehouse distribution facility, which is not included on the CARB's list of facilities that are known to be prone to generate odors. Therefore, impacts will be less than significant.

Less Than Significant Impact.

Therefore, no significant adverse impacts are identified or anticipated and no mitigation measures are required.

\\velinore\W04\2020\20-0225\GIS\Figure 3 - Discrete Cartesian Receptors\Figure 3 - Discrete Cartesian Receptors.aprx; Map created 18 May 2021



Sources: San Bernardino Co. GIS, 2021 (streets) and 2020 (imagery).

Figure 8 - Discrete Cartesian Receptors
15719 and 15755 Arrow Route Warehouse

Issues	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant	No Impact
IV. BIOLOGICAL RESOURCES - Would the project:				
a) Have substantial adverse effects, either directly or through habitat modifications, on any species identified as a candidate, sensitive or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, and regulations or by the California Department of Fish and Wildlife or US Fish and Wildlife Service?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional or state habitat conservation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
SUBSTANTIATION: (Check if project is located in the Biological Resources Overlay or contains habitat for any species listed in the California Natural Diversity Database <input type="checkbox"/>):				

Countywide Plan, 2020 (CWP); Submitted Project Materials; Biological Resources Technical Report (BRT, Appendix C)

As discussed in the Project Description, in January 2022, the All Auto Parts Office building was damaged by a structure fire. The fire caused structural damage that poses a risk to public safety and as a result, all structures are being demolished. The remainder of the on-site infrastructure will be demolished prior to site grading. At the time the biological analysis was prepared, the automotive salvage and dismantling businesses were still operating. No native habitat or disturbed vegetation was located on the Project site and no wetlands or jurisdictional resources were located on or adjacent to the Project site. No biological resources were located onsite; however, the ornamental trees within Arrow Route right-of-way represent potential nesting bird habitat. No applicable focused surveys or mitigation was required. Pre-construction surveys for nesting birds are required for work conducted during the nesting season. Conducting demolition in two stages does not change the results or conclusions previously analyzed.

The following biological resources impacts a-f, which incorporates the biological analysis prepared and updated site conditions, determined that the Project would not result in biological impacts.

- a) *Have substantial adverse effects, either directly or through habitat modifications, on any species identified as a candidate, sensitive or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?*

A Biological Resources Technical Report for the 15719 and 15755 Arrow Route Warehouse Project, Unincorporated San Bernardino County, California, dated April 2021 (included as Appendix C), was prepared by Cadre Environmental to document the existing biological resources at the site.

The following are the results of the pedestrian survey that Cadre conducted on January 13, 2021, prior to the structure fire. At the time of the survey the Project site was completely developed fenced and used as an automotive and wood pallet storage and dismantling facility. Prior to the pedestrian survey, Cadre conducted a literature review to determine the locations and types of biological resources having the potential to exist within the region. Federal register listings, protocols, and species data provided by the United States Fish and Wildlife Service (USFWS) were reviewed in conjunction with anticipated federally listed species potentially occurring within the region of the Project Site. The California Natural Diversity Database (CNDDB) a California Department of Fish and Wildlife (CDFW) Natural Heritage Division species account database, was also reviewed for all pertinent information regarding the locations of known occurrences of sensitive species in the vicinity of the property. As a result of the literature review, a habitat assessment was conducted for, but not limited to, the following target species/groups: Delhi flower loving fly; Coastal California gnatcatcher; Burrowing owl; San Bernardino kangaroo rat; Common and sensitive bat species; and Sensitive plants (BRT, pp. 2-3).

The Project site was fully developed, and no native or disturbed vegetation was located onsite. (BRT, p. 6.) During the pedestrian survey conducted by Cadre, no suitable habitat to support any state, federally listed threatened/endangered or regionally sensitive

species was present onsite (BRT, p. 14). Specifically, the Project site contained no suitable habitat for the burrowing owl (BRT, pp. 14, 19).

Therefore, impacts to species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Game or U.S. Fish and Wildlife Service would not occur.

No Impact.

- b) *Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, and regulations or by the California Department of Fish and Wildlife or US Fish and Wildlife Service?*

The Project site does not contain riparian, sensitive, or undisturbed native/natural habitats and is classified as developed vegetation community (BRT, pp. 6, 15, 23). Therefore, no impacts to riparian habitat or other sensitive communities would occur.

No Impact.

- c) *Have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?*

The Project contains no wetlands, or jurisdictional resources regulated by the United States Army Corps of Engineers (USACE), California Department of Fish and Wildlife (CDFW), or Regional Water Quality Control Board (RWQCB) within or immediately adjacent to the Project site (BRT, p. 24). Therefore, no impacts to protected wetlands would occur.

No Impact.

- d) *Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?*

As described in the Biological Resources Technical Report, the Project site is currently completely developed and fenced. No native or disturbed vegetation is located onsite. As such, the Project site does not represent a wildlife movement corridor or route between open space habitats. The Project site does not contain suitable nesting habitat for birds or raptors onsite. Ornamental trees along Arrow Route ROW present a potential for nesting habitat. Loss of active nests is prohibited under by the Migratory Bird Treaty Act (MBTA) and regulated by California Department of Fish and Game Code sections (CDFG) 3503 and 3513. Direct impacts to nesting birds may occur during removal of ornamental trees and indirect impacts may occur as a result of noise or vibration associated with the use of heavy equipment during construction activities that potentially disrupts bird nesting, foraging, and breeding behavior during the nesting (or breeding) season for birds (generally, September 1 to January 31). If avoidance of construction-related activities during the nesting season is not feasible, then a qualified biologist shall conduct a pre-construction nesting bird survey to comply with CDFG Code 3503 and 3513. Pre-construction nesting bird surveys shall be conducted no more than three days prior to initiating construction activities. The survey will consist of full coverage of the

proposed disturbance limits and up to a 500-foot buffer area, determined by the biologist and taking into account the species nesting in the area and the habitat present. Occupied nests would be recorded and a buffer area around those nests would be designated to restrict construction or ground disturbance activities within that buffer area until nests are no longer active. (BRT, pp. 24, 26, 27) Through adherence to existing CDFG Code sections 3503 and 3513 regulations, impacts to wildlife movement corridors or nursery sites would be less than significant and no mitigation is required.

Less Than Significant.

- e) *Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?*

The SBCDC *Chapter 88.01; Plant Protection and Management* protects native trees and plants from indiscriminate removal and regulates removal actions. However, the Project site is completely developed and no native or disturbed vegetation is located onsite or adjacent. Additionally, no trees were documented onsite (BRT, p. 24). Therefore, implementation of the Project would not conflict with local biological resources policies and no impacts would occur.

No Impact.

- f) *Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional or state habitat conservation plan?*

The Valley Region, which encompasses the Project site, overlaps the Upper Santa Ana River Habitat Conservation Plan (HCP). This HCP is currently being prepared and has not been approved. (CWP EIR, p. 5.4-71.) Since the HCP has not been adopted, the Project would not result in a conflict with the provisions of an adopted conservation plan. (BRT, p. 24). Moreover, the Draft HCP which is currently out for public review, identifies the Project site is as developed land. (HCP-2020) Therefore, no impacts would occur.

No Impact.

Therefore, no significant adverse impacts are identified or anticipated and no mitigation measures are required.

Issues		Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant	No Impact
V. CULTURAL RESOURCES - Would the project:					
a)	Cause a substantial adverse change in the significance of a historical resource pursuant to §15064.5?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b)	Cause a substantial adverse change in the significance of an archaeological resource pursuant to §15064.5?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c)	Disturb any human remains, including those outside of formal cemeteries?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

SUBSTANTIATION: (Check if the project is located in the Cultural ☐ or Palaeontologic ☐ Resources overlays or cite results of cultural resource review): **San**

Countywide Plan, 2020 (CWP); Cultural Resources Assessment (AE-A, Appendix D); CHSC; Submitted Project Materials

A Phase I Cultural Resources Assessment dated April 2021 was prepared for the Project site by Applied EarthWorks, Inc. to identify potential cultural resources that may be affected by implementation of the Project. The Study includes the findings from an archaeological pedestrian survey; a cultural records search and sacred lands search and an inventory of all recorded archaeological and historical resources located on the Project site and within a one-mile radius of the Project site. This report is included as Technical Appendix D to this Initial Study and its findings are incorporated into the analysis presented herein.

As discussed in the Project Description, in January 2022, the All Auto Parts Office building was damaged by a structure fire. The fire caused structural damage that poses a risk to public safety and as a result, all structures are being demolished. The remainder of the on-site infrastructure will be demolished prior to site grading. At the time the cultural resources analysis was prepared, the automotive, salvage and dismantling businesses were still operating. No prehistoric or historic-period archaeological resources were encountered within the Project area during the field survey. However, two buildings potentially constructed over 50 years ago were identified and documented. These resources were evaluated according to California Register of Historical Resources significance criteria and found ineligible for listing. Conducting demolition in two stages does not change the results or conclusions previously analyzed.

The following cultural resources impacts a-c, which incorporates the cultural resources analysis and updated site conditions, determined that the Project would result in less than significant impacts and less than significant impacts with mitigation implemented.

- a) *Cause a substantial adverse change in the significance of a historical resource pursuant to §15064.5?*

As part of the Phase I Cultural Resources Assessment an archaeological survey, an archeological records search was conducted at the South Central Coastal Information Center (SCCIC) of the California Historical Resources Information System (CHRIS) at California State University, Fullerton. The records search included a review of recorded historic properties (prehistoric and historic archaeological sites, historic buildings, structures, objects or districts) within the Project site and a one-mile radius around the Project site, referred to as the Study Area, and are on file at the SCCIC.

According to records search results on file with the SCCIC, there has been 16 cultural resource studies conducted within a one-mile radius of the Project area. One of these studies encompassed the entire Project site. (AE-A, p. 20). Applied EarthWorks conducted a records search, utilizing the information obtained from the SCCIC. This records search did not identify any resources within the Project site; however, 15 resources on file with the SCCIC are located within one mile of the Project site. The resources identified include three historic-period archaeological sites and 12 built environment resources. The historical archaeological sites include a refuse scatter, road monument, rail line alignment, and structural foundations. The built environment resources consist of roads, water control system remnants, historical businesses, and historical residences. (AE-A, p. 20)

Applied EarthWorks also reviewed additional sources including: the National Register of Historic Places (NRHP) Index, the Office of Historic Preservation Archaeological Determinations of Eligibility, and the Office of Historic Preservation Built Environment Resource Directory. and did not identify any potential resources within the Project site. Based on the historical aerial photographs and maps of the area, The Study Area was primarily cultivated farmland from approximately 1938 to 1953. One structure located within the Project Site that was constructed by 1956 appeared to meet the age requirements for a historical resource. As such, this structured was further investigated during the archeological and built environment resource survey. (AE-A, pp. 22, 27)

The archeological and built environment resource survey of the Project site was conducted on March 3, 2021, by Applied EarthWorks' Senior Architectural Historian. At the time of the survey, the proposed Project site was developed with three automotive dismantling/parts businesses containing four single-story storage facilities with office space, and associated outbuilding/garages. Approximately two thirds of the Project site (southern two third of both parcels) is graded or covered in hardscape and serves as storage areas with rows of metal racks. Due to the layout of the Project site, the archaeological survey involved walking accessible, unpaved areas where the ground surface was visible. (AE-A, pp. 22, 27)

No prehistoric or historic-period archaeological resources were encountered within the Project area during the field survey. However, two buildings potentially constructed over 50 years ago were identified. These resources are identified as one structure located at 15719 Arrow Route within APN 232-161-18 (All-Auto Parts), built in 1956, and one structure located at 15755 Arrow Route within APN 232-161-19 (All Auto Parts Office), constructed between 1959 and 1966, which was recently damaged during a structure

fire. These structures were recorded on the California Department of Parks and Recreation (DPR) records. Parcel history was obtained through San Bernardino County Assessor Parcel Reports, First American Title Company Chain of Ownership Reports, and historic aerials and maps. (AE-A, p. 27)

The Project area is part of immigrant and scrap metal industry history, although on a much smaller scale. The City of Fontana was transformed by World War II by the establishment of the Kaiser Steel Mill (Steel Mill) founded by Henry J. Kaiser. The Steel Mill drew workers from all over the country and facilitated the growth of another local industry which boomed in the post war years, scrap metal. Many multigenerational scrap metal businesses were started by immigrant families who were looking for a way to make a living. Nathan Frankel, a Russian emigrant established a scrap empire in Fontana after World War II that survives today as Advanced Steel Recovery, a company that supplies scrap metal around the world. Morris and Annie Swedlove, Russian immigrants via Canada, purchased two the Project site and established Morris Automotive Supply Company, an auto wrecking yard and auto parts supply company. (AE-A, pp. 18-19)

Applied EarthWorks conducted archival research on the associated parcels and studied local development to define ownership and occupant history and determine if the structures could be associated with a particular event, person, or building style of historic importance. The two subject structures, All Auto Parts building (15719 Arrow Route within APN 232-161-18) and All-Auto to Parts Office building (15755 Arrow Route within APN 232-161-19), are extant buildings associated with the Morris Automotive Supply Company, an auto dismantling and parts supply company, that operated between approximately 1953 and 1970. (AE-A, pp. 34-35)

Since these buildings are 50 years or older, these two buildings were analyzed for historical significance. A cultural resource is considered historically significant if it is included in a local register of historical resources, is listed on or determined eligible for listing on the California Register of Historical Resources (CRHR), or if it meets the requirements for listing on the CRHR under any one of the following criteria of significance (Title 14, California Code of Regulations [CCR], § 15064.5) and possesses integrity of location, design, setting, materials, workmanship, feeling, and/or association:

1. Is associated with events that have made a significant contribution to the broad patterns of California's history and cultural heritage;
2. Is associated with the lives of persons important in our past;
3. Embodies the distinctive characteristics of a type, period, region, or method of construction, or represents the work of an important creative individual, or possesses high artistic values; or,
4. Has yielded, or may be likely to yield, information important in prehistory or history.

Auto Parts building (15719 Arrow Route within APN 232-161-18)

The All-Auto Parts building was evaluated under the four CRHR criteria. Applied EarthWorks determined that the building does not qualify as a significant resource under

any of the four CRHR criteria and assessment of integrity is not necessary. The building is not associated with events that have made significant contribution to the broad patterns of California's history and cultural heritage (Criterion 1); the building is not associated with the lives of persons important in our past since the Swedlove family is not significant in history (Criterion 2); the building does not possess high artistic, it is a modest, vernacular, utilitarian style office building with modest Mission Revival elements and the designer and builder are unknown (Criterion 3); and building has not yielded and would not likely yield any important information related to the scrap metal industry in Southern California (Criterion 4). (AE-A, pp. 36-37) As such due to lack of significant, the site is recommended ineligible for inclusion in the CRHR and the demolition of this building would not have a significant impact on a historical resource.

All Auto to Parts Office building (15755 Arrow Route within APN 232-161-19)

The All-Auto Parts building, which was recently damaged during a structure fire, but was intact during the cultural resources survey as part of the Phase I Cultural Resources Assessment, was evaluated under the four CRHR criteria. Applied EarthWorks determined that the building does not qualify as a significant resource under any of the four CRHR criteria and assessment of integrity is not necessary. The building is not associated with events that have made significant contribution to the broad patterns of California's history and cultural heritage (Criterion 1); the building is not associated with the lives of persons important in our past sine the Swedlove family is not significant in history (Criterion 2); the building does not possess high artistic, it is a modest, unadorned ranch-plan style, utilitarian style office building and the designer and builder are unknown (Criterion 3); and building has not yielded and would not likely yield any important information related to the scrap metal industry in Southern California (Criterion 4). (AE-A, pp. 37-38) As such due to lack of significant, the site is recommended ineligible for inclusion in the CRHR and the demolition of this building would not have a significant impact on a historical resource.

As concluded by the Phase I Cultural Resources Assessment, no historical resources were identified within the Project site. Therefore, impacts to historical resource would be less than significant.

Less Than Significant.

- b) *Cause a substantial adverse change in the significance of an archaeological resource pursuant to §15064.5?*

According to the Phase I Cultural Resources Assessment, a total of 15 cultural resources were recorded within one-mile of the Project area; however, they are all historic and none were recorded inside the Project site. (AE-A, pp. 21-22) Applied EarthWorks requested a records search of the Sacred Lands File (SLF) of the Native American Heritage Commission (NAHC), which did not indicate the presence of any sacred sites or locations or religious or ceremonial importance within the Study Area. In accordance with the recommendations of the NAHC, Applied EarthWorks contacted all Native American representatives listed in the NAHC response letter and received three responses. The Quechan Tribe of the Fort Yuma Reservation indicated that the Project is located outside the Tribe's Traditional Use Area and, as such, the Tribe defers to other tribes in the area. The San Manuel Band of Mission Indians indicated that the area within the Project limits

is located within the Serrano ancestral territory and, therefore, is of interest to the Tribe. However, a review of SLF found no listed tribal properties within 2 miles of the Project area. Finally, Agua Caliente Band of Cahuilla Indians indicated that the Project is located outside the Tribe's Traditional Use Area. (AE-A, pp. 23-24) The Assembly Bill 52 (AB 52) consultation efforts by the City and discussion about the AB 52 consultation is addressed under Section VIII – Tribal Cultural Resources of this Initial Study.

An intensive pedestrian survey conducted by Applied EarthWorks did not identify any significant cultural resources. Due to the soil series identified in the Project area, the Project site has a low to moderate potential to contain buried archaeological deposits. (AE-A, p. 7) The maximum depth of disturbance for the Project is estimated at 8 feet. Although the exact depths of the prior disturbance are unknown, the terrain throughout the entire Project site has been disturbed by previous agricultural activity, and modern grading. The Project site's existing development likely disturbed at least the upper 3 feet of sediment in the northern portions of both parcels that constitute the Project site. Therefore, there is a low likelihood that archaeological deposits or features will be found, during the proposed Project's construction. (AE-A, p. 40).

As concluded by the Phase I Cultural Resources Assessment, no significant archaeological resources are within the Project site. Due to the Project site's previous uses and existing development, the likelihood of unearthing archaeological deposits or features is low. Nevertheless, the Project would adhere to mitigation measure **MM CR-1** to reduce impacts to unknown archaeological resource. Therefore, impacts would be less than significant with mitigation incorporated.

Less than Significant with Mitigation.

c) *Disturb any human remains, including those outside of formal cemeteries?*

The Project site does not contain a cemetery and no formal cemeteries are located within the immediate Project site vicinity. In the highly unlikely event that human remains are unearthed during Project construction, the construction contractor would be required to comply with **MM TCR-1**, which incorporates California Health and Safety Code, Section 7050.5 "Disturbance of Human Remains." According to Section 7050.5(b) and (c), if human remains are discovered, the County Coroner must be contacted and if the Coroner recognizes the human remains to be those of a Native American or has reason to believe that they are those of a Native American, the Coroner is required to contact, by telephone within 24 hours, the Native American Heritage Commission (NAHC). Pursuant to California Public Resources Code Section 5097.98, whenever the NAHC receives notification of a discovery of Native American human remains from a county coroner, the NAHC is required to immediately notify those persons it believes to be most likely descended from the deceased Native American. The descendants may, with the permission of the owner of the land, or his or her authorized representative, inspect the site of the discovery of the Native American human remains and may recommend to the owner or the person responsible for the excavation work means for treatment or disposition, with appropriate dignity, of the human remains and any associated grave goods. The descendants shall complete their inspection and make recommendations or preferences for treatment within 48 hours of being granted access to the site. According to Public Resources Code Section 5097.94(k), the NAHC is authorized to mediate

disputes arising between landowners and known descendants relating to the treatment and disposition of Native American human burials, skeletal remains, and items associated with Native American burials.(CHSC) With implementation of **MM TCR-1** that incorporates mandatory compliance with California Health and Safety Code Section 7050.5 and Public Resources Code Section 5097.98, any potential impacts to human remains, including human remains of Native American ancestry, would be less than significant with mitigation.

Less Than Significant with Mitigation.

Therefore, possible significant adverse impacts have been identified or are anticipated and the following mitigation measures are required as conditions of Project approval to reduce these impacts to a less-than-significant level:

MM CR-1: In the event that cultural resources are discovered during any ground disturbing Project activities, all work in the immediate vicinity of the find (within a 60-foot buffer) shall cease and a qualified archaeologist meeting the Secretary of Interior standards shall be hired to assess the find. Work on the other portions of the project outside of the buffered area may continue during this assessment period. Additionally, the Gabrieleño Band of Mission Indians-Kizh Nation shall be contacted, as detailed within mitigation measure **MM TCR-1**, regarding any pre-contact finds and be provided information after the archaeologist makes his/her initial assessment of the nature of the find, so as to provide Tribal input with regards to significance and treatment.

MM TCR-1: Prior to the commencement of any ground disturbing activity at the Project site, the Project proponent/developer shall retain a Native American Monitor approved by the Gabrieleño Band of Mission Indians-Kizh Nation – the tribe that consulted on this Project pursuant to Assembly Bill AB52 (the “Tribe” or the “Consulting Tribe”). A copy of the executed contract shall be submitted to the County of San Bernardino Planning prior to the issuance of any permit necessary to commence a ground-disturbing activity. The Tribal monitor will only be present on-site during the construction phases that involve ground-disturbing activities. Ground disturbing activities are defined by the Tribe as activities that may include, but are not limited to, pavement removal, potholing or auguring, grubbing, tree removals, boring, grading, excavation, drilling, and trenching, within the project area. The Tribal Monitor will complete daily monitoring logs that will provide descriptions of the day’s activities, including construction activities, locations, soil, and any cultural materials identified. The on-site monitoring shall end when all ground-disturbing activities on the Project Site are completed, or when the Tribal Representatives and Tribal Monitor have indicated that all upcoming ground-disturbing activities at the Project Site have little to no potential for impacting Tribal Cultural Resources. Upon discovery of any Tribal Cultural Resources, construction activities shall cease in the immediate vicinity of the find (not less than the surrounding 100 feet) until the find can be assessed. All Tribal Cultural Resources unearthed by project activities shall be evaluated by the qualified archaeologist and Tribal monitor approved by the Consulting Tribe. If the resources are Native American in origin, the Consulting Tribe will retain it/them in the form and/or manner the Tribe deems appropriate, for educational, cultural and/or historic purposes. If human remains and/or grave goods are discovered or recognized at the Project Site, all ground disturbance shall immediately cease, and the county coroner shall be notified per Public Resources Code Section 5097.98, and Health & Safety Code Section 7050.5. Human remains and grave/burial goods shall be treated alike per California Public

Resources Code section 5097.98(d)(1) and (2). Work may continue on other parts of the Project Site while evaluation and, if necessary, mitigation takes place (CEQA Guidelines Section 15064.5[f]). If a non-Native American resource is determined by the qualified archaeologist to constitute a “historical resource” or “unique archaeological resource,” time allotment and funding sufficient to allow for implementation of avoidance measures, or appropriate mitigation, must be available. The treatment plan established for the resources shall be in accordance with CEQA Guidelines Section 15064.5(f) for historical resources and PRC Sections 21083.2(b) for unique archaeological resources.

Preservation in place (i.e., avoidance) is the preferred manner of treatment. If preservation in place is not feasible, treatment may include implementation of archaeological data recovery excavations to remove the resource along with subsequent laboratory processing and analysis. Any historic archaeological material that is not Native American in origin shall be curated at a public, non-profit institution with a research interest in the materials, such as the Natural History Museum of Los Angeles County or the Fowler Museum, if such an institution agrees to accept the material. If no institution accepts the archaeological material, it shall be offered to a local school or historical society in the area for educational purposes.

Remainder of page intentionally blank.

Issues	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant	No Impact
VI. ENERGY – Would the project:				
a) Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SUBSTANTIATION:

Countywide Plan, 2020 (CWP); San Bernardino County Development Code; Air Quality/Greenhouse Gas Analysis (WEBB-A, Appendix A); Air Quality/Greenhouse Gas Analysis/ Energy/HRA Evaluation (WEBB-G, Appendix A.1), WPT Energy Tables (WEBB-C, Appendix E); Submitted Materials

An Air Quality/Greenhouse Gas Analysis (WEBB-A) and WPT Energy Tables (WEBB - C) were prepared on May 20, 2021, for the Project. At the time the studies were prepared, the proposed Project included an approximately 196,654-square foot (sf) warehouse of which 4,000 sf was office space with 22 truck loading docks. The Project was designed to include two office areas and employee parking along Arrow Route and the loading dock and truck trailer parking lot were located on the south side of the building. The Project site was redesigned in August 2021. As a result, the building's orientation changed and the size of the warehouse building increased by 13,105 sf to a total of 209,759 sf and the loading dock number increased by 6 docks to 28 docks. The warehouse increased approximately 6.7 percent in building size and the loading docks increased by 27 percent compared to the smaller 196,654-sf building that was previously analyzed. The current Project site design includes one office area with 10,000 sf split between two levels, an employee parking area on the eastern portion of the Project site and loading docks and the truck trailer parking area on the west side of the Project site. These site plan revisions were evaluated in the *Air Quality/Greenhouse Gas Analysis/ Energy/HRA Evaluation for the 15719 and 15755 Arrow Route Warehouse Project (CUP No. 2020-00235 Memorandum dated September 2, 2021 (WEBB-G)*. The evaluation determined that the larger warehouse would not substantively change impacts compared to the smaller warehouse previously analyzed and that the significance determined remains less than significant and no mitigation is required.

At the time the Air Quality/Greenhouse Gas Analysis was prepared, the demolition was assumed to occur in one phase. However, the demolition will now occur in two stages. For the purposes of the energy consumption analysis, evaluating demolition in one phase results in similar energy usage as opposed to evaluating the demolition in two

phases because the equipment usage would not increase, and the overall duration of demolition activities would be similar.

- a) The following energy consumption analysis for energy impacts a-b is the discussion of the original Air Quality and Energy Tables analysis prepared.

Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?

The analysis in this section addresses each of the six potential energy impacts identified in Appendix F of the State CEQA Guidelines and utilizes the assumptions from the Air Quality/Greenhouse Gas Analysis (WEBB-A). Because the California Emissions Estimator Model (CalEEMod) used in this technical report does not display the amount and fuel type for construction-related sources, additional calculations were conducted (WEBB-C) and are summarized below. These calculations are contained in Appendix E of this Initial Study.

Appendix F of the State CEQA Guidelines provides for assessing potential impacts that a project could have on energy supplies, focusing on the goal of conserving energy by ensuring that projects use energy wisely and efficiently. Pursuant to impact possibilities listed in State CEQA Guidelines Appendix F, an impact with regard to energy consumption and conservation will occur if implementation of the proposed Project will:

- Result in the wasteful, inefficient, or unnecessary consumption of energy. Impacts may include:
 1. The project's energy requirements and its energy use efficiencies by amount and fuel type for each stage of the project including construction, operation, maintenance and/or removal;
 2. The effects of the project on local and regional energy supplies and on requirements for additional capacity;
 3. The effects of the project on peak and base period demands for electricity and other forms of energy;
 4. The degree to which the project complies with existing energy standards;
 5. The effects of the project on energy resources;
 6. The project's projected transportation energy use requirements and its overall use of efficient transportation alternatives.

The analysis below addresses each of the six potential energy impacts identified in Appendix F of the CEQA Guidelines

1. The project's energy requirements and its energy use efficiencies by amount and fuel type for each stage of the project including construction, operation, maintenance and/or removal.

Construction

Project construction would require the use of construction equipment for grading and building activities, as well as construction workers and vendors traveling to and from the Project site. Construction equipment requires diesel as the fuel source (see **Table G – Construction Energy Use**).

Fuel consumption from on-site heavy-duty construction equipment was calculated based on the equipment mix and usage factors provided in the CalEEMod construction output files as part of the *Air Quality/Greenhouse Gas Analysis* included in Appendix A of this Initial Study. The total horsepower was then multiplied by fuel usage estimates per horsepower-hour included in Table A9-3-E of the SCAQMD CEQA Air Quality Handbook. Fuel consumption from construction worker and vendor/delivery trucks was calculated using the trip rates and distances provided in the CalEEMod construction output files. Total vehicle miles traveled (VMT) was then calculated for each type of construction-related trip and divided by the corresponding county-specific miles per gallon factor using California Air Resources Board's (CARB-B) EMFAC 2017 model. EMFAC provides the total annual VMT and fuel consumed for each vehicle type. Consistent with CalEEMod, construction worker trips were assumed to include 50 percent light duty gasoline auto and 50 percent light duty gasoline trucks. Construction vendor trucks were assumed to be medium-duty and heavy-duty diesel trucks. Please refer to Appendix E of the Initial Study for detailed calculations.

As shown below in **Table G**, a total of approximately 77,853 gallons of diesel fuel and approximately 17,045 gallons of gasoline are estimated to be consumed during Project construction.

Table G – Construction Energy Use^a

Fuel	Fuel Consumption
Diesel	
On-Road Construction Trips ^b	10,397 Gallons
Off-Road Construction Equipment ^c	67,186 Gallons
Diesel Total	77,583 Gallons
Gasoline	
On-Road Construction Trips ^b	17,045 Gallons
Off-Road Construction Equipment ^d	-- Gallons
Gasoline Total	17,045 Gallons

Notes:

^a Source: Table 1, Appendix E of the Initial Study.

^b On-road mobile source fuel use based on vehicle miles traveled (VMT) from CalEEMod for construction in 2022 and fleet-average fuel consumption in gallons per mile from EMFAC2017 web-based data for San Bernardino County. See Table 2, Appendix E of the Initial Study for calculation details.

^c Off-road mobile source fuel usage based on a fuel usage rate of 0.05 gallons of diesel per horsepower (HP)-hour, based on SCAQMD CEQA Air Quality Handbook, Table A9-3E.

^d All emissions from off-road construction equipment were assumed to be diesel.

Fuel energy consumed during construction would be temporary in nature and would not represent a significant demand on energy resources. Construction equipment is also required to comply with regulations limiting idling to five minutes or less (13 CCR § 2449(d)(3)). Furthermore, there are no unusual Project site characteristics that would necessitate the use of construction equipment that would be less energy-efficient than at comparable construction sites in other parts of the State. For comparison, the State of California consumed 14.0 billion gallons of gasoline and 3.0 billion gallons of diesel fuel in 2020, which is the most recent published data.² Thus, the fuel usage during Project construction would account for a negligible percent of the existing gasoline and diesel fuel related energy consumption in the State of California. Furthermore, it is expected that construction-related fuel consumption associated with the Project would not be any more inefficient, wasteful, or unnecessary than at other construction sites in the region.

Operation

The Project will promote building energy efficiency through compliance with energy efficiency standards (Title 24 and CALGreen). The Project Applicant has committed to achieve LEED "Certified" status for the building. The Project also reduces vehicle fuel usage due to compliance with regulatory programs and Project design features that reduce VMT. AB 1493 ("the Pavley Standard") requires reduction in greenhouse gas (GHG) emissions from non-commercial passenger vehicles and light-duty trucks of model year 2009 and after. Executive Order S-01-07 went into effect in 2010 and requires a reduction in the carbon intensity of transportation fuels used in California by at least 10 percent by 2020. The Executive Order imposes fuel requirements on fuel that will be sold in California that will decrease GHG emissions by reducing the full fuel-cycle and the carbon intensity of the transportation fuel pool in California. The Advanced Clean Cars program, introduced in 2012, combines the control of smog, soot causing pollutants and greenhouse gas emissions into a single coordinated package of requirements for model years 2017 through 2025.

For operational activities, annual electricity and natural gas consumption were calculated using demand factors provided in the CalEEMod output as part of the greenhouse gas analysis included in Section VIII, Greenhouse Gas Emissions, of this Initial Study. The Project's electrical consumption was estimated to be approximately 593,575 kilowatt-hours (kWh) of electricity per year³, this is the sum of the building electricity (518,801 kWh/year) and electricity related to the Project's water consumption (74,774 kWh/year). Additionally, the Project's natural gas consumption was estimated

² California Energy Commission Fuel Data, Facts and Statistics available at <https://www.cdtfa.ca.gov/taxes-and-fees/spftrpts.htm>

³ Per Table 3 – Annual Energy Consumption from Operation, Appendix E of the Initial Study.

to be approximately 281,210 kilo-British thermal units (kBTUs) or approximately 2,812 therms.²

In comparison to the Project, Southern California Edison (SCE) one of the nation's largest electric utilities, provides service to the City, including the Project site, as reported by the California Energy Commission (CEC), SCE consumed approximately 81 billion kWh in 2019 (CEC-A). The Southern California Gas Company (SCG) provides natural gas service to the City. As reported by the CEC, SCG consumed approximately 5.4 billion therms in 2019 (CEC-B). At full build-out, the Project site's electricity demand would be a negligible amount of the existing electricity and the natural gas demand would be a negligible percent of the existing natural gas use in SCG's service area.

Energy impacts associated with transportation during operation were also assessed using the traffic data contained in the greenhouse gas analysis included in Section VIII, Greenhouse Gas Emissions, of this Initial Study. Based on the annual VMT, gasoline and diesel consumption rates were calculated using the San Bernardino County-specific miles per gallon in EMFAC2017. As shown below in **Table H – Annual Fuel Consumption**, a total of approximately 81,934 gallons of gasoline fuel and approximately 150,663 gallons of diesel fuel is estimated to be consumed each year. As stated above, the State of California consumed approximately 14.0 billion gallons of gasoline and 3.0 billion gallons of diesel fuel in 2020. Thus, the annual fuel usage during Project operation would account for a negligible percent of the existing gasoline and diesel fuel related energy consumption in California.

Table H – Annual Fuel Consumption^a

Fuel Type^b	Fuel Consumption (gallons/year)
Gasoline	81,934
Diesel	150,663

Notes:

^a Source: Table 3 - Annual Energy Consumption from Operation, Appendix E of the Initial Study.

^b Mobile source fuel use based on annual vehicle miles traveled (VMT) from CalEEMod output (Appendix A) for operational year 2022 and fleet-average fuel consumption in gallons per mile from EMFAC2017 data in San Bernardino County.

Regulations previously identified related to energy conservation and fuel efficiency include, but are not limited to, Title 24 requirements for windows, roof systems, and electrical systems, and Pavley standards and Advanced Clean Cars Program. Additionally, designing the building to achieve LEED "Certified" status also serve to reduce energy and fuel consumption. Moreover, the proposed Project will comply with San Bernardino County Development Code Section 83.01.040 which limits truck idling times to five minutes on the site. The Project also promotes the use of efficient transportation choices by including carpool/vanpool parking stalls.

Collectively, compliance with regulatory programs and design features would ensure that the Project would not result in the inefficient, unnecessary, or wasteful consumption of energy. Therefore, impacts to energy resources during construction or operation will be less than significant.

2. The effects of the project on local and regional energy supplies and on requirements for additional capacity.

As addressed above, the Project's anticipated electricity consumption is minimal in comparison to SCE's supply. The Project will comply with applicable state, SCE, and Countywide Plan goals and policies that require energy conservation within the Project site. As discussed above, SCE's total electricity consumption was approximately 81 billion kWh in 2019. The Project demand would be a negligible amount of SCE's existing electricity use. As such, there will be adequate capacity to serve the proposed Project.

As addressed above, the Project's natural gas consumption was estimated to be approximately 2,812 therms per year. The Project will comply with applicable California Public Utilities Commission (CPUC), state, SCG, and Countywide Plan goals and policies that require energy conservation within the Project area. As discussed above, the Project demand would be a negligible percent of SCG's existing natural gas use. As the proposed Project's overall consumption of natural gas use is comparatively insignificant to existing SCG-wide use and as SCG continuously expands its network, as needed, to meet the need in Southern California, there will be adequate capacity to serve the proposed Project. The Project would therefore not have a significant effect on local and regional energy supplies.

3. The effects of the project on peak and base period demands for electricity and other forms of energy.

As described above, SCE produced approximately 81 billion kWh in 2019, and the Project is expected to have a negligible impact to SCE's total electricity usage. Therefore, it can be stated that the Project will not have a substantial effect on energy supplies.

The Project will meet Title 24 regulatory standards for windows, roof systems, and electrical systems. The Project will install efficient lighting and lighting control systems. The site and buildings will be designed to take advantage of daylight, such that use of daylight is an integral part of the lighting systems in buildings. Lighting will incorporate motion sensors that turn them off when not in use. Trees and landscaping will be used to reduce energy use. Light colored "cool" roofs over office area spaces and cool pavements will be installed. With regards to peak hour demands, purveyors of energy resources, including SCE, have established long standing energy conservation programs to encourage consumers to adopt energy conservation habits and reduce energy consumption during peak demand periods. The proposed Project's design supports these efforts and the Countywide Plan policies identified above that will not only reduce energy consumption during peak hour demands, but also during the base period. To this end, the Project will not substantially affect peak and base period demands for electricity or other forms of energy, such as natural gas.

4. The degree to which the project complies with existing energy standards.

The proposed Project would be required to comply with Countywide Plan, state and federal energy conservation measures related to construction and operations. Many of the regulations regarding energy efficiency are focused on increasing building efficiency and renewable energy generation, promoting sustainability through energy conservation

measures, as well as reducing water consumption and VMT. As described above, the proposed Project will meet and/or exceed these regulatory requirements.

The California Energy Code building energy efficiency standards include provisions applicable to all buildings, residential and non-residential, which are mandatory requirements for efficiency and design. The proposed Project will comply with Title 24. This would be accomplished through, among other things, implementation of energy reduction measures, such as energy efficient lighting and appliances, installation of light colored “cool” roofs over office spaces, installation of cool pavements, and installation of barriers between conditioned and unconditioned spaces. The Project would comply fully with existing energy standards.

In addition, the Project will be consistent with applicable goals and policies within the Countywide Plan. Through implementation of energy conservation measures and sustainable practices, the Project will not use large amounts of energy in a manner that is wasteful or otherwise inconsistent with adopted plans or policies.

5. The effects of the project on energy resources.

The effects of the Project on energy supplies and resources from a capacity standpoint are described above in the preceding analysis. In regard to the effects of the Project on energy resources, the Project is required to ensure that the Project does not result in the inefficient, unnecessary, or wasteful consumption of energy. Notable regulatory measures that are discussed above include compliance with California Title 24 and CalGreen Standards, Renewable Portfolio Standards (RPS), Pavley standards and the Advanced Clean Cars Program.

6. The project’s projected transportation energy use requirements and its overall use of efficient transportation alternatives.

As stated above, energy impacts associated with transportation during construction and operation of the Project would not result in the inefficient, unnecessary, or wasteful consumption of energy through adherence to existing regulations and Countywide Plan policies and implementation of design features. Regarding efficient transportation alternatives, the Project will provide alternative transportation choices because the Project area is near transit agency Omnitrans. The nearest bus stop to the Project site, Route 10, is located on Arrow Boulevard in the City of Fontana, approximately 0.40 miles east of the Project site, near the intersection of Arrow Boulevard and Citrus Avenue. Additionally, the Project will comply with CalGreen requirements and provide bike racks, and carpool/vanpool and EV parking stalls.

For the reasons described above, environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources will be less than significant.

Less than Significant Impact.

b) *Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?*

The proposed Project would be required to comply with Countywide Plan, state and federal energy conservation measures related to construction and operations, as noted above. Many of the regulations regarding energy efficiency are focused on increasing building efficiency and renewable energy generation, promoting sustainability through

energy conservation measures, as well as reducing water consumption and VMT and increasing use of alternative fuels. The California Energy Code building energy efficiency standards include provisions applicable to all buildings, residential and non-residential, which are mandatory requirements for efficiency and design. Further, the proposed Project will comply with Title 24. This would be accomplished through, among other things, implementation of energy reduction measures, such as energy efficient lighting and lighting control systems, appliances, installation of light colored “cool” roofs over office spaces, installation of cool pavements, installation of barriers between conditioned and unconditioned spaces, and providing carpool /vanpool/EV parking stalls.

In addition, the Project will be consistent with applicable goals and policies within the Countywide Plan and the Renewable Energy and Conservation Element (RECE) which was adopted in August 8, 2017 and amended February 28, 2019. The RECE defines County goals and policies related to renewable energy and energy conservation. The proposed Project would comply Renewable Energy Goals by complying with CalGreen Code’s energy efficiency measures including, but not limited to, vanpool/electric vehicle (EV)/ clean air stalls, and vanpool/EV/ clean air stalls. As such through compliance with Countywide Plan’s RECE energy objectives and policies noted above, the proposed Project will meet and/or exceed these regulatory requirements. Therefore, impacts to obstructing a state or local plan for renewable energy or energy efficiency during construction or operation will be less than significant.

Less Than Significant.

Therefore, no impacts are identified or anticipated and no mitigation measures are required.

Issues	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant	No Impact
VII. GEOLOGY AND SOILS - Would the project:				
a) Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:				
i. Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map Issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
ii. Strong seismic ground shaking?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iii. Seismic-related ground failure, including liquefaction?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iv. Landslides?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Result in substantial soil erosion or the loss of topsoil?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on or off site landslide, lateral spreading, subsidence, liquefaction or collapse?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

- f) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature? ☐ ☒ ☐ ☐

SUBSTANTIATION: (Check ☐ if project is located in the Geologic Hazards Overlay District):

Countywide Plan, 2020 (CWP); Countywide Plan, 2020 EIR (CWP EIR); Preliminary Geotechnical Investigation (AGI-A, Appendix F); Onsite Wastewater Treatment System Feasibility Report (AGI-B, Appendix G); Paleontological Resources Assessment (AE-B, Appendix H); Submitted Project Materials

- a) Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:

i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map Issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.

Surface rupture presents a primary or direct potential hazard to structures built across an active fault trace. According to the Preliminary Geotechnical Investigation *Proposed Light Industrial Project 15719 and 15755 Arrow Route, Fontana, San Bernardino County, California*, dated December 2, 2020, prepared by Aragón Geotechnical Inc. (AGI-A) (included as Appendix F), the proposed Project site is approximately 4.8 miles from the Sierra Madre Fault, the closest known active regional fault. (AGI-A, p. 12.) The aerial photographic interpretations did not suggest visible lineaments or manifestations of fault topography related to active fault traces on or adjacent to the site. (AGI-A, p. 13.) In 2019, an earthquakes swarm occurred along the "Fontana Seismic Trend" which is generally located south of the 10 freeway along Country Village Road where more than 1,000 events were recorded in eight days. No surface traces are known for the fault. Hypothesized bedrock -to-ground-surface rupture zones would place a plotted surface trace southeast of the Project site, approximately 1.25 miles away. Surface fault rupture affecting the Project site is considered low. (AGI-A, pp. 13-14.) Therefore, although seismic activity is known to exist throughout Southern California, there are no known faults through or near the Project site or off-site improvement area that would result in substantial effects. Further, the Project will be designed to meet or exceed the seismic standards in the current California Building Code. Therefore, potential impacts related to earthquake faults would be less than significant, and no mitigation is required.

Less Than Significant Impact.

ii) Strong seismic ground shaking?

In addition to the Sierra Madre Fault, mentioned above, the San Andreas Fault and the San Jacinto Fault, approximately 12 and 20 miles away respectively, can be considered potential significant source of lower frequency and longer-duration shaking at the Project site. (AGI-A, pp. 14, 17.) However, since ground shaking and earthquake activity is typical of the Southern California area, the proposed Project will be designed according to the current California Building Codes, which require structures to be designed to meet or exceed the seismic safety standards set forth therein. Therefore,

potential ground-shaking impacts would be less than significant, and no mitigation is required.

Less Than Significant.

iii) Seismic-related ground failure, including liquefaction?

Liquefaction occurs when shallow, fine to medium-grained sediments saturated with water are subjected to strong seismic ground shaking. It generally occurs when the underlying water table is 50 feet or less below the surface. The Countywide Plan does not classify the Project site for liquefaction potential. (CWP EIR, 5.16-17, 5.16-19). The Preliminary Geotechnical Investigation assessed the soil stability and determine the methodology used to implement the Project's design.

According to the geotechnical investigation, permanent groundwater at the Project site is very deep. The alluvial fan environment is not favorable for shallow and continuous impermeable layers (aquicludes) that could promote perched-water horizons. Also, the Project site is not within State-delineated "Zones of Required Investigation" for either liquefaction potential or land sliding. The results of this investigation determined that the Project site has no liquefaction-susceptibility material and zero liquefaction opportunity. (AGI-A, p. 19.) Therefore, potential impacts due to liquefaction would be less than significant and no mitigation is required.

Less Than Significant.

iv) Landslides?

A combination of geologic conditions leads to landslide vulnerability. These include deep-seated landslides or shallow earth flows, slumps, slides, or rockfall. According to the Preliminary Geotechnical Investigation, because the Project site is flat and is more than 3 miles from rocky mountain slopes. (AIG-A, p. 20) Earthquake-induced hazards from slope instability or tumbling rocks are believed to be zero. (AIG-A, p. 20.) Therefore, no potential impacts related to landslide would not occur.

No Impact.

b) Result in substantial soil erosion or the loss of topsoil?

Once construction of the proposed Project is complete, most of the Project site will be paved and developed with a warehouse/distribution facility; therefore, no soil erosion is anticipated from long-term operation of the Project.

Construction activities have the potential to result in soil erosion or the loss of topsoil. However, erosion will be addressed through the implementation of existing State and Federal requirements and minimized through compliance with the National Pollutant Discharge Elimination System (NPDES) general construction permit, which requires that a Storm Water Pollution Prevention Plan (SWPPP) be prepared prior to construction activities and implemented during construction activities. The SWPPP will identify BMPs to be implemented to address soil erosion. Through compliance with

these standard regulatory requirements, the construction of the proposed Project is not anticipated to result in substantial soil erosion or the loss of topsoil. Therefore, potential impacts would be less than significant, and no mitigation is required.

Less Than Significant.

- c) *Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on or off site landslide, lateral spreading, subsidence, liquefaction or collapse?*

The proposed Project site is in an area that has been previously determined to have a low potential for liquefaction. (AGI-A, p. 19.) Likewise, landslides do not pose a significant risk at the Project site. (AGI-A, p. 20.)

Lateral spreading is a phenomenon in which soils move laterally during seismic shaking and is often associated with liquefaction. The amount of movement depends on the soil strength, duration and intensity of seismic shaking, topography, and free face geometry. According to the Preliminary Geotechnical Investigation, there is low potential for liquefaction to occur within the Project site and related permanent ground deformation phenomena such as lateral spreading have also been ruled out as hazards (AIG-A, pp. 19). Therefore, potential impacts would be less than significant.

Seismic ground subsidence (not related to liquefaction induced settlements) occurs when strong earthquake shaking results in the densification of loose to medium density sandy soils above groundwater. The Preliminary Geotechnical Investigation report indicates that the bottom subsidence from heavy equipment is predicted to be almost undetectable in the deep cemented soils, but on a site-wide average inclusive of paved areas should fall near 0.1 foot. (AGI-A, p. 25.) Adherence to the measures identified in the California Building Code, applicable grading standards of the SBCDC Section 83.04, and the recommendations in the Preliminary Geotechnical Investigation will reduce impacts resulting from unstable soil conditions to less than significant and no mitigation is required.

Less Than Significant.

- d) *Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?*

The Preliminary Geotechnical Investigation indicates that the Project as-built pad soils can fall into the expansive soil category and recommends design parameters for floor slab design to accommodate proposed uses. (AGI-A, pp. 21-23, 27-29.) The Project applicant will be required to prepare and submit detailed grading plans and building plans for the proposed Project prior to issuance of grading permits, which must be prepared in conformance with applicable grading standards of the of the SBCDC Section 83.04 and the recommendations in either the Preliminary Geotechnical Investigation or a subsequent geotechnical report. Development of the Project site consistent with the recommendations included in the Preliminary Geotechnical Investigation (or a subsequent geotechnical report) will reduce potential impacts from expansive soils to a less than significant level and no mitigation is required.

Less Than Significant.

- e) *Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?*

The proposed Project is in an area that does not provide sewer system connections and will require the use of a standard leach-line onsite wastewater treatment system (OWTS). An On-site Wastewater Treatment System Feasibility Report 15719 and 15755 Arrow Route, Fontana, San Bernardino County, California, dated November 23, 2020, was prepared by Aragón Geotechnical Inc. (AGI-B) (included as Appendix F) to determine if the Project site's soils are capable to support an OWTS. The Feasibility Report was based on regulatory requirements of the San Bernardino County Division of Environmental Health Services (DEHS) Local Agency Management Program (LAMP).

The results of the surface inspections, subsurface exploration, field percolation testing, and engineering and geologic analyses indicate that the Project site, specifically the northern portion of the Project near the center of the landscaping area, contains soils with slow percolation rate that will support the leach-line OTWS. (AGI-B, p.10.) The Project applicant will be required to prepare and submit a geotechnical plan check of the OTWS once a specific OTWS design is available to the County in accordance with applicable standards of the SBCDC. Therefore, impacts related to soils incapable of supporting a wastewater disposal system, would be less than significant and no mitigation is required.

Less than Significant.

- f) *Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?*

A Paleontological Resource Assessment dated April 2021 was prepared for the Project site by Applied EarthWorks, Inc (AE-B) (included as Appendix H). Mapping shows that young alluvial-fan deposits are mapped across the ground surface of the entire Project site and the immediate vicinity. Holocene Epoch and late Pleistocene-age deposits mapped in the Project site and the surrounding includes very young alluvial-fan deposits (Qf), late Holocene young alluvial-fan deposits, unit 5 (Qyf₅), and early Holocene to late Pleistocene young alluvial fan deposits, unit 1 (Qyf₁). Holocene sediments of the Lytle Creek alluvial fan (Qyf₅) comprise the mapped surficial geology of the entire Project area. (AE-B, p.14.) Specifically, the Project site is within Qyf₅ sediments that have a low likelihood of preserving significant paleontological resources. As such, the Project site was assigned a Low Potential ranking where young alluvial deposits are present at the depths of 28 feet bgs. (AE-B, p.14.)

The closest recorded fossil localities to the Project site, as reported from the San Bernardino County Museum, are 4.5 miles southwest from the Project site. These recorded fossil localities include a variety of vertebrate and invertebrate taxa. Only two

of the eight localities' depths are known which were found at 5 feet below the ground surface (bgs) and 21 bgs. (AE-B, pp.17-18.)

The Valley Region contains younger alluvium (Q) across the valley floor which is too young to preserve fossil resources in the upper layers, but the deeper layers and underlying sediments have high paleontological sensitivity, as do the Miocene Marine Sediments (M). (CWP EIR, p. 5.5-19.). According to Countywide Plan EIR *Figure 5.5-1 Paleontological Sensitivity Valley Region*, the Project site is within a geologic unit that has a low sensitivity for paleontological resources.

Because of the Project site has a low potential for paleontological resources at depths up to 28 feet bgs and since the Project excavation is not anticipated to exceed 8 feet bgs, then the likelihood to find paleontological resources at the Project site is low. While paleontological resources are not likely expected to be discovered during construction, it is possible that significant fossils could be discovered during excavation activities, even in areas with a low likelihood of occurrence. Paleontological resources encountered during excavation could be inadvertently damaged. If a unique resource is discovered, the impact to the resource could be substantial. To reduce this potential significant impact to less a less than significant impact, all construction related activities shall be monitored in accordance with mitigation measure **MM CR-1**. Therefore, impacts would be less than significant with mitigation incorporated.

Less Than Significant with Mitigation.

Therefore, possible significant adverse impacts have been identified or are anticipated and the following mitigation measures are required as conditions of Project approval to reduce these impacts to a less-than-significant level:

MM CR-1: In the event that cultural resources are discovered during project activities, all work in the immediate vicinity of the find (within a 60-foot buffer) shall cease and a qualified archaeologist meeting the Secretary of Interior standards shall be hired to assess the find. Work on the other portions of the project outside of the buffered area may continue during this assessment period. Additionally, the Gabrieleño Band of Mission Indians-Kizh Nation shall be contacted, as detailed within mitigation measure **MM TCR-1**, regarding any pre-contact finds and be provided information after the archaeologist makes his/her initial assessment of the nature of the find, so as to provide Tribal input with regards to significance and treatment.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
VIII. GREENHOUSE GAS EMISSIONS – Would the project:				
a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Conflict with any applicable plan, policy or regulation of an agency adopted for the purpose of reducing the emissions of greenhouse gases?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SUBSTANTIATION:

Countywide Plan, 2020 (CWP); Air Quality/Greenhouse Gas Analysis (Appendix A); Air Quality/Greenhouse Gas Analysis/ Energy/HRA Evaluation (WEBB-G, Appendix A.1);

An Air Quality/Greenhouse Gas Analysis was prepared on May 20, 2021 (WEBB-A) for the Project. At the time the studies were prepared, the proposed Project included an approximately 196,654-square foot (sf) warehouse of which 4,000 sf was office space with 22 truck loading docks. The Project was designed to include two office areas and employee parking along Arrow Route and the loading dock and truck trailer parking lot were located on the south side of the building. The Project site was redesigned in August 2021. As a result, the building's orientation changed and the size of the warehouse building increased by 13,105 sf to a total of 209,759 sf and the loading dock number increased by 6 docks to 28 docks. The warehouse increased approximately 6.7 percent in building size and the loading docks increased by 27 percent compared to the smaller 196,654-sf building that was previously analyzed. The current Project site design includes one office area with 10,000 sf split between two levels, an employee parking area on the eastern portion of the Project site and loading docks and the truck trailer parking area on the west side of the Project site. These site plan revisions were evaluated in the *Air Quality/Greenhouse Gas Analysis/ Energy/HRA Evaluation for the 15719 and 15755 Arrow Route Warehouse Project (CUP No. 2020-00235 Memorandum dated September 2, 2021 (WEBB-G)*. The evaluation determined that the larger warehouse would not substantively change impacts compared to the smaller warehouse previously analyzed and that the significance determined remains less than significant and no mitigation is required.

At the time the Air Quality/Greenhouse Gas Analysis was prepared, the demolition was assumed to occur in one phase. However, the demolition will now occur in two stages. For the purposes of the Air Quality/Greenhouse Gas Analysis, evaluating demolition in one phase results in higher emissions and is therefore more conservative as opposed to evaluating the demolition in two phases because the equipment usage would not increase, and the overall duration of demolition activities would be similar.

- a) The following greenhouse gas emissions analysis for the greenhouse gas impacts a-b, which incorporates the original Air Quality/Greenhouse Gas Analysis prepared, determined that the Project would result in less than significant greenhouse gas emissions impacts.

Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?

The County of San Bernardino adopted the Greenhouse Gas Reduction Plan (GHG Plan) in 2011, which provides guidance on how to analyze GHG emissions and determine significance during the CEQA review of proposed development projects within the County of San Bernardino. The reduction strategies in the GHG Plan correspond to reduction measures. Measurable reductions in GHG emissions are achieved through adherence to the County's Development Review Process (DRP) procedures.

The County's DRP specifies a two-step approach in quantifying GHG emissions. First, a screening threshold of 3,000 MT CO₂E per year is used to determine if additional analysis is required. Projects that exceed the 3,000 MTCO₂E per year are required to either achieve a minimum 100 points per the Screening Tables or will be required to quantify project-specific GHG emissions that achieve the equivalent level of GHG emissions efficiency as a 100-point project. The Air Quality /Greenhouse Gas Analysis prepared by Albert A. Webb Associates, dated May 20,2021 (WEBB-A) (included as Appendix A), utilized this screening threshold and estimated greenhouse gas (GHG) emissions from construction (inclusive of all road and off-site improvements), area sources, energy, mobile sources, solid waste and water-related energy usage.

Evaluation of the data presented in **Table I – Total Project-Related Equipment GHG Emissions**, indicates that the total GHG emissions generated from the Project is approximately 2,738.39 MTCO₂E/yr which includes construction-related emissions amortized over a typical project life of 30 years. The *Air Quality/Greenhouse Gas Analysis/ Energy/HRA Evaluation* Memorandum indicated that the increased building size would increase emissions a nominal amount and would not be exceed the County's screening level.

Table I – Total Project-Related Equipment GHG Emissions

Source	Metric Tons per year (MT/yr)			
	CO ₂	CH ₄	N ₂ O	Total CO ₂ E
Amortized Construction	--	--	--	33.26
Vegetation	--	--	--	-3.23
Area	0.01	0.00	0.00	0.01
Energy	140.07	0.01	0.00	140.75
Mobile	2,480.69	0.10	0.00	2,483.11
Solid Waste	23.64	1.40	0.00	58.57
Water	19.85	0.19	0.00	25.92
Total	2,664.26	1.70	0.00	2,738.39

Source: Table 9, Appendix A of the Initial Study.

The total GHG emissions from the Project is below the County's GHG Plan screening level of 3,000 MTCO₂E/yr for industrial projects. Therefore, the proposed Project will not

generate GHG emissions, directly or indirectly, that have a significant effect on the environment and impacts will be less than significant.

Less Than Significant.

- b) Conflict with any applicable plan, policy or regulation of an agency adopted for the purpose of reducing the emissions of greenhouse gases?

CEQA allows lead agencies to consider whether regulatory programs are adequate to reduce a project's potentially significant environmental effects. Under Assembly Bill 32 (AB 32), the State's emission inventory must be reduced to 1990 levels by 2020. Most of the reductions required to reach AB 32's 2020 reduction target will be achieved by regulations that apply to both existing and new development, including the Renewable Portfolio Standard (RPS), Pavley standards, Low Carbon Fuel Standards (LCFS), landfill regulations, regulations and programs on high global warming potential (GWP) gases, initiatives on water conservation (such as SB X7-7), and the indirect influence of the Cap and Trade system on electricity and transportation fuel prices. These regulations are sufficient to achieve AB 32's goal to reduce statewide GHG emissions to 1990 levels by 2020. The CARB 2017 Scoping Plan includes a regulatory strategy that will result in the State achieving the SB 32 target by 2030. (CARB-C.)

Additionally, the County of San Bernardino adopted the GHG Plan in 2011. The GHG plan includes local measures that achieve the GHG reduction targets of AB 32 for target year 2020 for the County. Local measures in the GHG Plan in 2011 include, but are not limited to, energy measures that reduce citywide energy consumption; transportation measures that encourage alternative modes of transportation and reduced vehicle use; and solid waste measures that reduce landfilled solid waste in the County.

The Project would comply with the GHG Plan, which would lessen the Project's contribution of GHG emissions from both construction and operation. The Project would not conflict with local strategies and state/regional strategies listed in the County's GHG Plan. Moreover, the proposed Project will not generate a significant amount of GHG emissions. Therefore, the proposed Project does not conflict with and would not obstruct implementation any regulation adopted for the purpose of reducing the GHG emissions and any impacts will be less than significant.

Less Than Significant.

Therefore, no significant adverse impacts are identified or anticipated and no mitigation measures are required.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
IX. HAZARDS AND HAZARDOUS MATERIALS – Would the project:				
a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
f) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
g) Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

SUBSTANTIATION:

Countywide Plan, 2020 (CWP); California Code of Regulations (CCR); California Health and Safety Code (CHSC); Phase I Environmental Site Assessment (TCL, Appendix I); Ontario International Airport, Airport Land Use Compatibility Plan (ALUCP); California

Public Utilities Code (PUC); Calfire (CALFIRE-A; CALFIRE-B); Phase I ESA (TCI-A, Appendix I) Limited Site Investigation (TCI-B, Appendix I.1); Submitted Project Materials

- a) *Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?*

The proposed Project site will be developed within the Countywide Plan Land Use Zoning Districts that allows for assembly of non-hazardous products and materials. Because the exact tenants of the proposed building are unknown at this time, there is the potential that hazardous materials such as petroleum products, pesticides, fertilizer, and other household hazardous products may be stored and transported from the proposed facility. However, these hazardous materials would not be manufactured at the Project site and would only be stored short-term before transport.

Federal and state agencies prescribe strict regulations for the safe transportation of hazardous materials. Hazardous material transport, storage and response to upsets or accidents are primarily subject to federal regulation by the United States Department of Transportation (DOT) Office of Hazardous Materials Safety in accordance with Title 49 of the Code of Federal Regulations (CFR). California regulations applicable to Hazardous material transport, storage and response to upsets or accidents are codified in Title 13 (Motor Vehicles), Title 8 (Division 1, Chapter 3.2 Cal/OSHA), Title 22 (Division 4.5 Management of Hazardous Waste), Title 26 (Toxics) of the California Code of Regulations (CCR), and the Chapter 6.95 (Hazardous Materials Release Response Plans and Inventory) of the California Health and Safety Code (CHSC) which describes strict regulations for the safe transportation and storage of hazardous materials.

As the proposed Project will be required to comply with all applicable federal and state laws related to the transportation, use, storage and response to upsets or accidents that may involve hazardous materials would reduce the likelihood and severity of upsets and accidents during transit and storage, it is not expected to result in the use of large amounts of hazardous materials that would create a hazard to the public or environment. Therefore, potential impacts associated with the routine transport, use or disposal of hazardous materials would be less than significant.

Less Than Significant.

- b) *Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?*

There is a potential for hazardous materials and chemicals to be stored at the Project site for short periods of time prior to transport and distribution which could cause a release. However, the storage and transport of these products would be regulated by Federal, State, and local policies regarding storage and transportation of hazardous waste.

A Phase 1 Environmental Site Assessment dated December 3, 2020 (hereinafter the Phase I ESA) was prepared for the Project site by Terracon Consultants Inc. (Terracon) and is included as Appendix I of this Initial Study. The Phase I ESA was prepared in accordance with the ASTM E 1527-13 Standard Practice for environmental site

assessments (ESAs) to evaluate the Project site for potential recognized environmental conditions (RECs). A Limited Site Investigation dated December 3, 2020 (hereinafter the LSI) was prepared by Terracon Consultants and is included as Appendix I.1 of this Initial Study. The Site Investigation was prepared to further evaluate the RECs identified in the Phase I ESA.

Phase 1 Environmental Site Assessment

The Phase 1 ESA indicated that the Project site was previously used for agricultural purposes prior to 1949 and then for automotive dismantling activities to present day. The agriculture activities that occurred at the Project site may have included the use of pesticides and herbicides and if misapplied could leave residual trace amounts of the compounds in the soil and/or groundwater. However, these residual amounts are generally below risk-based screening levels. Therefore, the previous agricultural activities do not represent a REC to the site. (TIC-A, p. 8.) The prior and current on-site automotive dismantling activities that operated for over 60 years represents a REC in connection with the Project site since potential halogenated solvents may have been used in conjunction with onsite automotive repairs. (TIC-A, p. 11.) A site reconnaissance was conducted by Terracon on September 22, 2020. During the site reconnaissance, the Project site was observed to be occupied by Riteway Auto Dismantlers, All Auto Parts, and Arrow Salvage (pallet storage and sales operations). During the site reconnaissance air compressors, hydraulic lifts, drums, sumps, stained oil, stained concrete and sumps, and disposal areas were observed on site. (TIC-A, pp. 27-28.) Solid waste/recycling roll-away bins, sumps, trench drains, 55-gallon drums of new and used automotive fluids, an approximately 250-gallon waste oil AST, an approximately 250-gallon capacity waste anti-freeze, and approximately 500-gallon capacity non potable water tank (no longer in use), approximately eight aboveground hydraulic lifts, portable engine hoists, five air-compressors, and areas of heavily stained surfaces (within the automotive dismantling area), were observed. Based on the site reconnaissance, the long-term automotive dismantling operations (between 40 and 60 years), and areas of heavily stained surface, represent RECs in connection with the Project site. (TIC-A, p. 28-32)

A review of the Federal, State and local environmental databases was conducted as part of the Phase I ESA for information pertaining to documented and/or suspected releases of regulated hazardous substances and/or petroleum products of nearby off-sites. Terracon also reviewed unmappable sites listed in the environmental database report by cross-referencing addresses and site names. Terracon identified twelve off-sites in these environmental databases located within one mile of the Project site. These twelve off-sites were not considered recognized environmental condition to the Project site due to the nature of the regulatory database listings, distance of the off-site listed properties from the Project site, orientation of the listed properties relative to the Project site, interpreted direction of groundwater flow and/or regulatory case status information for the various properties as described in their respective databases (TIC-A, pp. 12-19). The Project site was listed in several databases and due to the historical and continued on-site operations as a dismantling/salvage facility (approximately 60 years), the Project site represents a REC. (TIC-A, p. 19.)

Limited Site Investigation

Since the Phase I ESA identified RECs for on-site auto dismantling/salvage facilities and inaccessible areas of the site, further investigation was conducted. The LSI of the LSI

was to evaluate the presence of petroleum hydrocarbons, volatile organic compounds (VOCs), and metals commonly associated with the identified RECs at concentrations above laboratory reporting limits in on-site soil. Groundwater in the vicinity of the site was estimated to be at an approximate depth of 75 feet below ground surface (bgs) based on data from a nearby facility; therefore, an evaluation of groundwater was not specifically prepared for the LSI. Based on the field observations and laboratory data, historical and/or current automotive dismantling operations on the Project site have impacted surfaces and shallow soils; however, evidence of significant impairment were not identified in the areas accessible and investigated, and at the time the investigation was conducted. Concentrations of detected analytes were all below applicable residential and commercial screening levels. (TIC-B, pp. 4-6.) As such, impacts related to release of hazardous material are low. Moreover, the Project would be required to adhere to local, state, and federal regulations that mandates soil identified for disposal or export.

Limited Asbestos and Lead Survey

Terracon Consultants performed a Limited Asbestos and Lead Survey. Asbestos was not identified in any of the samples collected from the structures on the four properties. However, due to the non-destructive nature of the survey, twelve (12) materials were not sampled and assumed to contain asbestos. During demolition, the contractor is required to comply with asbestos National Emissions Standards for Hazardous Air Pollutants (NESHAP), and Cal-OSHA Asbestos in the Construction Industry Standard, 8 CCR 1529. These regulations require all Regulated Asbestos-containing Materials (RACM) be removed prior to demolition. Also, any Category I and Category II non-friable asbestos containing materials that may become friable as a result of demolition work and that will be affected by the planned demolition, would be removed prior to demolition. Therefore, with compliance with said existing regulations, asbestos related impacts would be less than significant.

Lead was detected in three (3) paint samples from the property located at 15765 Arrow Boulevard. However, due to the non-destructive nature of the survey, six (6) painted surfaces and materials were assumed to contain lead. (TIC-A, pp 31-32.). During demolition, the contractor is required to comply with Cal- OSHA 8 CCR 1532.1, Lead in the Construction Industry Standard which requires worker lead awareness training, provide a negative exposure assessment, and provide workers protection, including but not limited to, personal protective equipment (PPE). Therefore, with compliance with said existing regulations, lead related impacts would be less than significant.

As outlined above, the future users at the Project site will be required to comply with all existing hazardous waste regulations, and as such, impacts would be less than significant. Regarding the construction of the Project site, less than significant impacts occur through adherence to the required existing NESHAP and Cal OSHA regulations and no mitigation is required.

Less Than Significant.

- c) *Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one quarter mile of an existing or proposed school?*

The proposed Project site is not located within one-quarter mile of an existing or proposed school. The closest school is Hellen L. Dollahan Elementary School which is approximately 4 miles northeast of the proposed Project site. Thus, the proposed Project will not emit hazardous emissions or handling hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school. Therefore, no impacts would occur.

No Impact.

- d) *Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?*

The Project sites is not listed on Cortese list, compiled pursuant to Government Code Section 65962. The environmental database resources consulted as part of the Phase I ESA identified one listing within one-half mile of the Project site: the Fontana Pit located at 8747 Lime Street (South Lime Avenue). The Fontana Pit is on the adjacent south and southwest of the Project site, in a topographic down-gradient position relative to the Project site. This site was listed in the Mines Site Location Listing (MINES), Cortese” Hazardous Waste & Substances Sites List (Cortese), Hazardous Waste & Substance Site List (Hist Cortese), Leaking Underground Storage Tanks (LUST), Waste Management Unit Database (WMUDS/SWAT), CA FID UST, SWEEPS UST, and EnviroStor regulatory databases. The Fontana Pit was identified as having a leaking underground storage tank in 1995, during the removal of two gasoline and one diesel fuel tanks. The case was closed in 1997 with the oversight of San Bernardino County Fire Department and no further action was required. Based on the case closure with soil only impact, the topographic down-gradient position relative to the Project site, and the expected depth to groundwater (approximately 490 feet below ground surface), the Fontana Pit does not represent a REC to the Project site. (TIC, pp 21-22.)

Based on the above discussion, potential impacts associated with posing a significant hazard to the public or the environment due to being located on a hazardous materials site would be less than significant.

Less Than Significant.

- e) *For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?*

The California State Aeronautics Act Section 21670 et seq of Public Utilities Code (PUC) requires that an Airport Land Use Compatibility Plan (ALUCP) be prepared for all public-use airports in the state to:

“protect the public health, safety, and welfare by ensuring orderly expansion of airports and the adoption of land use measures that minimize the public’s exposure to excessive noise and safety hazards within areas around public airports to the extent that these areas are not already devoted to incompatible land uses.”

State law also requires local land use plans and individual development proposals to be consistent with policies set forth in ALUCPs. The Ontario International Airport (ONT) Airport is a public use airport located approximately 7.40 miles southwest from the Project site. However, the Project site is located outside the boundaries Airport Influence Area (AIA) as defined in the ONT ALUCP. Therefore, the proposed development at the Project site is outside of ONT's Plan Safety Zone, Noise Impact Zone, and Airspace Protection Zone. Accordingly, the Project site would not be exposed to noise and safety hazards associated with ONT. Moreover, the Project site is not subject to ALUCP policies. Therefore, potential impacts associated with airport safety and noise hazards would be less than significant.

Less Than Significant.

- f) *Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?*

The Project site does not contain any emergency facilities, nor does it serve as an emergency evacuation route. During construction and long-term operation, the proposed Project would be required to maintain adequate emergency access for emergency vehicles. Road closures would not occur for the implementation of the Project and all work associated with the Project will take place onsite. Moreover, the proposed improvements would be subject to County SBCDC *Chapter 83.09 – Infrastructure Improvement Standards*, and *Chapter 83.12 – Road System Design Standards* to ensure that adequate dimensions for emergency vehicles is met. As part of the Project's application review process, the County of San Bernardino reviewed the Project's application materials to ensure that appropriate emergency ingress and egress would be available to-and-from the Project site and that the Project would not substantially impede emergency response times in the local area. Therefore, no potential impacts associated with impairment or physical interference with an adopted emergency response plan or an emergency evacuation plan, would occur.

No Impact.

- g) *Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?*

The Project site is not located within a State Responsibility Area or a very high fire hazard severity zone. The Project site and surrounding areas generally consist of developed properties, which are generally not associated with wildland fire hazards (CALFIRE-A; CALFIRE-B). Accordingly, the Project would not expose people or structures to a significant risk of loss, injury, or death involving wildland fires. Therefore, no potential impacts associated with wildland fires would occur.

No Impact.

Therefore, no significant adverse impacts are identified or anticipated and no mitigation measures are required.

<i>Issues</i>		<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
X. HYDROLOGY AND WATER QUALITY - Would the project:					
a)	Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b)	Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c)	Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:				
i.	result in substantial erosion or siltation on- or off-site;	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
ii.	substantially increase the rate or amount of surface runoff in a manner which would result in flooding on or offsite;	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iii.	create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of runoff; or	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iv.	impede or redirect flood flows?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d)	In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e)	Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SUBSTANTIATION:

Countywide Plan, 2020 (CWP); Countywide Plan, 2020 EIR (CWP EIR); Water Quality Management Plan (WEBB-E, Appendix J); Drainage Study (WEBB-F, Appendix J.1); Construction Stormwater General Permit; FEMA; Submitted Project Materials

- a) Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or ground water quality?

The Santa Ana Regional Water Quality Control Board (SARWQCB) sets water quality standards for all ground and surface waters within the Santa Ana River Watershed, which includes the Valley Region of San Bernardino County. Water quality standards are defined under the federal Clean Water Act (CWA) to include both the beneficial uses of specific water bodies and the levels of water quality that must be met and maintained to protect those uses (water quality objectives).

The proposed Project site is located within the Santa Ana River Watershed and within the jurisdiction of the Santa Ana Regional Water Quality Control Board (RWQCB). Runoff from the Project area discharges into the West Fontana Channel before entering "Banana Basin" and out falling to the San Sevaine Channel, which is tributary to the Middle Santa Ana River, Prado Flood Control Basin, and Santa Ana Reach 3. Santa Ana Reach 3 is listed as an impaired waterbody on the CWA Section 303(d) List because it exceeds water quality objectives for nutrients, pathogens, lead, and copper. Prado Flood Control Basin is listed as an impaired waterbody due to water pH levels. (WEBB-E, p. 3-3.)

Activities associated with the construction of the proposed Project would include grading, which may have the potential to release pollutants (e.g., oil from construction equipment, cleaning solvents, paint) and sediment off-site which could impact downstream water quality. To address this, the Project developer is required to obtain coverage under the statewide Construction General Permit (NPDES General Permit No. CAS000002, Waste Discharge Requirements, Order No. 2009-0009-DWQ, adopted September 2, 2009, and effective as of July 2, 2010) issued by the State Water Resources Control Board (SWRCB) for construction projects. Compliance with this permit requires the applicant to prepare an effective SWPPP, which will reduce potential construction-related water quality impacts to a less than significant level.

Development of the proposed Project would add impervious surfaces to the site through the warehouse building and associated parking, loading areas, and drive aisles. By increasing the percentage of impervious surfaces on the site, less water would percolate into the ground and more surface runoff would be generated. Paved areas and streets would collect dust, soil and other impurities that would then be assimilated into surface runoff during rainfall events. Operation of the Project has the potential to release pollutants resulting from replacing vacant land with roadways, walkways, and parking lots. These improvements may potentially impact water quality.

According to the Water Quality Management Plan (WQMP), dated January 2022, prepared by Albert A. Webb Associates (WEBB-E) and included as Appendix E to this Initial Study, impervious area was minimized given the proposed site usage, required materials, and the landscaping pervious cover. Once constructed, the proposed Project site will include approximately 44,880 square feet of landscaping, which constitutes approximately 15.0 percent of the total Project site (1.03 acres), which meets the County's 15 percent landscaping requirement. Typical pollutants from commercial/industrial sites include bacteria, metals, nutrients, sediment, trash, oil/grease, toxic organics, and pesticides (WEBB-E, p. 2-3). Therefore, the methods of stormwater treatment used onsite should target these pollutants, which includes the method of retention and infiltration.

According to Preliminary Drainage Study, dated January 2022, prepared by Albert A. Webb Associates (WEBB-F) and included as Appendix J.1 to this Initial Study on-site flows generated by the proposed Project will surface flow through the Project site utilizing curb and gutter and will require minimal subsurface storm drains (WEBB-F, p. 1-1). The site is within an area that is deemed exempt by the RWQCB from considering Hydrologic Conditions of Concern (HCOC) (WEBB-E, p. 3-3), therefore stormwater treatment methods are sized to handle and treat just the water quality design volume. Runoff from the western portion of the Project site will surface flow and would be collected by Line-A, a 30-inch High Density Polyethylene (HDPE) storm drain. Line-A proposes to convey the 100-year peak flow rate to the underground chamber infiltration system and would act as an equalization pipe between the curb weir and underground storage during high intensity runoff events. The eastern portion of the Project site would surface flow and would be collected by Line-B, a 24-inch HDPE storm drain. Line-B proposes to convey the 100-year peak flow rate to the underground chamber infiltration system. The underground chamber infiltration system, located near the truck trailer parking stalls, is design to capture and infiltrate the entire water quality volume and larger flows (e.g. 100-Year storm event) would overtop the curb weir in the southwest corner. During high intensity runoff events, the upstream head will push runoff above the water quality volume out of the chambers via a weir on the southwest infiltration basin. The high intensity runoff will then surface flow to the southwest, draining into the West Fontana Channel. (WEBB-F, p. 3-1).

The underground chamber infiltration system on the Project have been designed to drawdown within 48 hours of a rainfall event. (WEBB-E, p. 4-9). The WQMP and Drainage Study have been submitted to the County Public Works Department for review. Prior to issuance of a grading permit, a final WQMP and Drainage Study will be required for the Project.

The proposed Project will also implement source control and operational BMPs such as designing landscape to minimize irrigation, runoff, and the use of fertilizers, maintaining landscaping using minimal or no pesticides, utilizing covered and leak proof trash dumpsters, sweeping and litter control of loading areas, and collecting wash water containing any cleaning agent or degreaser to prevent pollutants from entering runoff. (WEBB-E, pp. 4-1 – 4-7.)

The proposed Project incorporates site design, source control and treatment control BMPs to address storm water runoff generated onsite. Thus, through BMPs combined with compliance with existing regulations, the proposed Project will not violate water quality standards, waste discharge requirements, or otherwise degrade surface or ground water quality. Therefore, impacts will be less than significant.

Less Than Significant.

- b) Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?

The Project does not propose to use groundwater and the proposed onsite underground chamber infiltration system will not change/alter recharge. Therefore, due to the onsite

subterranean infiltration, the Project would not significantly impact local groundwater recharge or impede sustainable groundwater management. Less than significant impacts would occur, and no mitigation is required.

Less than Significant.

- c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner which would:

- i. Result in substantial erosion or siltation on- or off-site

According to the Drainage Study, there are no streams or rivers currently mapped at the Project site, and the Project site is not impacted by off-site flows (WEBB-F, p. 1-1). Further, the Project site is relatively flat and currently slopes at approximately 1.3 percent grade to the southwest. (WEBB-F, p. 1-1). The existing drainage pattern for the site and the general area is characterized by sheet flows that follow the slope to the southwest and ultimately to the existing West Fontana Channel. Development of the proposed Project will maintain the existing drainage pattern by conveying runoff utilizing curb and gutter, onsite subsurface storm drains which ultimately flow to the existing West Fontana Channel. (WEBB-F, p. 1-1.) Because the drainage pattern is not adversely impacted and water quality treatment mechanisms are being included in the Project, substantial erosion or siltation on- or offsite are not anticipated.

Therefore, the proposed Project will not substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, in a manner which would result in substantial erosion or siltation onsite or offsite. Thus, impacts will be less than significant.

Less than Significant.

- ii. Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on or offsite?

According to the Project Drainage Study, the rational method was used to determine peak flow rates (i.e. 10-Year and 100-Year storm events) in order to adequately size the proposed subsurface storm drain conveying flow through the site and into the existing West Fontana Channel (WEBB-F, pp. 1-1, 2-1). Therefore, the analysis in the Project Drainage Study shows the proposed Project will not cause flooding on- or off-site. Thus, the proposed Project will not substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner which would result in onsite or offsite flooding. Impacts will be less than significant.

Less Than Significant.

- iii. Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of runoff?

Sources of polluted runoff are not anticipated because all runoff generated by the Project up to and including the water quality design volume will be treated through effective means of bioretention. Bioretention is one of the accepted Low Impact Development (LID) methods that provides high rates of pollutant removal according to the WQMP Guidance Document. Because the Project is exempt from HCOC it is required to treat only up to the water quality design volume. Flows in excess of that volume will bypass treatment.

Because the proposed Project will not create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide additional sources of polluted runoff. Therefore, impacts related to the Project's runoff will be less than significant.

Less Than Significant.

- iv. Impede or redirect flood flows?

As shown on Federal Emergency Management Agency (FEMA) Panel No. 06071C8652H, the proposed Project site is located within Zone X, which is an area outside the 0.2 percent annual change floodplain. According to the Preliminary Drainage Study, the proposed Project's drainage improvements will adequately convey flows to the underground chamber infiltration system and provide flood protection for the 100-year storm event (WEBB-F, pp. 1-1, 2-1). Thus, the proposed Project will not impede or redirect flood flows and impacts are less than significant.

Less Than Significant.

- d) In flood hazard, tsunami, or seiche zones, risk release of pollutants due to project inundation?

The Project is located approximately 40 miles east of the Pacific Ocean. As such, there is no risk of exposure to inundation by seiche or tsunami. The Project is relatively flat so the potential for a mudflow is unlikely. In addition, there are no dams, reservoirs or large water bodies near the Project site. The closest body of water is the Banana Basin, a San Bernardino County Department of Public Works Flood Control District facility, that is near the California Speedway, located approximately, 2.3 miles southwest of the Project site. The Project site is not within any flood zones. Therefore, no impacts would occur.

No Impact.

- e) Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?

Substantial regulation currently exists that addresses stormwater runoff and keeping non-stormwater pollutants out of receiving waters, including the statewide construction general permit (CGP) (i.e. SWPPP) and the Municipal Separate Storm Water Sewer System (MS4) Permit (i.e. WQMP). The Project will be conditioned to comply with these regulations. Through compliance with said regulations, the Project will be consistent with the SARWQCB Water Quality Control Plan (Basin Plan). Furthermore, the Project does not propose to use groundwater and, the drainage would utilize underground chamber infiltration system, which would infiltrate and treat water prior to discharging into the West Fontana Channel. Therefore, in regard to conflicting or obstructing a water quality control plan, or sustainable groundwater management plan, impacts will be less than significant.

Less Than Significant.

Therefore, no significant adverse impacts are identified or anticipated and no mitigation measures are required.

<i>Issues</i>		<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
XI. LAND USE AND PLANNING - Would the project:					

- | | | | | | |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|
| a) | Physically divide an established community? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| b) | Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

SUBSTANTIATION:

Countywide Plan, 2020 (CWP); Submitted Project Materials

- a) *Physically divide an established community?*

The Project site is currently developed with industrial uses which are compatible uses with the surrounding Project area. The Project entails demolishing the existing automotive dismantling parts development previously occupied by Riteway Auto Dismantlers, All Auto Parts, and Arrow Salvage, and constructing and operating a non-refrigerated warehouse, an industrial use, within the Project site. As such, the proposed development would not physically disrupt or divide the arrangement of an established community. Therefore, no potential impacts associated with dividing an established community would occur.

No Impact.

- b) *Cause a significant environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?*

The Project site is designated General Industrial (GI) by the Countywide Plan and Regional Industrial (IR) by the Countywide Plan Land Use Zoning Districts Map as shown in **Figure 4**. As a warehouse development, the proposed Project is consistent with the GI and IR designations. The proposed Project is designed to meet the development standards described in Table 82-19 – IC and IR Land Use Zoning District Development Standards of Section 82.06 of SBCDC. However, approval of a Conditional Use Permit (CUP), is required for the proposed warehouse building since it exceeds 80,000 sf in size.

The Countywide Plan designates the Project site as GI General Industrial and the San Bernardino Development Code's Zoning District Map designates the Project site "Regional Industrial" (IR) as shown on **Figure 4**. The Project Applicant proposes to operate the building as a non-refrigerated warehouse distribution facility which is a permitted use. Since the proposed Project's planned use is consistent with the

Countywide Plan, the proposed Project is also consistent with the Southern California Associated Governments (SCAG) Regional Transportation Plan/Sustainable Communities Strategy (RTP/SCS). The Project site is not within the boundaries of the ONT ALUCP. The Project otherwise would not conflict with any goals, objectives, policies, or regulations of land use and planning documents applicable to the Project area, including the SCAQMD AQMP, SCAG RTP/SCS, and/or SCAG Regional Comprehensive Plan. Therefore, no potential impacts associated with conflict with any land use plan, policy or regulation would occur.

No Impact.

Therefore, no significant adverse impacts are identified or anticipated and no mitigation measures are required.

<i>Issues</i>		<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
XII. MINERAL RESOURCES - Would the project:					
a)	Result in the loss of availability of a known mineral resource that will be of value to the region and the residents of the state?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b)	Result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

SUBSTANTIATION: (Check ☐ if project is located within the Mineral Resource Zone Overlay):

Countywide Plan, 2020 (CWP); Submitted Project Materials

- a) Result in the loss of availability of a known mineral resource that will be of value to the region and the residents of the state?

According to the Countywide Plan EIR, the Project site is designated as Mineral Resource Zone 2 (MRZ-2), which corresponds to areas underlain by mineral deposits where geologic information indicates that significant inferred resources are present (CWP EIR, p. 5.11-3; Figure 5.11-1). The proposed Project would redevelop the existing industrial uses and construct and operate a non-refrigerated warehouse. Accordingly, the existing underlain mineral deposits would not be extracted. Therefore, no potential impacts to known mineral resources would occur.

No Impact.

- b) Result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?

The Project site is not a mineral recovery site; no loss of a mineral recovery site would occur. Therefore, no potential impacts to a mineral recovery site would occur.

No Impact.

Therefore, no significant adverse impacts are identified or anticipated and no mitigation measures are required.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
XIII. NOISE - Would the project result in:				
a) Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Generation of excessive groundborne vibration or groundborne noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the Project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SUBSTANTIATION: (Check if the project is located in the Noise Hazard Overlay District ☐ or is subject to severe noise levels according to the General Plan Noise Element ☐):

Countywide Plan, 2020 (CWP); Noise Study (ENTECH, Appendix K); Ontario International Airport, Airport Land Use Compatibility Plan (ALUCP); Submitted Project Materials

- a) *Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?*

Noise impacts are evaluated from two perspectives – impacts to the Project and impacts from the Project. Noise impacts to a project may occur as a result of excessive off-site noise sources. Noise impacts from a project may occur as a result of on-site activities or project-related traffic. To evaluate these impacts a Noise and Vibration Study was prepared for the Project by Entech Consulting dated August 2021 (ENTECH). This study is included as Appendix K to the Initial Study.

Existing Ambient Conditions

For this Project, noise monitoring was conducted for 24-hours on the northwest corner of Arrow Route and Tokay Street (Site 1) as shown on Figure 4 – Long Term Monitoring Location in the Noise Study (Appendix K). The noise monitoring location was selected based on the Proximity to nearby residential properties and local roadways. The 24-hour average noise level at Site 1 A is 63 CNEL as shown in Table J – Existing (Ambient) 24-hour Noise Level Measurements).

Table J – Existing (Ambient) 24-hour Noise Level Measurements.

Noise Monitoring Location ID	Address	Hourly Noise Levels (1 hr- L_{eq})				24-Hour CNEL Noise Level
		Daytime Minimum	Daytime Maximum	Nighttime Minimum	Nighttime Maximum	
Site 1	Arrow Route and Tokay Street	52.4	59.8	47.8	60.6	63

Source: Table 5.1, Appendix K

Construction Noise – Temporary

It was assumed that each construction activity would occur within a distance of 1,400 ft of the nearest residential receivers at the corner of Tokay Avenue and Arrow Route (Site 1). These receptors may be affected by short-term noise impacts associated with the transport of workers, the movement of construction materials to and from the Project site, ground clearing, excavation, grading, and building activities. Construction noise levels were based on typical noise levels generated by construction equipment published by the Federal Transit Administration. A worst-case construction noise scenario was developed to estimate the loudest activities occurring at the Project site. (ENTECH, p. 27.)

Construction noise will have a temporary or periodic increase in the ambient noise levels above existing within the Project vicinity. The highest construction noise levels of the Project site are anticipated to be 61.3 dBA Leq at the nearest sensitive receptors, with the loudest activity associated with the building construction phase of the Project. (ENTECH, p. 36.) However, the highest construction noise level of 61.3 dBA Leq is lower than the existing average ambient noise level of 63 CNEL. As such, noise impacts will be less than significant.

Construction noise is considered a short-term impact and would be considered significant if construction activities are undertaken outside the allowable times as described by the SBCDC Section 83.01.090. Construction is anticipated to occur during the permissible hours according of Monday through Saturday, except Federal Holidays, between 7:00 am and 7:00 pm. Section 18-63(b)(7) of the City of Fontana Municipal Code allows construction between the hours of 7:00 a.m. and 6:00 p.m. on weekdays and between the hours of 8:00 a.m. and 5:00 p.m. on Saturdays, except in the case of urgent necessity or otherwise approved by the City of Fontana. (ENTECH, p. 34.) The proposed Project will comply with said regulations and construct during allowable times. Therefore, since construction noise will be temporary and the construction will occur during allowable times, impacts will be less than significant.

Project-Generated Traffic Noise Impacts

A qualitative analysis was performed to evaluate the determine whether the Project would provide a net increase in vehicle trips compared to existing conditions that would have the ability to increase noise levels to a perceptible level of 3 dBA or greater. If increases are perceptible the Project would have a significant impact. (ENTECH, p. 27.)

Implementation of the Project would generate increased traffic volumes along nearby roadway segments. According to the Traffic Analysis prepared for the Project, the proposed Project would generate 365 truck daily trips. The Project's increase in traffic would result in noise increases on Project area roadways. The Scoping Agreement prepared for the Project modeled the truck distribution trips to go east on Arrow Route and south on Citrus Ave within the City of Fontana.

In general, a traffic noise increase of 3 dBA is barely perceptible to people, while a 5-dBA increase is readily noticeable. Traffic volumes on Project area roadways would have to approximately double for the resulting traffic noise levels to increase by 3 dBA. According to the Community Mobility Circulation Element of the Fontana General Plan, average daily traffic (ADT) volumes along Arrow Route Boulevard (the nearest roadway with available ADT volumes) are 16,900 ADT. As such, the Project's vehicle trip generation (365 daily trips) would represent an increase of less than two percent in vehicle trips along Arrow Route compared to existing conditions. (ENTECH, p. 29.) Therefore, the proposed Project would not generate enough traffic to result in a permanent 3-dBA increase in ambient noise levels and traffic noise would not exceed any local standards. Impacts would be less than significant in this regard.

Operational Noise

Stationary noise generated by Project implementation will result from noise sources associated with the project are HVAC equipment (mechanical equipment), the 28-bay loading dock (truck and loading dock), and on-site parking lot circulation (parking). To evaluate these noise sources at the nearest residential noise-sensitive receptors, reference noise levels are used to estimate operational noise levels at nearby sensitive receptors based on a standard noise attenuation rate of 6 dB per doubling of distance (line of-sight method of sound attenuation for point sources of noise). Noise level estimates do not account for the presence of intervening structures or topography, which may reduce noise levels at receptor locations. Therefore, the noise levels represent a conservative, reasonable worst-case estimate of actual noise. (ENTECH, p. 28.)

For the operational noise portion of this analysis, noise level standard of 55 dBA and 65 dBA was conservatively used to analyze potential noise impacts at off-site residential receptors within the County and within the City of Fontana. These noise standards are consistent with SBCDC and the City of Fontana's Municipal Code noise regulations. (ENTECH, pp. 17, 22.)

Mechanical Equipment Noise

Mechanical equipment (e.g., heating ventilation and air conditioning [HVAC] equipment) typically generates noise levels of approximately 52 dBA at 50 feet. As such, noise levels at the nearest sensitive receptor (a single-family residences 1,153 feet south of the Project site) would be approximately 25 dBA, which is below the County's and City of Fontana's noise standards of 55 dBA and 65 dBA, respectively, for residential uses. Operation of mechanical equipment would not increase ambient noise levels beyond the acceptable compatible land use noise levels. Therefore, the proposed Project would result in a less than significant impact related to mechanical equipment noise levels. (ENTECH, p. 30.)

Truck and Loading Dock Noise

During loading and unloading activities, noise would be generated by the trucks' diesel engines, exhaust systems, and brakes during low gear shifting braking activities; backing up toward the docks; dropping down the dock ramps; and maneuvering away from the docks. Loading/unloading activities would occur on the western portion of the proposed warehouse building in the western portion of the Project site. Driveways and access to the site would occur along Arrow Route.

The proposed warehouse building includes dock-high doors for truck loading/unloading and manufacturing/light industrial operations. Loading dock noise is approximately 68 dBA at 50 feet. Loading dock noise levels would be approximately 41 dBA at the nearest receptor (between Lime Avenue and Tokay Avenue south of the Project site near the railroad tracks) conservatively assuming a clear line of sight and no attenuation from intervening walls or structures. Furthermore, loading dock doors would also be surrounded with protective aprons, gaskets, or similar improvements that, when a trailer is docked, would serve as a noise barrier between the interior warehouse activities and the exterior loading area. This would attenuate noise emanating from interior activities, and as such, interior loading and associated activities would be permissible during all hours of the day. (ENTECH, p. 30.) Therefore, noise levels associated with truck loading/unloading activities would not exceed the County's and City of Fontana's noise standards of 55 dBA and 65 dBA, respectively, for residential uses.

Trucks at the Project site would also utilize backup alarms during loading/unloading activities. Backup alarms produce a typical noise level of 79 dB at 30 feet. At the nearest receiver at a of 1,153 feet, backup alarm noise levels would be approximately 47 dBA and would be below the County's and City's noise standards of 55 dBA and 65 dBA, respectively, for residential uses. (ENTECH, pp. 30-31.) Therefore, noise levels from trucks and loading/unloading activities would not exceed any local noise standards and a less than significant impact would occur.

Parking Noise

The Project provides 121 and 37 trailer parking stalls. Parking is located on the eastern and western portions of the Project site. Traffic associated with parking lots is typically not of sufficient volume to exceed community noise standards, which are based on a time-averaged scale such as the CNEL scale. The instantaneous maximum sound levels generated by a car door slamming, engine starting up, and car pass-bys range from 53 to 61 dBA and may be an annoyance to adjacent noise-sensitive receptors. Conversations in parking areas may also be an annoyance to adjacent sensitive receptors. Sound levels of speech typically range from 33 dBA at 50 feet for normal speech to 50 dBA at 50 feet for very loud speech. Parking lot noises are instantaneous noise levels compared to noise standards in the hourly Leq metric, which are averaged over the entire duration of a time period. (ENTECH, p. 31.)

Parking and driveway noise would be consistent with existing noise in the vicinity and would be partially masked by background traffic noise from motor vehicles traveling along Arrow Route. Actual noise levels over time resulting from parking activities are anticipated to be far below the local noise standards. (ENTECH, p. 31.) Therefore, noise impacts associated with parking would be less than significant.

Less Than Significant.

- b) *Generation of excessive groundborne vibration or groundborne noise levels?*

Construction Vibration

Construction activity can result in varying degrees of ground vibration, depending on the equipment used on the site. Operation of construction equipment causes ground vibrations that spread through the ground and diminish in strength with distance. The threshold at which there may be a risk of architectural damage to normal houses with plastered walls and ceilings is 0.20 inches/second. Primary sources of ground-borne vibration levels resulting from construction activities occurring within the Project site were estimated by data published by the Federal Transit Administration (FTA) and compared to the County's threshold. Construction activities that would occur within the Project site include grading, building construction, paving and painting. (ENTECH, pp. 33-34.) These activities have the potential to generate low levels of ground-borne vibration. As shown in **Table K – Construction Equipment Vibration Levels**, the vibration levels expected at the nearest residential land use at a distance of 1,153 feet is 0.00028 inches/second which is below the County's threshold of 0.20 inches/second. (ENTECH, p. 36.)

Table K – Construction Equipment Vibration Levels

Noise Receiver	Distance to Receiver's Property Line ^a	Large Bulldozer Reference Vibration Level (at 25 feet) ¹	Peak Vibration Level at 1,153 feet
Residence between Lime Avenue and Tokay Avenue south of the Project site near the railroad tracks	1,153 feet	0.089	0.00028

Source: Appendix K, Table 10-4

Notes:

^aReference noise level from the FTA *Noise and Vibration Manual*, Table 7-4

Based on the reference vibration levels provided by the FTA, a large bulldozer represents the peak source of vibration with a reference level of 0.089 inches/second at a distance of 25 feet. At 1,153 feet, construction vibration levels are expected to approach 0.00028 inches/second. Using the construction vibration assessment annoyance criteria provided by the County of San Bernardino of 0.2 inches/second, the construction of the project site will not result in vibration impact. Impacts at the site of the closest sensitive receptor are unlikely to be sustained during the entire construction period. Moreover, construction at the project site will be restricted to daytime hours, thereby eliminating potential vibration impacts during sensitive nighttime hours. (ENTECH, p. 36.) Therefore, impacts associated with construction vibration will be less than significant.

Operational Vibration

Project operations will increase auto and truck traffic within the Project area. Per the Caltrans Transportation Noise and Vibration Manual traffic, auto and heavy trucks traveling on roadways rarely generates vibration amplitudes high enough to cause structural or cosmetic damage. Nonetheless, a qualitative analysis is provided to

evaluate the likelihood of vibration impacts from the Project utilizing the empirical vibration curve developed by Caltrans. (ENTECH, p. 32.)

Based on the Caltrans vibration curve (Appendix K, Figure 5), vibration attenuates rapidly with distance. Based on the distance from the roadway centerlines to residential land use at a distance of 1,400, the maximum worse-case vibration levels expected at these locations are near 0.08 millimeters per second (mm/s) or 0.0032 inches/second or 70 VdB. Caltrans and the FTA provide a range of perceptible annoyance levels and this predicted vibration level falls well below the distinctly perceptible level of 0.08 inches/second, below the FTA damage criteria of 0.2 inches/second, and the human annoyance level of 75 VdB (ENTECH, pp. 13, 32.). Further this worst-case vibration level from truck traffic would not exceed the Caltrans threshold of 0.2 inches/second. It is expected that actual vibration levels within the Project area from truck traffic will be lower than this worst-case level when soil type and pavement conditions are considered. (ENTECH, pp. 32.) On this basis, the potential for the Project to result in exposure of persons to, or generation of, excessive ground-borne vibration would be less than significant.

Less Than Significant Impact.

- c) *For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the Project expose people residing or working in the project area to excessive noise levels?*

ONT Airport is the closest airport to the Project site which is located approximately 7.40 miles southwest from the Project site. The Project site is located outside of boundaries of the ONT Airport Land Use Compatibility Plan and would be exposed to airflight noise operations less than 60 dBA CNEL (ALUCP, Map 2-3). As such, people working in the Project area would not be exposed to excessive noise levels from ONT. Therefore, potential impacts associated with airport noise will be less than significant.

Less Than Significant.

Therefore, no significant adverse impacts are identified or anticipated and no mitigation measures are required.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
XIV. POPULATION AND HOUSING - Would the project:				
a) Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

SUBSTANTIATION:

Countywide Plan, 2020 (CWP); Submitted Project Materials.

- a) *Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?*

The proposed Project does not involve construction of any new homes and will not contribute to a direct increase in population. The proposed Project may indirectly contribute to population growth by creating jobs both during construction and operation. However, it is anticipated that the majority of new jobs would be filled by workers who already reside in the Project vicinity and that the Project would not attract a significant number of new residents to the area. Therefore, construction and operation of the proposed Project will not significantly induce substantial unplanned population growth either directly or indirectly. Therefore, impacts will be less than significant

Less than Significant Impact.

- b) *Displace substantial numbers of existing people or housing, necessitating the construction of replacement housing elsewhere?*

The Project site is currently developed with three automotive dismantling/parts businesses and does not contain any structures that provide housing. Therefore, the Project will not displace any existing housing and will not necessitate construction of replacement housing elsewhere. Thus, no impacts would occur.

No Impact.

Therefore, no significant adverse impacts are identified or anticipated and no mitigation measures are required.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
XV. PUBLIC SERVICES				
a) Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:				
Fire Protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Police Protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Schools?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Parks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Other Public Facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

SUBSTANTIATION:

Countywide Plan, 2020 (CWP); Submitted Project Materials

- a) *Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any of the public services:*

Fire Protection?

The existing development at the Project site receives fire protection services by San Bernardino County Fire Department (SBCFD). Specifically, the Project site is serviced by San Bernardino County Fire Station No. 71, located at 16980 Arrow Boulevard, Fontana, CA 92335 (approximately 0.50 miles east of the Project site) and San Bernardino County Fire Station No. 72, located at 15380 San Bernardino Avenue, Fontana, CA 92335 (approximately 1.50 miles south of the Project site). The proposed Project would demolish the existing development to construct a non-refrigerated warehouse on the same site. The new development at the Project site would continue to receive services from the existing fire stations and no new or expanded unplanned facilities would be required. Therefore, no potential impacts related to fire protection would occur.

No Impact.

Police Protection?

The existing development at the Project site receives police protection services from the San Bernardino County Sheriff's Department. The Sheriff's Department would continue to provide police protection services to the Project site upon buildout of the Project. It is anticipated that the new warehouse building would increase the number of employees

on the Project site, however the incremental increase in demand for police protection services is not anticipated to require or result in the construction of a new or physically altered police facility. Furthermore, property tax revenues generated from development of the site would provide funding to offset potential increases in the demand for police services at Project build-out. Based on the foregoing, the proposed Project would receive adequate police protection service, and would not result in the need for new or physically altered police protection facilities. Therefore, potential impacts associated with police protection would be less than significant.

Less than Significant Impact.

Schools?

The Project does not include residential land uses and would not directly introduce new school-age children within the Fontana Unified School District boundaries. As discussed in detail in the *Response XIV (a)* above, the Project is not expected to draw a substantial number of new residents to the surrounding area as the result of unplanned population or housing growth and would not, therefore, indirectly increase unplanned enrollment at Fontana Unified School District schools. Because the Project would not directly generate students and is not expected to indirectly draw students to the area, the Project would not cause or contribute a need to construct new or physically alter existing public-school facilities. Although implementation of the Project would not create a direct demand for public school services, the Project Applicant would be required to contribute development impact fees to the Fontana Unified School District in compliance with the Leroy F. Green School Facilities Act of 1998, which allows school districts to collect fees from new development to offset the costs associated with increasing school capacity needs. Mandatory payment of school fees would be required prior to the issuance of building permits. Therefore, implementation of the Project would result in less-than-significant impacts to public schools.

Less than Significant Impact.

Parks?

The Project does not propose to construct any new on- or off-site recreation facilities or any type of residential uses that may generate a population that would increase the use of existing neighborhood and regional parks or other recreational facilities. Accordingly, the Project would not result in environmental effects related to the construction or expansion of recreational facilities or the increased use or substantial physical deterioration of an existing neighborhood or regional park. Therefore, impacts associated with parks would not occur.

No Impact.

Other Public Facilities?

The Project is not expected to result in a demand for other public facilities/ services, including libraries, community recreation centers, post offices, public health facilities,

and/ or animal shelters. Therefore, impacts associated with other public facilities would not occur.

No Impact.

Therefore, no significant adverse impacts are identified or anticipated and no mitigation measures are required.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
XVI. RECREATION				
a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility will occur or be accelerated?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

SUBSTANTIATION:

Countywide Plan, 2020 (CWP); Submitted Project Materials

- a) *Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility will occur or be accelerated?*

The Project would redevelop the existing development and construct a non-refrigerated warehouse building at the Project site. The Project does not propose residential development that may generate a population that would increase the use of existing neighborhood and regional parks or other recreational facilities. Accordingly, the implementation of the proposed would not result in the increased use or substantial physical deterioration of an existing neighborhood or regional park. Therefore, no potential impacts associated with existing recreation facilities would occur.

No Impact.

- b) *Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?*

The Project does not involve the construction of any new on- or off-site recreation facilities. Additionally, the Project would not expand any existing off-site recreational facilities. Therefore, no potential impacts associated with the construction or expansion of recreational facilities would occur.

No Impact.

Therefore, no significant adverse impacts are identified or anticipated and no mitigation measures are required.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
XVII. TRANSPORTATION – Would the project:				
a) Conflict with a program plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Would the project conflict or be inconsistent with CEQA Guidelines section 15064.3 subdivision (b)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Result in inadequate emergency access?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SUBSTANTIATION:

Countywide Plan, 2020 (CWP); Traffic Impact and Vehicle Miles Traveled Screening Analysis (WEBB-D, Appendix L); Submitted Project Materials

- a) *Conflict with a program plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities?*

Arrow Route, which is adjacent to the Project site, is a Major Highway. According to the Countywide Plan, Major Highways typically contain two to four lanes and ROW width of 104 ft minimum with a curb-to-curb separation of 80 feet. The proposed Project will expand the existing 36 ft roadway to 40 ft, add new curb and gutter, reconfigure driveways, and add landscaping on the southerly portion of Arrow Route along the Project site's frontage. Arrow Route is not a designated a bike route. The sidewalks along the Project's frontage will be constructed according to County's standards.

Nearby bus transit services are provided by Omnitrans. The nearest bus stop to the Project site, Route 10, is located on Arrow Boulevard in the City of Fontana, approximately 0.40 miles east of the Project site, near the intersection of Arrow Boulevard and Citrus Avenue. The proposed Project would not conflict with the existing transit circulation system.

Therefore, the proposed Project would not conflict with transit, roadway, bicycle, or pedestrian facilities programs, plans, ordinances, or policies and impacts will be less than significant.

Less Than Significant.

- b) *Would the project conflict or be inconsistent with CEQA Guidelines section 15064.3 subdivision (b)?*

Senate Bill 743 (SB 743) was passed by the California State Legislature and signed into law by Governor Brown in 2013. SB 743 required the Office of Planning and Research and the California Natural Resources Agency to develop alternative methods of measuring transportation impacts under the California Environmental Quality Act (CEQA). In December 2018, the California Natural Resources Agency finalized updates to the CEQA Guidelines, which included SB 743. CEQA Guidelines Section 15064.3 provides that transportation impacts of projects are, in general, best measured by evaluating the project's vehicle miles traveled (VMT). Automobile delay (often called Level of Service) will no longer be considered to be an environmental impact under CEQA. Automobile delay can, however, still be used by agencies to determine local operational impacts.

A *Traffic Impact Analysis and Vehicle Miles Traveled Screening Analysis* (Traffic Analysis) dated August 17, 2021, was prepared to determine if a full TIA and/or VMT analysis will be required for a proposed Project. This screening analysis was based on the County of San Bernardino Transportation Impact Study Guidelines (Guidelines) which were adopted on July 9, 2019.

Per the County Guidelines, projects can be exempted from conducting a full VMT analysis by:

1. Being considered a local-serving project, or
2. Being a small development generating less than 110 daily vehicle trips, or
3. Being located within a Transit Priority Area (TPA) as determined by the most recent SCAG RTP/SCS, or
4. Being located in an area that currently produces low VMT per the County screening map.

The screening analysis conducted for the proposed Project included utilizing the County traffic model, known as SBTAM, and analyzing project trips, origins, and destinations to determine estimated project VMT per capita, VMT per service population, or other

measurements. The SBCTA VMT Screening Tool was utilized to determine if the Project can be screened from conducting a full VMT analysis.

According to the VMT Screening Tool, the traffic analysis zone (TAZ) VMT is lower than the County's baseline VMT Per Worker metric by 11.79% in the year 2016, lower than the County's baseline VMT by 11.64% in the year 2021, and lower than the County's baseline VMT by 11.04% in the year 2040.

The VMT analysis concluded that the Project is eligible for VMT exemption because the Project site is located in a low VMT generating area in the base year 2016, present year 2021, and future year 2040 and VMT impacts are minimal. Therefore, the Project would not be in conflict with or inconsistent with CEQA Guidelines section 15064.3, subdivision (b) and impacts would be less than significant.

Less Than Significant.

- c) *Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?*

All proposed improvements within the public right-of-way would be installed in conformance with County design standards. The County has reviewed the Project's application materials and determined that no hazardous transportation design features would be introduced through implementation of the Project. Accordingly, the Project's construction and operation would not create or substantially increase safety hazards due to a design feature. Moreover, the existing and proposed development are industrial uses which are compatible uses with the surrounding Project area. Therefore, no potential impacts associated with geometric design hazards or incompatible uses would occur.

No Impact.

- d) *Result in inadequate emergency access?*

The Project would construct one warehouse building on the Project site, which would require the need for emergency access to-and-from the site. During the County of San Bernardino's review of the proposed Project, the County confirmed that the Project would provide adequate access to-and-from the Project site for emergency vehicles. The County also confirmed the layout of the Project's proposed warehouse building, drive aisles, parking lots, and truck courts was sufficient to provide adequate on-site circulation for emergency vehicles. Furthermore, the County of San Bernardino will review all future Project construction drawings to ensure that adequate emergency access is maintained along abutting public streets during temporary construction activities. Therefore, potential impacts associated with inadequate emergency access would be less than significant.

Less than significant.

Therefore, no significant adverse impacts are identified or anticipated and no mitigation measures are required.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
XVIII. TRIBAL CULTURAL RESOURCES				
a) Would the Project cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:				
i) Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k), or	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
ii) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resource Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
SUBSTANTIATION:				
Countywide Plan, 2020 (CWP); Cultural Resources Assessment (Appendix D); Submitted Project Materials				

- a) *Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k)?*

The Phase I Cultural Resources Assessment concluded that the Project site did not contain any resources listed or eligible for listing in the California Register of Historical Resources, or a local register of historical resources at the Project site. (AE-A, p. 27) Therefore, impacts to historical resource would be less than significant.

Less Than Significant.

- b) *A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resource Code Section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe?*

As of July 1, 2015, Assembly Bill 52 (AB 52), signed into law in 2014, amends CEQA and establishes new requirements for tribal consultation. The law applies to all projects that have a notice of preparation or notice of negative declaration/mitigated negative declaration. It also broadly defines a new resource category of "tribal cultural resource" and establishes a more robust process for meaningful consultation that includes:

- Prescribed notification and response timelines
- Consultation on alternatives, resource identification, significance determinations, impact evaluation, and mitigation measures
- Documentation of all consultation efforts to support CEQA findings

The County, as lead agency, is required to coordinate with Native American tribes through the Assembly Bill 52 Tribal Consultation process. On March 22, 2021, the County provided notification to the following 7 tribes in accordance with AB 52: the San Manuel Band of Mission Indians, Gabrieleño Band of Mission Indians – Kizh Nation, Gabrieleño Band of Mission Indians – Tongva Nation, Soboba Band of Luiseno Indians, Morongo Band of Mission Indians, Colorado River Indian Tribes, and AhaMakav Cultural Society. To date, the County has received a response from the Gabrieleño Band of Mission Indians – Kizh Nation. On May 6, 2021, the Kizh Nation recommended mitigation for the Project. As a result, the Project will implement mitigation measure **MM TCR-1**, which requires a Native American Monitor from the Gabrieleño Band of Mission Indians-Kizh Nation to monitor the initial grading of the Project site.

To date, none of the remaining tribes have responded to the AB 52 notification letter. Therefore, the County has concluded consultation. No evidence was provided to the County of the presence of tribal cultural resources at the Project site as a result of the AB 52 consultation efforts. As such, there are no officially designated tribal cultural resources at the Project site. Therefore, with implementation of mitigation measure **MM TCR-1**, impacts to tribal cultural resources will be reduced to a less than significant level.

Less Than Significant with Mitigation.

Therefore, possible significant adverse impacts have been identified or are anticipated and the following mitigation measures are required as conditions of Project approval to reduce these impacts to a less-than-significant level:

MM TCR-1: Prior to the commencement of any ground disturbing activity at the Project site, the Project proponent/developer shall retain a Native American Monitor approved by the Gabrieleño Band of Mission Indians-Kizh Nation – the tribe that consulted on this Project pursuant to Assembly Bill AB52 (the "Tribe" or the "Consulting Tribe"). A copy of the executed contract shall be submitted to the County of San Bernardino Planning prior to the issuance of any permit necessary to commence a ground-disturbing activity. The Tribal monitor will only be present on-site during the construction phases that involve ground-disturbing activities. Ground disturbing activities are defined by the Tribe as activities that may include, but are not limited to, pavement removal, potholing or auguring, grubbing, tree removals, boring, grading, excavation, drilling, and trenching, within the project area. The Tribal Monitor will complete daily monitoring logs that will provide descriptions of the day's activities, including construction activities, locations, soil, and

any cultural materials identified. The on-site monitoring shall end when all ground-disturbing activities on the Project Site are completed, or when the Tribal Representatives and Tribal Monitor have indicated that all upcoming ground-disturbing activities at the Project Site have little to no potential for impacting Tribal Cultural Resources. Upon discovery of any Tribal Cultural Resources, construction activities shall cease in the immediate vicinity of the find (not less than the surrounding 100 feet) until the find can be assessed. All Tribal Cultural Resources unearthed by project activities shall be evaluated by the qualified archaeologist and Tribal monitor approved by the Consulting Tribe. If the resources are Native American in origin, the Consulting Tribe will retain it/them in the form and/or manner the Tribe deems appropriate, for educational, cultural and/or historic purposes. If human remains and/or grave goods are discovered or recognized at the Project Site, all ground disturbance shall immediately cease, and the county coroner shall be notified per Public Resources Code Section 5097.98, and Health & Safety Code Section 7050.5. Human remains and grave/burial goods shall be treated alike per California Public Resources Code section 5097.98(d)(1) and (2). Work may continue on other parts of the Project Site while evaluation and, if necessary, mitigation takes place (CEQA Guidelines Section 15064.5[f]). If a non-Native American resource is determined by the qualified archaeologist to constitute a "historical resource" or "unique archaeological resource," time allotment and funding sufficient to allow for implementation of avoidance measures, or appropriate mitigation, must be available. The treatment plan established for the resources shall be in accordance with CEQA Guidelines Section 15064.5(f) for historical resources and PRC Sections 21083.2(b) for unique archaeological resources.

Preservation in place (i.e., avoidance) is the preferred manner of treatment. If preservation in place is not feasible, treatment may include implementation of archaeological data recovery excavations to remove the resource along with subsequent laboratory processing and analysis. Any historic archaeological material that is not Native American in origin shall be curated at a public, non-profit institution with a research interest in the materials, such as the Natural History Museum of Los Angeles County or the Fowler Museum, if such an institution agrees to accept the material. If no institution accepts the archaeological material, it shall be offered to a local school or historical society in the area for educational purposes.

<i>Issues</i>		<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
XIX. UTILITIES AND SERVICE SYSTEMS - Would the project:					
a)	Require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b)	Have sufficient water supplies available to serve the Project and reasonably foreseeable future development during normal, dry and multiple dry years?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c)	Result in a determination by the wastewater treatment provider which serves or may serve the Project that it has adequate capacity to serve the Project's projected demand in addition to the provider's existing commitments?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d)	Generate solid waste in excess of state or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e)	Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

SUBSTANTIATION:

Countywide Plan, 2020 (CWP); Countywide Plan EIR, 2020 (CWP EIR); FWC UWMP; IEUA UWMP; CALRecycle; Submitted Project Materials

- a) *Require or result in the relocation or construction of new or expanded water, wastewater treatment or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?*

The existing power poles along the Project's frontage of Arrow Route, will be undergrounded or relocated within ROW. Existing electrical power, natural gas, and telecommunication facilities are available in Arrow Route to serve the Project site.

The Project's onsite runoff will be captured onsite via an underground chamber infiltration system, treated, and then discharge onto the existing west Fontana Channel. (See Figure 7 – Proposed Site Plan.) Construction or relocation of storm drainage facilities would be required.

The Project will connect to the existing water and sewer lines that are located in Arrow Route. There are no sewer connections available, so wastewater generated by the Project site will be treated by a septic system. Since these utility connections will be constructed within existing roadways (Arrow Route) or the Project boundary, any resulting impacts from said utility construction have been addressed in this Initial Study.

Therefore, the proposed Project would not cause significant effects with regard to the construction of water, sewer, storm water drainage, electrical power, natural gas, or telecommunications facilities and impacts will be less than significant.

Less Than Significant.

- b) *Have sufficient water supplies available to serve the Project and reasonably foreseeable future development during normal, dry and multiple dry years?*

The Fontana Water Company (FWC) is a division of the San Gabriel Valley Water Company and is a retail water supplier for the City of Fontana, and portions of the City of Rialto, City of Rancho Cucamonga, and adjacent unincorporated areas of San Bernardino County, including the Project site. Domestic water supplies from this service provider are reliant on groundwater from the Chino Basin, Lytle Basin, Rialto-Colton Basin and No Man's Land Basin. The FWC also relies on surface water sourced from Lytle Creek and purchased/imported water from Inland Empire Utilities Agency (IEUA) and San Bernardino Valley Municipal Water District.

According to the FWC's 2015 Urban Water Management Plan (UWMP), water supply met water demand for the FWC coverage area through 2015 and is forecasted to continue to do so through 2040 (FCW UWMP, p. 4-4.). In addition, the projected supply of water is expected to equal demand through the year 2040 under a single dry-year scenario (FCW UWMP, p 7-6.) and multiple dry-year scenario. (FCW UWMP, p 7-7.)

The Project proposes an industrial/warehouse building with office space which is not a water-intensive use. To further minimize any potential groundwater depletion, the Project would include an underground chamber infiltration system along the western boundary of the site near the truck trailer parking stalls to assist with groundwater recharge. The Project proposes an approximately 209,759 square foot industrial/warehouse building with ancillary office space on approximately 9.23 net acres. According to IEUA 2015 UWMP, FWC's industrial land uses water demand is 0.33 acre-feet per acre per year for industrial use. Applying the same rate, the Project

would consume water at a rate of approximately 3.05 acre-feet per year. (IEUA UWMP, p. 4-3.)

The water supply available to the FWC will be sufficient to meet all present and future water supply requirements in the FWS's services area, which include the Project site for at least the next 20 years. Therefore, the supply would meet the demand of the Project during normal, dry, and multiple dry years and impacts would be less than significant.

Less Than Significant.

- c) *Result in a determination by the wastewater treatment provider which serves or may serve the Project that it has adequate capacity to serve the Project's projected demand in addition to the provider's existing commitments?*

No sewer services are available in the vicinity of the Project site. As such, the Project will include leach-line OTWS to collect and treat wastewater generated by the Project. The OTWS Feasibility Report prepared for the Project concluded that the Project site has soils capable of supporting an OTWS. In accordance with SBCDC, the Project applicant will be required to prepare and submit a geotechnical plan check of the OTWS once a specific OTWS design is available. Therefore, since the Project will not be serviced by a wastewater treatment provider, impacts would be less than significant.

Less Than Significant.

- d) *Generate solid waste in excess of state or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?*

Trash and recycling services for the Project Site are provided by Burrtec Waste and Recycling (CWP EIR, p. 5.18-53.) According to the CWP EIR the trash collected from the Project Vicinity would be taken to the Mid-Valley Sanitary Land Fill in Rialto. (CWP EIR, p 5.18-54.)

According to CalRecycle, the Mid-Valley Landfill has an estimated remaining capacity of 61,219,00 cubic yard and has a has a maximum throughput of 7,500 tons per day. The nearest Material Recovery Facilities (MRF) is West Valley Transfer Station in Fontana, which sorts and processes recyclable materials. The Project is anticipated to generate solid waste during the temporary, short-term construction phase, as well as the operational phase, but it is not anticipated to result in inadequate landfill capacity. According to CalRecycle's Estimated Solid Waste Generation Rates, a warehouse facility is estimated to produce 62.5 pounds of waste per 1,000 sf per day (CALRE-B). The warehouse building is approximately 209,759 sf and would generate 13,110 pounds, or 6.55 tons, of waste per day. That is approximately 0.09 percent of the Mid-Valley Sanitary Landfill's maximum daily throughput and would not substantially alter existing or future solid waste generation patterns or disposal services considering the maximum permitted throughput at the Mid-Valley Landfill and the availability of additional landfills in the region. Therefore, no significant adverse impacts are identified or are anticipated, and no mitigation measures are required.

The Proposed Project would also adhere to regional and state solid waste policies. The Proposed Project is subject to Assembly Bill 1327, Chapter 18, Solid Waste Reuse and Recycling Access Act of 1991 (Act). The Act requires that adequate areas be provided for collecting and loading recyclable materials such as paper products, glass, and other recyclables. Implementation of the waste reduction and recycling programs would reduce the amount of solid waste generated by the Proposed Project and diverted to landfills. Therefore, no significant adverse impacts are identified or are anticipated, and no mitigation measures are required.

Less Than Significant.

- e) *Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?*

Federal, State, and local statutes and regulations regarding solid waste generation, transport, and disposal are intended to decrease solid waste generation through mandatory reductions in solid waste quantities (e.g., through recycling and composting of green waste) and the safe and efficient transport of solid waste. The proposed Project would be required to coordinate with Burrtec Waste and Recycling to develop a collection program for recyclables, such as paper, plastics, glass and aluminum, in accordance with local and State programs, including the California Solid Waste Reuse and Recycling Act of 1991. Additionally, the proposed Project would be required to comply with applicable practices enacted by the County under the California Integrated Waste Management Act of 1989 (AB 939) and any other applicable local, State, and federal solid waste management regulations.

The California Integrated Waste Management Act under the Public Resource Code requires that local jurisdictions divert at least 50 percent of all solid waste generated by January 1, 2000. In addition, the 2019 CalGreen Code requires to divert 65 percent of construction waste. Thus, the proposed Project will be required to comply with federal, state, and local statutes and regulations related to solid waste. Therefore, impacts will be less than significant.

Less Than Significant.

Therefore, no significant adverse impacts are identified or anticipated and no mitigation measures are required.

Issues	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant	No Impact
XX. WILDFIRE: If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project:				

- | | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------------------------|--------------------------|-------------------------------------|
| a) Substantially impair an adopted emergency response plan or emergency evacuation plan? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| b) Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from wildfire or the uncontrolled spread of a wildfire? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| c) Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water resources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| d) Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

SUBSTANTIATION:

Countywide Plan, 2020 (CWP); Calfire (CALFIRE-A; CALFIRE-B); San Bernardino County Development Code (SBCDC); Drainage Study (WEBB-F, Appendix J.1); Submitted Project Materials

- a) *Substantially impair an adopted emergency response plan or emergency evacuation plan?*

The State Responsibility Area (SRA) is the land where the State of California is financially responsible for the prevention and suppression of wildfires. The SRA does not include lands within city boundaries or in federal ownership. According to the California Department of Forestry and Fire Protection's (Calfire's) Very High Fire Hazard Severity Zones (VHFHSZ) in SRA, the Project site is not located within an SRA (CALFIRE-A). Additionally, based on a review of Calfire's VHFHSZ in Local Responsibility Area (LRA), the Project site is located within a non-VHFHSZ (CALFIRE-B). The Project's construction and operation would not interfere with an adopted emergency response plan. Road closures would not occur for the implementation of the Project and all work associated with the Project will take place on site. Moreover, the proposed improvements would be subject to County SBCDC Chapter 83.09 – Infrastructure Improvement Standards, and Chapter 83.12 – Road System Design Standards to ensure that adequate dimensions for emergency vehicles is met.

Because the Project is not within an SRA, it will not entail any road closures, and will be compliant with SBCDC standards, then impacts associated with impairing an adopted emergency response plan or emergency evacuation plan, would not occur.

No Impact

- b) *Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from wildfire or the uncontrolled spread of a wildfire?*

The Project site is relatively flat and is situated at an elevation approximately 1,230 feet (ft) to 1,250 ft above mean sea level. There are no slopes or prevailing winds that would exacerbate wildfire. Moreover, the Project site is not within an SRA or lands classified as very high fire hazard severity zones and Project development would be complaint with SBCDC standards. (CALFIRE-A; CALFIRE-B) Therefore, potential impacts associated with wildfire or the uncontrollable spread of wildfire would not occur.

No Impact.

- c) *Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water resources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?*

The Project site does not require the installation or maintenance of associated infrastructure such as roads, fuel breaks, or emergency water resources. Additionally, the Project site will connect to existing utilities. Therefore, no impacts would occur.

No Impact.

- d) *Expose people or structures to significant risks, including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?*

The Project site is located within an a generally flat area and is not within an SRA or within lands classified as very high fire hazard severity zones and Project development would be complaint with SBCDC standards. (CALFIRE-A; CALFIRE-B) Further as discussed in Preliminary Drainage Study, the existing drainage flow would not change. (WEBB-F, p. 1-1.) Therefore, impacts related to post-fire slope instability or drainage changes would not occur.

No Impact.

Therefore, no significant adverse impacts are identified or anticipated and no mitigation measures are required.

<i>Issues</i>	<i>Potentially Significant Impact</i>	<i>Less than Significant with Mitigation Incorporated</i>	<i>Less than Significant</i>	<i>No Impact</i>
XXI. MANDATORY FINDINGS OF SIGNIFICANCE:				

- | | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-------------------------------------|-------------------------------------|--------------------------|
| a) Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| b) Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| c) Does the project have environmental effects, which would cause substantial adverse effects on human beings, either directly or indirectly? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

- a) *Does the project have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?*

As discussed throughout the Initial Study, the proposed Project area does not contain sensitive biological resources that could potentially be affected by the proposed Project. All potentially significant impacts to biological resources would be avoided or reduced to a less than significant impact.

As discussed in *Response V (a) and (b)*, *Response VII(f)*, and *Response XVIII(b)*, there are no known significant historic, archaeological, paleontological, or tribal cultural resources at the Project site. However, in the unlikely event that unknown cultural

resources may be impacted by ground disturbing activities **MM CR-1** and **MM TCR-1** would reduce impacts to less than significant levels.

Thus, the proposed Project will not degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or an endangered plant or animal or eliminate important examples of the major periods of California history or prehistory. Therefore, impacts are less than significant with mitigation incorporated.

Less Than Significant with Mitigation.

- b) *Does the project have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?*

Cumulative impacts are defined as two or more individual affects that, when considered together, are considerable or that compound or increase other environmental impacts. The cumulative impact from several projects is the change in the environment that results from the incremental impact of the development when added to the impacts of other closely related past, present, and reasonably foreseeable or probable future developments. Cumulative impacts can result from individually minor, but collectively significant, developments taking place over a period. The CEQA Guidelines, Section 15130 (a) and (b), states:

(a) Cumulative impacts shall be discussed when the project's incremental effect is cumulatively considerable.

(b) The discussion of cumulative impacts shall reflect the severity of the impacts and their likelihood of occurrence, but the discussion need not provide as great detail as is provided of the effects attributable to the project. The discussion should be guided by the standards of practicality and reasonableness. Impacts associated with the proposed

The Project would not be considered individually or cumulatively adverse or considerable. Impacts identified in this Initial Study can be reduced to a less than significant impact. Therefore, no significant adverse impacts are identified or are anticipated, and no mitigation measures are required.

Less Than Significant.

- c) *Does the project have environmental effects, which would cause substantial adverse effects on human beings, either directly or indirectly?*

Effects on human beings were evaluated as part of this analysis of this Initial Study under the aesthetics, air quality, cultural resources as it relates to human remains, geology and soils, GHG, hazards and hazardous materials, hydrology and water quality, land use and planning, noise, population and housing, public services, recreation, transportation, tribal cultural resources, and utilities and services systems thresholds.

Based on the analysis and conclusions in this Initial Study, impacts for these topics were considered to have no impact, less than significant impact, or less than significant impact with mitigation incorporated. As discussed in *Response V (a) and (b)*, *Response VII(f)*, and *Response XVIII(b)*, in the unlikely event that unknown cultural resources (historic, archaeological, paleontological, or tribal cultural resources) are discovered at the Project site during ground disturbing activities **MM CR-1** and **MM TCR-1** would reduce impacts to less than significant levels.

Therefore, potential direct and indirect impacts on human beings that result from the proposed Project are considered less than significant with mitigation incorporated.

Less Than Significant with Mitigation.

All potential impacts have been thoroughly evaluated and have been deemed to be neither individually significant nor cumulatively considerable in terms of any adverse effects upon the region, the local community or its inhabitants. At a minimum, the project will be required to meet the conditions of approval for the project to be implemented. It is anticipated that all such conditions of approval will further ensure that no potential for adverse impacts will be introduced by construction activities, initial or future land uses authorized by the project approval.

Therefore, possible significant adverse impacts have been identified or are anticipated and mitigation measures MM CR-1 and MM TCR-1 are required as conditions of Project approval to reduce these impacts to a less-than-significant levels.

GENERAL REFERENCES

CWP	County of San Bernardino, <i>Countywide Plan; County Policy Plan</i> . October 2020. (Available at http://countywideplan.com/policy-plan/ , accessed on March 19, 2021.)
CWP EIR	County of San Bernardino. <i>Countywide Plan Final Environmental Impact Report</i> , August 2020. (Available at http://countywideplan.com/eir/ , accessed March 19, 2021.)
SBCDC	County of San Bernardino, <i>San Bernardino County Development Code, Title 8: Development Code</i> . (Available at https://codelibrary.amlegal.com/codes/sanbernardino/latest/sanberncty_ca/0-0-0-60217 , accessed March 5, 2021.)

PROJECT-SPECIFIC REFERENCES

AE-A	Applied Earthworks Inc., <i>Cultural Resources Assessment for the Arrow Route Warehouse Project near the City of Fontana, San Bernardino County, California</i> , April 2021. (Appendix D.)
AE-B	Applied Earthworks Inc., <i>Paleontological Resource Assessment for the Arrow Route Warehouse Project near the City of Fontana, San Bernardino County, California</i> , April 2021. (Appendix H.)
AGI-A	Aragón Geotechnical Inc., <i>Geotechnical Investigation Proposed Light Industrial Project 15719 and 15755 Arrow Route, Fontana, San Bernardino County, California</i> , December 2, 2020. (Appendix F.)
AGI-B	Aragón Geotechnical Inc., <i>On-site Wastewater Treatment System Feasibility Report 15719 and 15755 Arrow Route, Fontana, San Bernardino County, California</i> , November 23, 2020. (Appendix G.)
ALUCP	City of Ontario. <i>LA/Ontario International Airport Land Use Compatibility Plan</i> . 2011. (Available at ALUCP_FULL.pdf (ontarioplan.org) , accessed March 22, 2021.)
BRT	Cadre Environmental, <i>Biological Technical Report 15719 & 15755 Arrow Route Warehouse</i> , April 2021. (Available as Appendix C.)
CALFIRE-A	California Department of Forestry and Fire Protection (CAL FIRE). 2007. <i>SW San Bernardino County Fire Severity Hazard Map in State Responsibility Area</i> . (Available at https://osfm.fire.ca.gov/media/6781/fhszs_map62.pdf , accessed March 22, 2021.)
CALFIRE-B	California Department of Forestry and Fire Protection (CalFire). 2008. <i>SW San Bernardino County Fire Severity Hazard Map in Local Responsibility Area</i> .

	(Available at https://osfm.fire.ca.gov/media/6783/fhszl_map62.pdf , accessed March 22, 2021.)
CALRE-A	CalRecycle. <i>Facility/Site Summary Details: Mid-Valley Sanitary Landfill (36-AA-0055)</i> . (Available at https://www2.calrecycle.ca.gov/swfacilities/Directory/36-AA-0055/ , accessed May 27, 2021.) .
CALRE-B	CalRecycle. <i>Estimated Solid Waste Generation Rates</i> . (Available at https://www2.calrecycle.ca.gov/WasteCharacterization/General/Rates , accessed on May 27, 2021.)
CARB-A	California Air Resources Board, Area Designations Maps/State and National, revised December 28, 2018. (Available at https://www.arb.ca.gov/desig/adm/adm.htm , accessed May 25, 2021.)
CARB-B	California Air Resources Board. Guidance Document for Addressing Air Quality Issues in General Plans and Local Planning, dated May 6, 2005. (Available at http://www.aqmd.gov/docs/default-source/planning/air-quality-guidance/complete-guidance-document.pdf?sfvrsn=4 , accessed May 25, 2021.)
CARB-C	California Air Resources Board, California's 2017 Climate Change Scoping Plan, November 2017. (Available at https://www.arb.ca.gov/cc/scopingplan/scoping_plan_2017.pdf , accessed May 25, 2021.)
CCR	California Code of Regulations. (Available at https://govt.westlaw.com/calregs/Index?transitionType=Default&contextData=%28sc.Default%29 , accessed March 23, 2021.)
CEC-A	California Energy Commission, <i>Energy Consumption Data Management System, California Energy Consumption Database, Electricity Consumption by Entity, Interactive Web tool</i> . (Available at http://www.ecdms.energy.ca.gov/elecbyutil.aspx , accessed May 24, 2021.)
CEC-B	California Energy Commission, <i>Energy Consumption Data Management System, California Energy Consumption Database, Natural Gas Consumption by Entity, Interactive Web tool</i> . (Available at http://www.ecdms.energy.ca.gov/gasbyutil.aspx , accessed May 24, 2021.)
CFR	Code of Federal Regulations. (Available at https://www.ecfr.gov/cgi-bin/ECFR?page=browse , accessed March 23, 2021.)
CHSC	State of California. <i>California Health and Safety Code</i> . (Available at https://leginfo.legislature.ca.gov/faces/codesTOCSelected.xhtml?tocCode=HSC , accessed March 23, 2021.)
DOC-A	California Department of Conservation (DOC). <i>California Important Farmland Finder: 194-2018</i> . (Available at

	https://maps.conservation.ca.gov/dlrp/ciftimeseries/ , accessed March 19, 2021.)
ENTECH	Entech Consulting Group, <i>Noise and Vibration Study Arrow Route Warehouse County of San Bernardino</i> , August 2021. (Appendix K.)
FEMA	Federal Emergency Management Agency. Flood Insurance Rate Map Panel Number 06065C1430H, August 18, 2014. (Available at https://msc.fema.gov/portal/search?AddressQuery=15755%20arrow%20route%20fontana#searchresultsanchor , accessed May 27, 2021.)
FWC UWMP	San Gabriel Valley Company and Fontana Water Company Division, <i>2015 Urban Water Management Plan</i> , Amended December 2017. (Available at https://www.fontanawater.com/wp-content/uploads/2018/10/San-Gabriel-Fontana-Amended-Final-December-2017-1.pdf , accessed on May 27, 2021.)
HCP-2020	ICF. <i>Upper Santa Ana River HCP, Environmental Impact Report, Public Draft Review</i> , May 2021. (Available at blob:https://www.uppersarhpc.com/42205e6e-fde2-423a-b1d8-1ee1b8d8f724, accessed on September 29, 2021.)
IEUA UWMP	Inland Empire Utilities Agency, <i>2015 Urban Water Management Plan</i> , June 2016. (Available at https://18x37n2ovtbb3434n48jhbs1-wpengine.netdna-ssl.com/wp-content/uploads/2016/07/FINAL-IEUA-WFA-2015-UWMP-2016-07-07.pdf , accessed on May 27, 2021.)
PUC	California Public Utilities Code (PUC). (Available at https://leginfo.legislature.ca.gov/faces/codes_displaySection.xhtml?lawCode=PUC&sectionNum=21670 , accessed March 23, 2021.)
SCAQMD-A	South Coast Air Quality Management District, <i>White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution</i> , August 2003. (Available at http://www.aqmd.gov/docs/default-source/Agendas/Environmental-Justice/cumulative-impacts-working-group/cumulative-impacts-white-paper.pdf accessed May25, 2021.)
SCAQMD-B	South Coast Air Quality Management District, <i>CEQA Air Quality Handbook</i> , November 1993. (Available at SCAQMD.)
SCAQMD-C	South Coast Air Quality Management District, <i>Application of the South Coast Air Quality Management District for Leave to File Brief of Amicus Curiae in Support of Neither Party and [Proposed] Brief of Amicus Curiae</i> , April 13, 2015. (Available at https://www.courts.ca.gov/documents/9-s219783-ac-south-coast-air-quality-mgt-dist-041315.pdf , accessed May 25,2021.)
SWRCB	California State Water Resources Control Board, 2009-0009-DWQ Construction General Permit, Effective July 1, 2010. Available at http://www.waterboards.ca.gov/water_issues/programs/stormwater/constpermits.shtml , accessed May 27, 2021.)

TCI-A	Terracon Consultants, Inc. <i>Environmental Site Assessment Auto Salvage Yard – Fontana, 15719 – 15765 Arrow Boulevard. Fontana, San Bernardino County, CA 92335. December 3, 2020. (Appendix I.)</i>
TCI-B	Terracon Consultants, Inc. <i>Limited Site Investigation, Auto Salvage Yard – Fontana, 15719 – 15765 Arrow Boulevard. Fontana, San Bernardino County, CA 92335. December 3, 2020. (Appendix I.1.)</i>
WEBB-A	Albert A. Webb Associates, <i>Air Quality/Greenhouse Gas Analysis for the 15719 and 15755 Arrow Route Warehouse Project (CUP No. 2020-00235) County of San Bernardino, California, May 20, 2021. (Appendix A.)</i>
WEBB-B	Albert A. Webb Associates, <i>Health Risk Assessment for the 15719 and 15755 Arrow Route Warehouse Project (CUP No. 2020-00235) County of San Bernardino, May 18, 2021. (Appendix B.)</i>
WEBB-C	Albert A. Webb Associates, <i>Energy Tables, May 20, 2021. (Appendix E.)</i>
WEBB-D	Albert A. Webb Associates, Memorandum, <i>Traffic Impact Analysis (TIA) and Vehicle Miles Traveled (VMT) Screening Analysis for WPT Arrow Industrial Warehouse Development at 15755 Arrow Boulevard in the County of San Bernardino, California (TRSTY-2021-00006), August 17, 2021. (Appendix L.)</i>
WEBB-E	Albert A. Webb Associates, <i>Water Quality Management Plan for WPT Industrial, January 2022. (Appendix J.)</i>
WEBB-F	Albert A. Webb Associates, <i>Preliminary Drainage Study for WPT Industrial, January 2022. (Appendix J.1.)</i>
WEBB-G	Albert A. Webb Associates, <i>Air Quality/Greenhouse Gas Analysis/ Energy/HRA Evaluation for the 15719 and 15755 Arrow Route Warehouse Project (CUP No. 2020-00235), September 2, 2021. (Appendix A.1.)</i>

APPENDICES

Appendix A – Air Quality/Greenhouse Gas Analysis

Appendix A.1 - Air Quality/Greenhouse Gas Analysis/ Energy/HRA Evaluation

Appendix B – Health Risk Assessment

Appendix C – Biological Resources Technical Report

Appendix D – Cultural Resources Assessment

Appendix E – Energy Tables

Appendix F – Preliminary Geotechnical Investigation

Appendix G – On-site Wastewater Treatment System Feasibility Study

Appendix H – Paleontological Resource Assessment

Appendix I – Phase I Environmental Site Assessment

Appendix I.1– Limited Site Investigation

Appendix J– Project Specific Water Quality Management Plan

Appendix J.1 – Preliminary Drainage Study

Appendix K – Noise and Vibration Study

Appendix L – VMT Screening Analysis

EXHIBIT C

Conditions of Approval



Conditions of Approval

Record: PROJ-2020-00235

Planning Commission Date: October 20, 2022

Planning Division

1. Project Description. This Conditional Use Permit (CUP) is conditionally approved to allow the construction and operation of a 209,759 square foot logistics warehouse, in compliance with the San Bernardino County Code (SBCC), California Building Codes (CBC), the San Bernardino County Fire Code (SBCFC), the following Conditions of Approval, the approved site plan, and all other required and approved reports and displays (e.g. elevations). The developer shall provide a copy of the approved conditions and the approved site plan to every current and future project tenant, lessee, and property owner to facilitate compliance with these Conditions of Approval and continuous use requirements for the Project. APN : 0232-161-18 & 19 ; PROJ-2020-00235.
2. Project Location. The Project site is located at 15719 & 15755 Arrow Route, Fontana
3. Indemnification. In compliance with SBCC §81.01.070, the developer shall agree to defend, indemnify and hold harmless the County or its "indemnities" (herein collectively the County's elected officials, appointed officials [including Planning Commissioners], Zoning Administrator, agents, officers, employees, volunteers, advisory agencies or committees, appeal boards or legislative body) from any claim, action or proceeding against the County or its indemnitees to attack, set aside, void or annul an approval of the County by an indemnitee concerning the map or permit or any other action relating to or arising out of County approval, including the acts, errors or omissions of any person and for any costs or expenses incurred by the indemnitees on account of any claim, except where such indemnification is prohibited by law. In the alternative, the developer may agree to relinquish such approval.

Any Condition of Approval imposed in compliance with the County Development Code or County General Plan shall include a requirement that the County acts reasonably to promptly notify the developer of any claim, action, or proceeding and that the County cooperates fully in the defense. The developer shall reimburse the County and its indemnitees for all expenses resulting from such actions, including any court costs and attorney's fees, which the County or its indemnitees may be required by a court to pay as a result of such action.

The County may, at its sole discretion, participate at its own expense in the defense of any such action, but such participation shall not relieve the developer of their obligations under this condition to reimburse the County or its indemnitees for all such expenses. This indemnification provision shall apply regardless of the existence or degree of fault of indemnitees. The developer's indemnification obligation applies to the indemnitee's "passive" negligence but does not apply to the indemnitee's "sole" or "active" negligence" or "willful misconduct" within the meaning of Civil Code §2782.

4. Development Impact Fees: Additional fees may be required prior to issuance of development permits. Fees shall be paid as specified in adopted fee ordinances.
5. Clear Sight Triangle: Adequate visibility for vehicular and pedestrian traffic shall be provided at clear sight triangles at all 90-degree angle intersections of public rights-of-way and private driveways. All signs, structures and landscaping located within any clear sight triangle shall comply with the height and location requirements specified by County Development Code (SBCC§ 83.02.030) or as otherwise required by County Traffic.
6. Continuous Effect/Revocation: All of the conditions of this project approval are continuously in effect throughout the operative life of the project for all approved structures and approved land uses/activities. Failure of the property owner or developer to comply with any or all of the conditions at any time may result in a public hearing and possible revocation of the approved land use, provided adequate notice, time and opportunity is provided to the property owner, developer or other interested party to correct the non-complying situation.
7. Revisions: Any proposed change to the approved Project and/or conditions of approval shall require that an additional land use application (e.g. Revision to an Approved Action) be submitted to County Land Use Services for review and approval.



Conditions of Approval

Record: PROJ-2020-00235

Planning Commission Date: October 20, 2022

8. Construction Hours: Construction will be limited to the hours of 7:00 a.m. to 7:00 p.m., Monday through Saturday in accordance with the County of San Bernardino Development Code standards. No construction activities are permitted outside of these hours or on Sundays and Federal holidays.
9. Cultural Resources: During grading or excavation operations, should any potential paleontological or archaeological artifacts be unearthed or otherwise discovered, the San Bernardino County Museum shall be notified and the uncovered items shall be preserved and curated, as required. For information, contact the County Museum, Community and Cultural Section, telephone (909) 798-8570.
10. Extension of Time: Extensions of time to the expiration date (listed above or as otherwise extended) may be granted in increments each not to exceed an additional three years beyond the current expiration date. An application to request consideration of an extension of time may be filed with the appropriate fees no less than thirty days before the expiration date. Extensions of time may be granted based on a review of the application, which includes a justification of the delay in construction and a plan of action for completion. The granting of such an extension request is a discretionary action that may be subject to additional or revised conditions of approval or site plan modifications. (SBCC §86.06.060)
11. Lighting: Lighting shall comply with Table 83-7 "Shielding Requirements for Outdoor Lighting in the Mountain Region and Desert Region" of the County's Development Code (i.e. "Dark Sky" requirements). All lighting shall be limited to that necessary for maintenance activities and security purposes. This is to allow minimum obstruction of night sky remote area views. No light shall project onto adjacent roadways in a manner that interferes with on-coming traffic. All signs proposed by this project shall only be lit by steady, stationary, shielded light directed at the sign, by light inside the sign, by direct stationary neon lighting or in the case of an approved electronic message center sign, an alternating message no more than once every five seconds.
12. Underground Utilities: No new above-ground power or communication lines shall be extended to the site. All required utilities shall be placed underground in a manner that complies with the California Public Utilities Commission General Order 128, and avoids disturbing any existing/natural vegetation or the site appearance.
13. Performance Standards: The approved land uses shall operate in compliance with the general performance standards listed in the County Development Code Chapter 83.01, regarding air quality, electrical disturbance, fire hazards (storage of flammable or other hazardous materials), heat, noise, vibration, and the disposal of liquid waste.
14. Walls: Existing walls may be maintained on the side and rear property lines if they provide sufficient screening of parking and loading areas. If the existing fences provide appropriate screening, they shall be painted to match the color of the proposed warehouse and sufficient landscaping shall be provided for graffiti abatement. If the existing walls do not screen the parking and loading areas, new decorative walls shall be added on the side and rear property lines to secure the property from adjacent and vacated uses.
15. Landscaping: A landscaping plan shall be approved to the satisfaction of the Director of Planning. The plan shall include the recommended changes provided by the City of Fontana.
16. Lot Merger: The applicant shall submit a lot merger and obtain approval, prior to the issuance of a building permit.
17. Construction Noise: The following measures shall be adhered to during the construction phase of the project: - All construction equipment shall be muffled in accordance with manufacturer's specifications. - All construction staging shall be performed as far as possible from occupied dwellings. The location of staging areas shall be subject to review and approval by the County prior to the issuance of grading and/or building permits. - All stationary construction



Conditions of Approval

Record: PROJ-2020-00235

Planning Commission Date: October 20, 2022

equipment shall be placed in a manner so that emitted noise is directed away from sensitive receptors (e.g. residences and schools) nearest the project site.

18. **Project Account:** The Project account number is PROJ-2020-00235. This is an actual cost project with a deposit account to which hourly charges are assessed by various county agency staff (e.g. Land Use Services, Public Works, and County Counsel). Upon notice, the "developer" shall deposit additional funds to maintain or return the account to a positive balance. The "developer" is responsible for all expense charged to this account. Processing of the project shall cease, if it is determined that the account has a negative balance and that an additional deposit has not been made in a timely manner. A minimum balance of \$1,000.00 must be in the project account at the time the Condition Compliance Review is initiated. Sufficient funds must remain in the account to cover the charges during each compliance review. All fees required for processing shall be paid in full prior to final inspection, occupancy and operation of the approved use.
19. **Continuous Maintenance:** The Project property owner shall continually maintain the property so that it is visually attractive and not dangerous to the health, safety and general welfare of both on-site users (e.g. employees) and surrounding properties. The property owner shall ensure that all facets of the development are regularly inspected, maintained and that any defects are timely repaired. Among the elements to be maintained, include but are not limited to:
 - a) **Annual maintenance and repair:** The developer shall conduct inspections for any structures, fencing/walls, driveways, and signs to assure proper structural, electrical, and mechanical safety.
 - b) **Graffiti and debris:** The developer shall remove graffiti and debris immediately through weekly maintenance.
 - c) **Landscaping:** The developer shall maintain landscaping in a continual healthy thriving manner at proper height for required screening. Drought-resistant, fire-retardant vegetation shall be used where practicable. Where landscaped areas are irrigated it shall be done in a manner designed to conserve water, minimizing aerial spraying.
 - d) **Dust control:** The developer shall maintain dust control measures on any undeveloped areas where landscaping has not been provided.
 - e) **Erosion control:** The developer shall maintain erosion control measures to reduce water runoff, siltation, and promote slope stability.
 - f) **External Storage:** The developer shall maintain external storage, loading, recycling and trash storage areas in a neat and orderly manner, and fully screened from public view. Outside storage shall not exceed the height of the screening walls.
 - g) **Metal Storage Containers:** The developer shall NOT place metal storage containers in loading areas or other areas unless specifically approved by this or subsequent land use approvals.
 - h) **Screening:** The developer shall maintain screening that is visually attractive. All trash areas, loading areas, mechanical equipment (including roof top) shall be screened from public view.
 - i) **Signage:** The developer shall maintain all on-site signs, including posted area signs (e.g. "No Trespassing") in a clean readable condition at all times. The developer shall remove all graffiti and repair vandalism on a regular basis. Signs on the site shall be of the size and general location as shown on the approved site plan or subsequently a County-approved sign plan.
 - j) **Lighting:** The developer shall maintain any lighting so that they operate properly for safety purposes and do not project onto adjoining properties or roadways. Lighting shall adhere to applicable glare and night light rules.
 - k) **Parking and on-site circulation:** The developer shall maintain all parking and on-site circulation requirements, including surfaces, all markings and traffic/directional signs in an un-faded condition as identified on the approved site plan. Any modification to parking and access layout requires the Planning Division review and approval. The markings and signs shall be clearly defined, un-faded and legible; these include parking spaces, disabled space and access path of travel, directional designations and signs, stop signs, pedestrian crossing, speed humps and "No Parking", "Carpool", and "Fire Lane" designations.
 - l) **Fire Lanes:** The developer shall clearly define and maintain in good condition at all times all markings required by the Fire Department, including "No Parking" designations and "Fire Lane" designations.



Conditions of Approval

Record: PROJ-2020-00235

Planning Commission Date: October 20, 2022

20. Expiration: This project permit approval shall expire and become void if it is not "exercised" within three (3) years of the effective date of this approval, unless an extension of time is approved. The permit is deemed "exercised" when either: (a.) The permittee has commenced actual construction or alteration under a validly issued building permit, or (b.) The permittee has substantially commenced the approved land use or activity on the project site, for those portions of the project not requiring a building permit. (SBCC §86.06.060) (c.) Occupancy of approved land use, occupancy of completed structures and operation of the approved and exercised land use remains valid continuously for the life of the project and the approval runs with the land, unless one of the following occurs: - Construction permits for all or part of the project are not issued or the construction permits expire before the structure is completed and the final inspection is approved. - The land use is determined by the County to be abandoned or non-conforming. - The land use is determined by the County to be not operating in compliance with these conditions of approval, the County Code, or other applicable laws, ordinances or regulations. In these cases, the land use may be subject to a revocation hearing and possible termination. PLEASE NOTE: This will be the ONLY notice given of this approval's expiration date. The developer is responsible to initiate any Extension of Time application.

County Fire - Community Safety

21. Additional Requirements: In addition to the Fire requirements stated herein, other onsite and offsite improvements may be required which cannot be determined from tentative plans at this time and would have to be reviewed after more complete improvement plans and profiles have been submitted to this office.
- a) Deferred Submittal required for Sprinklers, Alarms, and High Pile Storage;
 - b) 30' Fire access required per Standard A-1
22. Jurisdiction: The above referenced project is under the jurisdiction of the San Bernardino County Fire Department herein "Fire Department". Prior to any construction occurring on any parcel, the applicant shall contact the Fire Department for verification of current fire protection requirements. All new construction shall comply with the current California Fire Code requirements and all applicable status, codes, ordinances and standards of the Fire Department.
23. Standard F-5 DESIGN, INSTALLATION AND MAINTENANCE OF FIRE ALARM SYSTEMS: This standard applies to all new installations and modifications of existing fire alarm systems, within new construction as well as building additions and tenant improvements within existing buildings. This standard and its interpretation is not intended to be applied or enforced where there is any conflict with NFPA 72 or the California Fire Code.
24. Standard B-1 PREMISE AND BUILDING IDENTIFICATION AND ADDRESSING: This standard applies to the marking of all buildings with address numbers for identification.
25. Standard B-2 CONSTRUCTION SITE FIRE SAFETY: This standard establishes minimum requirements for fire safety during construction and demolition. This document shall not be construed to be in lieu of any other applicable State or Federal law or regulation related to construction site safety. The general contractor or other designee of the building owner shall be responsible for compliance with these standards.
26. Standard W-2 ONSITE FIRE PROTECTION WATER SYSTEMS: This standard establishes minimum requirements for installation and maintenance of all private fire hydrants and appliances related to an onsite fire protection system.
27. Standard A-3 GATES AND OTHER OBSTRUCTIONS TO FIRE DEPARTMENT ACCESS: This standard shall apply to all obstructions, access control devices, traffic calming devices, or other similar systems within any roadways that serve as fire access in all new or existing residential, commercial, and industrial development. This standard does not apply to obstructions within parking aisles that do not serve as fire apparatus access roads.
28. Standard S-1 HIGH PILE STORAGE/WAREHOUSE BUILDINGS: This standard shall apply to all storage occupancies designated as High Pile Storage as defined by the current California Fire Code (CFC), Chapter 32, the San Bernardino County Fire Code and Standards, and any other nationally applicable standards.



Conditions of Approval

Record: PROJ-2020-00235

Planning Commission Date: October 20, 2022

29. Standard A-1 FIRE APPARATUS ACCESS ROAD DESIGN, CONSTRUCTION AND MAINTENANCE: This standard shall apply to the design, construction and maintenance of all new fire apparatus access roads within the jurisdiction, as well as fire apparatus access roads at existing facilities when applied at the discretion of the fire code official.
30. Standard F-4 POST INDICATOR VALVES AND FIRE DEPARTMENT CONNECTIONS: This standard, in conjunction with the latest edition of NFPA 13, NFPA 13R and NFPA 24, shall apply to the design and installation of, and the modification to, all new and existing fire sprinkler systems in commercial and industrial buildings and multi-family dwellings. This standard and its interpretation shall take NOT precedent where there is any conflict with NFPA standards.
31. Standard F-1 FIRE SPRINKLER SYSTEMS IN COMMERCIAL AND INDUSTRIAL BUILDINGS: This standard, in conjunction with the latest edition of NFPA 13, shall apply to the design and installation of, and the modification to, all fire sprinkler systems in commercial and industrial occupancies. This standard and its interpretation is not intended to be applied or enforced where there is any conflict with NFPA 13 or the California Fire Code.

Land Use Services - Land Development - Drainage

32. Tributary Drainage: Adequate provisions should be made to intercept and conduct the tributary off site on site drainage flows around and through the site in a manner, which will not adversely affect adjacent or downstream properties at the time the site is developed.
33. Erosion Control Installation: Erosion control devices must be installed and maintained at all perimeter openings and slopes throughout the construction of the project. No sediment is to leave the job site.
34. Additional Drainage Requirements: In addition to drainage requirements stated herein, other "on-site" and/or "off-site" improvements may be required which cannot be determined from tentative plans at this time and would have to be reviewed after more complete improvement plans and profiles have been submitted to this office.
35. BMP Enforcement: In the event the property owner/"developer" (including any successors or assigns) fails to accomplish the necessary BMP maintenance within five (5) days of being given written notice by County Public Works, then the County shall cause any required maintenance to be done. The entire cost and expense of the required maintenance shall be charged to the property owner and/or "developer", including administrative costs, attorney's fees and interest thereon at the rate authorized by the County Code from the date of the original notice to the date the expense is paid in full.
36. Continuous BMP Maintenance: The property owner/"developer" is required to provide periodic and continuous maintenance of all Best Management Practices (BMP) devices/facilities listed in the County approved Water Quality Management Plan (WQMP) for the project. Refer to approved WQMP maintenance section.

Public Health– Environmental Health Services

37. Refuse Storage and Disposal: All refuse generated at the premises shall at all times be stored in approved containers and shall be placed in a manner so that environmental public health nuisances are minimized. All refuse not containing garbage shall be removed from the premises at least 1 time per week, or as often as necessary to minimize public health nuisances. Refuse containing garbage shall be removed from the premises at least 2 times per week, or as often if necessary to minimize public health nuisances, by a permitted hauler to an approved solid waste facility in conformance with San Bernardino County Code Chapter 8, Section 33.0830 et. seq. For information, please call EHS/LEA at: 1-800-442- 2283.
38. Noise Levels: Noise level shall be maintained at or below County Standards, Development Code Section 83.01.080. For information, please call EHS at 1-800-442-2283.



Conditions of Approval

Record: PROJ-2020-00235

Planning Commission Date: October 20, 2022

39. Septic System Maintenance: The septic system shall be maintained so as not to create a public nuisance and shall be serviced by an EHS permitted pumper. For information, please call EHS/Wastewater Section at: 1-800-442-2283.

Solid Waste Management Division - Department of Public Works

40. Recycling Storage Capacity: The developer shall provide adequate space and storage bins for both refuse and recycling materials. This requirement is to assist the County in compliance with the recycling requirements of Assembly Bill (AB) 2176.
41. Mandatory Commercial Recycling: As of July 1, 2012, AB 341 (Enacted October 5, 2011) requires all businesses defined to include a commercial or public entity that generates 4 or more cubic yards of commercial solid waste a week or is a multi-family residential dwelling of 5 units or more to arrange for recycling services. The County is required to monitor commercial recycling and will require businesses to provide recycling information. This requirement is to assist the County in compliance with AB 341.
42. Mandatory Commercial Organics Recycling: As of September 15, 2020, AB 1826 (Enacted September 28, 2014) requires businesses that generate two (2) cubic yards of solid waste per week to recycle their organic waste. A business generating organic waste shall arrange for the recycling services in a manner that is consistent with state and local laws and requirements, including a local ordinance or local jurisdiction's franchise agreement, applicable to the collection, handling, or recycling of solid and organic waste or arrange for separate organic waste collection and recycling services, until the local ordinance or local jurisdiction's franchise agreement includes organic waste recycling services. A business that is a property owner may require a lessee or tenant of that property to source separate their organic waste to aid in compliance. **Additionally, all businesses that contract for gardening or landscaping services must stipulate that the contractor recycle the resulting gardening or landscaping waste.** Residential multifamily dwellings of five (5) or more units are required to recycle organics; however, they are not required to arrange for recycling services specifically for food waste. Applicant will be required to report to the County on efforts to recycle organics materials once operational.
43. Recycling and Organic Waste Collection Container Information: As of July 1, 2020, AB 827 (Enacted October 2, 2019) requires those Mandatory Commercial Recycling (MCR) and Mandatory Organics Recycling (MOR)e-covered businesses that sell products meant for immediate consumption and currently provide trash collection containers for their customers to provide recycling and/or organics collection containers adjacent to trash containers at front-of-house, except in restrooms. Full-service restaurants are exempt from these requirements as long as they provide containers for employees to separate post-consumer recyclables and organic waste purchased on the premise for customers.

Department of Public Works – Traffic Division

44. Backing into Roadway: Project vehicles shall not back up into the project site nor shall they back out into the public roadway.
45. Access: The access point to the facility shall remain unobstructed at all times, except a driveway access gate which may be closed after normal working hours.
46. Single Tenant Occupancy: The site shall operate based on a single tenant to remain consistent with established traffic impacts. If, at any time, multiple tenants occupy and/or operate on the proposed site, the project shall no longer be considered to meet the definition of "High Cube" and a revised traffic study shall be conducted using the current Highway Capacity Manual methodology and the current ITE trip generation for "Warehouse". The project will be subject to any increased mitigation measures including but not limited to direct impacts, fair share contributions, and Regional Transportation Fees.



Conditions of Approval

Record: PROJ-2020-00235

Planning Commission Date: October 20, 2022

Department of Public Works – Surveyors Office

47. Land Survey Monuments: If any activity on this project will disturb any land survey monumentation, including but not limited to vertical control points (benchmarks), said monumentation shall be located and referenced by or under the direction of a licensed land surveyor or registered civil engineer authorized to practice land surveying prior to commencement of any activity with the potential to disturb said monumentation, and a corner record or record of survey of the references shall be filed with the County Surveyor pursuant to Section 8771(b) Business and Professions Code.
48. Record of Survey: Pursuant to Sections 8762(b) and/or 8773 of the Business and Professions Code, a Record of Survey or Corner Record shall be filed under any of the following circumstances:
 - a. Monuments set to mark property lines or corners;
 - b. Performance of a field survey to establish property boundary lines for the purposes of construction staking, establishing setback lines, writing legal descriptions, or for boundary establishment/mapping of the subject parcel;
 - c. Any other applicable circumstances pursuant to the Business and Professions Code that would necessitate filing of a Record of Survey.

Prior to Land Disturbance

County Fire - Community Safety

49. Access: The development shall have a minimum of 2 points of vehicular access. These are for fire/emergency equipment access and for evacuation routes.
 - a) Single Story Road Access Width. All buildings shall have access provided by approved roads, alleys and private drives with a minimum twenty-six (26) foot unobstructed width and vertically to fourteen (14) feet six (6) inches in height. Other recognized standards may be more restrictive by requiring wider access provisions.
 - b) Multi-Story Road Access Width. Buildings three (3) stories in height or more shall have a minimum access of thirty (30) feet unobstructed width and vertically to fourteen (14) feet six (6) inches in height.

Land Use Services - Building and Safety

50. Wall Plans: Submit plans and obtain separate building permits for any required retaining walls.
51. Geotechnical (Soil) Report Required Before Grading: A geotechnical (soil) report shall be submitted to the Building and Safety Division for review and approval prior to issuance of grading permits or land disturbance.
52. Demolition Permit Required Before Grading: Obtain a demolition permit for any building/s or structures to be demolished. Underground structures must be broken in, backfilled and inspected before covering.

Land Use Services - Land Development - Drainage

53. Drainage Improvements: A Registered Civil Engineer (RCE) shall investigate and design adequate drainage improvements to intercept and conduct the off-site and on-site drainage flows around and through the site in a safety manner, which will not adversely affect adjacent or downstream properties. Submit drainage study for review and obtain approval. A \$750 deposit for drainage study review will be collected upon submittal to the Land Development Division. Deposit amounts are subject to change in accordance with the latest approved fee schedule.
54. FEMA Flood Zone: The project is located within Flood Zone X-Unshaded according to FEMA Panel Number 06071C8652H dated 8/28/2008. No elevation requirements. The requirements may change based on the recommendations of a drainage study accepted by the Land Development Division and the most current Flood Map prior to issuance of grading permit.



Conditions of Approval

Record: PROJ-2020-00235

Planning Commission Date: October 20, 2022

55. Grading Plans: Grading and Erosion control plans shall be submitted for review and approval obtained, prior to construction. All Drainage and WQMP improvements shall be shown on the Grading plans according to the approved Drainage study and WQMP reports. Fees for grading plans will be collected upon submittal to the Land Development Division and are determined based on the amounts of cubic yards of cut and fill. Fee amounts are subject to change in accordance with the latest approved fee schedule.
56. NPDES Permit: An NPDES permit - Notice of Intent (NOI) - is required on all grading of one (1) acre or more prior to issuance of a grading/construction permit. Contact your Regional Water Quality Control Board for specifics. www.swrcb.ca.gov
57. Regional Board Permit: Construction projects involving one or more acres must be accompanied by Regional Board permit WDID #. Construction activity includes clearing, grading, or excavation that results in the disturbance of at least one (1) acre of land total.
58. On-site Flows: On-site flows need to be directed to the nearest County Road or drainage facilities unless a drainage acceptance letter is secured from the adjacent property owners and provided to Land Development.
59. San Sevaine Fee: The project site is located within the San Sevaine Drainage Fee area and is subject to a fee of \$4,405 per net developed acre that is to be paid prior to issuance of any grading or building permit. (SBC Ord, No. 3358) Total net developed acreage is 8.08 acres and the fee shall be **\$35,592.40**.
60. WQMP: A completed Water Quality Management Plan (WQMP) shall be submitted for review and approval obtained. A \$2,650 deposit for WQMP review will be collected upon submittal to the Land Development Division. Deposit amounts are subject to change in accordance with the latest approved fee schedule. The report shall adhere to the current requirements established by the Santa Ana/Mojave Watershed Region. Copies of the WQMP guidance and template can be found at: <http://cms.sbcounty.gov/dpw/Land/WQMPTemplatesandForms.aspx>
61. WQMP Inspection Fee: The developer shall provide a \$3,600 deposit to Land Development Division for inspection of the approved WQMP. Deposit amounts are subject to change in accordance with the latest approved fee schedule.

Land Use Services - Planning

62. Diesel Regulations: The operator shall comply with all existing and future California Air Resources Board and South Coast Air Quality Management District regulations related to diesel-fueled trucks, which among others may include:
 - a) meeting more stringent emission standards;
 - b) retrofitting existing engines with particulate traps;
 - c) use of low sulfur fuel; and
 - d) use of alternative fuels or equipment. South Coast Air Quality Management District rules for diesel emissions from equipment and trucks are embedded in the compliance for all diesel fueled engines, trucks, and equipment with the statewide California Air Resources Board Diesel Reduction Plan. These measures will be implemented by the California Air Resources Board in phases with new rules imposed on existing and new diesel-fueled engines.
63. Air Quality: Although the Project does not exceed South Coast Air Quality Management District thresholds, the Project proponent is required to comply with all applicable rules and regulations as the Project is in non-attainment status for ozone and suspended particulates [PM10 and PM2.5 (State)]. To limit dust production, the Project proponent must comply with Rules 402 nuisance and 403 fugitive dust, which require the implementation of Best Available Control Measures for each fugitive dust source. This would include, but not be limited to, the following Best Available Control Measures. Compliance with Rules 402 and 403 are mandatory requirements and thus not considered mitigation measures:



Conditions of Approval

Record: PROJ-2020-00235

Planning Commission Date: October 20, 2022

- a. The Project proponent shall ensure that any portion of the site to be graded shall be pre-watered prior to the onset of grading activities.
 1. The Project proponent shall ensure that watering of the site or other soil stabilization method shall be employed on an on-going basis after the initiation of any grading. Portions of the site that are actively being graded shall be watered to ensure that a crust is formed on the ground surface, and shall be watered at the end of each workday.
 2. The Project proponent shall ensure that all disturbed areas are treated to prevent erosion.
 3. The Project proponent shall ensure that all grading activities are suspended when winds exceed 25 miles per hour.
- b. Exhaust emissions from vehicles and equipment and fugitive dust generated by equipment traveling over exposed surfaces, will increase NOX and PM10 levels in the area. Although the Project will not exceed Mojave Desert Air Quality Management District thresholds during operations, the Project proponent will be required to implement the following requirements:
 1. All equipment used for grading and construction must be tuned and maintained to the manufacturer's specification to maximize efficient burning of vehicle fuel.
 2. The operator shall maintain and effectively utilize and schedule on-site equipment and on-site and off-site haul trucks in order to minimize exhaust emissions from truck idling.

64. MM CR 1: In the event that cultural resources are discovered during any ground disturbing Project activities, all work in the immediate vicinity of the find (within a 60-foot buffer) shall cease and a qualified archaeologist meeting the Secretary of Interior standards shall be hired to assess the find. Work on the other portions of the project outside of the buffered area may continue during this assessment period. Additionally, the Gabrieleño Band of Mission Indians-Kizh Nation shall be contacted, as detailed within mitigation measure MM TCR-1, regarding any pre-contact finds and be provided information after the archaeologist makes his/her initial assessment of the nature of the find, so as to provide Tribal input

65. MM TCR-1: Prior to the commencement of any ground disturbing activity at the Project site, the Project proponent/developer shall retain a Native American Monitor approved by the Gabrieleño Band of Mission Indians-Kizh Nation – the tribe that consulted on this Project pursuant to Assembly Bill AB52 (the "Tribe" or the "Consulting Tribe"). A copy of the executed contract shall be submitted to the County of San Bernardino Planning prior to the issuance of any permit necessary to commence a ground-disturbing activity. The Tribal monitor will only be present on-site during the construction phases that involve ground-disturbing activities. Ground disturbing activities are defined by the Tribe as activities that may include, but are not limited to, pavement removal, potholing or auguring, grubbing, tree removals, boring, grading, excavation, drilling, and trenching, within the project area. The Tribal Monitor will complete daily monitoring logs that will provide descriptions of the day's activities, including construction activities, locations, soil, and any cultural materials identified. The on-site monitoring shall end when all ground-disturbing activities on the Project Site are completed, or when the Tribal Representatives and Tribal Monitor have indicated that all upcoming ground-disturbing activities at the Project Site have little to no potential for impacting Tribal Cultural Resources. Upon discovery of any Tribal Cultural Resources, construction activities shall cease in the immediate vicinity of the find (not less than the surrounding 100 feet) until the find can be assessed. All Tribal Cultural Resources unearthed by project activities shall be evaluated by the qualified archaeologist and Tribal monitor approved by the Consulting Tribe. If the resources are Native American in origin, the Consulting Tribe will retain it/them in the form and/or manner the Tribe deems appropriate, for educational, cultural and/or historic purposes. If human remains and/or grave goods are discovered or recognized at the Project Site, all ground disturbance shall immediately cease, and the county coroner shall be notified per Public Resources Code Section 5097.98, and Health & Safety Code Section 7050.5. Human remains and grave/burial goods shall be treated alike per California Public Resources Code section 5097.98(d)(1) and (2). Work may continue on other parts of the Project Site while evaluation and, if necessary, mitigation takes place (CEQA Guidelines Section 15064.5[f]). If a non-Native American resource is determined by the qualified archaeologist to constitute a "historical



Conditions of Approval

Record: PROJ-2020-00235

Planning Commission Date: October 20, 2022

resource” or “unique archaeological resource,” time allotment and funding sufficient to allow for implementation of avoidance measures, or appropriate mitigation, must be available. The treatment plan established for the resources shall be in accordance with CEQA Guidelines Section 15064.5(f) for historical resources and PRC Sections 21083.2(b) for unique archaeological resources.

Preservation in place (i.e., avoidance) is the preferred manner of treatment. If preservation in place is not feasible, treatment may include implementation of archaeological data recovery excavations to remove the resource along with subsequent laboratory processing and analysis. Any historic archaeological material that is not Native American in origin shall be curated at a public, non-profit institution with a research interest in the materials, such as the Natural History Museum of Los Angeles County or the Fowler Museum, if such an institution agrees to accept the material. If no institution accepts the archaeological material, it shall be offered to a local school or historical society in the area for educational purposes.

Prior to Issuance of Building Permit

County Fire - Community Safety

66. Fire Flow Test: Your submittal did not include a flow test report to establish whether the public water supply is capable of meeting your project fire flow demand. You will be required to produce a current flow test report from your water purveyor demonstrating that the fire flow demand is satisfied. This requirement shall be completed prior to combination inspection by Building and Safety.
67. Surface: Fire apparatus access roads shall be designed and maintained to support the imposed loads of fire apparatus and shall be surfaced so as to provide all-weather driving capabilities. Road surface shall meet the approval of the Fire Chief prior to installation. All roads shall be designed to 85% compaction and/or paving and hold the weight of Fire Apparatus at a minimum of 80K pounds.
68. Water System: Prior to any land disturbance, the water systems shall be designed to meet the required fire flow for this development and shall be approved by the Fire Department. The required fire flow shall be determined by using California Fire Code. The Fire Flow for this project shall be: 4000 GPM for a 2-hour duration at 20 psi residual operating pressure. Fire Flow is based on a 185,866 sq.ft. structure.
69. Water System Certification: The applicant shall provide the Fire Department with a letter from the serving water company, certifying that the required water improvements have been made or that the existing fire hydrants and water system will meet distance and fire flow requirements. Fire flow water supply shall be in place prior to placing combustible materials on the job site.
70. Building Plans: Building plans shall be submitted to the Fire Department for review and approval.

Land Use Services - Building and Safety

71. Temporary Use Permit: “Temporary Use Permit: A Temporary Structures (TS) permit for non-residential structures for use as office, retail, meeting, assembly, wholesale, manufacturing, and/ or storage space will be required. A Temporary Use Permit (PTUP) for the proposed structure by the Planning Division must be approved prior to the TS Permit approval. A TS permit is renewed annually and is only valid for a maximum of five (5) years.”
72. Construction Plans: Any building, sign, or structure to be added to, altered (including change of occupancy/use), constructed, or located on site, will require professionally prepared plans based on the most current adopted County and California Building Codes, submitted for review and approval by the Building and Safety Division.



Conditions of Approval

Record: PROJ-2020-00235

Planning Commission Date: October 20, 2022

Land Use Services - Land Development - Roads

73. Road Improvements: The developer shall submit for review and obtain approval from the Land Use Services Department the following plans for the listed required improvements, designed by a Registered Civil Engineer (RCE) licensed in the State of California:

Arrow Route (Major Highway – 104'):

- Street Improvements. Design curb and gutter with match up paving 40 feet from centerline.
 - Sidewalks. Design sidewalks per County Standard 109 Type "C".
 - Driveway Approach. Design driveway approach per San Bernardino County Standard 129B and located per San Bernardino County Standard 130 for "Truck and Auto" driveway.
 - Driveway Approach. Design driveway approach per 2010 Caltrans Driveway Standard Detail A87A (width= 12 feet min – 26 feet max) and located per San Bernardino County Standard 130 for the "Auto Only" driveway.
74. Transitional Improvements: Right-of-way and improvements (including off-site) to transition traffic and drainage flows from proposed to existing, shall be required as necessary.
75. Road Standards and Design: All required street improvements shall comply with latest San Bernardino County Road Planning and Design Standards and the San Bernardino County Standard Plans. Road sections shall be designed to Valley Road Standards of San Bernardino County, and to the policies and requirements of the County Department of Public Works and in accordance with the General Plan, Circulation Element.
76. Slope Easements: Slope rights shall be dedicated, where necessary.
77. Slope Tests: Slope stability tests are required for road cuts or road fills per recommendations of the Geotechnical Engineer to the satisfaction of the County Department of Public Works.
78. Soils Testing: Any grading within the road right-of-way prior to the signing of the improvement plans shall be accomplished under the direction of a soils testing engineer. Compaction tests of embankment construction, trench back fill, and all sub-grades shall be performed at no cost to the County and a written report shall be submitted to the Permits/Operations Support Division, Transportation Permits Section of the County Department of Public Works prior to any placement of base materials and/or paving.
79. Street Gradients: Road profile grades shall not be less than 0.5% unless the engineer at the time of submittal of the improvement plans provides justification to the satisfaction of the County Department of Public Works confirming the adequacy of the grade.
80. Street Type Entrance: Street type entrance(s) with curb returns shall be constructed at the entrance(s) to the development.
81. Utilities: Final plans and profiles shall indicate the location of any existing utility facility or utility pole which would affect construction, and any such utility shall be relocated as necessary without cost to the County.
82. Encroachment Permits: Prior to installation of driveways, sidewalks, etc., an encroachment permit is required from County Public Works, Transportation Operations Division, Permit Section, (909) 387-8046, as well as other agencies prior to work within their jurisdiction.



Conditions of Approval

Record: PROJ-2020-00235

Planning Commission Date: October 20, 2022

83. Construction Permits: Prior to installation of road and drainage improvements, a construction permit is required from San Bernardino County Department of Public Works, Permits/Operations Support Division, Transportation Permits Section, (909) 387-1863, as well as other agencies prior to work within their jurisdiction. Submittal shall include a materials report and pavement section design in support of the section shown on the plans. Applicant shall conduct classification counts and compute a Traffic Index (TI) Value in support of the pavement section design.
84. Regional Transportation Fee: This project falls within the Regional Transportation Development Mitigation Fee Plan Area for the Fontana Subarea. The Regional Transportation Development Mitigation Plan Fee (Plan Fee) shall be paid by a cashier's check to the Land Use Services Department. The Plan Fee shall be computed in accordance with the Plan Fee Schedule in effect as of the date that the building plans are submitted and the building permit is applied for. The Plan Fee is subject to change periodically. Currently, the fee is \$1.55 per square foot for High Cube Use, which includes the 209,705 square foot building per the site plan dated April 9, 2021. Therefore, the estimated Regional Transportation Fees for the Project is \$325,042.75. The current Regional Transportation Development Mitigation Plan can be found at the following website:

<http://cms.sbcounty.gov/dpw/Transportation/TransportationPlanning.aspx>

Land Use Services - Planning

85. GHG – Operational Standards. The developer shall implement the following as greenhouse gas (GHG) mitigation during the operation of the approved project:
- a) Waste Stream Reduction. The "developer" shall provide to all tenants and project employees County-approved informational materials about methods and need to reduce the solid waste stream and listing available recycling services.
 - b) Vehicle Trip Reduction. The "developer" shall provide to all tenants and project employees County-approved informational materials about the need to reduce vehicle trips and the program elements this project is implementing. Such elements may include: participation in established ride-sharing programs, creating a new ride-share employee vanpool, designating preferred parking spaces for ride sharing vehicles, designating adequate passenger loading and unloading for ride sharing vehicles with benches in waiting areas, and/or providing a web site or message board for coordinating rides.
 - c) Provide Educational Materials. The developer shall provide to all tenants and staff education materials and other publicity about reducing waste and available recycling services. The education and publicity materials/program shall be submitted to County Planning for review and approval. The developer shall also provide to all tenants and require that the tenants shall display in their stores current transit route information for the project area in a visible and convenient location for employees and customers. The specific transit routes displayed shall include Omni Trans Route 8, San Bernardino-Mentone-Yucaipa.
 - d) Landscape Equipment. The developer shall require in the landscape maintenance contract and/or in onsite procedures that a minimum of 20% of the landscape maintenance equipment shall be electric-powered.
86. GHG – Construction Standards. The "developer" shall submit for review and obtain approval from County Planning of a signed letter agreeing to include as a condition of all construction contracts/subcontracts requirements to reduce GHG emissions and submitting documentation of compliance. The developer/construction contractors shall do the following:
- a) Implement the approved Coating Restriction Plans.
 - b) Select construction equipment based on low GHG emissions factors and high-energy efficiency. All diesel/gasoline-powered construction equipment shall be replaced, where possible, with equivalent electric or CNG equipment.
 - c) Grading contractor shall provide the implement the following when possible:
 - 1. training operators to use equipment more efficiently.
 - 2. identifying the proper size equipment for a task can also provide fuel savings and associated reductions

Conditions of Approval

Record: PROJ-2020-00235

Planning Commission Date: October 20, 2022

in GHG emissions replacing older, less fuel-efficient equipment with newer models use GPS for grading to maximize efficiency

d) Grading plans shall include the following statements:

- "All construction equipment engines shall be properly tuned and maintained in accordance with the manufacturers specifications prior to arriving on site and throughout construction duration."
- "All construction equipment (including electric generators) shall be shut off by work crews when not in use and shall not idle for more than 5 minutes."

e) Schedule construction traffic ingress/egress to not interfere with peak-hour traffic and to minimize traffic obstructions. Queuing of trucks on and off site shall be firmly discouraged and not scheduled. A flag person shall be retained to maintain efficient traffic flow and safety adjacent to existing roadways.

f) Recycle and reuse construction and demolition waste (e.g. soil, vegetation, concrete, lumber, metal, and cardboard) per County Solid Waste procedures.

g) The construction contractor shall support and encourage ridesharing and transit incentives for the construction crew and educate all construction workers about the required waste reduction and the availability of recycling services.

87. GHG – Design Standards. The developer shall submit for review and obtain approval from County Planning that the following measures have been incorporated into the design of the project. These are intended to reduce potential project greenhouse gas (GHGs) emissions. Proper installation of the approved design features and equipment shall be confirmed by County Building and Safety prior to final inspection of each structure.

a) Meet Title 24 Energy Efficiency requirements implemented January 1, 2020. The Developer shall document that the design of the proposed structures meets the current Title 24 energy-efficiency requirements. County Planning shall coordinate this review with the County Building and Safety. Any combination of the following design features may be used to fulfill this requirement, provided that the total increase in efficiency meets or exceeds the cumulative goal (100%+ of Title 24) for the entire project (Title 24, Part 6 of the California Code of Regulations; Energy Efficiency Standards for Residential and Non-Residential Buildings, as amended February 14, 2019; Cool Roof Coatings performance standards as amended February 14, 2019):

- Incorporate dual paned or other energy efficient windows,
- Incorporate energy efficient space heating and cooling equipment,
- Incorporate energy efficient light fixtures, photocells, and motion detectors,
- Incorporate energy efficient appliances,
- Incorporate energy efficient domestic hot water systems,
- Incorporate solar panels into the electrical system,
- Incorporate cool roofs/light colored roofing,
- Incorporate other measures that will increase energy efficiency.
- Increase insulation to reduce heat transfer and thermal bridging.
- Limit air leakage throughout the structure and within the heating and cooling distribution system to minimize energy consumption.

b) Plumbing. All plumbing shall incorporate the following:

- All showerheads, lavatory faucets, and sink faucets shall comply with the California Energy Conservation flow rate standards.
- Low flush toilets shall be installed where applicable as specified in California State Health and Safety Code Section 17921.3.
- All hot water piping and storage tanks shall be insulated. Energy efficient boilers shall be used.

c) Lighting. Lighting design for building interiors shall support the use of:

- Compact fluorescent light bulbs or equivalently efficient lighting.
- Natural day lighting through site orientation and the use of reflected light.
- Skylight/roof window systems. • Light colored building materials and finishes shall be used to reflect natural and artificial light with greater efficiency and less glare.
- A multi-zone programmable dimming system shall be used to control lighting to maximize the energy



Conditions of Approval

Record: PROJ-2020-00235

Planning Commission Date: October 20, 2022

efficiency of lighting requirements at various times of the day.

- Provide a minimum of 2.5 percent of the project's electricity needs by on-site solar panels.

d) Building Design. Building design and construction shall incorporate the following elements:

- Utilize natural, low maintenance building materials that do not require finishes and regular maintenance.
- Roofing materials shall have a solar reflectance index of 78 or greater.
- All supply duct work shall be sealed and leak-tested. Oval or round ducts shall be used for at least 75 percent of the supply duct work, excluding risers.
- Energy Star or equivalent appliances shall be installed.
- A building automation system including outdoor temperature/humidity sensors will control public area heating, vent, and air conditioning units

e) Landscaping. The developer shall submit for review and obtain approval from County Planning of landscape and irrigation plans that are designed to include drought tolerant and smog tolerant trees, shrubs, and groundcover to ensure the long-term viability and to conserve water and energy. The landscape plans shall include shade trees around main buildings, particularly along southern and western elevations, where practical.

f) Irrigation. The developer shall submit irrigation plans that are designed, so that all common area irrigation areas shall be capable of being operated by a computerized irrigation system, which includes either an on-site weather station, ET gauge or ET-based controller capable of reading current weather data and making automatic adjustments to independent run times for each irrigation valve based on changes in temperature, solar radiation, relative humidity, rain and wind. In addition, the computerized irrigation system shall be equipped with flow sensing capabilities, thus automatically shutting down the irrigation system in the event of a mainline break or broken head. These features will assist in conserving water, eliminating the potential of slope failure due to mainline breaks and eliminating over-watering and flooding due to pipe and/or head breaks.

g) Recycling. Exterior storage areas for recyclables and green waste shall be provided. Where recycling pickup is available, adequate recycling containers shall be located in public areas. Construction and operation waste shall be collected for reuse and recycling.

h) Transportation Demand Management (TDM) Program. The project shall include adequate bicycle parking near building entrances to promote cyclist safety, security, and convenience. Preferred carpool/vanpool spaces shall be provided and, if available, mass transit facilities shall be provided (e.g. bus stop bench/shelter). The developer shall demonstrate that the TDM program has been instituted for the project or that the buildings will join an existing program located within a quarter mile radius from the project site that provides a cumulative 20% reduction in unmitigated employee commute trips. The TDM Program shall publish ride-sharing information for ride-sharing vehicles and provide a website or message board for coordinating rides. The Program shall ensure that appropriate bus route information is placed in each building.

88. GHG – Installation/Implementation Standards. The developer shall submit for review and obtain approval from County Planning of evidence that all applicable GHG performance standards have been installed, implemented properly and that specified performance objectives are being met to the satisfaction of County Planning and County Building and Safety. These installations/ procedures include the following:

- a. Design features and/or equipment that cumulatively increases the overall compliance of the project to exceed Title 24 minimum standards by five percent.
- b. All interior building lighting shall support the use of fluorescent light bulbs or equivalent energy-efficient lighting.
- c. Installation of both the identified mandatory and optional design features or equipment that have been constructed and incorporated into the facility/structure.



Conditions of Approval

Record: PROJ-2020-00235

Planning Commission Date: October 20, 2022

Public Health– Environmental Health Services

89. Water Service Verification Letter: Applicant shall procure a verification letter from the water service provider. This letter shall state whether or not water connection and service shall be made available to the project by the water provider. This letter shall reference the File Index Number and Assessor's Parcel Number(s). For projects with current active water connections, a copy of water bill with project address may suffice. For information, contact the Water Section at 1-800-442-2283.
90. Water Purveyor: Water purveyor shall be the Fontana Water Company or EHS approved.
91. Sewage Disposal: Method of sewage disposal shall be City of Fontana Muni Agency, or, if not available, EHS approved onsite wastewater treatment system (OWTS).
92. New OWTS: If sewer connection and/or service are unavailable, onsite wastewater treatment system(s) may then be allowed under the following conditions:
 - a. A soil percolation report shall be submitted to EHS for review and approval. For information, please contact the Wastewater Section at (800) 442-2283.
 - b. An Alternative Treatment System, if applicable, shall be required.
93. Existing Wells: If wells are found on-site, evidence shall be provided that all wells are: (1) properly destroyed, by an approved C57 contractor and under permit from the County OR (2) constructed to EHS standards, properly sealed and certified as inactive OR (3) constructed to EHS standards and meet the quality standards for the proposed use of the water (industrial and/or domestic). Evidence shall be submitted to DEHS for approval.
94. Existing OWTS: Existing onsite wastewater treatment system can be used if applicant provides certification from a qualified professional (i.e., Professional Engineer (P.E.), Registered Environmental Health Specialist (REHS), C42 contractor, Certified Engineering Geologist (C.E.G.), etc.) that the system functions properly, meets code, and has the capacity required for the proposed project. Applicant shall provide documentation outlining methods used in determining function.
95. Demolition Inspection Required: All demolition of structures shall have a vector inspection prior to the issuance of any permits pertaining to demolition or destruction of any such premises. For information, contact EHS Vector Section at 1-800-442-2283.
96. Preliminary Acoustical Information: Submit preliminary acoustical information demonstrating that the proposed project maintains noise levels at or below San Bernardino County Noise Standard(s), San Bernardino Development Code Section 83.01.080. The purpose is to evaluate potential future on-site and/or adjacent off-site noise sources. If the preliminary information cannot demonstrate compliance to noise standards, a project specific acoustical analysis shall be required. Submit information/analysis to the DEHS for review and approval. For information and acoustical checklist, contact DEHS at 1-800-442-2283

Public Works - Solid Waste Management

97. CDWMP Part 1: The developer shall prepare, submit, and obtain approval from SWMD of a CDWMP Part I for each phase of the project. The CWMP shall list the types and weights of solid waste materials expected to be generated from construction. The CWMP shall include options to divert waste materials from landfill disposal, materials for reuse or recycling by a minimum of 65% of total weight or volume. More information can be found on the San Bernardino County Solid Waste Management Division (SWMD) website at <https://dpw.sbcounty.gov/solid-waste-management/construction-waste-management/>. An approved CDWMP Part 1 is required before a permit can be issued. There is a one-time fee of \$150.00 for residential projects/\$530.00 for commercial/non-residential projects.



Conditions of Approval

Record: PROJ-2020-00235

Planning Commission Date: October 20, 2022

Prior to Final Inspection

County Fire - Community Safety

98. High-Piled Storage: The applicant shall submit an application for high-piled storage (internal storage over 12' in height), detailed plans and a commodity analysis report to the Fire Department for review and approval. The applicant shall submit the approved plan to Building and Safety for review with building plans. If the occupancy classification is designated as S-2, commodities to be stored will be limited to products of light hazard classification only. The required fees shall be paid at the time of plan submittal.
99. Key Box: An approved Fire Department key box is required. In commercial, industrial and multi-family complexes, all swing gates shall have an approved fire department Knox Lock.
100. Roof Certification: A letter from a licensed structural (or truss) engineer shall be submitted with an original wet stamp at time of fire sprinkler plan review, verifying the roof is capable of accepting the point loads imposed on the building by the fire sprinkler system design.
101. Smoke and Heat Removal: Mechanical smoke removal systems shall be provided for building protected by EFSR sprinkler systems as required by the Chief. The mechanical smoke removal systems shall meet the requirements of CFC and SBCOFD Standards.
102. Fire Alarm - Automatic: An automatic fire sprinkler monitoring fire alarm system complying with the California Fire Code, NFPA and all applicable codes is required. The applicant shall hire a Fire Department approved fire alarm contractor. The fire alarm contractor shall submit detailed plans to the Fire Department for review and approval. The required fees shall be paid at the time of plan submittal.
103. Fire Extinguishers: Hand portable fire extinguishers are required. The location, type, and cabinet design shall be approved by the Fire Department.
104. Fire Sprinkler-NFPA #13: An automatic fire sprinkler system complying with NFPA 13 and the Fire Department standards is required. The applicant shall hire a fire sprinkler contractor. The fire sprinkler contractor shall submit plans to the with hydraulic calculation and manufacturers specification sheets to the Fire Department for approval and approval. The contractor shall submit plans showing type of storage and use with the applicable protection system. The required fees shall be paid at the time of plan submittal.

Public Works - Solid Waste Management

105. CDWMP Part II: The developer shall complete SWMD's CDWMP Part 2 for construction and demolition. The CDWMP Part 2 shall provide evidence to the satisfaction of SWMD that demonstrates that the project has diverted from landfill disposal, material for reuse or recycling by a minimum of 65% of total weight or volume of all construction waste. The developer MUST provide ALL receipts and/or backup documentation for actual disposal/diversion of project waste. More information can be found on the San Bernardino County Solid Waste Management Division (SWMD) website at <https://dpw.sbcounty.gov/solid-waste-management/construction-waste-management/>.

Prior to Occupancy

Land Use Services - Land Development – Road Section

106. LDD Requirements: All LDD requirements shall be completed by the applicant prior to occupancy.



Conditions of Approval

Record: PROJ-2020-00235

Planning Commission Date: October 20, 2022

107. Parkway Planting: Trees, irrigation systems, and landscaping required to be installed on public right-of-way shall be approved by the County Department of Public Works and Current Planning and shall be maintained by the adjacent property owner or other County-approved entity.
108. Road Improvements: All required on-site and off-site improvements shall be completed by the applicant and inspected/approved by the County Department of Public Works.
109. Structural Section Testing: A thorough evaluation of the structural road section, to also include parkway improvements, from a qualified materials engineer shall be submitted to the County Department of Public Works.

Land Use Services - Land Development - Drainage

110. Drainage Improvements: All required drainage improvements shall be completed by the applicant. The private Registered Civil Engineer (RCE) shall inspect improvements outside the County right-of-way and certify that these improvements have been completed according to the approved plans.
111. WQMP Improvements: All required WQMP improvements shall be completed by the applicant, inspected and approved by County Public Works. An electronic file of the final and approved WQMP shall be submitted to Land Development Division, Drainage Section.

Land Use Services - Planning

112. Shield Lights: Any lights used to illuminate the site shall include appropriate fixture lamp types as listed in SBCC Table 83-7 and be hooded and designed so as to reflect away from adjoining properties and public thoroughfares and in compliance with SBCC Chapter 83.07, "Glare and Outdoor Lighting" (i.e. "Dark Sky Ordinance").
113. Screen Rooftop: All roof top mechanical equipment is to be screened from ground vistas.
114. Landscaping/Irrigation: All landscaping, dust control measures, all fences, etc. as delineated on the approved Landscape Plan shall be installed. The developer shall submit the Landscape Certificate of Completion verification as required in SBCC Section 83.10.100. Supplemental verification should include photographs of the site and installed landscaping.
115. Installation of Improvements: All required on-site improvements shall be installed per approved plans.
116. Fees Paid: Prior to final inspection by Building and Safety Division and/or issuance of a Certificate of Conditional Use by the Planning Division, the applicant shall pay in full all fees required under actual cost job number PROJ- 2020-00235.
117. Condition Compliance: Prior to occupancy/use, all conditions shall be completed to the satisfaction of County Planning with appropriate authorizing approvals from each reviewing agency.

County Fire - Community Safety

118. Inspection by the Fire Department: Permission to occupy or use the building (certificate of Occupancy or shell release) will not be granted until the Fire Department inspects, approves and signs off on the Building and Safety job card for "fire final".

If you would like additional information regarding any of the conditions in this document, please contact the department responsible for applying the condition and be prepared to provide the Record number above for reference. Department contact information has been provided below.



Conditions of Approval

Record: PROJ-2020-00235

Planning Commission Date: October 20, 2022

Department/Agency	Office/Division	Phone Number
Land Use Services Dept. (All Divisions)	San Bernardino Govt. Center	(909) 387-8311
	High Desert Govt. Center	(760) 995-8140
County Fire (Community Safety)	San Bernardino Govt. Center	(909) 387-8400
	High Desert Govt. Center	(760) 995-8190
County Fire	Hazardous Materials	(909) 386-8401
	Flood Control	(909) 387-7995
Dept. of Public Works	Solid Waste Management	(909) 386-8701
	Surveyor	(909) 387-8149
	Traffic	(909) 387-8186
Dept. of Public Health	Environmental Health Services	(800) 442-2283
Local Agency Formation Commission (LAFCO)		(909) 388-0480
Special Districts	Water and Sanitation	(760) 955-9885
	Administration,	(909) 386-8800
	Park and Recreation,	
	Roads, Streetlights,	
Television Districts, and Other		
External Agencies (Caltrans, U.S. Army, etc.)		See condition text for contact information...

EXHIBIT D

Comment Letters

**BLUM COLLINS & HO, LLP
ATTORNEYS AT LAW
AON CENTER
707 WILSHIRE BLVD., SUITE 4880
LOS ANGELES, CALIFORNIA 90017
(213) 572-0400**

April 11, 2022

Steven Valdez, Senior Planner
County of San Bernardino
Land Use Services Department - Planning Division
385 North Arrowhead Avenue, First Floor
San Bernardino, CA 92415-0187

VIA EMAIL TO:
steven.Valdez@lusc.sbcounty.gov

Subject: Comments On 15719 And 15755 Arrow Route Warehouse MND (SCH NO. 2022030365)

Dear Mr. Valdez,

Thank you for the opportunity to comment on the Mitigated Negative Declaration (MND) for the proposed 15719 and 15755 Arrow Route Warehouse Project. Please accept and consider these comments on behalf of Golden State Environmental Justice Alliance (GSEJA). Also, GSEJA formally requests to be added to the public interest list regarding any subsequent environmental documents, public notices, public hearings, and notices of determination for this project. Send all communications to Golden State Environmental Justice Alliance P.O. Box 79222 Corona, CA 92877.

1.0 Summary

The project proposes the construction and operation of one 209,759-square-foot (sf), industrial non-refrigerated warehouse building including 10,000-sf of potential office space on an approximately 9.23 net acre site. The site proposes 28 truck/trailer loading dock doors, 121 passenger car parking spaces, and 37 truck/trailer parking spaces.

2.0 Project Description

The MND does not include a floor plan, grading plan, or detailed site plan, for the proposed project. The basic components of a Planning Application include a site plan, floor plan, grading plan, elevations, and written narrative. The site plan provided in Figure 5 does not provide any detailed information such as the earthwork quantity notes, parking requirements, site coverage, floor area ratio, etc. The MND has excluded these required application items from public review, which does not comply with CEQA's requirements for adequate informational documents and meaningful disclosure

(CEQA § 15121 and 21003(b)). Incorporation by reference (CEQA § 15150 (f)) is not appropriate as these documents contribute directly to analysis of the problem at hand.

Additionally, the project site is analyzed as vacant with no improvements or structures on the site throughout the MND. The project description states that:

“The site contains three former automotive/dismantling parts businesses that are currently unoccupied. On January 16, 2022, the All Auto Parts Office building located at 15755 Arrow Route was damaged by a structure fire caused by transients who illegally occupied the building. The fire caused structural damage that poses a risk to public safety, which requires the building to be demolished. To address public safety concerns and prevent further potential risk from unauthorized occupation, all structures are being demolished under a permit to be issued by the Building and Safety Department. The remainder of the on-site infrastructure will be demolished prior to site grading.”

However, demolition of the onsite structures is implementation of the proposed project prior to CEQA review and alters the environmental setting. Removing the existing structures requires site preparation, demolition, and hauling trips that are not analyzed in the MND. An EIR must be prepared to accurately analyze the potentially significant impacts, including those related to project implementation prior to CEQA review. Additionally, site photos in Appendix I: Phase 1 Environmental Site Assessment depict the site to include more items onsite, such as high-pile outdoor storage of compacted dismantled vehicles, aboveground vehicle lifts, air compressors and other equipment, and outdoor vehicle and pallet storage:



Photo #7 View of auto yard (Riteway Auto yard on Tract 1).




Photo #8 View of auto yard (Riteway Auto yard on Tract 1).

Clearing the entire site will require numerous truck/trailer hauling trips, as shown by the amount of items stored on the project site in the Phase 1 ESA. An EIR must be prepared to accurately quantify the amount of existing structures, items, debris, etc required to be removed from the project site in order to provide an accurate and adequate environmental analysis.

3.3 Air Quality, 3.6 Energy, and 3.8 Greenhouse Gas Emissions

Please refer to attachments from SWAPE for a complete technical commentary and analysis.



Photo #9 View of the auto dismantling area, located in the garage, behind the business office (Riteway Auto yard on Tract 1).



Photo #10 View of the air compressor, located in the garage, behind the business office (Riteway Auto yard on Tract 1).



Photo #27 View of the auto yard located on western portion of All Auto Parts on Tract 2.




Photo #26 View of the auto yard located on the eastern portion of All Auto Parts on Tract 1.

The MND does not include for analysis relevant environmental justice issues in reviewing potential impacts, including cumulative impacts from the

proposed project. This is especially significant as the surrounding community is highly burdened by pollution. According to CalEnviroScreen 4.0¹, CalEPA's screening tool that ranks each census tract in the state for pollution and socioeconomic vulnerability, the proposed project's census tract (6071002402) ranks worse than 81% of the rest of the state overall. The surrounding community, including nearby residences to the east and south, bears the impact of multiple sources of pollution and is more polluted than other census tracts in many pollution indicators measured by CalEnviroScreen. For example, the project census tract ranks in the 97th percentile for ozone burden, 91st percentile for PM 2.5 burden, and 76th percentile for diesel particulate matter burden, which are attributed to heavy truck activity in the area. The census tract also ranks in the 80th percentile for hazardous waste² impacts. Hazardous waste generators and facilities contribute to the contamination of air, water and soil near waste generators and facilities can harm the environment as well as people.

Further, the census tract is a diverse community including 87% Hispanic residents, which are especially vulnerable to the impacts of pollution. The community has a high rate of low educational attainment, meaning 91% of the census tract over age 25 has not attained a high school diploma, which is an indication that they may lack health insurance or access to medical care. Medical care is vital for this census tract as it ranks in the 85th percentile for incidence of cardiovascular disease and 71st percentile for incidence of asthma. The community also has a high rate of linguistic isolation, meaning 83% of the census tract speaks little to no English and faces further challenges and inequities due to this.

Additionally, the project's census tract (6071002402) is identified as a SB 535 Disadvantaged Community³, which is not discussed or presented for analysis in the MND.

As noted above, the project site contains numerous structures, items, debris, etc that must be removed in order to implement the project. Appendix A only analyzes 21 days of demolition and 15 days of grading. The MND has not analyzed the required site preparation and demolition, which will be much more extensive than presented for analysis. An EIR must be prepared to accurately quantify the amount of existing structures, items, debris, etc required to be removed from the project site in order to provide an accurate and adequate environmental analysis. The Air Quality Analysis must be revised to account for site preparation, demolition, and clearing the entire site as described and photographed in the Phase 1 ESA that establishes the environmental setting.

Further, the CalEEMod output sheets in Appendix A only analyze the proposed warehouse space. The proposed 10,000 square feet of office space is not included for analysis. An EIR must be prepared that includes all proposed aspects of the project for analysis.

¹ CalEnviroScreen 4.0 <https://oehha.ca.gov/calenviroscreen/report/calenviroscreen-40>

² OEHHA Hazardous Waste Generators and Facilities
<https://oehha.ca.gov/calenviroscreen/indicator/hazardous-waste-generators-and-facilities>

³ OEHHA SB 535 Census Tracts <https://oehha.ca.gov/calenviroscreen/sb535>

The MND is erroneous and misleading to the public and decision makers regarding greenhouse gas emissions. The MND relies on CalEEMod output sheets from the Air Quality analysis to determine the metric tons of CO₂e generated by the project. The CalEEMod output sheets within Appendix A: Air Quality and Greenhouse Gas Emissions concludes the project will generate 2,760 MTCO₂e annually (2,483 MTCO₂e attributed to mobile sources). The AQ Appendix calculates the project will generate 15,592 MTCO₂e in the summer (15,501 MTCO₂e attributed to mobile sources i.e. trucks/cars) and 14,966 MTCO₂e in the winter (14,875 MTCO₂e attributed to mobile sources). The CalEEMod output sheets nor the MND provide information regarding how generation of 14,966 MTCO₂e in the winter and 15,592 MTCO₂e in the summer will average to an annual generation rate of 2,760 MTCO₂e. It appears that the GHG annual analysis was skewed downward to be less than the 3,000 MTCO₂e significance threshold. An EIR must be prepared to include this information and a revised GHG calculation for analysis.

The State of California lists three approved energy compliance modeling softwares⁴ for non-residential buildings: CBECC-Com, EnergyPro, and IES VE. CalEEMod is not listed as an approved software. The spreadsheet-based modeling and CalEEMod energy calculations in the MND do not comply with the 2019 Building Energy Efficiency Standards and under reports the project's potentially significant GHG and Energy impacts to the public and decision makers. Since the MND did not accurately or adequately model the energy impacts in compliance with Title 24, a finding of significance must be made. An EIR with modeling in one of the approved software types must be circulated for public review in order to adequately analyze the project's potentially significant environmental impacts. This is vital as the MND utilizes CalEEMod as a source in its methodology and analysis, which is clearly not one of the approved softwares.

3.11 Land Use and Planning

The MND does not include a consistency analysis with any General Plan goals or policies. The MND is inadequate as an informational document and an EIR must be prepared with a consistency analysis with all General Plan policies, including the following:

Policy LU-2.3 Compatibility with natural environment. We require that new development is located, scaled, buffered, and designed for compatibility with the surrounding natural environment and biodiversity.

Policy LU-2.6 Coordination with adjacent entities. We require that new and amended development projects notify and coordinate with adjacent local, state, and federal entities to maximize land use compatibility, inform future planning and implementation, and realize mutually beneficial outcomes.

⁴ 2019 Building Energy Efficiency Standards Approved Computer Compliance Programs, California Energy Commission. <https://www.energy.ca.gov/programs-and-topics/programs/building-energy-efficiency-standards/2019-building-energy-efficiency-2>

Policy LU-4.5 Community identity. We require that new development be consistent with and reinforce the physical and historical character and identity of our unincorporated communities, as described in Table LU-3 and in the values section of Community Action Guides. In addition, we consider the aspirations section of Community Action Guides in our review of new development.

Goal TM-1 Roadway Capacity Unincorporated areas served by roads with capacity that is adequate for residents, businesses, tourists, and emergency services.

Policy TM-1.1 Roadway level of service (LOS). We require our roadways to be built to achieve the following minimum level of service standards during peak commute periods (typically 7:00-9:00 AM and 4:00-6:00 PM on a weekday): LOS D in the Valley Region

Goal TM-3 Vehicle Miles Traveled A pattern of development and transportation system that minimizes vehicle miles traveled.

Policy TM-3.1 VMT Reduction. We promote new development that will reduce household and employment VMT relative to existing conditions.

Goal NR-1 Air Quality Air quality that promotes health and wellness of residents in San Bernardino County through improvements in locally-generated emissions.

Policy NR-1.7 Greenhouse gas reduction targets. We strive to meet the 2040 and 2050 greenhouse gas emission reduction targets in accordance with state law.

Policy NR-1.9 Building design and upgrades. We use the CALGreen Code to meet energy efficiency standards for new buildings and encourage the upgrading of existing buildings to incorporate design elements, building materials, and fixtures that improve environmental sustainability and reduce emissions.

Goal HZ-3 Environmental Justice: For unincorporated environmental justice focus areas, equitable levels of protection from environmental and health hazards; expanded opportunities for physical activity and meaningful civic engagement; and access to healthy food, public facilities, safe and sanitary housing.

Policy HZ-3.1 Health risk assessment. We require projects processed by the County to provide a health risk assessment when a project could potentially increase the incremental cancer risk by 10 in 1 million or more in unincorporated environmental justice focus areas, and we require such assessments to evaluate impacts of truck traffic from the project to freeways. We establish appropriate mitigation prior to the approval of new construction, rehabilitation, or expansion permits.

Policy HZ-3.18 Application requirements. In order for a Planning Project Application (excluding Minor Use Permits) to be deemed complete, we require applicants to indicate whether the project is within or adjacent to an unincorporated environmental justice focus area and, if so, to:

- document to the County's satisfaction how an applicant will address environmental justice concerns potentially created by the project; and
- present a plan to conduct at least one public meeting for nearby residents, businesses, and property owners to obtain public input for applications involving a change in zoning or the Policy Plan. The County will require additional public outreach if the proposed project changes substantively in use, scale, or intensity

Analysis of the proposed project in accordance with these goals and policies is vital as there is high potential for inconsistency with the General Plan. For example, the project site is located within an EJ focus area (west Fontana census tract 6071002402) and the MND does not include any information regarding the required EJ concerns document and public outreach meeting. Additionally, the Energy modeling is not in compliance with Title 24 requirements (CalGreen) as noted above, which conflicts with policies to achieve GHG reduction targets.

Additionally, the MND does not provide any consistency analysis with SCAG's 2020-2045 Connect SoCal RTP/SCS. Due to errors in modeling and modeling without supporting evidence, as noted throughout this comment letter and attachments, the proposed project has significant potential for inconsistency with Goal 5 to reduce greenhouse gas emissions and improve air quality, Goal 6 to support healthy and equitable communities, and Goal 7 to adapt to a changing climate. An EIR must be prepared to include revised, accurate modeling and a consistency analysis with all goals of the RTP/SCS.

3.14 Population and Housing

The MND concludes that impacts to population and housing will not be significant without providing a quantified analysis of the construction and operational jobs generated by the project. The MND utilizes uncertain language by stating that, "it is *anticipated* that the *majority* of new jobs would be filled by workers who already reside in the *Project vicinity* and that the Project would not attract a *significant* number of new residents to the area." Additionally, the MND does not define the boundaries of the "project vicinity," or demonstrate how the project will not need any workers from outside the "vicinity." Relying upon the workforce of the SCAG region will increase VMT and air quality/greenhouse gas emissions, and a project EIR must be prepared to reflect this. An EIR must also include information and analysis regarding the number of construction jobs generated by the project and their potential to relocate to the County.

SCAG's Employment Density Study⁵ provides the following applicable average employment generation rates for San Bernardino County:

1 employee per 1,195 sf of warehouse area

1 employee per 697 sf of office area

Application of the ratio results in the following calculation:

199,759 sf warehouse / 1,195 = 168 employees

10,000 sf office / 697 = 15 employees

Total: 183 employees

⁵ SCAG Employment Density Study

<http://www.mwcog.org/file.aspx?A=QTTITR24POOOUIw5mPNzK8F4d8djdJe4LF9Exj6lXOU%3D>

Utilizing SCAG's Employment Density Study ratios, the proposed project will generate 183 employees. The MND utilizes uncertain and misleading language which does not provide any meaningful analysis of the project's population and employment generation. In order to comply with CEQA's requirements for meaningful disclosure, an EIR must be prepared to provide an accurate estimate of employees generated by all uses of the proposed project. It must also provide demographic and geographic information on the location of qualified workers to fill these positions.

SCAG's Connect SoCal Demographics and Growth Forecast⁶ notes that the unincorporated areas of San Bernardino County will add 14,100 jobs between 2016 - 2045. Utilizing the correctly applied methodology from the SCAG Employment Density calculation of 180 employees, the project represents 1.2% of unincorporated San Bernardino County's employment growth from 2016 - 2045. SCAG's Growth Forecast notes that unincorporated San Bernardino County's population will increase by 45,000 residents between 2016 - 2045. Utilizing the correctly applied methodology from the SCAG Employment Density calculation of 180 employees, the project represents 0.4% of unincorporated San Bernardino County's population growth from 2016 - 2045. A single project accounting for more these amounts of growth within unincorporated San Bernardino County over 29 years represents a significant amount of growth. An EIR must be prepared to include this analysis, and also provide a cumulative analysis discussion of projects approved since 2016 and projects "in the pipeline" to determine if the project will exceed SCAG's employment and/or population growth forecast.

3.17 Transportation

Appendix L: TIA and VMT Screening Memo identifies the project TAZ (53723201) as a low VMT (vehicle miles traveled) TAZ and therefore exempts the project from any further VMT assessment. The MND states that the VMT per employee for the project TAZ in 2021 is 15, which is 11.64% less than the County's 17 VMT per employee. The MND relies on this entirely to conclude that "the project is not expected to have a VMT impact." However, the operational nature of industrial/warehouse uses involves high rates of truck/trailer VMT due to traveling from large regional distribution centers to smaller industrial parks (such as the proposed project) and then to their final delivery destinations. Appendix A - Air Quality calculates that the project's annual VMT is 3,712,793 miles, which results in an average of 10,172 VMT per day. The project's truck/trailer activity is unable to utilize public transit and it is misleading to the public and decision makers to screen out the proposed project as less than significant VMT impacts solely based on the low VMT of the TAZ factor. An EIR must be prepared which reflects a quantified project-based VMT analysis regarding the potentially significant project transportation impacts.

⁶ SCAG Connect SoCal Demographics and Growth Forecast adopted September 3, 2020
https://scag.ca.gov/sites/main/files/file-attachments/0903fconnectsocial_demographics-and-growth-forecast.pdf?1606001579

As noted above due to potentially significant VMT impacts, the project has the potential to generate VMT that could result in a transportation impact per the County's Transportation Impact Study (TIS) Guidelines⁷. A TIS must be provided as part of a project EIR and include analysis of the following facilities providing direct access to the project site:

Freeway Merge/Diverge

I-210 at I-15

I-15 at I-10

I-10 at I-215

I-210 at I-215

Freeway On/Off Ramps

I-15 at Foothill Blvd.

I-15 at Fourth St./San Bernardino Ave.

I-15 at Baseline Ave.

I-210 at Cherry Ave.

I-210 at Sierra Ave.

I-10 at Cherry Ave.

I-10 at Citrus Ave.

I-10 at Etiwanda Ave.

Intersections

Foothill Blvd. at Etiwanda Ave.

Foothill Blvd. at Cherry Ave.

Foothill Blvd. at Beech Ave.

Foothill Blvd. at Citrus Ave.

Arrow Rte. At Etiwanda Ave.

Arrow Rte. at Cherry Ave.

Arrow Rte. at Beech Ave.

Arrow Rte. at Citrus Ave.

Arrow Rte. at Sultana Ave.

Arrow Rte. at Lime Ave.

Arrow Rte. at Almeria Ln.

Arrow Rte. at Tokay Ave.

Cherry Ave. at Baseline Ave.

Citrus Ave. at Valley Blvd.

Citrus Ave. at San Bernardino Ave.

⁷ San Bernardino County Transportation Impact Study Guidelines
<http://cms.sbcounty.gov/Portals/50/transportation/Traffic-Study-Guidelines.pdf?ver=2019-10-03-155637-153>

Steven Valdez
April 11, 2022
Page 10
Citrus Ave. at Randall Ave.
Citrus Ave. at Merrill Ave.

This is especially vital for analysis since the I-15 and I-210 provide direct access to the project site from the Southern California Logistics Airport. Additionally, the County's General Plan Policy Map TM-5 Goods Movement depicts the I-15, I-10, and I-210 as truck routes. An EIR must be prepared with a project-specific VMT analysis and TIS (including a LOS analysis for compliance with General Plan Policy TM-1.1 to achieve LOS D during AM and PM peak hours) in order to accurately and adequately analyze the potentially significant impacts of the proposed project.

Conclusion

For the foregoing reasons, GSEJA believes the MND is flawed and an EIR must be prepared for the proposed project and circulated for public review. Golden State Environmental Justice Alliance requests to be added to the public interest list regarding any subsequent environmental documents, public notices, public hearings, and notices of determination for this project. Send all communications to Golden State Environmental Justice Alliance P.O. Box 79222 Corona, CA 92877.

Sincerely,

A handwritten signature in black ink, appearing to be 'Gary Ho', with a stylized flourish at the end.

Gary Ho
Blum Collins & Ho, LLP

Attachments:
1. SWAPE Analysis



Technical Consultation, Data Analysis and
Litigation Support for the Environment

2656 29th Street, Suite 201
Santa Monica, CA 90405

Matt Hagemann, P.G., C.Hg.
(949) 887-9013
mhagemann@swape.com

Paul E. Rosenfeld, PhD
(310) 795-2335
prosenfeld@swape.com

April 8, 2022

Gary Ho
Blum Collins LLP
707 Wilshire Blvd, Ste. 4880
Los Angeles, CA 90017

**Subject: Comments on the 15719 and 15755 Arrow Route Warehouse Project
(SCH No. 2022030365)**

Dear Mr. Ho,

We have reviewed the March 2022 Initial Study/Mitigated Negative Declaration ("IS/MND") for the 15719 and 15755 Arrow Route Warehouse Project ("Project") located in the City of Fontana ("City"). The Project proposes to demolish the existing structures and construct 209,759-square-feet ("SF") of warehouse space, including 10,000-SF of office space, as well as 37 trailers stalls and 121 parking spaces on the 9.23-acre site.

Our review concludes that the IS/MND fails to adequately evaluate the Project's air quality, health risk, and greenhouse gas impacts. As a result, emissions and health risk impacts associated with construction and operation of the proposed Project are underestimated and inadequately addressed. An Environmental Impact Report ("EIR") should be prepared to adequately assess and mitigate the potential air quality, health risk, and greenhouse gas impacts that the project may have on the environment.

Air Quality

Unsubstantiated Input Parameters Used to Estimate Project Emissions

The IS/MND's air quality analysis relies on emissions calculated with CalEEMod.2016.3.2 (p. 23, 27).¹ CalEEMod provides recommended default values based on site-specific information, such as land use type, meteorological data, total lot acreage, project type and typical equipment associated with project

¹ "CalEEMod User's Guide." California Air Pollution Control Officers Association (CAPCOA), November 2017, available at: <http://www.aqmd.gov/caleemod/archive/user's-guide-version-2016-3-2>.

type. If more specific project information is known, the user can change the default values and input project-specific values, but the California Environmental Quality Act (“CEQA”) requires that such changes be justified by substantial evidence. Once all of the values are inputted into the model, the Project's construction and operational emissions are calculated, and "output files" are generated. These output files disclose to the reader what parameters are utilized in calculating the Project's air pollutant emissions and make known which default values are changed as well as provide justification for the values selected.

When reviewing the Project’s CalEEMod output files, provided in the May 2021 Air Quality/Greenhouse Gas Analysis (“AQ & GHG Analysis”) as Appendix A to the IS/MND, we found that several model inputs were not consistent with information disclosed in the IS/MND. As a result, the Project’s construction and operational emissions are underestimated. An EIR should be prepared to include an updated air quality analysis that adequately evaluates the impacts that construction and operation of the Project will have on local and regional air quality.

Underestimated Land Use Size

According to the IS/MND:

“The approximately 209,759-square-foot (sf), industrial non-refrigerated warehouse building includes 10,000-sf of potential office space on an approximately 9.23 net acre site” (p. 3).

As such, the models should have included 199,759-SF of warehouse space.² However, review of the CalEEMod output files demonstrates that the “15755 Arrow Route Warehouse Project” and “15755 Arrow Route Warehouse Project (Operation LST)” models include only 196,650-SF of warehouse space (see excerpt below) (Appendix A, pp. 13, 39, 65, 99, 111).

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area
Unrefrigerated Warehouse-No Rail	196.65	1000sqft	4.51	196,650.00
Other Asphalt Surfaces	0.07	Acre	0.07	3,049.20
Other Non-Asphalt Surfaces	4.95	Acre	4.95	215,622.00

As demonstrated in the excerpt above, the proposed warehouse is underestimated by 3,109-SF.³ This underestimation presents an issue, as the land use size feature is used throughout CalEEMod to determine default variable and emission factors that go into the model’s calculations. The square footage of a land use is used for certain calculations such as determining the wall space to be painted (i.e., VOC emissions from architectural coatings) and volume that is heated or cooled (i.e., energy impacts).⁴

² Calculated: (209,759-SF total building size) - (10,000-SF of office space) = 199,759-SF warehouse space.

³ Calculated: (199,759-SF proposed warehouse space) – (196,650-SF modeled warehouse space) = 3,109-SF underestimated warehouse space.

⁴ “CalEEMod User’s Guide Version 2020.4.0.” California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user-s-guide>, p. 28.

According to the updated September 2021 Air Quality/Greenhouse Gas Analysis/Energy/HRA Evaluation (“Updated AQ & GHG Analysis”):

“In May 2021, Albert A Webb Associates (WEBB) prepared an Air Quality and Greenhouse Gas Analysis, Health Risk Assessment (HRA), and Energy consumption calculations for the 15719 and 15755 Arrow Route Warehouse Project (CUP No. 2020-0023) (hereinafter referred to as the Project). At the time the studies were prepared, the proposed Project included an approximately 196,654-square foot (sf) warehouse of which 4,000 sf was office space with 22 truck loading docks. The Project was designed to include two office areas and employee parking along Arrow Route and the loading dock and truck trailer parking lot were located on the south side of the building (see Figure 2). The Project site was redesigned in August 2021. As a result, the building’s orientation changed and the size of the warehouse building increased by 13,105 sf to a total of 209,759 sf and the loading dock number increased by 6 docks to 28 docks” (p. 1).

Regarding the Project’s environmental impacts, the Updated AQ & GHG Analysis concludes:

“The nominal increase in building size and in daily vehicle trips as a result of the larger warehouse building would not result in new or substantively different or substantively increased air quality or greenhouse emissions than those disclosed in the Air Quality and Greenhouse Gas Analysis and no new mitigation would be required” (p. 3).

However, as discussed in the section of this letter titled “Updated Analysis Indicates a Potentially Significant Air Quality Impact,” the Project’s air quality impacts are potentially significant when modeled correctly. As such, by underestimating the size of the proposed warehouse land use, the model underestimates the Project’s construction and operational emissions. As a result, the IS/MND’s less-than-significant impact determination should not be relied upon.

Failure to Model All Proposed Land Uses

According to the IS/MND:

“The approximately 209,759-square-feet (sf), industrial non-refrigerated warehouse building includes 10,000-sf of potential office space on an approximately 9.23 net acre site” (p. 3).

Furthermore, the IS/MND states:

“A total of 105 standard parking stalls, seven American Disabilities Act-compliant (ADA) handicapped parking spaces, and nine vanpool/EV/ clean air stalls will be provided, for a total of 121 vehicle parking spaces. The Project will also include 37 trailer parking spaces” (p. 4).

As such, the models should have included 10,000-SF of office space and 158 parking spaces.⁵ However, review of the CalEEMod output files demonstrates that the “15755 Arrow Route Warehouse Project”

⁵ Calculated: 121 vehicle parking spaces + 37 trailer stalls = 158 total parking spaces.

and “15755 Arrow Route Warehouse Project (Operation LST)” models fail to include the proposed office or parking land uses whatsoever (see excerpt below) (Appendix A, pp. 13, 39, 65, 99, 111).

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area
Unrefrigerated Warehouse-No Rail	196.65	1000sqft	4.51	196,650.00
Other Asphalt Surfaces	0.07	Acre	0.07	3,049.20
Other Non-Asphalt Surfaces	4.95	Acre	4.95	215,622.00

As demonstrated in the excerpt above, the models fail to include the proposed office or parking land uses. This inconsistency presents an issue, as CalEEMod includes 63 different land use types that are each assigned a distinctive set of energy usage emission factors.⁶ Furthermore, the square footage of parking land uses is used for certain calculations such as determining the area to be painted and stripped (i.e., VOC emissions from architectural coatings) and space to include lighting (i.e., energy impacts).⁷ Thus, by failing to include all proposed land use types, the models underestimate the Project’s construction-related and operational emissions and should not be relied upon to determine Project significance.

Unsubstantiated Reduction to Architectural Coating Emission Factors

Review of the CalEEMod output files demonstrates that the “15755 Arrow Route Warehouse Project” model includes several reductions to the default architectural coating emission factors (see excerpt below) (Appendix A, pp. 14, 40, 66).

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	EF_Nonresidential_Exterior	100.00	50.00
tblArchitecturalCoating	EF_Nonresidential_Interior	100.00	50.00

As you can see in the excerpt above, the nonresidential exterior and interior architectural coating emission factors are reduced from the default value of 100- to 50-grams per liter (“g/L”). As previously mentioned, the CalEEMod User’s Guide requires any changes to model defaults be justified.⁸ According to the “User Entered Comments & Non-Default Data” table, the justification provided for these changes is:

“50 VOC/L per Rule 1113” (Appendix A, pp. 14, 40, 66).

However, these changes remain unsupported for two reasons.

⁶ “Appendix D – Default Data Tables” California Air Pollution Control Officers Association (CAPCOA), June 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>.

⁷ “CalEEMod User’s Guide Version 2020.4.0.” California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 25.

⁸ “CalEEMod User’s Guide Version 2020.4.0.” California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 1, 14.

First, the IS/MND fails to mention or discuss Project compliance with SCAQMD Rule 1113 whatsoever. Without additional information to justify the revised architectural coating emissions factors, the reductions remain unsubstantiated.

Second, we cannot verify the accuracy of the revised architectural coating emission factors based on SCAQMD Rule 1113 alone. The SCAQMD Rule 1113 Table of Standards provides the required VOC limits (grams of VOC per liter of coating) for 57 different coating categories (e.g., Floor coatings, Faux Finishing Coatings, Fire-Proofing Coatings, Cement Coatings, Multi-Color Coatings, Primers, Sealers, Recycled Coatings, Shellac, Stains, Traffic Coatings, Waterproofing Sealers, Wood Coatings, etc.).⁹ The VOC limits for each coating varies from a minimum value of 50 g/L to a maximum value of 730 g/L. As such, we cannot verify that SCAQMD Rule 1113 substantiates reductions to the default coating values without more information regarding what category of coating will be used. As the IS/MND and associated documents fail to explicitly require the use of a specific type of coating, we are unable to verify the revised emission factors assumed in the model.

These unsubstantiated reductions present an issue, as CalEEMod uses the architectural coating emission factors to calculate the Project's reactive organic gas/volatile organic compound ("ROG"/"VOC") emissions.¹⁰ Thus, by including unsubstantiated reductions to the default architectural coating emission factors, the model may underestimate the Project's construction ROG/VOC emissions and should not be relied upon to determine Project significance.

Unsubstantiated Changes to Individual Construction Phase Lengths

Review of the CalEEMod output files demonstrates that the "15755 Arrow Route Warehouse Project" model includes several changes to the default individual construction phase lengths (see excerpt below) (Appendix A, pp. 14, 15, 40, 41, 66, 67).

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	20.00	21.00
tblConstructionPhase	NumDays	230.00	180.00
tblConstructionPhase	NumDays	20.00	21.00
tblConstructionPhase	NumDays	20.00	15.00
tblConstructionPhase	NumDays	20.00	21.00

As a result of these changes, the model includes the following construction schedule (see excerpt below) (Appendix A, pp. 20, 46, 73):

⁹ SCAQMD Rule 1113 Advisory Notice." SCAQMD, February 2016, *available at*:

<http://www.aqmd.gov/docs/default-source/rule-book/reg-xi/r1113.pdf?sfvrsn=24>, p. 1113-14, Table of Standards

1.

¹⁰ "CalEEMod User's Guide Version 2020.4.0." California Air Pollution Control Officers Association (CAPCOA), May 2021, *available at*: <https://www.aqmd.gov/caleemod/user-s-guide>, p. 35, 40.

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days
1	Demolition	Demolition	1/1/2022	1/31/2022	5	21
2	Grading	Grading	2/1/2022	2/21/2022	5	15
3	Building Construction	Building Construction	2/22/2022	10/31/2022	5	180
4	Paving	Paving	10/1/2022	10/31/2022	5	21
5	Architectural Coating	Architectural Coating	10/1/2022	10/31/2022	5	21

As you can see from the excerpt above, the demolition phase is increased by 5%, from the default value of 20 to 21 days; the grading phase is decreased by 25%, from the default value of 20 to 15 days; the building construction phase is decreased by 22%, from the default value of 230 to 180 days; the paving phase is increased by 5%, from the default value of 20 to 21 days; and the architectural coating phase is also increased by 5%, from the default value of 20 to 21 days. As previously mentioned, the CalEEMod User's Guide requires any changes to model defaults be justified.¹¹ According to the "User Entered Comments & Non-Default Data" table, the justification provided for these changes is:

"Per Applicant" (Appendix A, pp. 14, 40, 66).

Furthermore, regarding the Project's anticipated construction schedule, the IS/MND states:

"The proposed Project would be constructed in a single phase, with construction expected to commence in January 2022 and be completed by November 2022" (p. 4).

However, these changes remain unsupported. While the IS/MND indicates the total construction duration of 10 months, the IS/MND fails to mention or justify the individual construction phase lengths. This is incorrect, as according to the CalEEMod User's Guide:

"CalEEMod was also designed to allow the user to change the defaults to reflect site- or project-specific information, when available, provided that the information is supported by substantial evidence as required by CEQA." ¹²

Here, as the IS/MND only justifies the total construction duration of 10 months, the IS/MND fails to provide substantial evidence to support the revised individual construction phase lengths. As such, we cannot verify the changes.

These unsubstantiated changes present an issue, as the construction emissions are improperly spread out over a longer period of time for some phases, but not for others. According to the CalEEMod User's Guide, each construction phase is associated with different emissions activities (see excerpt below).¹³

¹¹ "CalEEMod User's Guide Version 2020.4.0." California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 1, 14.

¹² "CalEEMod User's Guide Version 2020.4.0." California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 13-14.

¹³ "CalEEMod User's Guide Version 2020.4.0." California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 32.

Demolition involves removing buildings or structures.

Site Preparation involves clearing vegetation (grubbing and tree/stump removal) and removing stones and other unwanted material or debris prior to grading.

Grading involves the cut and fill of land to ensure that the proper base and slope is created for the foundation.

Building Construction involves the construction of the foundation, structures and buildings.

Architectural Coating involves the application of coatings to both the interior and exterior of buildings or structures, the painting of parking lot or parking garage striping, associated signage and curbs, and the painting of the walls or other components such as stair railings inside parking structures.

Paving involves the laying of concrete or asphalt such as in parking lots, roads, driveways, or sidewalks.

Thus, by disproportionately altering and extending some of the individual construction phase lengths without proper justification, the model assumes there are a greater number of days to complete the construction activities required by the prolonged phases. As such, there will be less construction activities required per day and, consequently, less pollutants emitted per day. As a result, the model may underestimate the peak daily emissions associated with some phases of construction and should not be relied upon to determine Project significance.

Unsubstantiated Reduction to Acres of Grading Value

Review of the CalEEMod output files demonstrates that the “15755 Arrow Route Warehouse Project” model includes a manual reduction to the default acres of grading value (see excerpt below) (Appendix A, pp. 15, 41, 67).

Table Name	Column Name	Default Value	New Value
tblGrading	AcresOfGrading	52.50	10.00

As you can see from the excerpt above, the acres of grading value is reduced by approximately 81%, from the default value of 52.5- to 10-acres. As previously mentioned, the CalEEMod User’s Guide requires any changes to model defaults be justified.¹⁴ However, the “User Entered Comments & Non-Default Data” table fails to provide a justification for the revised acres of grading value. Furthermore, the IS/MND and associated documents fail to mention the revised acres of grading value or substantiate this reduction whatsoever. This is incorrect, as according to the CalEEMod User’s Guide:

“CalEEMod was also designed to allow the user to change the defaults to reflect site- or project-specific information, when available, provided that the information is supported by substantial evidence as required by CEQA.”¹⁵

¹⁴ “CalEEMod User’s Guide Version 2020.4.0.” California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 1, 14.

¹⁵ “CalEEMod User’s Guide Version 2020.4.0.” California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 13-14.

Here, as the IS/MND and associated documents fail to provide substantial evidence to support the revised acres of grading value, we cannot verify the change. Additionally, the CalEEMod User's Guide states:

"[T]he dimensions (e.g., length and width) of the grading site have no impact on the calculation, only the total area to be graded. In order to properly grade a piece of land multiple passes with equipment may be required. The acres is based on the equipment list and days in grading or site preparation phase according to the anticipated maximum number of acres a given piece of equipment can pass over in an 8-hour workday."¹⁶

As demonstrated above, the acres of grading value is based on construction equipment and the length of the grading or site preparation phase. Thus, as the dimensions of the Project site have no impact on the acres of grading value, the reduction remains unsupported.

This unsubstantiated reduction presents an issue, as CalEEMod uses the acres of grading value to estimate the dust emissions associated with grading.¹⁷ Thus, by including an unsubstantiated reduction to the default acres of grading value, the model may underestimate the Project's construction-related emissions and should not be relied upon to determine Project significance.

Failure to Substantiate Demolition

Review of the CalEEMod output files demonstrates that the "15755 Arrow Route Warehouse Project" model includes 121 default demolition hauling truck trips (see excerpt below) (Appendix A, pp. 20, 46, 73).

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number
Demolition	7	18.00	2.00	121.00
Grading	7	18.00	2.00	0.00
Building Construction	26	174.00	68.00	0.00
Paving	5	13.00	2.00	0.00
Architectural Coating	1	35.00	0.00	0.00

However, the number of demolition hauling trips is unsubstantiated. According to the CalEEMod User's Guide:

¹⁶ "Appendix A Calculation Details for CalEEMod." California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <http://www.aqmd.gov/caleemod/user's-guide>, p. 9.

¹⁷ "Appendix A Calculation Details for CalEEMod." California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 9.

“The default values for hauling trips assume that a truck can haul 20 tons (or 16 cubic yards) of material per load.”¹⁸

Therefore, CalEEMod calculates a default number of hauling trips based upon the amount of demolition material inputted into the model. However, the IS/MND fails to disclose the specific square footage of buildings to be demolished or the tons of debris resulting from this demolition. Specifically, regarding demolition, the IS/MND states:

“In January 2022, the All Auto Parts Office building was damaged by a structure fire. As a result, the demolition of the Project site will be done in two stages. The buildings are being demolished initially to ensure public safety, and the remainder of the on-site infrastructure improvements will be demolished prior to site grading” (p. 135).

As demonstrated above, the IS/MND fails to provide a numeric value of demolition required for Project construction. Thus, we cannot verify that the hauling trip number calculated in the model is the result of the input of the correct amount of demolition. As such, demolition may be underestimated.

This potential underestimation presents an issue, as the amount of demolition material inputted into the model is used by CalEEMod to determine emissions associated with this phase of construction. The three primary operations that generate dust emissions during the demolition phase are mechanical or explosive dismemberment, site removal of debris, and on-site truck traffic on paved and unpaved road.¹⁹ Thus, by failing to substantiate the demolition of the existing structures, the model may underestimate the Project’s construction-related emissions and should not be relied upon to determine Project significance. An EIR should be prepared to substantiate the amount of required demolition and revise the model accordingly, if necessary.

Unsubstantiated Number of New Trees for Sequestration

Review of the CalEEMod output files demonstrates that the “15755 Arrow Route Warehouse Project” and “15755 Arrow Route Warehouse Project (Operation LST)” models include the sequestration of 137 new trees (see excerpt below) (Appendix 4.1-1, pp. 552, 557).

Table Name	Column Name	Default Value	New Value
tbiSequestration	NumberOfNewTrees	0.00	137.00

As you can see in the excerpt above, the model assumes that the proposed Project would plant 137 new trees. As previously mentioned, the CalEEMod User’s Guide requires any changes to model defaults be

¹⁸ “CalEEMod User’s Guide Version 2020.4.0.” California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 35.

¹⁹ “Appendix A Calculation Details for CalEEMod.” California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 12.

justified.²⁰ According to the “User Entered Comments & Non-Default Data” table, the justification provided for this assumption is:

“Per Landscape Plan” (Appendix A, pp. 14, 40, 66).

Furthermore, the IS/MND states:

“The existing trees along Arrow Route, which front the Project site, will be removed to expand the southerly portion of Arrow Route and to add a sidewalk. However, new trees will be planted onsite and in the right-of-way that will not impact scenic resources” (IS/MND, pp. 16).

However, this assumption remains unsupported, as the IS/MND and associated documents fail to explicitly state the Project’s anticipated number of trees expected to be planted. As such, we cannot verify the inclusion of 137 new trees in the model is accurate.

This presents an issue, as CalEEMod uses the number of new trees to reduce the Project’s greenhouse gas (“GHG”) emissions due to the sequestration from new trees (see excerpt below).²¹

$$\text{Total Sequestered CO}_2 = (\text{Growing Period} \times \sum_{i=1}^n [\text{Sequestration } i \times \text{Trees } i])$$

Where:

Growing Period = Growing period for all trees, expressed in years (20).

n = Number of broad species classes.

Sequestration i = Default annual CO₂ accumulation per tree for broad species class i .

Trees i = Number of net new trees of broad species class i .

As demonstrated above, there is a direct relationship between the number of net new trees and total sequestered carbon dioxide (“CO₂”). Thus, when the number of new trees is increased, the total CO₂ emitted as a result of the proposed Project decreases. As such, by including an unsubstantiated number of new trees, the model may artificially reduce the Project’s GHG emissions and should not be relied upon to determine Project significance.

Underestimated Operational Vehicle Trip Rates

According to the Traffic Impact Analysis and Vehicle Miles Traveled Screening Analysis (“TIA”), provided as Appendix L to IS/MND, the proposed Project is expected to generate approximately 365 daily operational vehicle trips (see excerpt below) (p. 2, Table 2):

²⁰ “CalEEMod User’s Guide Version 2020.4.0.” California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 1, 14.

²¹ “Appendix A Calculation Details for CalEEMod.” California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 58.

Table 2 – Proposed Project Trip Generation

Vehicle Type	PCE Factor ¹	Units ²	Daily	AM Peak Hour			PM Peak Hour		
				In	Out	Total	In	Out	Total
Proposed Project Trip Generation (classification, non-PCE)									
Passenger Cars ⁵	-	210 KSF	239	25	6	31	7	26	33
2-axle Trucks	-		21	0	0	0	1	1	2
3-axle Trucks	-		26	0	0	0	1	1	2
4-axle Trucks	-		79	1	1	2	2	2	4
Total			365	26	7	33	11	30	41

¹ PCE factors per San Bernardino County Transportation Authority

² KSF = 1,000 square feet gross floor area

As such, the Project's model should have included trip rates that reflect the estimated number of average daily vehicle trips. However, review of the CalEEMod output files demonstrates that the "15755 Arrow Route Warehouse Project" model includes only approximately 342.17 weekday, Saturday, and Sunday vehicle trips (see excerpt below) (Appendix A, pp. 33, 59, 87).

Land Use	Average Daily Trip Rate		
	Weekday	Saturday	Sunday
Other Asphalt Surfaces	0.00	0.00	0.00
Other Non-Asphalt Surfaces	0.00	0.00	0.00
Unrefrigerated Warehouse-No Rail	342.17	342.17	342.17
Total	342.17	342.17	342.17

As you can see in the excerpt above, the average daily vehicle trips are underestimated by approximately 23 trips.²² As such, the trip rates inputted into the model are underestimated and inconsistent with the information provided by the TIA.

These inconsistencies present an issue, as CalEEMod uses the operational vehicle trip rates to calculate the emissions associated with the operational on-road vehicles.²³ Thus, by including underestimated operational daily vehicle trips, the model underestimates the Project's mobile-source operational emissions and should not be relied upon to determine Project significance.

Incorrect Application of Energy-Related Operational Mitigation Measure

Review of the CalEEMod output files demonstrates that the "15755 Arrow Route Warehouse Project" and "15755 Arrow Route Warehouse Project (Operation LST)" models include the following energy-related operational mitigation measures (see excerpt below) (Appendix A, pp. 34, 60, 88, 107, 119):

²² 365 proposed daily trips – 342.17 model daily trips = 22.83 underestimated daily trips.

²³ "CalEEMod User's Guide Version 2020.4.0." California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user-s-guide>, p. 36.

5.1 Mitigation Measures Energy

Exceed Title 24

As previously mentioned, the CalEEMod User's Guide requires any changes to model defaults be justified.²⁴ According to the "User Entered Comments & Non-Default Data" table, the justification provided for the inclusion of the energy-related operational mitigation measure is:

"2019 Title 24" respectively (Appendix A, pp. 14, 40, 66).

Furthermore, the IS/MND states:

"The proposed Project will comply with Title 24. This would be accomplished through, among other things, implementation of energy reduction measures, such as energy efficient lighting and lighting control systems, appliances, installation of light colored "cool" roofs over office spaces, installation of cool pavements, installation of barriers between conditioned and unconditioned spaces, and providing carpool /vanpool/EV parking stalls" (p. 49).

However, the inclusion of the above-mentioned energy-related operational mitigation measure is unsupported, as the IS/MND fails to demonstrate that the Project intends to *exceed* Title 24 standards. According to the CalEEMod User's Guide, CalEEMod's "Exceed Title 24" mitigation measure corresponds with CAPCOA's Mitigation Measure BE-1.²⁵ Furthermore, CAPCOA indicates that buildings must exceed Title 24 Building Envelope Energy Efficiency Standards by a specific percentage to be consistent with the BE-1 mitigation strategy (see excerpt below).²⁶

²⁴ "CalEEMod User's Guide Version 2020.4.0." California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 1, 14.

²⁵ "CalEEMod User's Guide Version 2020.4.0." California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 58-59.

²⁶ "Quantifying Greenhouse Gas Mitigation Measures." California Air Pollution Control Officers Association (CAPCOA), August 2010, available at: <http://www.aqmd.gov/docs/default-source/ceqa/handbook/capcoa-quantifying-greenhouse-gas-mitigation-measures.pdf>, p. 64, Table 6-1.

Energy						
Category	Measure Number	Strategy	BMP	Grouped With #	Range of Effectiveness	
					Percent Reduction in GHG Emissions	Basis
Building Energy Use	BE-1	Buildings exceed Title 24 Building Envelope Energy Efficiency Standards by X% (X is equal to the percentage improvement selected for the project)			For a 10% improvement over 2008 Title 24: Non-Residential electricity use: 0.2-5.5%; natural gas use: 0.7-10% Residential electricity use: 0.3-2.6%; natural gas use: 7.5-9.1%	
	BE-2	Install Programmable Thermostat Timers	x		BMP	
	BE-3	Obtain Third-party HVAC Commissioning and Verification of Energy Savings	x	BE-1	BMP	
	BE-4	Install Energy Efficient Appliances			Residential building: 2-4% Grocery Stores: 17-22%	Appliance Electricity Use
	BE-5	Install Energy Efficient Boilers			1.2-18.4%	Fuel Use

Thus, as the IS/MND fails to require the Project to exceed Title 24 Standards, this measure is not applicable to the proposed Project. By incorrectly including an energy-related operational mitigation measure, the model underestimates the Project's operational emissions and should not be relied upon to determine Project significance.

Updated Analysis Indicates a Potentially Significant Air Quality Impact

In an effort to more accurately estimate the Project's construction-related and operational emissions, we prepared an updated CalEEMod model, using the Project-specific information provided by the IS/MND. In our updated model, we included the correct land use sizes and types; omitted the unsubstantiated changes to the architectural coating emission factors, acres of grading value, and number of new trees; proportionately altered the individual construction phase lengths to match the proposed construction duration of 10 months; corrected the operational daily vehicle trip rates; and excluded the incorrect energy-related operational mitigation measure.²⁷

Our updated analysis estimates that the Project's construction-related VOC emissions would exceed the applicable South Coast Air Quality Management District ("SCAQMD") threshold of 75-pounds per day ("lbs/day"), as referenced by the IS/MND (p. 24, Table A) (see table below).²⁸

²⁷ See Attachment B for updated air modeling.

²⁸ "South Coast AQMD Air Quality Significance Thresholds." SCAQMD, April 2019, *available at*: <http://www.aqmd.gov/docs/default-source/ceqa/handbook/scaqmd-air-quality-significance-thresholds.pdf>.

SWAPE Criteria Air Pollutant Emissions	
Construction	VOC (lbs/day)
IS/MND	52.86
SWAPE	189.69
% Increase	259%
SCAQMD Threshold	75
Exceeds?	Yes

As you can see in the table above, the Project's construction-related VOC emissions, as estimated by SWAPE, increase by approximately 259% and exceed the applicable SCAQMD significance threshold. Thus, our updated model demonstrates that the Project would result in a potentially significant air quality impact that was not previously identified or addressed in the IS/MND. As a result, an EIR should be prepared to adequately assess and mitigate the potential air quality impacts that the Project may have on the environment.

Diesel Particulate Matter Health Risk Emissions Inadequately Evaluated

The IS/MND estimates that the maximum incremental cancer risk posed to nearby, existing residential sensitive receptors as a result of heavy-duty diesel trucks during Project operation would be 1.1 in one million, which would not exceed the SCAQMD significance threshold of 10 in one million (see excerpt below) (p. 28, Table F).

Table F – Project-Generated Cancer Risk

Receptor	Cancer Risk (per million)
Sensitive Receptors	
1	1.1
2	0.8
3	0.8
4	0.7
6	0.8
9	0.7
School Child Receptor	
5	0.2
7	0.3
8	0.3
Off-site Worker Receptors	
10	0.2
11	0.1

Source: WEBB-B, Table 4 (Appendix B).

However, the IS/MND fails to discuss construction-related toxic air contaminant ("TAC") emissions, or conduct a construction health risk analysis ("HRA"), whatsoever. Thus, the IS/MND's evaluation of the

Project's potential health risk impacts, as well as the subsequent less-than-significant impact conclusion, is incorrect for three reasons.

First, by failing to prepare a quantified construction HRA, the Project is inconsistent with CEQA's requirement to correlate the increase in emissions that the Project would generate to the adverse impacts on human health caused by those emissions.²⁹ This is incorrect, as construction of the proposed Project will produce emissions of diesel particulate matter ("DPM") through the exhaust stacks of construction equipment over the course of the 10-month construction duration (p. 4). However, the IS/MND fails to discuss the potential TACs associated with Project construction or evaluate the concentrations at which such pollutants would trigger adverse health effects. Thus, without making a reasonable effort to connect the Project's construction-related TAC emissions to the potential health risks posed to nearby receptors, the Project is inconsistent with CEQA's requirement to correlate the increase in TAC emissions with potential adverse impacts on human health.

Second, the State of California Department of Justice recommends the preparation of a quantitative HRA pursuant to the Office of Environmental Health Hazard Assessment ("OEHHA"), the organization responsible for providing guidance on conducting HRAs in California, as well as local air district guidelines.³⁰ OEHHA released its most recent *Risk Assessment Guidelines: Guidance Manual for Preparation of Health Risk Assessments* in February 2015, as referenced by the Project's Health Risk Assessment, provided as Appendix B to the IS/MND (p. 10).³¹ This guidance document describes the types of projects that warrant the preparation of an HRA. The OEHHA document recommends that all short-term projects lasting at least two months be evaluated for cancer risks to nearby sensitive receptors. As the Project's proposed construction duration vastly exceeds the 2-month requirement set forth by OEHHA, it is clear that the Project meets the threshold warranting a quantified construction-related HRA under OEHHA guidance. These recommendations reflect the most recent state health risk policies, and as such, we recommend that an analysis of health risk impacts posed to nearby sensitive receptors from Project-generated construction DPM emissions be included in an EIR for the Project.

Third, while the IS/MND includes a HRA evaluating the health risk impacts to nearby, existing receptors as a result of Project operation, the HRA fails to evaluate the combined lifetime cancer risk to nearby, existing receptors as a result of Project construction and operation together. According to OEHHA guidance, "the excess cancer risk is calculated separately for each age grouping and then summed to yield cancer risk at the receptor location."³² However, the Project's HRA fails to sum each age bin to evaluate the total cancer risk over the course of Project construction *and* operation. This is incorrect and thus, an updated analysis should quantify the entirety of the Project's construction and operational

²⁹ "Sierra Club v. County of Fresno." Supreme Court of California, December 2018, *available at*: <https://ceqaportal.org/decisions/1907/Sierra%20Club%20v.%20County%20of%20Fresno.pdf>.

³⁰ "Warehouse Projects: Best Practices and Mitigation Measures to Comply with the California Environmental Quality Act." State of California Department of Justice, *available at*: <https://oag.ca.gov/sites/all/files/agweb/pdfs/environment/warehouse-best-practices.pdf>, p. 6.

³¹ "Risk Assessment Guidelines Guidance Manual for Preparation of Health Risk Assessments." OEHHA, February 2015, *available at*: http://oehha.ca.gov/air/hot_spots/hotspots2015.html.

³² "Guidance Manual for preparation of Health Risk Assessments." OEHHA, February 2015, *available at*: <https://oehha.ca.gov/media/downloads/crn/2015guidancemanual.pdf> p. 8-4

health risks together and sum them to compare to the SCAQMD threshold of 10 in one million, as referenced by the IS/MND (p. 28).

Screening-Level Analysis Indicates Significant Health Risk Impact

In order to conduct our screening-level risk assessment we relied upon AERSCREEN, which is a screening level air quality dispersion model.³³ The model replaced SCREEN3, and AERSCREEN is included in the OEHHA³⁴ and the California Air Pollution Control Officers Associated (“CAPCOA”)³⁵ guidance as the appropriate air dispersion model for Level 2 health risk screening assessments (“HRSAs”). A Level 2 HRSA utilizes a limited amount of site-specific information to generate maximum reasonable downwind concentrations of air contaminants to which nearby sensitive receptors may be exposed. If an unacceptable air quality hazard is determined to be possible using AERSCREEN, a more refined modeling approach is required prior to approval of the Project.

We prepared a preliminary HRA of the Project’s construction-related health risk impact to residential sensitive receptors using the annual PM₁₀ exhaust estimates from the IS/MND’s CalEEMod output files. Consistent with recommendations set forth by OEHHA, we assumed residential exposure begins during the third trimester stage of life. The IS/MND’s CalEEMod model indicates that construction activities will generate approximately 316 pounds of DPM over the 303-day construction period.³⁶ The AERSCREEN model relies on a continuous average emission rate to simulate maximum downward concentrations from point, area, and volume emission sources. To account for the variability in equipment usage and truck trips over Project construction, we calculated an average DPM emission rate by the following equation:

$$\text{Emission Rate} \left(\frac{\text{grams}}{\text{second}} \right) = \frac{316.4 \text{ lbs}}{303 \text{ days}} \times \frac{453.6 \text{ grams}}{1 \text{ lbs}} \times \frac{1 \text{ day}}{24 \text{ hours}} \times \frac{1 \text{ hour}}{3,600 \text{ seconds}} = \mathbf{0.00548 \text{ g/s}}$$

Using this equation, we estimated a construction emission rate of 0.00548 grams per second (“g/s”). Construction was simulated as a 9.23-acre rectangular area source in AERSCREEN, with approximate dimensions of 273- by 137-meters. A release height of three meters was selected to represent the height of stacks of operational equipment and other heavy-duty vehicles, and an initial vertical dimension of one and a half meters was used to simulate instantaneous plume dispersion upon release. An urban meteorological setting was selected with model-default inputs for wind speed and direction distribution. The population of Fontana was obtained from U.S. 2020 Census data.³⁷

The AERSCREEN model generates maximum reasonable estimates of single-hour DPM concentrations from the Project Site. EPA guidance suggests that in screening procedures, the annualized average

³³ U.S. EPA (April 2011) AERSCREEN Released as the EPA Recommended Screening Model, http://www.epa.gov/ttn/scram/guidance/clarification/20110411_AERSCREEN_Release_Memo.pdf

³⁴ OEHHA (February 2015) Risk Assessment Guidelines Guidance Manual for Preparation of Health Risk Assessments, <https://oehha.ca.gov/media/downloads/crn/2015guidancemanual.pdf>.

³⁵ CAPCOA (July 2009) Health Risk Assessments for Proposed Land Use Projects, http://www.capcoa.org/wp-content/uploads/2012/03/CAPCOA_HRA_LU_Guidelines_8-6-09.pdf.

³⁶ See Attachment C for calculations.

³⁷ “Fontana.” U.S. Census Bureau, 2020, available at: <https://datacommons.org/place/geoid/0624680>.

concentration of an air pollutant to be estimated by multiplying the single-hour concentration by 10%.³⁸ According to the IS/MND, the nearest sensitive receptor is located 341 meters away from the Project site (p. 27). Thus, the single-hour concentration estimated by AERSCREEN for Project construction is approximately 1.503 $\mu\text{g}/\text{m}^3$ DPM at approximately 350 meters downwind. Multiplying this single-hour concentration by 10%, we get an annualized average concentration of 0.1503 $\mu\text{g}/\text{m}^3$ for Project construction at the MEIR.

We calculated the excess cancer risk to the MEIR using applicable HRA methodologies prescribed by OEHHA, as recommended by SCAQMD.³⁹ Consistent with the 303-day construction schedule, the annualized average concentration for construction was used for the entire third trimester of pregnancy (0.25 years) and first 0.58 years of the infantile stage of life (0 – 2 years).

Consistent with OEHHA guidance, as recommended by SCAQMD and referenced by the IS/MND, we used Age Sensitivity Factors (“ASF(s)”) to account for the heightened susceptibility of young children to the carcinogenic toxicity of air pollution (Appendix B, p. 11).^{40, 41} According to this guidance, the quantified cancer risk should be multiplied by a factor of 10 during the third trimester of pregnancy and during the first two years of life (infant). Furthermore, in accordance with guidance set forth by OEHHA, we used the 95th percentile breathing rates for infants.⁴² Finally, consistent with OEHHA and SCAQMD guidance, we used a Fraction of Time At Home (“FAH”) Value of 1 for the 3rd trimester and infant receptors.⁴³ We used a cancer potency factor of 1.1 ($\text{mg}/\text{kg}\text{-day}$)⁻¹ and an averaging time of 25,550 days. The results of our calculations are shown in the tables below.

³⁸ U.S. EPA (October 1992) Screening Procedures for Estimating the Air Quality Impact of Stationary Sources Revised, http://www.epa.gov/ttn/scram/guidance/guide/EPA-454R-92-019_OCR.pdf.

³⁹ “Supplemental Guidelines for Submission of Rule 1200 Health Risk Assessments (HRAs).” SDAPCD, July 2019, available at: https://www.sandiegocounty.gov/content/dam/sdc/apcd/PDF/Toxics_Program/APCD_1200_Supplemental_Guidelines.pdf.

⁴⁰ “Risk Assessment Guidelines Guidance Manual for Preparation of Health Risk Assessments.” OEHHA, February 2015, available at: <https://oehha.ca.gov/media/downloads/cnr/2015guidancemanual.pdf>.

⁴¹ “Supplemental Guidelines for Submission of Rule 1200 Health Risk Assessments (HRAs).” SDAPCD, July 2019, available at: https://www.sandiegocounty.gov/content/dam/sdc/apcd/PDF/Toxics_Program/APCD_1200_Supplemental_Guidelines.pdf.

⁴² “Supplemental Guidelines for Preparing Risk Assessments for the Air Toxics ‘Hot Spots’ Information and Assessment Act.” SCAQMD, June 2015, available at: <http://www.aqmd.gov/docs/default-source/planning/risk-assessment/ab2588-risk-assessment-guidelines.pdf?sfvrsn=6>, p. 19; see also: “Risk Assessment Guidelines Guidance Manual for Preparation of Health Risk Assessments.” OEHHA, February 2015, available at: <https://oehha.ca.gov/media/downloads/cnr/2015guidancemanual.pdf>.

⁴³ “Risk Assessment Procedures for Rules 1401, 1401.1, and 212.” SCAQMD, August 2017, available at: http://www.aqmd.gov/docs/default-source/rule-book/Proposed-Rules/1401/riskassessmentprocedures_2017_080717.pdf, p. 7.

The Maximally Exposed Individual at an Existing Residential Receptor							
Age Group	Emissions Source	Duration (years)	Concentration (ug/m3)	Breathing Rate (L/kg-day)	Cancer Risk (without ASFs*)	ASF	Cancer Risk (with ASFs*)
3rd Trimester	Construction	0.25	0.1503	361	2.04E-07	10	2.04E-06
	<i>Construction</i>	<i>0.58</i>	<i>0.1503</i>	<i>1090</i>	<i>1.43E-06</i>		
	<i>Operation</i>	<i>1.42</i>	<i>*</i>	<i>1090</i>	<i>*</i>		
Infant (Age 0 - 2)	Total	2			1.43E-06	10	1.43E-05
Child (Age 2 - 16)	Operation	14	*	572	*	3	*
Adult (Age 16 - 30)	Operation	14	*	261	*	1	*
Lifetime		30			1.64E-06		1.64E-05

* Operational cancer risk calculated separately in the IS/MND.

As demonstrated in the table above, the excess cancer risks for the 3rd trimester of pregnancy and infants at the MEIR located approximately 350 meters away, over the course of Project construction, utilizing ASFs, are approximately 2.04 and 14.3 in one million, respectively. The excess cancer risk associated with Project construction over the course of 303 days, utilizing ASFs, is approximately 16.4 in one million. When summing the Project's construction-related cancer risk, as estimated by SWAPE, with the IS/MND's operational cancer risk of 1.1 in one million, we estimate an excess cancer risk of approximately 17.5 in one million over the course of a residential lifetime (p. 28, Table F).⁴⁴ As such, the infant and lifetime cancer risks exceed the SCAQMD threshold of 10 in one million, thus resulting in a potentially significant impact not previously addressed or identified by the IS/MND.

An agency must include an analysis of health risks that connects the Project's air emissions with the health risk posed by those emissions. Our analysis represents a screening-level HRA, which is known to be conservative and tends to err on the side of health protection. The purpose of the screening-level construction and operational HRA shown above is to demonstrate the link between the proposed Project's emissions and the potential health risk. Our screening-level HRA demonstrates that construction and operation of the Project could result in a potentially significant health risk impact, when correct exposure assumptions and up-to-date, applicable guidance are used. Thus, an EIR should be prepared, including a quantified air pollution model as well as an updated, quantified refined health risk assessment which adequately and accurately evaluates health risk impacts associated with both Project construction and operation.

⁴⁴ Calculated: 16.4 in one million + 1.1 in one million = 17.5 in one million.

Greenhouse Gas

Failure to Adequately Evaluate Greenhouse Gas Impacts

The IS/MND estimates that the Project would generate net annual greenhouse gas (“GHG”) emissions of 2,738.39 metric tons of carbon dioxide equivalents per year (“MT CO₂e/year”) (see excerpt below) (p. 57, Table I).

Table I – Total Project-Related Equipment GHG Emissions

Source	Metric Tons per year (MT/yr)			Total CO ₂ E
	CO ₂	CH ₄	N ₂ O	
Amortized Construction	--	--	--	33.26
Vegetation	--	--	--	-3.23
Area	0.01	0.00	0.00	0.01
Energy	140.07	0.01	0.00	140.75
Mobile	2,480.69	0.10	0.00	2,483.11
Solid Waste	23.64	1.40	0.00	58.57
Water	19.85	0.19	0.00	25.92
Total	2,664.26	1.70	0.00	2,738.39

Source: Table 9, Appendix A of the Initial Study.

As such, the IS/MND concludes:

“The total GHG emissions from the Project is below the County's GHG Plan screening level of 3,000 MTCO₂E/yr for industrial projects. Therefore, the proposed Project will not generate GHG emissions, directly or indirectly, that have a significant effect on the environment and impacts will be less than significant” (p. 57).

Furthermore, the IS/MND’s analysis relies upon the Project’s consistency with the CARB *Scoping Plan* and San Bernardino GHG Plan to conclude that the Project would result in a less-than-significant GHG impact (p. 58). However, the IS/MND’s analysis, as well as the subsequent less-than-significant impact conclusion, is incorrect for three reasons.

- (1) The IS/MND’s quantitative GHG analysis relies upon an incorrect and unsubstantiated air model;
- (2) SWAPE’s updated model indicates a potentially significant GHG impact; and
- (3) The IS/MND fails to consider the performance-based standards under CARB’s *Scoping Plan*;

1) Incorrect and Unsubstantiated Quantitative Analysis of Emissions

As previously stated, the IS/MND estimates that the Project would generate net annual GHG emissions of 2,738.39 MT CO₂e/year (p. 57, Table I). However, the IS/MND’s quantitative GHG analysis is unsubstantiated. As previously discussed, when we reviewed the Project's CalEEMod output files, provided in the AQ & GHG Analysis as Appendix A to the IS/MND, we found that several of the values inputted into the model are not consistent with information disclosed in the IS/MND. As a result, the model underestimates the Project’s emissions, and the IS/MND’s quantitative GHG analysis should not be relied upon to determine Project significance. An EIR should be prepared that adequately assesses the potential GHG impacts that construction and operation of the proposed Project may have on the environment.

2) Updated Analysis Indicates a Potentially Significant GHG Impact

SWAPE's updated air model indicates a potentially significant GHG impact, when applying the County's screening level threshold of 3,000 MT CO₂e/year. The updated CalEEMod output files disclose the Project's mitigated emissions, which include approximately 1,040 MT CO₂e of total construction emissions and approximately 2,980 MT CO₂e/year of annual operational emissions (sum of area-, energy-, mobile-, waste-, and water-related emissions). When amortizing the Project's construction-related GHG emissions over a period of 30 years and summing them with the Project's operational GHG emissions, we estimate net annual GHG emissions of approximately 3,015 MT CO₂e/year (see table below).

SWAPE Annual Greenhouse Gas Emissions	
Project Phase	Proposed Project (MT CO ₂ e/year)
<i>Total Construction</i>	<i>1,040.20</i>
Construction (amortized over 30 years)	34.67
<i>Area</i>	<i>0.01</i>
<i>Energy</i>	<i>184.76</i>
<i>Mobile</i>	<i>2,652.84</i>
<i>Waste</i>	<i>99.10</i>
<i>Water</i>	<i>43.35</i>
Annual Operational	2,980.06
Total Net Annual GHG Emissions	3,014.73
County Screening Level Threshold	3,000
<i>Exceeds?</i>	Yes

As demonstrated above, the Project's estimated annual GHG emissions, as estimated by SWAPE, exceed the County's screening level threshold of 3,000 MT CO₂e/year, thus resulting in a significant impact not previously addressed or mitigated in the IS/MND. As a result, the IS/MND's less-than-significant GHG impact conclusion should not be relied upon. An EIR should be prepared, including an updated GHG analysis and incorporating additional mitigation measures to reduce the Project's GHG emissions to less-than-significant levels.

3) Failure to Consider Performance-based Standards Under CARB's 2017 Scoping Plan

As previously discussed, the IS/MND concludes that the Project would be consistent with CARB's 2017 Climate Change Scoping Plan (p. 58). However, this is incorrect, as the IS/MND fails to consider performance-based measures proposed by CARB.

i. Passenger & Light Duty VMT Per Capita Benchmarks per SB 375

In reaching the State's long-term GHG emission reduction goals, CARB's 2017 *Scoping Plan* explicitly cites to SB 375 and the VMT reductions anticipated under the implementation of Sustainable

Community Strategies.⁴⁵ CARB has identified the population and daily VMT from passenger autos and light-duty vehicles at the state and county level for each year between 2010 to 2050 under a “baseline scenario” that includes “current projections of VMT included in the existing Regional Transportation Plans/Sustainable Communities Strategies (RTP/SCSs) adopted by the State’s 18 Metropolitan Planning Organizations (MPOs) pursuant to SB 375 as of 2015.”⁴⁶ By dividing the projected daily VMT by the population, we calculated the daily VMT per capita for each year at the state and county level for 2010 (baseline year), 2022 (Project operational year), and 2030 (target years under SB 32) (see table below).

2017 Scoping Plan Daily VMT Per Capita						
Year	San Bernardino County			State		
	Population	LDV VMT Baseline	VMT Per Capita	Population	LDV VMT Baseline	VMT Per Capita
2010	2,043,484	55,741,307.23	27.28	37,335,085	836,463,980.46	22.40
2022	2,278,414	61,507,949.89	27.00	41,321,565	916,010,145.57	22.17
2030	2,478,888	65,538,854.28	26.44	43,939,250	957,178,153.19	21.78

As the IS/MND fails to evaluate the Project’s consistency with the CARB 2017 *Scoping Plan* performance-based daily VMT per capita projections, the IS/MND’s claim that the proposed Project would not conflict with the CARB 2017 *Scoping Plan* is unsupported. An EIR should be prepared for the proposed Project to provide additional information and analysis to conclude less-than-significant GHG impacts.

Feasible Mitigation Measures Available to Reduce Emissions

Our analysis demonstrates that the Project would result in potentially significant air quality, health risk, and GHG impacts that should be mitigated further. As such, in an effort to reduce the Project’s emissions, we identified several mitigation measures that are applicable to the proposed Project. Feasible mitigation measures can be found in the Department of Justice Warehouse Project Best Practices document.⁴⁷ Therefore, to reduce the Project’s emissions, consideration of the following measures should be made:

- Requiring off-road construction equipment to be zero-emission, where available, and all diesel-fueled off-road construction equipment, to be equipped with CARB Tier IV-compliant engines or better, and including this requirement in applicable bid documents, purchase orders, and contracts, with successful contractors demonstrating the ability to supply the compliant construction equipment for use prior to any ground-disturbing and construction activities.
- Prohibiting off-road diesel-powered equipment from being in the “on” position for more than 10 hours per day.
- Requiring on-road heavy-duty haul trucks to be model year 2010 or newer if diesel-fueled.

⁴⁵ “California’s 2017 Climate Change Scoping Plan.” CARB, November 2017, *available at*:

https://ww3.arb.ca.gov/cc/scopingplan/scoping_plan_2017.pdf, p. 25, 98, 101-103.

⁴⁶ “Supporting Calculations for 2017 Scoping Plan-Identified VMT Reductions,” Excel Sheet “Readme.” CARB, January 2019, *available at*: https://ww2.arb.ca.gov/sites/default/files/2019-01/sp_mss_vmt_calculations_jan19_0.xlsx.

⁴⁷ “Warehouse Projects: Best Practices and Mitigation Measures to Comply with the California Environmental Quality Act.” State of California Department of Justice.

- Providing electrical hook ups to the power grid, rather than use of diesel-fueled generators, for electric construction tools, such as saws, drills and compressors, and using electric tools whenever feasible.
- Limiting the amount of daily grading disturbance area.
- Prohibiting grading on days with an Air Quality Index forecast of greater than 100 for particulates or ozone for the project area.
- Forbidding idling of heavy equipment for more than two minutes.
- Keeping onsite and furnishing to the lead agency or other regulators upon request, all equipment maintenance records and data sheets, including design specifications and emission control tier classifications.
- Conducting an on-site inspection to verify compliance with construction mitigation and to identify other opportunities to further reduce construction impacts.
- Using paints, architectural coatings, and industrial maintenance coatings that have volatile organic compound levels of less than 10 g/L.
- Providing information on transit and ridesharing programs and services to construction employees.
- Providing meal options onsite or shuttles between the facility and nearby meal destinations for construction employees.
- Requiring that all facility-owned and operated fleet equipment with a gross vehicle weight rating greater than 14,000 pounds accessing the site meet or exceed 2010 model-year emissions equivalent engine standards as currently defined in California Code of Regulations Title 13, Division 3, Chapter 1, Article 4.5, Section 2025. Facility operators shall maintain records on-site demonstrating compliance with this requirement and shall make records available for inspection by the local jurisdiction, air district, and state upon request.
- Requiring all heavy-duty vehicles entering or operated on the project site to be zero-emission beginning in 2030.
- Requiring on-site equipment, such as forklifts and yard trucks, to be electric with the necessary electrical charging stations provided.
- Requiring tenants to use zero-emission light- and medium-duty vehicles as part of business operations.
- Forbidding trucks from idling for more than two minutes and requiring operators to turn off engines when not in use.
- Posting both interior- and exterior-facing signs, including signs directed at all dock and delivery areas, identifying idling restrictions and contact information to report violations to CARB, the air district, and the building manager.
- Installing and maintaining, at the manufacturer's recommended maintenance intervals, air filtration systems at sensitive receptors within a certain radius of facility for the life of the project.
- Installing and maintaining, at the manufacturer's recommended maintenance intervals, an air monitoring station proximate to sensitive receptors and the facility for the life of the project, and making the resulting data publicly available in real time. While air monitoring does not

mitigate the air quality or greenhouse gas impacts of a facility, it nonetheless benefits the affected community by providing information that can be used to improve air quality or avoid exposure to unhealthy air.

- Constructing electric truck charging stations proportional to the number of dock doors at the project.
- Constructing electric plugs for electric transport refrigeration units at every dock door, if the warehouse use could include refrigeration.
- Constructing electric light-duty vehicle charging stations proportional to the number of parking spaces at the project.
- Installing solar photovoltaic systems on the project site of a specified electrical generation capacity, such as equal to the building's projected energy needs.
- Requiring all stand-by emergency generators to be powered by a non-diesel fuel.
- Requiring facility operators to train managers and employees on efficient scheduling and load management to eliminate unnecessary queuing and idling of trucks.
- Requiring operators to establish and promote a rideshare program that discourages single-occupancy vehicle trips and provides financial incentives for alternate modes of transportation, including carpooling, public transit, and biking.
- Meeting CalGreen Tier 2 green building standards, including all provisions related to designated parking for clean air vehicles, electric vehicle charging, and bicycle parking.
- Achieving certification of compliance with LEED green building standards.
- Providing meal options onsite or shuttles between the facility and nearby meal destinations.
- Posting signs at every truck exit driveway providing directional information to the truck route.
- Improving and maintaining vegetation and tree canopy for residents in and around the project area.
- Requiring that every tenant train its staff in charge of keeping vehicle records in diesel technologies and compliance with CARB regulations, by attending CARB approved courses. Also require facility operators to maintain records on-site demonstrating compliance and make records available for inspection by the local jurisdiction, air district, and state upon request.
- Requiring tenants to enroll in the United States Environmental Protection Agency's SmartWay program, and requiring tenants to use carriers that are SmartWay carriers.
- Providing tenants with information on incentive programs, such as the Carl Moyer Program and Voucher Incentive Program, to upgrade their fleets.

These measures offer a cost-effective, feasible way to incorporate lower-emitting design features into the proposed Project, which subsequently, reduce emissions released during Project construction and operation.

Furthermore, as it is policy of the State that eligible renewable energy resources and zero-carbon resources supply 100% of retail sales of electricity to California end-use customers by December 31, 2045, we emphasize the applicability of incorporating solar power system into the Project design. Until the feasibility of incorporating on-site renewable energy production is considered to reduce the Project's GHG emissions, the IS/MND should not be approved.

An EIR should be prepared to include all feasible mitigation measures, as well as include updated air quality, health risk, and GHG analyses to ensure that the necessary mitigation measures are implemented to reduce emissions to below thresholds. The EIR should also demonstrate a commitment to the implementation of these measures prior to Project approval, to ensure that the Project's significant emissions are reduced to the maximum extent possible.

Disclaimer

SWAPE has received limited discovery regarding this project. Additional information may become available in the future; thus, we retain the right to revise or amend this report when additional information becomes available. Our professional services have been performed using that degree of care and skill ordinarily exercised, under similar circumstances, by reputable environmental consultants practicing in this or similar localities at the time of service. No other warranty, expressed or implied, is made as to the scope of work, work methodologies and protocols, site conditions, analytical testing results, and findings presented. This report reflects efforts which were limited to information that was reasonably accessible at the time of the work, and may contain informational gaps, inconsistencies, or otherwise be incomplete due to the unavailability or uncertainty of information obtained or provided by third parties.

Sincerely,



Matt Hagemann, P.G., C.Hg.



Paul E. Rosenfeld, Ph.D.

Attachment A: Construction Phase Calculations
Attachment B: CalEEMod Output Files
Attachment C: Health Risk Calculations
Attachment D: AERSCREEN Output Files
Attachment E: Matt Hagemann CV
Attachment F: Paul E. Rosenfeld CV

Construction Schedule Calculations					
Phase	Default Phase Length	Construction Duration	%	Construction Duration	Revised Phase Length
Demolition	20	545	0.0367	303	11
Grading	30	545	0.0550	303	17
Construction	330	545	0.6055	303	183
Paving	20	545	0.0367	303	11
Architectural Coating	20	545	0.0367	303	11

Total Default Construction Duration		Revised Construction Duration
Start Date	3/30/2022	1/1/2022
End Date	9/26/2023	10/31/2022
Total Days	545	303

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

15755 Arrow Route Warehouse Project

San Bernardino-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	10.00	1000sqft	0.23	10,000.00	0
Unrefrigerated Warehouse-No Rail	199.76	1000sqft	4.59	199,759.00	0
Other Asphalt Surfaces	0.07	Acre	0.07	3,049.20	0
Other Non-Asphalt Surfaces	4.95	Acre	4.95	215,622.00	0
Parking Lot	158.00	Space	1.42	63,200.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	32
Climate Zone	10			Operational Year	2022
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	531.44	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

Project Characteristics - Consistent with IS/MND's model.

Land Use - See SWAPE comments on "Underestimated Land Use Size" and "Failure to Model All Proposed Land Uses"

Construction Phase - See SWAPE comment on "Unsubstantiated Changes to Individual Counstruction Phase Lengths"

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Trips and VMT - Consistent with IS/MND's model.

Grading - See SWAPE comment on "Unsubstantiated Reduction to Acres of Grading"

Architectural Coating - See SWAPE comment on "Unsubstantiated Reductions to Architectural Coating Emission Factors"

Vehicle Trips - See SWAPE comment on "Underestimated Operational Vehicle Trip Rates"

Energy Use - Consistent with IS/MND's model.

Water And Wastewater - Consistent with IS/MND's model.

Land Use Change -

Construction Off-road Equipment Mitigation - Consistent with IS/MND's model.

Energy Mitigation - See SWAPE comment on "Incorrect Application of Energy-Related Operational Mitigation Measure"

Water Mitigation - Consistent with IS/MND's model.

Waste Mitigation - Consistent with IS/MND's model.

Fleet Mix - See ISMND

Demolition - See SWAPE comment on "Failure to Substantiate Demolition"

Sequestration - See SWAPE comment on "Unsubstantiated Number of New Trees for Sequestration"

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	20.00	11.00

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

tb\ConstructionPhase	NumDays	30.00	17.00
tb\ConstructionPhase	NumDays	300.00	183.00
tb\ConstructionPhase	NumDays	20.00	11.00
tb\ConstructionPhase	NumDays	20.00	11.00
tb\EnergyUse	LightingElect	0.00	0.35
tb\EnergyUse	LightingElect	0.00	0.35
tb\FleetMix	HHD	0.06	0.22
tb\FleetMix	LDA	0.55	0.46
tb\FleetMix	LDT1	0.04	0.03
tb\FleetMix	LDT2	0.18	0.15
tb\FleetMix	LHD1	0.02	0.00
tb\FleetMix	LHD2	5.1010e-003	0.06
tb\FleetMix	MCY	5.9030e-003	4.9600e-003
tb\FleetMix	MDV	0.12	0.00
tb\FleetMix	MH	9.4400e-004	7.9000e-004
tb\FleetMix	MHD	0.02	0.07
tb\FleetMix	OBUS	1.3570e-003	1.1400e-003
tb\FleetMix	SBUS	8.0800e-004	6.8000e-004
tb\FleetMix	UBUS	1.5650e-003	1.3200e-003
tb\LandUse	LandUseSquareFeet	199,760.00	199,759.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	4.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	1.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	3.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	1.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

tbOffRoadEquipment	UsageHours	6.00	8.00
tbOffRoadEquipment	UsageHours	7.00	8.00
tbOffRoadEquipment	UsageHours	7.00	8.00
tbProjectCharacteristics	CO2IntensityFactor	702.44	531.44
tbTripsAndVMT	VendorTripNumber	0.00	2.00
tbTripsAndVMT	VendorTripNumber	0.00	2.00
tbTripsAndVMT	VendorTripNumber	0.00	2.00
tbVehicleTrips	CC_TL	8.40	55.00
tbVehicleTrips	CC_TTP	0.00	34.40
tbVehicleTrips	CNW_TTP	41.00	0.00
tbVehicleTrips	CW_TTP	59.00	65.60
tbVehicleTrips	DV_TP	5.00	0.00
tbVehicleTrips	PB_TP	3.00	0.00
tbVehicleTrips	PR_TP	92.00	100.00
tbVehicleTrips	ST_TR	2.46	0.00
tbVehicleTrips	ST_TR	1.68	1.83
tbVehicleTrips	SU_TR	1.05	0.00
tbVehicleTrips	SU_TR	1.68	1.83
tbVehicleTrips	WD_TR	11.03	0.00
tbVehicleTrips	WD_TR	1.68	1.83
tbWater	IndoorWaterUseRate	46,194,500.00	7,172,171.00
tbWater	OutdoorWaterUseRate	0.00	5,700.00

2.0 Emissions Summary

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

2.1 Overall Construction

Unmitigated Construction

Year	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
2022	1.5468	4.6674	5.3349	0.0118	0.3043	0.1854	0.4897	0.0755	0.1776	0.2531	0.0000	1,036,440 ⁷	1,036,440 ⁷	0.1512	0.0000	1,040,221 ⁰
Maximum	1.5468	4.6674	5.3349	0.0118	0.3043	0.1854	0.4897	0.0755	0.1776	0.2531	0.0000	1,036,440 ⁷	1,036,440 ⁷	0.1512	0.0000	1,040,221 ⁰

Mitigated Construction

Year	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
2022	1.5468	4.6674	5.3349	0.0118	0.3043	0.1854	0.4897	0.0755	0.1776	0.2531	0.0000	1,036,439 ⁹	1,036,439 ⁹	0.1512	0.0000	1,040,220 ²
Maximum	1.5468	4.6674	5.3349	0.0118	0.3043	0.1854	0.4897	0.0755	0.1776	0.2531	0.0000	1,036,439 ⁹	1,036,439 ⁹	0.1512	0.0000	1,040,220 ²

Percent Reduction	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	1-1-2022	3-31-2022	1.4533	1.4533
2	4-1-2022	6-30-2022	1.6336	1.6336
3	7-1-2022	9-30-2022	1.6553	1.6553
		Highest	1.6553	1.6553

2.2 Overall Operational

Unmitigated Operational

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
Area	0.8778	4.0000e-005	4.7700e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005	0.0000	9.2500e-003	9.2500e-003	2.0000e-005	0.0000	9.8600e-003
Energy	2.3700e-003	0.0216	0.0181	1.3000e-004		1.6400e-003	1.6400e-003		1.6400e-003	1.6400e-003	0.0000	183.8633	183.8633	9.2000e-003	2.2400e-003	184.7612
Mobile	0.2680	4.9254	3.5359	0.0281	1.5759	0.0219	1.5878	0.4294	0.0208	0.4501	0.0000	2.650.266 ³	2.650.266 ³	0.1032	0.0000	2.652.845 ⁶
Waste						0.0000	0.0000		0.0000	0.0000	40.0034	0.0000	40.0034	2.3641	0.0000	99.1068
Water						0.0000	0.0000		0.0000	0.0000	2.8393	31.0234	33.8627	0.2933	7.2400e-003	43.3519
Total	1.1482	4.9470	3.5588	0.0282	1.5759	0.0236	1.5995	0.4294	0.0224	0.4518	42.8427	2,865.162 ²	2,908.004 ⁹	2.7698	9.4800e-003	2,980.075 ³
MT/yr																

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

2.2 Overall Operational**Mitigated Operational**

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	tons/yr										MT/yr					
Area	0.8778	4.0000e-005	4.7700e-003	0.0000		2.0000e-005	2.0000e-005	2.0000e-005	2.0000e-005	2.0000e-005	0.0000	9.2500e-003	9.2500e-003	2.0000e-005	0.0000	9.8600e-003
Energy	2.3700e-003	0.0216	0.0181	1.3000e-004		1.6400e-003	1.6400e-003	1.6400e-003	1.6400e-003	1.6400e-003	0.0000	183.8633	183.8633	9.2000e-003	2.2400e-003	184.7612
Mobile	0.2680	4.9254	3.5359	0.0281	1.5759	0.0219	1.5978	0.4294	0.0208	0.4501	0.0000	2.650.266 ³	2.650.266 ³	0.1032	0.0000	2.652.845 ⁶
Waste						0.0000	0.0000	0.0000	0.0000	0.0000	40.0034	0.0000	40.0034	2.3641	0.0000	99.1068
Water						0.0000	0.0000	0.0000	0.0000	0.0000	2.8393	31.0234	33.8627	0.2933	7.2400e-003	43.3519
Total	1.1482	4.9470	3.5588	0.0282	1.5759	0.0236	1.5995	0.4294	0.0224	0.4518	42.8427	2,865,162 ²	2,908,004 ⁹	2.7698	9.4800e-003	2,980,075 ³

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail**Construction Phase**

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	1/1/2022	1/17/2022	5	11	
2	Grading	Grading	1/18/2022	2/9/2022	5	17	
3	Building Construction	Building Construction	2/10/2022	10/24/2022	5	183	
4	Paving	Paving	9/30/2022	10/14/2022	5	11	
5	Architectural Coating	Architectural Coating	10/15/2022	10/31/2022	5	11	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 59.5

Acres of Paving: 6.44

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 314,639; Non-Residential Outdoor: 104,880; Striped Parking Area: 16,912 (Architectural Coating – sqft)

OffRoad Equipment

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Demolition	Rubber Tired Loaders	1	8.00	203	0.36
Grading	Excavators	0	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rollers	1	8.00	80	0.38
Grading	Rubber Tired Dozers	0	8.00	247	0.40
Grading	Rubber Tired Loaders	1	8.00	203	0.36
Grading	Scrapers	3	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Building Construction	Aerial Lifts	6	8.00	63	0.31
Building Construction	Cement and Mortar Mixers	5	8.00	9	0.56
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Excavators	1	8.00	158	0.38
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	4	8.00	84	0.74
Building Construction	Pumps	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Building Construction	Welders	2	8.00	46	0.45
Paving	Pavers	1	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	8.00	78	0.48

Trips and VMT

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition		7	18.00	2.00	121.00	14.70	6.90	20.00;LD_Mix	HDT_Mix	HDDT
Grading		7	18.00	2.00	0.00	14.70	6.90	20.00;LD_Mix	HDT_Mix	HDDT
Building Construction		26	205.00	81.00	0.00	14.70	6.90	20.00;LD_Mix	HDT_Mix	HDDT
Paving		5	13.00	2.00	0.00	14.70	6.90	20.00;LD_Mix	HDT_Mix	HDDT
Architectural Coating		1	41.00	0.00	0.00	14.70	6.90	20.00;LD_Mix	HDT_Mix	HDDT

3.1 Mitigation Measures Construction

Water Exposed Area

3.2 Demolition - 2022

Unmitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	tons/yr										MT/yr					
Fugitive Dust					0.0131	0.0000	0.0131	1.9800e-003	0.0000	1.9800e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0161	0.1581	0.1217	2.5000e-004		7.3900e-003	7.3900e-003		6.8700e-003	6.8700e-003	0.0000	21.7166	21.7166	6.2300e-003	0.0000	21.8723
Total	0.0161	0.1581	0.1217	2.5000e-004	0.0131	7.3900e-003	0.0204	1.9800e-003	6.8700e-003	8.8500e-003	0.0000	21.7166	21.7166	6.2300e-003	0.0000	21.8723

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.2 Demolition - 2022

Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
Hauling	3.5000e-004	0.0129	2.2000e-003	5.0000e-005	1.0400e-003	3.0000e-005	1.0700e-003	2.9000e-004	3.0000e-005	3.2000e-004	0.0000	4.4289	4.4289	2.5000e-004	0.0000	4.4350
Vendor	3.0000e-005	1.0100e-003	2.0000e-004	0.0000	7.0000e-005	0.0000	7.0000e-005	2.0000e-005	0.0000	2.0000e-005	0.0000	0.2771	0.2771	2.0000e-005	0.0000	0.2775
Worker	4.3000e-004	3.1000e-004	3.2300e-003	1.0000e-005	1.0900e-003	1.0000e-005	1.0900e-003	2.9000e-004	1.0000e-005	2.9000e-004	0.0000	0.8683	0.8683	2.0000e-005	0.0000	0.8689
Total	8.1000e-004	0.0143	5.6300e-003	6.0000e-005	2.2000e-003	4.0000e-005	2.2300e-003	6.0000e-004	4.0000e-005	6.3000e-004	0.0000	5.5743	5.5743	2.9000e-004	0.0000	5.5815

Mitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
Fugitive Dust					0.0131	0.0000	0.0131	1.9800e-003	0.0000	1.9800e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0161	0.1581	0.1217	2.5000e-004		7.3900e-003	7.3900e-003		6.8700e-003	6.8700e-003	0.0000	21.7166	21.7166	6.2300e-003	0.0000	21.8723
Total	0.0161	0.1581	0.1217	2.5000e-004	0.0131	7.3900e-003	0.0204	1.9800e-003	6.8700e-003	8.8500e-003	0.0000	21.7166	21.7166	6.2300e-003	0.0000	21.8723

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.2 Demolition - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	3.5000e-004	0.0129	2.2000e-003	5.0000e-005	1.0400e-003	3.0000e-005	1.0700e-003	2.9000e-004	3.0000e-005	3.2000e-004	0.0000	4.4289	4.4289	2.5000e-004	0.0000	4.4350
Vendor	3.0000e-005	1.0100e-003	2.0000e-004	0.0000	7.0000e-005	0.0000	7.0000e-005	2.0000e-005	0.0000	2.0000e-005	0.0000	0.2771	0.2771	2.0000e-005	0.0000	0.2775
Worker	4.3000e-004	3.1000e-004	3.2300e-003	1.0000e-005	1.0900e-003	1.0000e-005	1.0900e-003	2.9000e-004	1.0000e-005	2.9000e-004	0.0000	0.8683	0.8683	2.0000e-005	0.0000	0.8689
Total	8.1000e-004	0.0143	5.6300e-003	6.0000e-005	2.2000e-003	4.0000e-005	2.2300e-003	6.0000e-004	4.0000e-005	6.3000e-004	0.0000	5.5743	5.5743	2.9000e-004	0.0000	5.5815

3.3 Grading - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0316	0.0000	0.0316	3.4100e-003	0.0000	3.4100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0297	0.3274	0.2251	5.5000e-004		0.0128	0.0128		0.0118	0.0118	0.0000	47.9102	47.9102	0.0155	0.0000	48.2976
Total	0.0297	0.3274	0.2251	5.5000e-004	0.0316	0.0128	0.0444	3.4100e-003	0.0118	0.0152	0.0000	47.9102	47.9102	0.0155	0.0000	48.2976

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.3 Grading - 2022

Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	4.0000e-005	1.5700e-003	3.1000e-004	0.0000	1.1000e-004	0.0000	1.1000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.4282	0.4282	3.0000e-005	0.0000	0.4289
Worker	6.6000e-004	4.8000e-004	5.0000e-003	1.0000e-005	1.6800e-003	1.0000e-005	1.6900e-003	4.5000e-004	1.0000e-005	4.6000e-004	0.0000	1.3420	1.3420	3.0000e-005	0.0000	1.3429
Total	7.0000e-004	2.0500e-003	5.3100e-003	1.0000e-005	1.7900e-003	1.0000e-005	1.8000e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.7702	1.7702	6.0000e-005	0.0000	1.7718

Mitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
Fugitive Dust					0.0316	0.0000	0.0316	3.4100e-003	0.0000	3.4100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0297	0.3274	0.2251	5.5000e-004		0.0128	0.0128		0.0118	0.0118	0.0000	47.9101	47.9101	0.0155	0.0000	48.2975
Total	0.0297	0.3274	0.2251	5.5000e-004	0.0316	0.0128	0.0444	3.4100e-003	0.0118	0.0152	0.0000	47.9101	47.9101	0.0155	0.0000	48.2975

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.3 Grading - 2022

Mitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	4.0000e-005	1.5700e-003	3.1000e-004	0.0000	1.1000e-004	0.0000	1.1000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.4282	0.4282	3.0000e-005	0.0000	0.4289
Worker	6.6000e-004	4.8000e-004	5.0000e-003	1.0000e-005	1.6800e-003	1.0000e-005	1.6900e-003	4.5000e-004	1.0000e-005	4.6000e-004	0.0000	1.3420	1.3420	3.0000e-005	0.0000	1.3429
Total	7.0000e-004	2.0500e-003	5.3100e-003	1.0000e-005	1.7900e-003	1.0000e-005	1.8000e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.7702	1.7702	6.0000e-005	0.0000	1.7718

3.4 Building Construction - 2022

Unmitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
Off-Road	0.3794	3.3821	4.1409	7.0000e-003	0.1596	0.1596	0.1596	0.1538	0.1538	0.1538	0.0000	594.7550	594.7550	0.1096	0.0000	597.4943
Total	0.3794	3.3821	4.1409	7.0000e-003	0.1596	0.1596	0.1596	0.1538	0.1538	0.1538	0.0000	594.7550	594.7550	0.1096	0.0000	597.4943

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.4 Building Construction - 2022

Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0183	0.6829	0.1358	1.9500e-003	0.0467	1.0400e-003	0.0478	0.0135	1.0000e-003	0.0145	0.0000	186.6916	186.6916	0.0123	0.0000	186.9978
Worker	0.0807	0.0587	0.6129	1.8200e-003	0.2057	1.3000e-003	0.2070	0.0546	1.2000e-003	0.0558	0.0000	164.5247	164.5247	4.2900e-003	0.0000	164.6318
Total	0.0990	0.7416	0.7488	3.7700e-003	0.2524	2.3400e-003	0.2547	0.0681	2.2000e-003	0.0703	0.0000	351.2162	351.2162	0.0165	0.0000	351.6296

Mitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
Off-Road	0.3794	3.3821	4.1409	7.0000e-003	0.1596	0.1596	0.1596	0.1538	0.1538	0.1538	0.0000	594.7543	594.7543	0.1096	0.0000	597.4935
Total	0.3794	3.3821	4.1409	7.0000e-003	0.1596	0.1596	0.1596	0.1538	0.1538	0.1538	0.0000	594.7543	594.7543	0.1096	0.0000	597.4935

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.4 Building Construction - 2022

Mitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0183	0.6829	0.1358	1.9500e-003	0.0467	1.0400e-003	0.0478	0.0135	1.0000e-003	0.0145	0.0000	186.6916	186.6916	0.0123	0.0000	186.9978
Worker	0.0807	0.0587	0.6129	1.8200e-003	0.2057	1.3000e-003	0.2070	0.0546	1.2000e-003	0.0558	0.0000	164.5247	164.5247	4.2900e-003	0.0000	164.6318
Total	0.0990	0.7416	0.7488	3.7700e-003	0.2524	2.3400e-003	0.2547	0.0681	2.2000e-003	0.0703	0.0000	351.2162	351.2162	0.0165	0.0000	351.6296

3.5 Paving - 2022

Unmitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
Off-Road	4.8300e-003	0.0496	0.0643	1.0000e-004		2.5800e-003	2.5800e-003		2.3700e-003	2.3700e-003	0.0000	8.7436	8.7436	2.8300e-003	0.0000	8.8143
Paving	1.9500e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	6.8800e-003	0.0496	0.0643	1.0000e-004		2.5800e-003	2.5800e-003		2.3700e-003	2.3700e-003	0.0000	8.7436	8.7436	2.8300e-003	0.0000	8.8143

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.5 Paving - 2022

Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	3.0000e-005	1.0100e-003	2.0000e-004	0.0000	7.0000e-005	0.0000	7.0000e-005	2.0000e-005	0.0000	2.0000e-005	0.0000	0.2771	0.2771	2.0000e-005	0.0000	0.2775
Worker	3.1000e-004	2.2000e-004	2.3400e-003	1.0000e-005	7.8000e-004	0.0000	7.9000e-004	2.1000e-004	0.0000	2.1000e-004	0.0000	0.6271	0.6271	2.0000e-005	0.0000	0.6275
Total	3.4000e-004	1.2300e-003	2.5400e-003	1.0000e-005	8.5000e-004	0.0000	8.6000e-004	2.3000e-004	0.0000	2.3000e-004	0.0000	0.9042	0.9042	4.0000e-005	0.0000	0.9051

Mitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
Off-Road	4.9300e-003	0.0496	0.0643	1.0000e-004	2.5700e-003	2.5700e-003	2.5700e-003	2.3700e-003	2.3700e-003	2.3700e-003	0.0000	8.7436	8.7436	2.8300e-003	0.0000	8.8143
Paving	1.9500e-003				0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	6.8800e-003	0.0496	0.0643	1.0000e-004	2.5700e-003	2.5700e-003	2.5700e-003	2.3700e-003	2.3700e-003	2.3700e-003	0.0000	8.7436	8.7436	2.8300e-003	0.0000	8.8143

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.5 Paving - 2022

Mitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	3.0000e-005	1.0100e-003	2.0000e-004	0.0000	7.0000e-005	0.0000	7.0000e-005	2.0000e-005	0.0000	2.0000e-005	0.0000	0.2771	0.2771	2.0000e-005	0.0000	0.2775
Worker	3.1000e-004	2.2000e-004	2.3400e-003	1.0000e-005	7.8000e-004	0.0000	7.9000e-004	2.1000e-004	0.0000	2.1000e-004	0.0000	0.6271	0.6271	2.0000e-005	0.0000	0.6275
Total	3.4000e-004	1.2300e-003	2.5400e-003	1.0000e-005	8.5000e-004	0.0000	8.6000e-004	2.3000e-004	0.0000	2.3000e-004	0.0000	0.9042	0.9042	4.0000e-005	0.0000	0.9051

3.6 Architectural Coating - 2022

Unmitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
Archit. Coating	1.0114					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.5000e-003	0.0103	0.0133	2.0000e-005	6.0000e-004	6.0000e-004	6.0000e-004		6.0000e-004	6.0000e-004	0.0000	1.8724	1.8724	1.2000e-004	0.0000	1.8754
Total	1.0129	0.0103	0.0133	2.0000e-005	6.0000e-004	6.0000e-004	6.0000e-004		6.0000e-004	6.0000e-004	0.0000	1.8724	1.8724	1.2000e-004	0.0000	1.8754

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.6 Architectural Coating - 2022

Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.7000e-004	7.1000e-004	7.3700e-003	2.0000e-005	2.4700e-003	2.0000e-005	2.4900e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.9779	1.9779	5.0000e-005	0.0000	1.9792
Total	9.7000e-004	7.1000e-004	7.3700e-003	2.0000e-005	2.4700e-003	2.0000e-005	2.4900e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.9779	1.9779	5.0000e-005	0.0000	1.9792

Mitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
Archit. Coating	1.0114					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.5000e-003	0.0103	0.0133	2.0000e-005	6.0000e-004	6.0000e-004	6.0000e-004		6.0000e-004	6.0000e-004	0.0000	1.8724	1.8724	1.2000e-004	0.0000	1.8754
Total	1.0129	0.0103	0.0133	2.0000e-005	6.0000e-004	6.0000e-004	6.0000e-004		6.0000e-004	6.0000e-004	0.0000	1.8724	1.8724	1.2000e-004	0.0000	1.8754

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.6 Architectural Coating - 2022

Mitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr											MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.7000e-004	7.1000e-004	7.3700e-003	2.0000e-005	2.4700e-003	2.0000e-005	2.4900e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.9779	1.9779	5.0000e-005	0.0000	1.9792
Total	9.7000e-004	7.1000e-004	7.3700e-003	2.0000e-005	2.4700e-003	2.0000e-005	2.4900e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.9779	1.9779	5.0000e-005	0.0000	1.9792

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.2680	4.9254	3.5359	0.0281	1.5759	0.0219	1.5978	0.4294	0.0208	0.4501	0.0000	2,650,266 3	2,650,266 3	0.1032	0.0000	2,652.845 6
Unmitigated	0.2680	4.9254	3.5359	0.0281	1.5759	0.0219	1.5978	0.4294	0.0208	0.4501	0.0000	2,650,266 3	2,650,266 3	0.1032	0.0000	2,652.845 6

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated		Mitigated	
	Weekday	Saturday	Sunday	Annual VMT		Annual VMT	
General Office Building	0.00	0.00	0.00				
Other Asphalt Surfaces	0.00	0.00	0.00				
Other Non-Asphalt Surfaces	0.00	0.00	0.00				
Parking Lot	0.00	0.00	0.00				
Unrefrigerated Warehouse-No Rail	365.56	365.56	365.56	3,966,589		3,966,589	
Total	365.56	365.56	365.56	3,966,589		3,966,589	

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
Other Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Unrefrigerated Warehouse-No	16.60	55.00	6.90	65.60	34.40	0.00	100	0	0

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
General Office Building	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Other Asphalt Surfaces	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Other Non-Asphalt Surfaces	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Parking Lot	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Unrefrigerated Warehouse-No Rail	0.464940	0.030600	0.151550	0.000000	0.000000	0.058310	0.069970	0.215740	0.001140	0.001320	0.004960	0.000680	0.000790

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
tons/yr																
MT/yr																
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	160.3720	160.3720	8.7500e-003	1.8100e-003	161.1303
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	160.3720	160.3720	8.7500e-003	1.8100e-003	161.1303
NaturalGas Mitigated	2.3700e-003	0.0216	0.0181	1.3000e-004		1.6400e-003	1.6400e-003		1.6400e-003	1.6400e-003	0.0000	23.4913	23.4913	4.5000e-004	4.3000e-004	23.6309
NaturalGas Unmitigated	2.3700e-003	0.0216	0.0181	1.3000e-004		1.6400e-003	1.6400e-003		1.6400e-003	1.6400e-003	0.0000	23.4913	23.4913	4.5000e-004	4.3000e-004	23.6309

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio-CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Land Use	KBtu/yr	tons/yr										MT/yr					
General Office Building	34700	1.9000e-004	1.7000e-003	1.4300e-003	1.0000e-005		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004	0.0000	1.8517	1.8517	4.0000e-005	3.0000e-005	1.8627
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	405511	2.1900e-003	0.0199	0.0167	1.2000e-004		1.5100e-003	1.5100e-003		1.5100e-003	1.5100e-003	0.0000	21.6396	21.6396	4.1000e-004	4.0000e-004	21.7682
Total		2.3800e-003	0.0216	0.0181	1.3000e-004		1.6400e-003	1.6400e-003		1.6400e-003	1.6400e-003	0.0000	23.4913	23.4913	4.5000e-004	4.3000e-004	23.6309

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

5.2 Energy by Land Use - NaturalGas

Mitigated

Land Use	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio-CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
General Office Building	34700	1.9000e-004	1.7000e-003	1.4300e-003	1.0000e-005		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004	0.0000	1.8517	1.8517	4.0000e-005	3.0000e-005	1.8627
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	405511	2.1900e-003	0.0199	0.0167	1.2000e-004		1.5100e-003	1.5100e-003		1.5100e-003	1.5100e-003	0.0000	21.6396	21.6396	4.1000e-004	4.0000e-004	21.7682
Total		2.3800e-003	0.0216	0.0181	1.3000e-004		1.6400e-003	1.6400e-003		1.6400e-003	1.6400e-003	0.0000	23.4913	23.4913	4.5000e-004	4.3000e-004	23.6309

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

5.3 Energy by Land Use - Electricity**Unmitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
General Office Building	95200	22.9486	1.2500e-003	2.6000e-004	23.0572
Other Asphalt Surfaces	1067.22	0.2573	1.0000e-005	0.0000	0.2585
Other Non-Asphalt Surfaces	75467.7	18.1920	9.9000e-004	2.1000e-004	18.2781
Parking Lot	22120	5.3322	2.9000e-004	6.0000e-005	5.3574
Unrefrigerated Warehouse-No Rail	471431	113.6419	6.2000e-003	1.2800e-003	114.1792
Total		160.3720	8.7400e-003	1.8100e-003	161.1303

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

5.3 Energy by Land Use - Electricity**Mitigated**

Land Use	Electricity Use kWh/yr	Total CO2	CH4	N2O	CO2e
		MT/yr			
General Office Building	95200	22.9486	1.2500e-003	2.6000e-004	23.0572
Other Asphalt Surfaces	1067.22	0.2573	1.0000e-005	0.0000	0.2585
Other Non-Asphalt Surfaces	75467.7	18.1920	9.9000e-004	2.1000e-004	18.2781
Parking Lot	22120	5.3322	2.9000e-004	6.0000e-005	5.3574
Unrefrigerated Warehouse-No Rail	471431	113.6419	6.2000e-003	1.2800e-003	114.1792
Total		160.3720	8.7400e-003	1.8100e-003	161.1303

6.0 Area Detail**6.1 Mitigation Measures Area**

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.8778	4.0000e-005	4.7700e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005	0.0000	9.2500e-003	9.2500e-003	2.0000e-005	0.0000	9.8600e-003
Unmitigated	0.8778	4.0000e-005	4.7700e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005	0.0000	9.2500e-003	9.2500e-003	2.0000e-005	0.0000	9.8600e-003

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.1011					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000
Consumer Products	0.7762					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000
Landscaping	4.4000e-004	4.0000e-005	4.7700e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005	0.0000	9.2500e-003	9.2500e-003	2.0000e-005	0.0000	9.8600e-003
Total	0.8778	4.0000e-005	4.7700e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005	0.0000	9.2500e-003	9.2500e-003	2.0000e-005	0.0000	9.8600e-003

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.1011					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.7762					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	4.4000e-004	4.0000e-005	4.7700e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005	0.0000	9.2500e-003	9.2500e-003	2.0000e-005	0.0000	9.8600e-003
Total	0.8778	4.0000e-005	4.7700e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005	0.0000	9.2500e-003	9.2500e-003	2.0000e-005	0.0000	9.8600e-003

7.0 Water Detail**7.1 Mitigation Measures Water**

Apply Water Conservation Strategy

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	33,8627	0.2933	7.2400e-003	43.3519
Unmitigated	33,8627	0.2933	7.2400e-003	43.3519

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
General Office Building	1.77734 / 1.08934	9.0600	0.0584	1.4600e-003	10.9555
Other Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Hall	7.17217 / 0.0057	24.8027	0.2349	5.7700e-003	32.3963
Total		33.8627	0.2933	7.2300e-003	43.3519

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

7.2 Water by Land Use**Mitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
General Office Building	1.77734 / 1.08934	9.0600	0.0584	1.4600e-003	10.9555
Other Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	7.17217 / 0.0057	24.8027	0.2349	5.7700e-003	32.3963
Total		33.8627	0.2933	7.2300e-003	43.3519

8.0 Waste Detail**8.1 Mitigation Measures Waste**

Institute Recycling and Composting Services

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	40.0034	2.3641	0.0000	99.1068
Unmitigated	40.0034	2.3641	0.0000	99.1068

8.2 Waste by Land Use

Unmitigated

Land Use	Waste Disposed tons	Total CO2	CH4	N2O	CO2e
		MT/yr			
General Office Building	9.3	1.8878	0.1116	0.0000	4.6770
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Hall	187.77	38.1156	2.2526	0.0000	94.4298
Total		40.0034	2.3641	0.0000	99.1068

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

8.2 Waste by Land Use

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
General Office Building	9.3	1.8878	0.1116	0.0000	4.6770
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	187.77	38.1156	2.2526	0.0000	94.4298
Total		40.0034	2.3641	0.0000	99.1068

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

15755 Arrow Route Warehouse Project

San Bernardino-South Coast County, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	10.00	1000sqft	0.23	10,000.00	0
Unrefrigerated Warehouse-No Rail	199.76	1000sqft	4.59	199,759.00	0
Other Asphalt Surfaces	0.07	Acre	0.07	3,049.20	0
Other Non-Asphalt Surfaces	4.95	Acre	4.95	215,622.00	0
Parking Lot	158.00	Space	1.42	63,200.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	32
Climate Zone	10			Operational Year	2022
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	531.44	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

Project Characteristics - Consistent with IS/MND's model.

Land Use - See SWAPE comments on "Underestimated Land Use Size" and "Failure to Model All Proposed Land Uses"

Construction Phase - See SWAPE comment on "Unsubstantiated Changes to Individual Counstruction Phase Lengths"

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Trips and VMT - Consistent with IS/MND's model.

Grading - See SWAPE comment on "Unsubstantiated Reduction to Acres of Grading"

Architectural Coating - See SWAPE comment on "Unsubstantiated Reductions to Architectural Coating Emission Factors"

Vehicle Trips - See SWAPE comment on "Underestimated Operational Vehicle Trip Rates"

Energy Use - Consistent with IS/MND's model.

Water And Wastewater - Consistent with IS/MND's model.

Land Use Change -

Construction Off-road Equipment Mitigation - Consistent with IS/MND's model.

Energy Mitigation - See SWAPE comment on "Incorrect Application of Energy-Related Operational Mitigation Measure"

Water Mitigation - Consistent with IS/MND's model.

Waste Mitigation - Consistent with IS/MND's model.

Fleet Mix - See ISMND

Demolition - See SWAPE comment on "Failure to Substantiate Demolition"

Sequestration - See SWAPE comment on "Unsubstantiated Number of New Trees for Sequestration"

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	20.00	11.00

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

tb\ConstructionPhase	NumDays	30.00	17.00
tb\ConstructionPhase	NumDays	300.00	183.00
tb\ConstructionPhase	NumDays	20.00	11.00
tb\ConstructionPhase	NumDays	20.00	11.00
tb\EnergyUse	LightingElect	0.00	0.35
tb\EnergyUse	LightingElect	0.00	0.35
tb\FleetMix	HHD	0.06	0.22
tb\FleetMix	LDA	0.55	0.46
tb\FleetMix	LDT1	0.04	0.03
tb\FleetMix	LDT2	0.18	0.15
tb\FleetMix	LHD1	0.02	0.00
tb\FleetMix	LHD2	5.1010e-003	0.06
tb\FleetMix	MCY	5.9030e-003	4.9600e-003
tb\FleetMix	MDV	0.12	0.00
tb\FleetMix	MH	9.4400e-004	7.9000e-004
tb\FleetMix	MHD	0.02	0.07
tb\FleetMix	OBUS	1.3570e-003	1.1400e-003
tb\FleetMix	SBUS	8.0800e-004	6.8000e-004
tb\FleetMix	UBUS	1.5650e-003	1.3200e-003
tb\LandUse	LandUseSquareFeet	199,760.00	199,759.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	4.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	1.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	3.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	1.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

tbOffRoadEquipment	UsageHours	6.00	8.00
tbOffRoadEquipment	UsageHours	7.00	8.00
tbOffRoadEquipment	UsageHours	7.00	8.00
tbProjectCharacteristics	CO2IntensityFactor	702.44	531.44
tbTripsAndVMT	VendorTripNumber	0.00	2.00
tbTripsAndVMT	VendorTripNumber	0.00	2.00
tbTripsAndVMT	VendorTripNumber	0.00	2.00
tbVehicleTrips	CC_TL	8.40	55.00
tbVehicleTrips	CC_TTP	0.00	34.40
tbVehicleTrips	CNW_TTP	41.00	0.00
tbVehicleTrips	CW_TTP	59.00	65.60
tbVehicleTrips	DV_TP	5.00	0.00
tbVehicleTrips	PB_TP	3.00	0.00
tbVehicleTrips	PR_TP	92.00	100.00
tbVehicleTrips	ST_TR	2.46	0.00
tbVehicleTrips	ST_TR	1.68	1.83
tbVehicleTrips	SU_TR	1.05	0.00
tbVehicleTrips	SU_TR	1.68	1.83
tbVehicleTrips	WD_TR	11.03	0.00
tbVehicleTrips	WD_TR	1.68	1.83
tbWater	IndoorWaterUseRate	46,194,500.00	7,172,171.00
tbWater	OutdoorWaterUseRate	0.00	5,700.00

2.0 Emissions Summary

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

Year	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
2022	189.6773	54.1960	66.6357	0.1399	3.9258	2.2395	5.4329	0.8786	2.1362	2.9355	0.0000	13,559.6725	13,559.6725	2.0918	0.0000	13,611.9664
Maximum	189.6773	54.1960	66.6357	0.1399	3.9258	2.2395	5.4329	0.8786	2.1362	2.9355	0.0000	13,559.6725	13,559.6725	2.0918	0.0000	13,611.9664

Mitigated Construction

Year	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
2022	189.6773	54.1960	66.6357	0.1399	3.9258	2.2395	5.4329	0.8786	2.1362	2.9355	0.0000	13,559.6725	13,559.6725	2.0918	0.0000	13,611.9664
Maximum	189.6773	54.1960	66.6357	0.1399	3.9258	2.2395	5.4329	0.8786	2.1362	2.9355	0.0000	13,559.6725	13,559.6725	2.0918	0.0000	13,611.9664

Percent Reduction	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

2.2 Overall Operational**Unmitigated Operational**

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Area	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870
Energy	0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6000e-003	142.7322
Mobile	1.5568	26.1169	21.4981	0.1591	8.8167	0.1203	8.9370	2.3978	0.1141	2.5119		16,545.0570	16,545.0570	0.6222		16,560.6117
Total	6.3807	26.2355	21.6355	0.1598	8.8167	0.1294	8.9462	2.3978	0.1232	2.5210		16,687.0277	16,687.0277	0.6251	2.6000e-003	16,703.4308

Mitigated Operational

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Area	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870
Energy	0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6000e-003	142.7322
Mobile	1.5568	26.1169	21.4981	0.1591	8.8167	0.1203	8.9370	2.3978	0.1141	2.5119		16,545.0570	16,545.0570	0.6222		16,560.6117
Total	6.3807	26.2355	21.6355	0.1598	8.8167	0.1294	8.9462	2.3978	0.1232	2.5210		16,687.0277	16,687.0277	0.6251	2.6000e-003	16,703.4308

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail**Construction Phase**

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	1/1/2022	1/17/2022	5	11	
2	Grading	Grading	1/18/2022	2/9/2022	5	17	
3	Building Construction	Building Construction	2/10/2022	10/24/2022	5	183	
4	Paving	Paving	9/30/2022	10/14/2022	5	11	
5	Architectural Coating	Architectural Coating	10/15/2022	10/31/2022	5	11	

Acres of Grading (Site Preparation Phase): 0**Acres of Grading (Grading Phase): 59.5****Acres of Paving: 6.44****Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 314,639; Non-Residential Outdoor: 104,880; Striped Parking Area: 16,912 (Architectural Coating – sqft)****OffRoad Equipment**

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Demolition	Rubber Tired Loaders	1	8.00	203	0.36
Grading	Excavators	0	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rollers	1	8.00	80	0.38
Grading	Rubber Tired Dozers	0	8.00	247	0.40
Grading	Rubber Tired Loaders	1	8.00	203	0.36
Grading	Scrapers	3	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Building Construction	Aerial Lifts	6	8.00	63	0.31
Building Construction	Cement and Mortar Mixers	5	8.00	9	0.56
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Excavators	1	8.00	158	0.38
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	4	8.00	84	0.74
Building Construction	Pumps	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Building Construction	Welders	2	8.00	46	0.45
Paving	Pavers	1	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	8.00	78	0.48

Trips and VMT

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition		7	18.00	2.00	121.00	14.70	6.90	20.00;LD_Mix	HDT_Mix	HHDT
Grading		7	18.00	2.00	0.00	14.70	6.90	20.00;LD_Mix	HDT_Mix	HHDT
Building Construction		26	205.00	81.00	0.00	14.70	6.90	20.00;LD_Mix	HDT_Mix	HHDT
Paving		5	13.00	2.00	0.00	14.70	6.90	20.00;LD_Mix	HDT_Mix	HHDT
Architectural Coating		1	41.00	0.00	0.00	14.70	6.90	20.00;LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

3.2 Demolition - 2022

Unmitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	lb/day										lb/day					
Fugitive Dust					2.3733	0.0000	2.3733	0.3594	0.0000	0.3594			0.0000			0.0000
Off-Road	2.9305	28.7444	22.1253	0.0451		1.3441	1.3441		1.2486	1.2486		4,352.4455	4,352.4455	1.2483		4,383.6534
Total	2.9305	28.7444	22.1253	0.0451	2.3733	1.3441	3.7175	0.3594	1.2486	1.6080		4,352.4455	4,352.4455	1.2483		4,383.6534

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.2 Demolition - 2022

Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Hauling	0.0618	2.3012	0.3768	8.4500e-003	0.1925	5.8600e-003	0.1984	0.0528	5.6300e-003	0.0584		897.6232	897.6232	0.0475		898.8106
Vendor	4.8200e-003	0.1829	0.0336	5.4000e-004	0.0128	2.8000e-004	0.0131	3.6900e-003	2.7000e-004	3.9500e-003		56.4615	56.4615	3.4700e-003		56.5483
Worker	0.0854	0.0508	0.6846	1.9100e-003	0.2012	1.2500e-003	0.2025	0.0534	1.1500e-003	0.0545		189.8284	189.8284	5.0300e-003		189.9541
Total	0.1520	2.5349	1.0949	0.0109	0.4065	7.4100e-003	0.4139	0.1098	7.0500e-003	0.1169		1,143.9131	1,143.9131	0.0560		1,145.3131

Mitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Fugitive Dust					2.3733	0.0000	2.3733	0.3594	0.0000	0.3594			0.0000			0.0000
Off-Road	2.9305	28.7444	22.1253	0.0451		1.3441	1.3441		1.2486	1.2486	0.0000	4,352.4455	4,352.4455	1.2483		4,383.6534
Total	2.9305	28.7444	22.1253	0.0451	2.3733	1.3441	3.7175	0.3594	1.2486	1.6080	0.0000	4,352.4455	4,352.4455	1.2483		4,383.6534

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.2 Demolition - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day															
Hauling	0.0618	2.3012	0.3768	8.4500e-003	0.1925	5.8600e-003	0.1984	0.0528	5.6300e-003	0.0584		897.6232	897.6232	0.0475		898.8106
Vendor	4.8200e-003	0.1829	0.0336	5.4000e-004	0.0128	2.8000e-004	0.0131	3.6900e-003	2.7000e-004	3.9500e-003		56.4615	56.4615	3.4700e-003		56.5483
Worker	0.0854	0.0508	0.6846	1.9100e-003	0.2012	1.2500e-003	0.2025	0.0534	1.1500e-003	0.0545		189.8284	189.8284	5.0300e-003		189.9541
Total	0.1520	2.5349	1.0949	0.0109	0.4065	7.4100e-003	0.4139	0.1098	7.0500e-003	0.1169		1,143.9131	1,143.9131	0.0560		1,145.3131

3.3 Grading - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day															
Fugitive Dust					3.7118	0.0000	3.7118	0.4008	0.0000	0.4008			0.0000			0.0000
Off-Road	3.4951	38.5146	26.4787	0.0642		1.5056	1.5056		1.3852	1.3852		6,213.1677	6,213.1677	2.0095		6,263.4043
Total	3.4951	38.5146	26.4787	0.0642	3.7118	1.5056	5.2174	0.4008	1.3852	1.7860		6,213.1677	6,213.1677	2.0095		6,263.4043

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.3 Grading - 2022

Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.8200e-003	0.1829	0.0336	5.4000e-004	0.0128	2.8000e-004	0.0131	3.6900e-003	2.7000e-004	3.9500e-003		56.4615	56.4615	3.4700e-003		56.5483
Worker	0.0854	0.0508	0.6846	1.9100e-003	0.2012	1.2500e-003	0.2025	0.0534	1.1500e-003	0.0545		189.8284	189.8284	5.0300e-003		189.9541
Total	0.0902	0.2338	0.7181	2.4500e-003	0.2140	1.5300e-003	0.2155	0.0571	1.4200e-003	0.0585		246.2900	246.2900	8.5000e-003		246.5025

Mitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Fugitive Dust					3.7118	0.0000	3.7118	0.4008	0.0000	0.4008			0.0000			0.0000
Off-Road	3.4951	38.5146	26.4787	0.0642		1.5056	1.5056		1.3852	1.3852	0.0000	6.213.167 ⁷	6,213.167 ⁷	2.0095		6,263.404 ³
Total	3.4951	38.5146	26.4787	0.0642	3.7118	1.5056	5.2174	0.4008	1.3852	1.7860	0.0000	6,213.167 ⁷	6,213.167 ⁷	2.0095		6,263.404 ³

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.3 Grading - 2022

Mitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.8200e-003	0.1829	0.0336	5.4000e-004	0.0128	2.8000e-004	0.0131	3.6900e-003	2.7000e-004	3.9500e-003		56.4615	56.4615	3.4700e-003		56.5483
Worker	0.0854	0.0508	0.6846	1.9100e-003	0.2012	1.2500e-003	0.2025	0.0534	1.1500e-003	0.0545		189.8284	189.8284	5.0300e-003		189.9541
Total	0.0902	0.2338	0.7181	2.4500e-003	0.2140	1.5300e-003	0.2155	0.0571	1.4200e-003	0.0585		246.2900	246.2900	8.5000e-003		246.5025

3.4 Building Construction - 2022

Unmitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Off-Road	4.1459	36.9631	45.2560	0.0765		1.7447	1.7447		1.6805	1.6805		7,165.083 ⁹	7,165.083 ⁹	1.3200		7,198.083 ⁹
Total	4.1459	36.9631	45.2560	0.0765		1.7447	1.7447		1.6805	1.6805		7,165.083 ⁹	7,165.083 ⁹	1.3200		7,198.083 ⁹

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.4 Building Construction - 2022

Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1953	7.4084	1.3590	0.0217	0.5188	0.0113	0.5300	0.1494	0.0108	0.1601		2,286.691 4	2,286.691 4	0.1406		2,290.207 3
Worker	0.9727	0.5789	7.7963	0.0217	2.2914	0.0142	2.3056	0.6077	0.0131	0.6208		2,161.935 0	2,161.935 0	0.0573		2,163.366 4
Total	1.1680	7.9873	9.1552	0.0434	2.8102	0.0255	2.8357	0.7571	0.0239	0.7809		4,448.626 4	4,448.626 4	0.1979		4,453.573 7

Mitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Off-Road	4.1459	36.9631	45.2560	0.0765		1.7447	1.7447		1.6805	1.6805	0.0000	7,165.083 9	7,165.083 9	1.3200		7,198.083 9
Total	4.1459	36.9631	45.2560	0.0765		1.7447	1.7447		1.6805	1.6805	0.0000	7,165.083 9	7,165.083 9	1.3200		7,198.083 9

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.4 Building Construction - 2022

Mitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1953	7.4084	1.3590	0.0217	0.5188	0.0113	0.5300	0.1494	0.0108	0.1601		2,286.691 4	2,286.691 4	0.1406		2,290.207 3
Worker	0.9727	0.5789	7.7963	0.0217	2.2914	0.0142	2.3056	0.6077	0.0131	0.6208		2,161.935 0	2,161.935 0	0.0573		2,163.366 4
Total	1.1680	7.9873	9.1552	0.0434	2.8102	0.0255	2.8357	0.7571	0.0239	0.7809		4,448.626 4	4,448.626 4	0.1979		4,453.573 7

3.5 Paving - 2022

Unmitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Off-Road	0.8959	9.0260	11.6966	0.0181		0.4682	0.4682		0.4307	0.4307		1,752.402 4	1,752.402 4	0.5668		1,766.571 4
Paving	0.3549					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.2508	9.0260	11.6966	0.0181		0.4682	0.4682		0.4307	0.4307		1,752.402 4	1,752.402 4	0.5668		1,766.571 4

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.5 Paving - 2022

Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.8200e-003	0.1829	0.0336	5.4000e-004	0.0128	2.8000e-004	0.0131	3.6900e-003	2.7000e-004	3.9500e-003		56.4615	56.4615	3.4700e-003		56.5483
Worker	0.0617	0.0367	0.4944	1.3800e-003	0.1453	9.0000e-004	0.1462	0.0385	8.3000e-004	0.0394		137.0983	137.0983	3.6300e-003		137.1891
Total	0.0665	0.2196	0.5280	1.9200e-003	0.1581	1.1800e-003	0.1593	0.0422	1.1000e-003	0.0433		193.5598	193.5598	7.1000e-003		193.7374

Mitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Off-Road	0.8959	9.0260	11.6966	0.0181		0.4682	0.4682		0.4307	0.4307	0.0000	1,752.4024	1,752.4024	0.5668		1,766.5714
Paving	0.3549					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.2508	9.0260	11.6966	0.0181		0.4682	0.4682		0.4307	0.4307	0.0000	1,752.4024	1,752.4024	0.5668		1,766.5714

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.5 Paving - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day															
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.8200e-003	0.1829	0.0336	5.4000e-004	0.0128	2.8000e-004	0.0131	3.6900e-003	2.7000e-004	3.9500e-003		56.4615	56.4615	3.4700e-003		56.5483
Worker	0.0617	0.0367	0.4944	1.3800e-003	0.1453	9.0000e-004	0.1462	0.0385	8.3000e-004	0.0394		137.0983	137.0983	3.6300e-003		137.1891
Total	0.0665	0.2196	0.5280	1.9200e-003	0.1581	1.1800e-003	0.1593	0.0422	1.1000e-003	0.0433		193.5598	193.5598	7.1000e-003		193.7374

3.6 Architectural Coating - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day															
Archit. Coating	183.8962					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2727	1.8780	2.4181	3.9600e-003		0.1090	0.1090		0.1090	0.1090		375.2641	375.2641	0.0244		375.8749
Total	184.1689	1.8780	2.4181	3.9600e-003		0.1090	0.1090		0.1090	0.1090		375.2641	375.2641	0.0244		375.8749

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.6 Architectural Coating - 2022

Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1945	0.1158	1.5593	4.3400e-003	0.4583	2.8500e-003	0.4611	0.1215	2.6200e-003	0.1242		432.3870	432.3870	0.0115		432.6733
Total	0.1945	0.1158	1.5593	4.3400e-003	0.4583	2.8500e-003	0.4611	0.1215	2.6200e-003	0.1242		432.3870	432.3870	0.0115		432.6733

Mitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Archit. Coating	183.8962					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2727	1.8780	2.4181	3.9600e-003		0.1090	0.1090		0.1090	0.1090	0.0000	375.2641	375.2641	0.0244		375.8749
Total	184.1689	1.8780	2.4181	3.9600e-003		0.1090	0.1090		0.1090	0.1090	0.0000	375.2641	375.2641	0.0244		375.8749

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.6 Architectural Coating - 2022

Mitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Worker	0.1945	0.1158	1.5593	4.3400e-003	0.4583	2.8500e-003	0.4611	0.1215	2.6200e-003	0.1242		432.3870	432.3870	0.0115		432.6733
Total	0.1945	0.1158	1.5593	4.3400e-003	0.4583	2.8500e-003	0.4611	0.1215	2.6200e-003	0.1242		432.3870	432.3870	0.0115		432.6733

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	1.5568	26.1169	21.4981	0.1591	8.8167	0.1203	8.9370	2.3978	0.1141	2.5119	16,545.0570	16,545.0570	0.6222			16,560.6117
Unmitigated	1.5568	26.1169	21.4981	0.1591	8.8167	0.1203	8.9370	2.3978	0.1141	2.5119	16,545.0570	16,545.0570	0.6222			16,560.6117

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated		Mitigated	
	Weekday	Saturday	Sunday	Annual VMT		Annual VMT	
General Office Building	0.00	0.00	0.00				
Other Asphalt Surfaces	0.00	0.00	0.00				
Other Non-Asphalt Surfaces	0.00	0.00	0.00				
Parking Lot	0.00	0.00	0.00				
Unrefrigerated Warehouse-No Rail	365.56	365.56	365.56	3,966,589		3,966,589	
Total	365.56	365.56	365.56	3,966,589		3,966,589	

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
Other Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Unrefrigerated Warehouse-No	16.60	55.00	6.90	65.60	34.40	0.00	100	0	0

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
General Office Building	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Other Asphalt Surfaces	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Other Non-Asphalt Surfaces	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Parking Lot	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Unrefrigerated Warehouse-No Rail	0.464940	0.030600	0.151550	0.000000	0.000000	0.058310	0.069970	0.215740	0.001140	0.001320	0.004960	0.000680	0.000790

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	lb/day										lb/day					
NaturalGas Mitigated	0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6000e-003	142.7322
NaturalGas Unmitigated	0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6000e-003	142.7322

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	KBtu/yr	lb/day										lb/day					
General Office Building	95.0685	1.0300e-003	9.3200e-003	7.8300e-003	6.0000e-005		7.1000e-004	7.1000e-004		7.1000e-004	7.1000e-004		11.1845	11.1845	2.1000e-004	2.1000e-004	11.2510
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	1110.99	0.0120	0.1089	0.0915	6.5000e-004		8.2800e-003	8.2800e-003		8.2800e-003	8.2800e-003		130.7045	130.7045	2.5100e-003	2.4000e-003	131.4812
Total		0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6100e-003	142.7322

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	KBtu/yr	lb/day										lb/day					
General Office Building	0.0950685	1.0300e-003	9.3200e-003	7.8300e-003	6.0000e-005		7.1000e-004	7.1000e-004		7.1000e-004	7.1000e-004		11.1845	11.1845	2.1000e-004	2.1000e-004	11.2510
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	1.11099	0.0120	0.1089	0.0915	6.5000e-004		8.2800e-003	8.2800e-003		8.2800e-003	8.2800e-003		130.7045	130.7045	2.5100e-003	2.4000e-003	131.4812
Total		0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6100e-003	142.7322

6.0 Area Detail

6.1 Mitigation Measures Area

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day															
Mitigated	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004			0.0816	0.0816	2.2000e-004	0.0870
Unmitigated	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004			0.0816	0.0816	2.2000e-004	0.0870

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day															
Architectural Coating	0.5542					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	4.2531					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	3.5500e-003	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004			0.0816	0.0816	2.2000e-004	0.0870
Total	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004			0.0816	0.0816	2.2000e-004	0.0870

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.5542					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	4.2531					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	3.5500e-003	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004			0.0816	0.0816	2.2000e-004	0.0870
Total	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004			0.0816	0.0816	2.2000e-004	0.0870

7.0 Water Detail**7.1 Mitigation Measures Water**

Apply Water Conservation Strategy

8.0 Waste Detail**8.1 Mitigation Measures Waste**

Institute Recycling and Composting Services

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

15755 Arrow Route Warehouse Project
San Bernardino-South Coast County, Winter**1.0 Project Characteristics****1.1 Land Usage**

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	10.00	1000sqft	0.23	10,000.00	0
Unrefrigerated Warehouse-No Rail	199.76	1000sqft	4.59	199,759.00	0
Other Asphalt Surfaces	0.07	Acre	0.07	3,049.20	0
Other Non-Asphalt Surfaces	4.95	Acre	4.95	215,622.00	0
Parking Lot	158.00	Space	1.42	63,200.00	0

1.2 Other Project Characteristics

Urbanization Urban Wind Speed (m/s) 2.2 Precipitation Freq (Days) 32

Climate Zone 10 Operational Year 2022

Utility Company Southern California Edison

CO2 Intensity 531.44 CH4 Intensity 0.029 N2O Intensity 0.006
(lb/MWhr) (lb/MWhr) (lb/MWhr)**1.3 User Entered Comments & Non-Default Data**

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

Project Characteristics - Consistent with IS/MND's model.

Land Use - See SWAPE comments on "Underestimated Land Use Size" and "Failure to Model All Proposed Land Uses"

Construction Phase - See SWAPE comment on "Unsubstantiated Changes to Individual Counstruction Phase Lengths"

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Trips and VMT - Consistent with IS/MND's model.

Grading - See SWAPE comment on "Unsubstantiated Reduction to Acres of Grading"

Architectural Coating - See SWAPE comment on "Unsubstantiated Reductions to Architectural Coating Emission Factors"

Vehicle Trips - See SWAPE comment on "Underestimated Operational Vehicle Trip Rates"

Energy Use - Consistent with IS/MND's model.

Water And Wastewater - Consistent with IS/MND's model.

Land Use Change -

Construction Off-road Equipment Mitigation - Consistent with IS/MND's model.

Energy Mitigation - See SWAPE comment on "Incorrect Application of Energy-Related Operational Mitigation Measure"

Water Mitigation - Consistent with IS/MND's model.

Waste Mitigation - Consistent with IS/MND's model.

Fleet Mix - See ISMND

Demolition - See SWAPE comment on "Failure to Substantiate Demolition"

Sequestration - See SWAPE comment on "Unsubstantiated Number of New Trees for Sequestration"

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	20.00	11.00

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

tb\ConstructionPhase	NumDays	30.00	17.00
tb\ConstructionPhase	NumDays	300.00	183.00
tb\ConstructionPhase	NumDays	20.00	11.00
tb\ConstructionPhase	NumDays	20.00	11.00
tb\EnergyUse	LightingElect	0.00	0.35
tb\EnergyUse	LightingElect	0.00	0.35
tb\FleetMix	HHD	0.06	0.22
tb\FleetMix	LDA	0.55	0.46
tb\FleetMix	LDT1	0.04	0.03
tb\FleetMix	LDT2	0.18	0.15
tb\FleetMix	LHD1	0.02	0.00
tb\FleetMix	LHD2	5.1010e-003	0.06
tb\FleetMix	MCY	5.9030e-003	4.9600e-003
tb\FleetMix	MDV	0.12	0.00
tb\FleetMix	MH	9.4400e-004	7.9000e-004
tb\FleetMix	MHD	0.02	0.07
tb\FleetMix	OBUS	1.3570e-003	1.1400e-003
tb\FleetMix	SBUS	8.0800e-004	6.8000e-004
tb\FleetMix	UBUS	1.5650e-003	1.3200e-003
tb\LandUse	LandUseSquareFeet	199,760.00	199,759.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	4.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	1.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	3.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	1.00
tb\OffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

tbOffRoadEquipment	UsageHours	6.00	8.00
tbOffRoadEquipment	UsageHours	7.00	8.00
tbOffRoadEquipment	UsageHours	7.00	8.00
tbProjectCharacteristics	CO2IntensityFactor	702.44	531.44
tbTripsAndVMT	VendorTripNumber	0.00	2.00
tbTripsAndVMT	VendorTripNumber	0.00	2.00
tbTripsAndVMT	VendorTripNumber	0.00	2.00
tbVehicleTrips	CC_TL	8.40	55.00
tbVehicleTrips	CC_TTP	0.00	34.40
tbVehicleTrips	CNW_TTP	41.00	0.00
tbVehicleTrips	CW_TTP	59.00	65.60
tbVehicleTrips	DV_TP	5.00	0.00
tbVehicleTrips	PB_TP	3.00	0.00
tbVehicleTrips	PR_TP	92.00	100.00
tbVehicleTrips	ST_TR	2.46	0.00
tbVehicleTrips	ST_TR	1.68	1.83
tbVehicleTrips	SU_TR	1.05	0.00
tbVehicleTrips	SU_TR	1.68	1.83
tbVehicleTrips	WD_TR	11.03	0.00
tbVehicleTrips	WD_TR	1.68	1.83
tbWater	IndoorWaterUseRate	46,194,500.00	7,172,171.00
tbWater	OutdoorWaterUseRate	0.00	5,700.00

2.0 Emissions Summary

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction**

Year	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
2022	189.6949	54.1384	65.3770	0.1366	3.9258	2.2399	5.4329	0.8786	2.1365	2.9358	0.0000	13,231.5114	13,231.5114	2.1002	0.0000	13,284.0161
Maximum	189.6949	54.1384	65.3770	0.1366	3.9258	2.2399	5.4329	0.8786	2.1365	2.9358	0.0000	13,231.5114	13,231.5114	2.1002	0.0000	13,284.0161

Mitigated Construction

Year	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
2022	189.6949	54.1384	65.3770	0.1366	3.9258	2.2399	5.4329	0.8786	2.1365	2.9358	0.0000	13,231.5114	13,231.5114	2.1002	0.0000	13,284.0161
Maximum	189.6949	54.1384	65.3770	0.1366	3.9258	2.2399	5.4329	0.8786	2.1365	2.9358	0.0000	13,231.5114	13,231.5114	2.1002	0.0000	13,284.0161

Percent Reduction	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

2.2 Overall Operational**Unmitigated Operational**

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Area	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870
Energy	0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6000e-003	142.7322
Mobile	1.4854	26.5693	18.9881	0.1524	8.8167	0.1209	8.9377	2.3978	0.1147	2.5125		15,876.3013	15,876.3013	0.6393		15,892.2826
Total	6.3093	26.6879	19.1255	0.1531	8.8167	0.1301	8.9468	2.3978	0.1238	2.5216		16,018.2719	16,018.2719	0.6422	2.6000e-003	16,035.1017

Mitigated Operational

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Area	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870
Energy	0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6000e-003	142.7322
Mobile	1.4854	26.5693	18.9881	0.1524	8.8167	0.1209	8.9377	2.3978	0.1147	2.5125		15,876.3013	15,876.3013	0.6393		15,892.2826
Total	6.3093	26.6879	19.1255	0.1531	8.8167	0.1301	8.9468	2.3978	0.1238	2.5216		16,018.2719	16,018.2719	0.6422	2.6000e-003	16,035.1017

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail**Construction Phase**

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	1/1/2022	1/17/2022	5	11	
2	Grading	Grading	1/18/2022	2/9/2022	5	17	
3	Building Construction	Building Construction	2/10/2022	10/24/2022	5	183	
4	Paving	Paving	9/30/2022	10/14/2022	5	11	
5	Architectural Coating	Architectural Coating	10/15/2022	10/31/2022	5	11	

Acres of Grading (Site Preparation Phase): 0**Acres of Grading (Grading Phase): 59.5****Acres of Paving: 6.44**

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 314,639; Non-Residential Outdoor: 104,880; Striped Parking Area: 16,912 (Architectural Coating – sqft)

OffRoad Equipment

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Demolition	Rubber Tired Loaders	1	8.00	203	0.36
Grading	Excavators	0	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rollers	1	8.00	80	0.38
Grading	Rubber Tired Dozers	0	8.00	247	0.40
Grading	Rubber Tired Loaders	1	8.00	203	0.36
Grading	Scrapers	3	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Building Construction	Aerial Lifts	6	8.00	63	0.31
Building Construction	Cement and Mortar Mixers	5	8.00	9	0.56
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Excavators	1	8.00	158	0.38
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	4	8.00	84	0.74
Building Construction	Pumps	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Building Construction	Welders	2	8.00	46	0.45
Paving	Pavers	1	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	8.00	78	0.48

Trips and VMT

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition		7	18.00	2.00	121.00	14.70	6.90	20.00;LD_Mix	HDT_Mix	HHDT
Grading		7	18.00	2.00	0.00	14.70	6.90	20.00;LD_Mix	HDT_Mix	HHDT
Building Construction		26	205.00	81.00	0.00	14.70	6.90	20.00;LD_Mix	HDT_Mix	HHDT
Paving		5	13.00	2.00	0.00	14.70	6.90	20.00;LD_Mix	HDT_Mix	HHDT
Architectural Coating		1	41.00	0.00	0.00	14.70	6.90	20.00;LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

3.2 Demolition - 2022

Unmitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	lb/day										lb/day					
Fugitive Dust					2.3733	0.0000	2.3733	0.3594	0.0000	0.3594			0.0000			0.0000
Off-Road	2.9305	28.7444	22.1253	0.0451		1.3441	1.3441		1.2486	1.2486		4,352.4455	4,352.4455	1.2483		4,383.6534
Total	2.9305	28.7444	22.1253	0.0451	2.3733	1.3441	3.7175	0.3594	1.2486	1.6080		4,352.4455	4,352.4455	1.2483		4,383.6534

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.2 Demolition - 2022

Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Hauling	0.0646	2.3052	0.4295	8.2200e-003	0.1925	5.9700e-003	0.1985	0.0528	5.7100e-003	0.0585		873.8471	873.8471	0.0516		875.1372
Vendor	5.1200e-003	0.1808	0.0394	5.1000e-004	0.0128	2.9000e-004	0.0131	3.6900e-003	2.7000e-004	3.9600e-003		54.2513	54.2513	3.8500e-003		54.3476
Worker	0.0858	0.0534	0.5606	1.7100e-003	0.2012	1.2500e-003	0.2025	0.0534	1.1500e-003	0.0545		170.3063	170.3063	4.4100e-003		170.4166
Total	0.1556	2.5394	1.0294	0.0104	0.4065	7.5100e-003	0.4140	0.1098	7.1300e-003	0.1170		1,098.4047	1,098.4047	0.0599		1,099.9014

Mitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Fugitive Dust					2.3733	0.0000	2.3733	0.3594	0.0000	0.3594			0.0000			0.0000
Off-Road	2.9305	28.7444	22.1253	0.0451		1.3441	1.3441		1.2486	1.2486	0.0000	4,352.4455	4,352.4455	1.2483		4,383.6534
Total	2.9305	28.7444	22.1253	0.0451	2.3733	1.3441	3.7175	0.3594	1.2486	1.6080	0.0000	4,352.4455	4,352.4455	1.2483		4,383.6534

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.2 Demolition - 2022

Mitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	lb/day															
Hauling	0.0646	2.3052	0.4295	8.2200e-003	0.1925	5.9700e-003	0.1985	0.0528	5.7100e-003	0.0585	873.8471	873.8471	0.0516			875.1372
Vendor	5.1200e-003	0.1808	0.0394	5.1000e-004	0.0128	2.9000e-004	0.0131	3.6900e-003	2.7000e-004	3.9600e-003	54.2513	54.2513	3.8500e-003			54.3476
Worker	0.0858	0.0534	0.5606	1.7100e-003	0.2012	1.2500e-003	0.2025	0.0534	1.1500e-003	0.0545	170.3063	170.3063	4.4100e-003			170.4166
Total	0.1556	2.5394	1.0294	0.0104	0.4065	7.5100e-003	0.4140	0.1098	7.1300e-003	0.1170		1,098.4047	1,098.4047	0.0599		1,099.9014

3.3 Grading - 2022

Unmitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	lb/day															
Fugitive Dust					3.7118	0.0000	3.7118	0.4008	0.0000	0.4008			0.0000			0.0000
Off-Road	3.4951	38.5146	26.4787	0.0642		1.5056	1.5056		1.3852	1.3852		6,213.1677	6,213.1677	2.0095		6,263.4043
Total	3.4951	38.5146	26.4787	0.0642	3.7118	1.5056	5.2174	0.4008	1.3852	1.7860		6,213.1677	6,213.1677	2.0095		6,263.4043

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.3 Grading - 2022

Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.1200e-003	0.1808	0.0394	5.1000e-004	0.0128	2.9000e-004	0.0131	3.6900e-003	2.7000e-004	3.9600e-003		54.2513	54.2513	3.8500e-003		54.3476
Worker	0.0858	0.0534	0.5606	1.7100e-003	0.2012	1.2500e-003	0.2025	0.0534	1.1500e-003	0.0545		170.3063	170.3063	4.4100e-003		170.4166
Total	0.0909	0.2342	0.6000	2.2200e-003	0.2140	1.5400e-003	0.2156	0.0571	1.4200e-003	0.0585		224.5575	224.5575	8.2600e-003		224.7642

Mitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Fugitive Dust					3.7118	0.0000	3.7118	0.4008	0.0000	0.4008			0.0000			0.0000
Off-Road	3.4951	38.5146	26.4787	0.0642		1.5056	1.5056		1.3852	1.3852	0.0000	6.213.167 ⁷	6,213.167 ⁷	2.0095		6,263.404 ³
Total	3.4951	38.5146	26.4787	0.0642	3.7118	1.5056	5.2174	0.4008	1.3852	1.7860	0.0000	6,213.167⁷	6,213.167⁷	2.0095		6,263.404³

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.3 Grading - 2022

Mitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	lb/day															
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.1200e-003	0.1808	0.0394	5.1000e-004	0.0128	2.9000e-004	0.0131	3.6900e-003	2.7000e-004	3.9600e-003		54.2513	54.2513	3.8500e-003		54.3476
Worker	0.0858	0.0534	0.5606	1.7100e-003	0.2012	1.2500e-003	0.2025	0.0534	1.1500e-003	0.0545		170.3063	170.3063	4.4100e-003		170.4166
Total	0.0909	0.2342	0.6000	2.2200e-003	0.2140	1.5400e-003	0.2156	0.0571	1.4200e-003	0.0585		224.5575	224.5575	8.2600e-003		224.7642

3.4 Building Construction - 2022

Unmitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	lb/day															
Off-Road	4.1459	36.9631	45.2560	0.0765		1.7447	1.7447		1.6805	1.6805		7,165.083 ⁹	7,165.083 ⁹	1.3200		7,198.083 ⁹
Total	4.1459	36.9631	45.2560	0.0765		1.7447	1.7447		1.6805	1.6805		7,165.083 ⁹	7,165.083 ⁹	1.3200		7,198.083 ⁹

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.4 Building Construction - 2022

Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2074	7.3213	1.5961	0.0208	0.5188	0.0116	0.5304	0.1494	0.0111	0.1605		2,197.1756	2,197.1756	0.1561		2,201.0785
Worker	0.9774	0.6086	6.3841	0.0195	2.2914	0.0142	2.3056	0.6077	0.0131	0.6208		1,939.5993	1,939.5993	0.0503		1,940.8559
Total	1.1847	7.9299	7.9802	0.0403	2.8102	0.0258	2.8360	0.7571	0.0242	0.7812		4,136.7749	4,136.7749	0.2064		4,141.9345

Mitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Off-Road	4.1459	36.9631	45.2560	0.0765		1.7447	1.7447		1.6805	1.6805	0.0000	7,165.0839	7,165.0839	1.3200		7,198.0839
Total	4.1459	36.9631	45.2560	0.0765		1.7447	1.7447		1.6805	1.6805	0.0000	7,165.0839	7,165.0839	1.3200		7,198.0839

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.4 Building Construction - 2022

Mitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2074	7.3213	1.5961	0.0208	0.5188	0.0116	0.5304	0.1494	0.0111	0.1605		2,197.175 ⁶	2,197.175 ⁶	0.1561		2,201.078 ⁵
Worker	0.9774	0.6086	6.3841	0.0195	2.2914	0.0142	2.3056	0.6077	0.0131	0.6208		1,939.599 ³	1,939.599 ³	0.0503		1,940.855 ⁹
Total	1.1847	7.9299	7.9802	0.0403	2.8102	0.0258	2.8360	0.7571	0.0242	0.7812		4,136.774 ⁹	4,136.774 ⁹	0.2064		4,141.934 ⁵

3.5 Paving - 2022

Unmitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	lb/day										lb/day					
Off-Road	0.8959	9.0260	11.6966	0.0181		0.4682	0.4682		0.4307	0.4307		1,752.402 ⁴	1,752.402 ⁴	0.5668		1,766.571 ⁴
Paving	0.3549					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.2508	9.0260	11.6966	0.0181		0.4682	0.4682		0.4307	0.4307		1,752.402 ⁴	1,752.402 ⁴	0.5668		1,766.571 ⁴

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.5 Paving - 2022

Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.1200e-003	0.1808	0.0394	5.1000e-004	0.0128	2.9000e-004	0.0131	3.6900e-003	2.7000e-004	3.9600e-003		54.2513	54.2513	3.8500e-003		54.3476
Worker	0.0620	0.0386	0.4048	1.2300e-003	0.1453	9.0000e-004	0.1462	0.0385	8.3000e-004	0.0394		122.9990	122.9990	3.1900e-003		123.0787
Total	0.0671	0.2194	0.4443	1.7400e-003	0.1581	1.1900e-003	0.1593	0.0422	1.1000e-003	0.0433		177.2502	177.2502	7.0400e-003		177.4263

Mitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Off-Road	0.8959	9.0260	11.6966	0.0181		0.4682	0.4682		0.4307	0.4307	0.0000	1,752.4024	1,752.4024	0.5668		1,766.5714
Paving	0.3549					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.2508	9.0260	11.6966	0.0181		0.4682	0.4682		0.4307	0.4307	0.0000	1,752.4024	1,752.4024	0.5668		1,766.5714

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.5 Paving - 2022**Mitigated Construction Off-Site**

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	lb/day															
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.1200e-003	0.1808	0.0394	5.1000e-004	0.0128	2.9000e-004	0.0131	3.6900e-003	2.7000e-004	3.9600e-003		54.2513	54.2513	3.8500e-003		54.3476
Worker	0.0620	0.0386	0.4048	1.2300e-003	0.1453	9.0000e-004	0.1462	0.0385	8.3000e-004	0.0394		122.9990	122.9990	3.1900e-003		123.0787
Total	0.0671	0.2194	0.4443	1.7400e-003	0.1581	1.1900e-003	0.1593	0.0422	1.1000e-003	0.0433		177.2502	177.2502	7.0400e-003		177.4263

3.6 Architectural Coating - 2022**Unmitigated Construction On-Site**

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	lb/day															
Archit. Coating	183.8962					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2727	1.8780	2.4181	3.9600e-003		0.1090	0.1090		0.1090	0.1090		375.2641	375.2641	0.0244		375.8749
Total	184.1689	1.8780	2.4181	3.9600e-003		0.1090	0.1090		0.1090	0.1090		375.2641	375.2641	0.0244		375.8749

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.6 Architectural Coating - 2022

Unmitigated Construction Off-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1955	0.1217	1.2768	3.8900e-003	0.4583	2.8500e-003	0.4611	0.1215	2.6200e-003	0.1242		387.9199	387.9199	0.0101		388.1712
Total	0.1955	0.1217	1.2768	3.8900e-003	0.4583	2.8500e-003	0.4611	0.1215	2.6200e-003	0.1242		387.9199	387.9199	0.0101		388.1712

Mitigated Construction On-Site

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
Archit. Coating	183.8962					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2727	1.8780	2.4181	3.9600e-003		0.1090	0.1090		0.1090	0.1090	0.0000	375.2641	375.2641	0.0244		375.8749
Total	184.1689	1.8780	2.4181	3.9600e-003		0.1090	0.1090		0.1090	0.1090	0.0000	375.2641	375.2641	0.0244		375.8749

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.6 Architectural Coating - 2022**Mitigated Construction Off-Site**

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
	lb/day											lb/day				
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1955	0.1217	1.2768	3.8900e-003	0.4583	2.8500e-003	0.4611	0.1215	2.6200e-003	0.1242		387.9199	387.9199	0.0101		388.1712
Total	0.1955	0.1217	1.2768	3.8900e-003	0.4583	2.8500e-003	0.4611	0.1215	2.6200e-003	0.1242		387.9199	387.9199	0.0101		388.1712

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	1.4854	26.5693	18.9881	0.1524	8.8167	0.1209	8.9377	2.3978	0.1147	2.5125		15,876.30	15,876.30	0.6393		15,892.28
												13	13			26
Unmitigated	1.4854	26.5693	18.9881	0.1524	8.8167	0.1209	8.9377	2.3978	0.1147	2.5125		15,876.30	15,876.30	0.6393		15,892.28
												13	13			26

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated		Mitigated	
	Weekday	Saturday	Sunday	Annual VMT		Annual VMT	
General Office Building	0.00	0.00	0.00				
Other Asphalt Surfaces	0.00	0.00	0.00				
Other Non-Asphalt Surfaces	0.00	0.00	0.00				
Parking Lot	0.00	0.00	0.00				
Unrefrigerated Warehouse-No Rail	365.56	365.56	365.56	3,966,589		3,966,589	
Total	365.56	365.56	365.56	3,966,589		3,966,589	

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
Other Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Unrefrigerated Warehouse-No	16.60	55.00	6.90	65.60	34.40	0.00	100	0	0

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
General Office Building	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Other Asphalt Surfaces	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Other Non-Asphalt Surfaces	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Parking Lot	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Unrefrigerated Warehouse-No Rail	0.464940	0.030600	0.151550	0.000000	0.000000	0.058310	0.069970	0.215740	0.001140	0.001320	0.004960	0.000680	0.000790

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Category	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
lb/day																
NaturalGas Mitigated	0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6000e-003	142.7322
NaturalGas Unmitigated	0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6000e-003	142.7322

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

5.2 Energy by Land Use - NaturalGas

Unmitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio-CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Land Use	KBtu/yr	lb/day										lb/day					
General Office Building	95.0685	1.0300e-003	9.3200e-003	7.8300e-003	6.0000e-005		7.1000e-004	7.1000e-004		7.1000e-004	7.1000e-004		11.1845	11.1845	2.1000e-004	2.1000e-004	11.2510
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	1110.99	0.0120	0.1089	0.0915	6.5000e-004		8.2800e-003	8.2800e-003		8.2800e-003	8.2800e-003		130.7045	130.7045	2.5100e-003	2.4000e-003	131.4812
Total		0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6100e-003	142.7322

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio-CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Land Use	KBtu/Yr	lb/day										lb/day					
General Office Building	0.0950685	1.0300e-003	9.3200e-003	7.8300e-003	6.0000e-005		7.1000e-004	7.1000e-004		7.1000e-004	7.1000e-004		11.1845	11.1845	2.1000e-004	2.1000e-004	11.2510
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	1.11099	0.0120	0.1089	0.0915	6.5000e-004		8.2800e-003	8.2800e-003		8.2800e-003	8.2800e-003		130.7045	130.7045	2.5100e-003	2.4000e-003	131.4812
Total		0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6100e-003	142.7322

6.0 Area Detail

6.1 Mitigation Measures Area

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day															
Mitigated	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870
Unmitigated	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day															
Architectural Coating	0.5542					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	4.2531					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	3.5500e-003	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870
Total	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.5542					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	4.2531					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	3.5500e-003	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004			0.0816	0.0816	2.2000e-004	0.0870
Total	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004			0.0816	0.0816	2.2000e-004	0.0870

7.0 Water Detail

7.1 Mitigation Measures Water

Apply Water Conservation Strategy

8.0 Waste Detail

8.1 Mitigation Measures Waste

Institute Recycling and Composting Services

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

		Construction	
2022		Total	
Annual Emissions (tons/year)	0.1906	Total DPM (lbs)	316.4482192
Daily Emissions (lbs/day)	1.044383562	Total DPM (g)	143540.9122
Construction Duration (days)	303	Emission Rate (g/s)	0.005483014
Total DPM (lbs)	316.4482192	Release Height (meters)	3
Total DPM (g)	143540.9122	Total Acreage	9.23
Start Date	1/1/2022	Max Horizontal (meters)	273.32
End Date	10/31/2022	Min Horizontal (meters)	136.66
Construction Days	303	Initial Vertical Dimension (meters)	1.5
		Setting	Urban
		Population	208,393
		Start Date	1/1/2022
		End Date	10/31/2022
		Total Construction Days	303
		Total Years of Construction	0.83
		Total Years of Operation	29.17

Start date and time 04/05/22 14:06:08

AERSCREEN 21112

Arrow Route Boulevard -15755 Arrow Route Warehouse Project -

Arrow Route Boulevard -15755 Arrow Route Warehouse Project -

----- DATA ENTRY VALIDATION -----

METRIC

ENGLISH

** AREADATA ** -----

Emission Rate:	0.548E-02 g/s	0.435E-01 lb/hr
Area Height:	3.00 meters	9.84 feet
Area Source Length:	273.32 meters	896.72 feet
Area Source Width:	136.66 meters	448.36 feet
Vertical Dimension:	1.50 meters	4.92 feet
Model Mode:	URBAN	
Population:	208393	
Dist to Ambient Air:	1.0 meters	3. feet

** BUILDING DATA **

No Building Downwash Parameters

** TERRAIN DATA **

No Terrain Elevations

Source Base Elevation: 0.0 meters 0.0 feet

Probe distance: 5000. meters 16404. feet

No flagpole receptors

No discrete receptors used

** FUMIGATION DATA **

No fumigation requested

** METEOROLOGY DATA **

Min/Max Temperature: 250.0 / 310.0 K -9.7 / 98.3 Deg F

Minimum Wind Speed: 0.5 m/s

Anemometer Height: 10.000 meters

Dominant Surface Profile: Urban

Dominant Climate Type: Average Moisture

Surface friction velocity (u^*): not adjusted

DEBUG OPTION ON

AERSCREEN output file:

2022.04.05_ArrowRouteBoulevard_AERSCREEN_Construction.out

*** AERSCREEN Run is Ready to Begin

No terrain used, AERMAP will not be run

SURFACE CHARACTERISTICS & MAKEMET

Obtaining surface characteristics...

Using AERMET seasonal surface characteristics for Urban with Average Moisture

Season	Albedo	Bo	zo
Winter	0.35	1.50	1.000
Spring	0.14	1.00	1.000
Summer	0.16	2.00	1.000
Autumn	0.18	2.00	1.000

Creating met files aerscreen_01_01.sfc & aerscreen_01_01.pfl

Creating met files aerscreen_02_01.sfc & aerscreen_02_01.pfl

Creating met files aerscreen_03_01.sfc & aerscreen_03_01.pfl

Creating met files aerscreen_04_01.sfc & aerscreen_04_01.pfl

Buildings and/or terrain present or rectangular area source, skipping probe

FLOWSECTOR started 04/05/22 14:17:09

Running AERMOD

Processing Winter

Processing surface roughness sector 1

Processing wind flow sector 1

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 0

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 2

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 5

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 3

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 10

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 4

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 15

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 5

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 20

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 6

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 25

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 7

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 30

***** WARNING MESSAGES *****

*** NONE ***

Running AERMOD

Processing Spring

Processing surface roughness sector 1

Processing wind flow sector 1

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 0

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 2

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 5

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 3

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 10

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 4

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 15

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 5

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 20

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 6

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 25

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 7

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 30

***** WARNING MESSAGES *****

*** NONE ***

Running AERMOD

Processing Summer

Processing surface roughness sector 1

Processing wind flow sector 1

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 0

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 2

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 5

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 3

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 10

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 4

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 15

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 5

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 20

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 6

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 25

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 7

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 30

***** WARNING MESSAGES *****

*** NONE ***

Running AERMOD

Processing Autumn

Processing surface roughness sector 1

Processing wind flow sector 1

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 0

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 2

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 5

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 3

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 10

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 4

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 15

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 5

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 20

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 6

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 25

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 7

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 30

***** WARNING MESSAGES *****

*** NONE ***

FLOWSECTOR ended 04/05/22 14:17:35

REFINE started 04/05/22 14:17:35

AERMOD Finishes Successfully for REFINE stage 3 Winter sector 0

***** WARNING MESSAGES *****

*** NONE ***

REFINE ended 04/05/22 14:17:38

AERSCREEN Finished Successfully

With no errors or warnings

Check log file for details

Ending date and time 04/05/22 14:17:42

Concentration	Distance	Elevation	Diag	Season/Month	Zo	sector	Date	H0	U*	W*	DT/DZ	ZICNV	
ZIMCH	M-O	LEN	Z0	BOWEN	ALBEDO	REF	WS	HT	REF	TA	HT		
0.43086E+01	1.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.46115E+01	25.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.48819E+01	50.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.51158E+01	75.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.53227E+01	100.00	0.00	5.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.55077E+01	125.00	0.00	5.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
* 0.55963E+01	138.00	0.00	5.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.54858E+01	150.00	0.00	25.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.38503E+01	175.00	0.00	20.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.30662E+01	200.00	0.00	20.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.26258E+01	225.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.23036E+01	250.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.20438E+01	275.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.18305E+01	300.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.16530E+01	325.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.15028E+01	350.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.13755E+01	375.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.12646E+01	400.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.11687E+01	425.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.10844E+01	450.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.10110E+01	475.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.94473E+00	500.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.88594E+00	525.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.83352E+00	550.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.78575E+00	575.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0							
0.74284E+00	600.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.70412E+00			625.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.66845E+00			650.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.63549E+00			675.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.60539E+00			700.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.57780E+00			725.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.55243E+00			750.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.52902E+00			775.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.50710E+00			800.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.48667E+00			825.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.46757E+00			850.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.44971E+00			875.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.43304E+00			900.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.41745E+00			925.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.40284E+00			950.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.38914E+00			975.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.37619E+00			1000.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.36388E+00			1025.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.35226E+00			1050.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.34129E+00			1075.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.33092E+00			1100.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.32109E+00			1125.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.31177E+00			1150.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.30293E+00			1175.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.29445E+00			1200.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.28638E+00			1225.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.27869E+00			1250.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.27137E+00			1275.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.26437E+00			1300.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.25769E+00			1325.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.25126E+00			1350.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.24507E+00			1375.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.23915E+00			1400.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.23348E+00			1425.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.22803E+00			1450.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.22281E+00			1475.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.21781E+00			1500.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.21300E+00			1525.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.20836E+00			1550.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.20388E+00			1575.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.19958E+00			1600.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.19545E+00			1625.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.19146E+00			1650.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.18761E+00			1675.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.18389E+00			1700.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.18031E+00			1725.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.17684E+00			1750.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.17349E+00			1775.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.17025E+00			1800.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.16711E+00			1825.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.16406E+00			1850.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.16110E+00			1875.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.15824E+00			1900.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.15546E+00			1925.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.15277E+00			1950.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.15016E+00			1975.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.14761E+00			2000.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.14513E+00			2025.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.14273E+00			2050.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.14039E+00			2075.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.13812E+00			2100.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.13592E+00			2125.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.13377E+00			2150.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.13168E+00			2175.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.12965E+00			2200.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.12768E+00			2225.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.12576E+00			2250.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.12388E+00			2275.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.12206E+00			2300.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.12028E+00			2325.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.11854E+00			2350.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.11685E+00			2375.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.11520E+00			2400.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.11359E+00			2425.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.11202E+00			2450.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.11049E+00			2475.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10899E+00			2500.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10753E+00			2525.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10709E+00			2550.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10567E+00			2575.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10428E+00			2600.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10292E+00			2625.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.10159E+00			2650.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.10029E+00			2675.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.99026E-01			2700.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.97784E-01			2725.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.96569E-01			2750.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.95380E-01			2775.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.94216E-01			2800.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.93077E-01			2825.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.91961E-01			2850.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.90868E-01			2875.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.89797E-01			2900.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.88748E-01			2925.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.87720E-01			2950.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.86713E-01			2975.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.85725E-01			3000.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.84757E-01			3025.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.83808E-01			3050.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.82876E-01			3075.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.81963E-01			3100.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.81067E-01			3125.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.80187E-01			3150.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.79324E-01			3175.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.78478E-01			3200.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.77646E-01			3225.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.76830E-01			3250.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.76028E-01			3275.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.75241E-01			3300.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.74468E-01			3325.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.73708E-01			3350.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.72962E-01			3375.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.72229E-01			3400.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.71508E-01			3425.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.70800E-01			3450.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.70104E-01			3475.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.69420E-01			3500.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.68747E-01			3525.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.68085E-01			3550.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.67435E-01			3575.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.66795E-01			3600.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.66165E-01			3625.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.65546E-01			3650.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.64936E-01			3675.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.64337E-01			3700.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.63747E-01			3725.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.63166E-01			3750.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.62594E-01			3775.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.62031E-01			3800.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.61477E-01			3825.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.60932E-01			3849.99	0.00	15.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.60395E-01			3875.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.59866E-01			3900.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.59344E-01			3925.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.58831E-01			3950.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.58325E-01			3975.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.57827E-01			4000.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.57336E-01			4025.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.56853E-01			4050.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.56376E-01			4075.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.55906E-01			4100.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.55443E-01			4125.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.54987E-01			4149.99	0.00	20.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.54537E-01			4175.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.54093E-01			4200.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.53656E-01			4225.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.53225E-01			4250.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.52799E-01			4275.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.52380E-01			4300.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.51966E-01			4325.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.51558E-01			4350.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.51155E-01			4375.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.50758E-01			4400.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.50366E-01			4425.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.49979E-01			4450.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.49598E-01			4475.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.49221E-01			4500.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.48850E-01			4525.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.48483E-01			4550.00	0.00	15.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.48121E-01			4575.00	0.00	20.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.47763E-01			4600.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.47410E-01			4625.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.47062E-01			4650.00	0.00	20.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0



Technical Consultation, Data Analysis and
Litigation Support for the Environment

2656 29th Street, Suite 201
Santa Monica, CA 90405

Matt Hagemann, P.G., C.Hg.
(949) 887-9013
mhagemann@swape.com

Matthew F. Hagemann, P.G., C.Hg., QSD, QSP

**Geologic and Hydrogeologic Characterization
Investigation and Remediation Strategies
Litigation Support and Testifying Expert
Industrial Stormwater Compliance
CEQA Review**

Education:

M.S. Degree, Geology, California State University Los Angeles, Los Angeles, CA, 1984.

B.A. Degree, Geology, Humboldt State University, Arcata, CA, 1982.

Professional Certifications:

California Professional Geologist

California Certified Hydrogeologist

Qualified SWPPP Developer and Practitioner

Professional Experience:

Matt has 30 years of experience in environmental policy, contaminant assessment and remediation, stormwater compliance, and CEQA review. He spent nine years with the U.S. EPA in the RCRA and Superfund programs and served as EPA's Senior Science Policy Advisor in the Western Regional Office where he identified emerging threats to groundwater from perchlorate and MTBE. While with EPA, Matt also served as a Senior Hydrogeologist in the oversight of the assessment of seven major military facilities undergoing base closure. He led numerous enforcement actions under provisions of the Resource Conservation and Recovery Act (RCRA) and directed efforts to improve hydrogeologic characterization and water quality monitoring. For the past 15 years, as a founding partner with SWAPE, Matt has developed extensive client relationships and has managed complex projects that include consultation as an expert witness and a regulatory specialist, and a manager of projects ranging from industrial stormwater compliance to CEQA review of impacts from hazardous waste, air quality and greenhouse gas emissions.

Positions Matt has held include:

- Founding Partner, Soil/Water/Air Protection Enterprise (SWAPE) (2003 – present);
- Geology Instructor, Golden West College, 2010 – 2014, 2017;
- Senior Environmental Analyst, Komex H₂O Science, Inc. (2000 -- 2003);

- Executive Director, Orange Coast Watch (2001 – 2004);
- Senior Science Policy Advisor and Hydrogeologist, U.S. Environmental Protection Agency (1989–1998);
- Hydrogeologist, National Park Service, Water Resources Division (1998 – 2000);
- Adjunct Faculty Member, San Francisco State University, Department of Geosciences (1993 – 1998);
- Instructor, College of Marin, Department of Science (1990 – 1995);
- Geologist, U.S. Forest Service (1986 – 1998); and
- Geologist, Dames & Moore (1984 – 1986).

Senior Regulatory and Litigation Support Analyst:

With SWAPE, Matt’s responsibilities have included:

- Lead analyst and testifying expert in the review of over 300 environmental impact reports and negative declarations since 2003 under CEQA that identify significant issues with regard to hazardous waste, water resources, water quality, air quality, greenhouse gas emissions, and geologic hazards. Make recommendations for additional mitigation measures to lead agencies at the local and county level to include additional characterization of health risks and implementation of protective measures to reduce worker exposure to hazards from toxins and Valley Fever.
- Stormwater analysis, sampling and best management practice evaluation at more than 100 industrial facilities.
- Expert witness on numerous cases including, for example, perfluorooctanoic acid (PFOA) contamination of groundwater, MTBE litigation, air toxins at hazards at a school, CERCLA compliance in assessment and remediation, and industrial stormwater contamination.
- Technical assistance and litigation support for vapor intrusion concerns.
- Lead analyst and testifying expert in the review of environmental issues in license applications for large solar power plants before the California Energy Commission.
- Manager of a project to evaluate numerous formerly used military sites in the western U.S.
- Manager of a comprehensive evaluation of potential sources of perchlorate contamination in Southern California drinking water wells.
- Manager and designated expert for litigation support under provisions of Proposition 65 in the review of releases of gasoline to sources drinking water at major refineries and hundreds of gas stations throughout California.

With Komex H2O Science Inc., Matt’s duties included the following:

- Senior author of a report on the extent of perchlorate contamination that was used in testimony by the former U.S. EPA Administrator and General Counsel.
- Senior researcher in the development of a comprehensive, electronically interactive chronology of MTBE use, research, and regulation.
- Senior researcher in the development of a comprehensive, electronically interactive chronology of perchlorate use, research, and regulation.
- Senior researcher in a study that estimates nationwide costs for MTBE remediation and drinking water treatment, results of which were published in newspapers nationwide and in testimony against provisions of an energy bill that would limit liability for oil companies.
- Research to support litigation to restore drinking water supplies that have been contaminated by MTBE in California and New York.

- Expert witness testimony in a case of oil production-related contamination in Mississippi.
- Lead author for a multi-volume remedial investigation report for an operating school in Los Angeles that met strict regulatory requirements and rigorous deadlines.
- Development of strategic approaches for cleanup of contaminated sites in consultation with clients and regulators.

Executive Director:

As Executive Director with Orange Coast Watch, Matt led efforts to restore water quality at Orange County beaches from multiple sources of contamination including urban runoff and the discharge of wastewater. In reporting to a Board of Directors that included representatives from leading Orange County universities and businesses, Matt prepared issue papers in the areas of treatment and disinfection of wastewater and control of the discharge of grease to sewer systems. Matt actively participated in the development of countywide water quality permits for the control of urban runoff and permits for the discharge of wastewater. Matt worked with other nonprofits to protect and restore water quality, including Surfrider, Natural Resources Defense Council and Orange County CoastKeeper as well as with business institutions including the Orange County Business Council.

Hydrogeology:

As a Senior Hydrogeologist with the U.S. Environmental Protection Agency, Matt led investigations to characterize and cleanup closing military bases, including Mare Island Naval Shipyard, Hunters Point Naval Shipyard, Treasure Island Naval Station, Alameda Naval Station, Moffett Field, Mather Army Airfield, and Sacramento Army Depot. Specific activities were as follows:

- Led efforts to model groundwater flow and contaminant transport, ensured adequacy of monitoring networks, and assessed cleanup alternatives for contaminated sediment, soil, and groundwater.
- Initiated a regional program for evaluation of groundwater sampling practices and laboratory analysis at military bases.
- Identified emerging issues, wrote technical guidance, and assisted in policy and regulation development through work on four national U.S. EPA workgroups, including the Superfund Groundwater Technical Forum and the Federal Facilities Forum.

At the request of the State of Hawaii, Matt developed a methodology to determine the vulnerability of groundwater to contamination on the islands of Maui and Oahu. He used analytical models and a GIS to show zones of vulnerability, and the results were adopted and published by the State of Hawaii and County of Maui.

As a hydrogeologist with the EPA Groundwater Protection Section, Matt worked with provisions of the Safe Drinking Water Act and NEPA to prevent drinking water contamination. Specific activities included the following:

- Received an EPA Bronze Medal for his contribution to the development of national guidance for the protection of drinking water.
- Managed the Sole Source Aquifer Program and protected the drinking water of two communities through designation under the Safe Drinking Water Act. He prepared geologic reports, conducted

public hearings, and responded to public comments from residents who were very concerned about the impact of designation.

- Reviewed a number of Environmental Impact Statements for planned major developments, including large hazardous and solid waste disposal facilities, mine reclamation, and water transfer.

Matt served as a hydrogeologist with the RCRA Hazardous Waste program. Duties were as follows:

- Supervised the hydrogeologic investigation of hazardous waste sites to determine compliance with Subtitle C requirements.
- Reviewed and wrote "part B" permits for the disposal of hazardous waste.
- Conducted RCRA Corrective Action investigations of waste sites and led inspections that formed the basis for significant enforcement actions that were developed in close coordination with U.S. EPA legal counsel.
- Wrote contract specifications and supervised contractor's investigations of waste sites.

With the National Park Service, Matt directed service-wide investigations of contaminant sources to prevent degradation of water quality, including the following tasks:

- Applied pertinent laws and regulations including CERCLA, RCRA, NEPA, NRDA, and the Clean Water Act to control military, mining, and landfill contaminants.
- Conducted watershed-scale investigations of contaminants at parks, including Yellowstone and Olympic National Park.
- Identified high-levels of perchlorate in soil adjacent to a national park in New Mexico and advised park superintendent on appropriate response actions under CERCLA.
- Served as a Park Service representative on the Interagency Perchlorate Steering Committee, a national workgroup.
- Developed a program to conduct environmental compliance audits of all National Parks while serving on a national workgroup.
- Co-authored two papers on the potential for water contamination from the operation of personal watercraft and snowmobiles, these papers serving as the basis for the development of nation-wide policy on the use of these vehicles in National Parks.
- Contributed to the Federal Multi-Agency Source Water Agreement under the Clean Water Action Plan.

Policy:

Served senior management as the Senior Science Policy Advisor with the U.S. Environmental Protection Agency, Region 9.

Activities included the following:

- Advised the Regional Administrator and senior management on emerging issues such as the potential for the gasoline additive MTBE and ammonium perchlorate to contaminate drinking water supplies.
- Shaped EPA's national response to these threats by serving on workgroups and by contributing to guidance, including the Office of Research and Development publication, *Oxygenates in Water: Critical Information and Research Needs*.
- Improved the technical training of EPA's scientific and engineering staff.
- Earned an EPA Bronze Medal for representing the region's 300 scientists and engineers in negotiations with the Administrator and senior management to better integrate scientific

principles into the policy-making process.

- Established national protocol for the peer review of scientific documents.

Geology:

With the U.S. Forest Service, Matt led investigations to determine hillslope stability of areas proposed for timber harvest in the central Oregon Coast Range. Specific activities were as follows:

- Mapped geology in the field, and used aerial photographic interpretation and mathematical models to determine slope stability.
- Coordinated his research with community members who were concerned with natural resource protection.
- Characterized the geology of an aquifer that serves as the sole source of drinking water for the city of Medford, Oregon.

As a consultant with Dames and Moore, Matt led geologic investigations of two contaminated sites (later listed on the Superfund NPL) in the Portland, Oregon, area and a large hazardous waste site in eastern Oregon. Duties included the following:

- Supervised year-long effort for soil and groundwater sampling.
- Conducted aquifer tests.
- Investigated active faults beneath sites proposed for hazardous waste disposal.

Teaching:

From 1990 to 1998, Matt taught at least one course per semester at the community college and university levels:

- At San Francisco State University, held an adjunct faculty position and taught courses in environmental geology, oceanography (lab and lecture), hydrogeology, and groundwater contamination.
- Served as a committee member for graduate and undergraduate students.
- Taught courses in environmental geology and oceanography at the College of Marin.

Matt is currently a part time geology instructor at Golden West College in Huntington Beach, California where he taught from 2010 to 2014 and in 2017.

Invited Testimony, Reports, Papers and Presentations:

Hagemann, M.F., 2008. Disclosure of Hazardous Waste Issues under CEQA. Presentation to the Public Environmental Law Conference, Eugene, Oregon.

Hagemann, M.F., 2008. Disclosure of Hazardous Waste Issues under CEQA. Invited presentation to U.S. EPA Region 9, San Francisco, California.

Hagemann, M.F., 2005. Use of Electronic Databases in Environmental Regulation, Policy Making and Public Participation. Brownfields 2005, Denver, Colorado.

Hagemann, M.F., 2004. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in Nevada and the Southwestern U.S. Presentation to a meeting of the American Groundwater Trust, Las Vegas, NV (served on conference organizing committee).

Hagemann, M.F., 2004. Invited testimony to a California Senate committee hearing on air toxins at schools in Southern California, Los Angeles.

Brown, A., Farrow, J., Gray, A. and **Hagemann, M.**, 2004. An Estimate of Costs to Address MTBE Releases from Underground Storage Tanks and the Resulting Impact to Drinking Water Wells. Presentation to the Ground Water and Environmental Law Conference, National Groundwater Association.

Hagemann, M.F., 2004. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in Arizona and the Southwestern U.S. Presentation to a meeting of the American Groundwater Trust, Phoenix, AZ (served on conference organizing committee).

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in the Southwestern U.S. Invited presentation to a special committee meeting of the National Academy of Sciences, Irvine, CA.

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River. Invited presentation to a tribal EPA meeting, Pechanga, CA.

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River. Invited presentation to a meeting of tribal representatives, Parker, AZ.

Hagemann, M.F., 2003. Impact of Perchlorate on the Colorado River and Associated Drinking Water Supplies. Invited presentation to the Inter-Tribal Meeting, Torres Martinez Tribe.

Hagemann, M.F., 2003. The Emergence of Perchlorate as a Widespread Drinking Water Contaminant. Invited presentation to the U.S. EPA Region 9.

Hagemann, M.F., 2003. A Deductive Approach to the Assessment of Perchlorate Contamination. Invited presentation to the California Assembly Natural Resources Committee.

Hagemann, M.F., 2003. Perchlorate: A Cold War Legacy in Drinking Water. Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. From Tank to Tap: A Chronology of MTBE in Groundwater. Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. A Chronology of MTBE in Groundwater and an Estimate of Costs to Address Impacts to Groundwater. Presentation to the annual meeting of the Society of Environmental Journalists.

Hagemann, M.F., 2002. An Estimate of the Cost to Address MTBE Contamination in Groundwater (and Who Will Pay). Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. An Estimate of Costs to Address MTBE Releases from Underground Storage Tanks and the Resulting Impact to Drinking Water Wells. Presentation to a meeting of the U.S. EPA and State Underground Storage Tank Program managers.

Hagemann, M.F., 2001. From Tank to Tap: A Chronology of MTBE in Groundwater. Unpublished report.

Hagemann, M.F., 2001. Estimated Cleanup Cost for MTBE in Groundwater Used as Drinking Water. Unpublished report.

Hagemann, M.F., 2001. Estimated Costs to Address MTBE Releases from Leaking Underground Storage Tanks. Unpublished report.

Hagemann, M.F., and VanMouwerik, M., 1999. Potential Water Quality Concerns Related to Snowmobile Usage. Water Resources Division, National Park Service, Technical Report.

VanMouwerik, M. and **Hagemann, M.F.** 1999, Water Quality Concerns Related to Personal Watercraft Usage. Water Resources Division, National Park Service, Technical Report.

Hagemann, M.F., 1999, Is Dilution the Solution to Pollution in National Parks? The George Wright Society Biannual Meeting, Asheville, North Carolina.

Hagemann, M.F., 1997, The Potential for MTBE to Contaminate Groundwater. U.S. EPA Superfund Groundwater Technical Forum Annual Meeting, Las Vegas, Nevada.

Hagemann, M.F., and Gill, M., 1996, Impediments to Intrinsic Remediation, Moffett Field Naval Air Station, Conference on Intrinsic Remediation of Chlorinated Hydrocarbons, Salt Lake City.

Hagemann, M.F., Fukunaga, G.L., 1996, The Vulnerability of Groundwater to Anthropogenic Contaminants on the Island of Maui, Hawaii. Hawaii Water Works Association Annual Meeting, Maui, October 1996.

Hagemann, M. F., Fukunaga, G. L., 1996, Ranking Groundwater Vulnerability in Central Oahu, Hawaii. Proceedings, Geographic Information Systems in Environmental Resources Management, Air and Waste Management Association Publication VIP-61.

Hagemann, M.F., 1994. Groundwater Characterization and Cleanup at Closing Military Bases in California. Proceedings, California Groundwater Resources Association Meeting.

Hagemann, M.F. and Sabol, M.A., 1993. Role of the U.S. EPA in the High Plains States Groundwater Recharge Demonstration Program. Proceedings, Sixth Biennial Symposium on the Artificial Recharge of Groundwater.

Hagemann, M.F., 1993. U.S. EPA Policy on the Technical Impracticability of the Cleanup of DNAPL-contaminated Groundwater. California Groundwater Resources Association Meeting.

Hagemann, M.F., 1992. Dense Nonaqueous Phase Liquid Contamination of Groundwater: An Ounce of Prevention... Proceedings, Association of Engineering Geologists Annual Meeting, v. 35.

Other Experience:

Selected as subject matter expert for the California Professional Geologist licensing examinations, 2009-2011.



Technical Consultation, Data Analysis and
Litigation Support for the Environment

SOIL WATER AIR PROTECTION ENTERPRISE

2656 29th Street, Suite 201
Santa Monica, California 90405
Attn: Paul Rosenfeld, Ph.D.
Mobil: (310) 795-2335
Office: (310) 452-5555
Fax: (310) 452-5550

Email: prosenfeld@swape.com

Paul Rosenfeld, Ph.D.

Principal Environmental Chemist

Chemical Fate and Transport & Air Dispersion Modeling

Risk Assessment & Remediation Specialist

Education

Ph.D. Soil Chemistry, University of Washington, 1999. Dissertation on volatile organic compound filtration.

M.S. Environmental Science, U.C. Berkeley, 1995. Thesis on organic waste economics.

B.A. Environmental Studies, U.C. Santa Barbara, 1991. Thesis on wastewater treatment.

Professional Experience

Dr. Rosenfeld has over 25 years' experience conducting environmental investigations and risk assessments for evaluating impacts to human health, property, and ecological receptors. His expertise focuses on the fate and transport of environmental contaminants, human health risk, exposure assessment, and ecological restoration. Dr. Rosenfeld has evaluated and modeled emissions from oil spills, landfills, boilers and incinerators, process stacks, storage tanks, confined animal feeding operations, industrial, military and agricultural sources, unconventional oil drilling operations, and locomotive and construction engines. His project experience ranges from monitoring and modeling of pollution sources to evaluating impacts of pollution on workers at industrial facilities and residents in surrounding communities. Dr. Rosenfeld has also successfully modeled exposure to contaminants distributed by water systems and via vapor intrusion.

Dr. Rosenfeld has investigated and designed remediation programs and risk assessments for contaminated sites containing lead, heavy metals, mold, bacteria, particulate matter, petroleum hydrocarbons, chlorinated solvents, pesticides, radioactive waste, dioxins and furans, semi- and volatile organic compounds, PCBs, PAHs, creosote, perchlorate, asbestos, per- and poly-fluoroalkyl substances (PFOA/PFOS), unusual polymers, fuel oxygenates (MTBE), among other pollutants. Dr. Rosenfeld also has experience evaluating greenhouse gas emissions from various projects and is an expert on the assessment of odors from industrial and agricultural sites, as well as the evaluation of odor nuisance impacts and technologies for abatement of odorous emissions. As a principal scientist at SWAPE, Dr. Rosenfeld directs air dispersion modeling and exposure assessments. He has served as an expert witness and testified about pollution sources causing nuisance and/or personal injury at sites and has testified as an expert witness on numerous cases involving exposure to soil, water and air contaminants from industrial, railroad, agricultural, and military sources.

Professional History:

Soil Water Air Protection Enterprise (SWAPE); 2003 to present; Principal and Founding Partner
UCLA School of Public Health; 2007 to 2011; Lecturer (Assistant Researcher)
UCLA School of Public Health; 2003 to 2006; Adjunct Professor
UCLA Environmental Science and Engineering Program; 2002-2004; Doctoral Intern Coordinator
UCLA Institute of the Environment, 2001-2002; Research Associate
Komex H₂O Science, 2001 to 2003; Senior Remediation Scientist
National Groundwater Association, 2002-2004; Lecturer
San Diego State University, 1999-2001; Adjunct Professor
Anteon Corp., San Diego, 2000-2001; Remediation Project Manager
Ogden (now Amec), San Diego, 2000-2000; Remediation Project Manager
Bechtel, San Diego, California, 1999 – 2000; Risk Assessor
King County, Seattle, 1996 – 1999; Scientist
James River Corp., Washington, 1995-96; Scientist
Big Creek Lumber, Davenport, California, 1995; Scientist
Plumas Corp., California and USFS, Tahoe 1993-1995; Scientist
Peace Corps and World Wildlife Fund, St. Kitts, West Indies, 1991-1993; Scientist

Publications:

Remy, L.L., Clay T., Byers, V., **Rosenfeld P. E.** (2019) Hospital, Health, and Community Burden After Oil Refinery Fires, Richmond, California 2007 and 2012. *Environmental Health*. 18:48

Simons, R.A., Seo, Y. **Rosenfeld, P.**, (2015) Modeling the Effect of Refinery Emission On Residential Property Value. *Journal of Real Estate Research*. 27(3):321-342

Chen, J. A, Zapata A. R., Sutherland A. J., Molmen, D.R., Chow, B. S., Wu, L. E., **Rosenfeld, P. E.**, Hesse, R. C., (2012) Sulfur Dioxide and Volatile Organic Compound Exposure To A Community In Texas City Texas Evaluated Using Aermid and Empirical Data. *American Journal of Environmental Science*, 8(6), 622-632.

Rosenfeld, P.E. & Feng, L. (2011). *The Risks of Hazardous Waste*. Amsterdam: Elsevier Publishing.

Cheremisinoff, N.P., & **Rosenfeld, P.E.** (2011). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Agrochemical Industry*, Amsterdam: Elsevier Publishing.

Gonzalez, J., Feng, L., Sutherland, A., Waller, C., Sok, H., Hesse, R., **Rosenfeld, P.** (2010). PCBs and Dioxins/Furans in Attic Dust Collected Near Former PCB Production and Secondary Copper Facilities in Sauget, IL. *Procedia Environmental Sciences*. 113–125.

Feng, L., Wu, C., Tam, L., Sutherland, A.J., Clark, J.J., **Rosenfeld, P.E.** (2010). Dioxin and Furan Blood Lipid and Attic Dust Concentrations in Populations Living Near Four Wood Treatment Facilities in the United States. *Journal of Environmental Health*. 73(6), 34-46.

Cheremisinoff, N.P., & **Rosenfeld, P.E.** (2010). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Wood and Paper Industries*. Amsterdam: Elsevier Publishing.

Cheremisinoff, N.P., & **Rosenfeld, P.E.** (2009). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Petroleum Industry*. Amsterdam: Elsevier Publishing.

Wu, C., Tam, L., Clark, J., **Rosenfeld, P.** (2009). Dioxin and furan blood lipid concentrations in populations living near four wood treatment facilities in the United States. *WIT Transactions on Ecology and the Environment, Air Pollution*, 123 (17), 319-327.

Tam L. K., Wu C. D., Clark J. J. and **Rosenfeld, P.E.** (2008). A Statistical Analysis Of Attic Dust And Blood Lipid Concentrations Of Tetrachloro-p-Dibenzodioxin (TCDD) Toxicity Equivalency Quotients (TEQ) In Two Populations Near Wood Treatment Facilities. *Organohalogen Compounds*, 70, 002252-002255.

Tam L. K., Wu C. D., Clark J. J. and **Rosenfeld, P.E.** (2008). Methods For Collect Samples For Assessing Dioxins And Other Environmental Contaminants In Attic Dust: A Review. *Organohalogen Compounds*, 70, 000527-000530.

Hensley, A.R. A. Scott, J. J. J. Clark, **Rosenfeld, P.E.** (2007). Attic Dust and Human Blood Samples Collected near a Former Wood Treatment Facility. *Environmental Research*. 105, 194-197.

Rosenfeld, P.E., J. J. J. Clark, A. R. Hensley, M. Suffet. (2007). The Use of an Odor Wheel Classification for Evaluation of Human Health Risk Criteria for Compost Facilities. *Water Science & Technology* 55(5), 345-357.

Rosenfeld, P. E., M. Suffet. (2007). The Anatomy Of Odour Wheels For Odours Of Drinking Water, Wastewater, Compost And The Urban Environment. *Water Science & Technology* 55(5), 335-344.

Sullivan, P. J. Clark, J.J.J., Agardy, F. J., **Rosenfeld, P.E.** (2007). *Toxic Legacy, Synthetic Toxins in the Food, Water, and Air in American Cities*. Boston Massachusetts: Elsevier Publishing

Rosenfeld, P.E., and Suffet I.H. (2004). Control of Compost Odor Using High Carbon Wood Ash. *Water Science and Technology*. 49(9),171-178.

Rosenfeld P. E., J.J. Clark, I.H. (Mel) Suffet (2004). The Value of An Odor-Quality-Wheel Classification Scheme For The Urban Environment. *Water Environment Federation's Technical Exhibition and Conference (WEFTEC) 2004*. New Orleans, October 2-6, 2004.

Rosenfeld, P.E., and Suffet, I.H. (2004). Understanding Odorants Associated With Compost, Biomass Facilities, and the Land Application of Biosolids. *Water Science and Technology*. 49(9), 193-199.

Rosenfeld, P.E., and Suffet I.H. (2004). Control of Compost Odor Using High Carbon Wood Ash, *Water Science and Technology*, 49(9), 171-178.

Rosenfeld, P. E., Grey, M. A., Sellev, P. (2004). Measurement of Biosolids Odor and Odorant Emissions from Windrows, Static Pile and Biofilter. *Water Environment Research*. 76(4), 310-315.

Rosenfeld, P.E., Grey, M and Suffet, M. (2002). Compost Demonstration Project, Sacramento California Using High-Carbon Wood Ash to Control Odor at a Green Materials Composting Facility. *Integrated Waste Management Board Public Affairs Office*, Publications Clearinghouse (MS-6), Sacramento, CA Publication #442-02-008.

Rosenfeld, P.E., and C.L. Henry. (2001). Characterization of odor emissions from three different biosolids. *Water Soil and Air Pollution*. 127(1-4), 173-191.

Rosenfeld, P.E., and Henry C. L., (2000). Wood ash control of odor emissions from biosolids application. *Journal of Environmental Quality*. 29, 1662-1668.

Rosenfeld, P.E., C.L. Henry and D. Bennett. (2001). Wastewater dewatering polymer affect on biosolids odor emissions and microbial activity. *Water Environment Research*. 73(4), 363-367.

Rosenfeld, P.E., and C.L. Henry. (2001). Activated Carbon and Wood Ash Sorption of Wastewater, Compost, and Biosolids Odorants. *Water Environment Research*, 73, 388-393.

Rosenfeld, P.E., and Henry C. L., (2001). High carbon wood ash effect on biosolids microbial activity and odor. *Water Environment Research*. 131(1-4), 247-262.

Chollack, T. and **P. Rosenfeld**. (1998). Compost Amendment Handbook For Landscaping. Prepared for and distributed by the City of Redmond, Washington State.

Rosenfeld, P. E. (1992). The Mount Liamuiga Crater Trail. *Heritage Magazine of St. Kitts*, 3(2).

Rosenfeld, P. E. (1993). High School Biogas Project to Prevent Deforestation On St. Kitts. *Biomass Users Network*, 7(1).

Rosenfeld, P. E. (1998). Characterization, Quantification, and Control of Odor Emissions From Biosolids Application To Forest Soil. Doctoral Thesis. University of Washington College of Forest Resources.

Rosenfeld, P. E. (1994). Potential Utilization of Small Diameter Trees on Sierra County Public Land. Masters thesis reprinted by the Sierra County Economic Council. Sierra County, California.

Rosenfeld, P. E. (1991). How to Build a Small Rural Anaerobic Digester & Uses Of Biogas In The First And Third World. Bachelors Thesis. University of California.

Presentations:

Rosenfeld, P.E., "The science for Perfluorinated Chemicals (PFAS): What makes remediation so hard?" Law Seminars International, (May 9-10, 2018) 800 Fifth Avenue, Suite 101 Seattle, WA.

Rosenfeld, P.E., Sutherland, A; Hesse, R.; Zapata, A. (October 3-6, 2013). Air dispersion modeling of volatile organic emissions from multiple natural gas wells in Decatur, TX. *44th Western Regional Meeting, American Chemical Society*. Lecture conducted from Santa Clara, CA.

Sok, H.L.; Waller, C.C.; Feng, L.; Gonzalez, J.; Sutherland, A.J.; Wisdom-Stack, T.; Sahai, R.K.; Hesse, R.C.; **Rosenfeld, P.E.** (June 20-23, 2010). Atrazine: A Persistent Pesticide in Urban Drinking Water. *Urban Environmental Pollution*. Lecture conducted from Boston, MA.

Feng, L.; Gonzalez, J.; Sok, H.L.; Sutherland, A.J.; Waller, C.C.; Wisdom-Stack, T.; Sahai, R.K.; La, M.; Hesse, R.C.; **Rosenfeld, P.E.** (June 20-23, 2010). Bringing Environmental Justice to East St. Louis, Illinois. *Urban Environmental Pollution*. Lecture conducted from Boston, MA.

Rosenfeld, P.E. (April 19-23, 2009). Perfluorooctanoic Acid (PFOA) and Perfluorooctane Sulfonate (PFOS) Contamination in Drinking Water From the Use of Aqueous Film Forming Foams (AFFF) at Airports in the United States. *2009 Ground Water Summit and 2009 Ground Water Protection Council Spring Meeting*, Lecture conducted from Tuscon, AZ.

Rosenfeld, P.E. (April 19-23, 2009). Cost to Filter Atrazine Contamination from Drinking Water in the United States” Contamination in Drinking Water From the Use of Aqueous Film Forming Foams (AFFF) at Airports in the United States. *2009 Ground Water Summit and 2009 Ground Water Protection Council Spring Meeting*. Lecture conducted from Tuscon, AZ.

Wu, C., Tam, L., Clark, J., **Rosenfeld, P.** (20-22 July, 2009). Dioxin and furan blood lipid concentrations in populations living near four wood treatment facilities in the United States. Brebbia, C.A. and Popov, V., eds., *Air Pollution XVII: Proceedings of the Seventeenth International Conference on Modeling, Monitoring and Management of Air Pollution*. Lecture conducted from Tallinn, Estonia.

Rosenfeld, P. E. (October 15-18, 2007). Moss Point Community Exposure To Contaminants From A Releasing Facility. *The 23rd Annual International Conferences on Soils Sediment and Water*. Platform lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld, P. E. (October 15-18, 2007). The Repeated Trespass of Tritium-Contaminated Water Into A Surrounding Community Form Repeated Waste Spills From A Nuclear Power Plant. *The 23rd Annual International*

Conferences on Soils Sediment and Water. Platform lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld, P. E. (October 15-18, 2007). Somerville Community Exposure To Contaminants From Wood Treatment Facility Emissions. The 23rd *Annual International Conferences on Soils Sediment and Water*. Lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld P. E. (March 2007). Production, Chemical Properties, Toxicology, & Treatment Case Studies of 1,2,3-Trichloropropane (TCP). *The Association for Environmental Health and Sciences (AEHS) Annual Meeting*. Lecture conducted from San Diego, CA.

Rosenfeld P. E. (March 2007). Blood and Attic Sampling for Dioxin/Furan, PAH, and Metal Exposure in Florala, Alabama. *The AEHS Annual Meeting*. Lecture conducted from San Diego, CA.

Hensley A.R., Scott, A., **Rosenfeld P.E.**, Clark, J.J.J. (August 21 – 25, 2006). Dioxin Containing Attic Dust And Human Blood Samples Collected Near A Former Wood Treatment Facility. *The 26th International Symposium on Halogenated Persistent Organic Pollutants – DIOXIN2006*. Lecture conducted from Radisson SAS Scandinavia Hotel in Oslo Norway.

Hensley A.R., Scott, A., **Rosenfeld P.E.**, Clark, J.J.J. (November 4-8, 2006). Dioxin Containing Attic Dust And Human Blood Samples Collected Near A Former Wood Treatment Facility. *APHA 134 Annual Meeting & Exposition*. Lecture conducted from Boston Massachusetts.

Paul Rosenfeld Ph.D. (October 24-25, 2005). Fate, Transport and Persistence of PFOA and Related Chemicals. Mealey's C8/PFOA. *Science, Risk & Litigation Conference*. Lecture conducted from The Rittenhouse Hotel, Philadelphia, PA.

Paul Rosenfeld Ph.D. (September 19, 2005). Brominated Flame Retardants in Groundwater: Pathways to Human Ingestion, *Toxicology and Remediation PEMA Emerging Contaminant Conference*. Lecture conducted from Hilton Hotel, Irvine California.

Paul Rosenfeld Ph.D. (September 19, 2005). Fate, Transport, Toxicity, And Persistence of 1,2,3-TCP. *PEMA Emerging Contaminant Conference*. Lecture conducted from Hilton Hotel in Irvine, California.

Paul Rosenfeld Ph.D. (September 26-27, 2005). Fate, Transport and Persistence of PDBEs. *Mealey's Groundwater Conference*. Lecture conducted from Ritz Carlton Hotel, Marina Del Ray, California.

Paul Rosenfeld Ph.D. (June 7-8, 2005). Fate, Transport and Persistence of PFOA and Related Chemicals. *International Society of Environmental Forensics: Focus On Emerging Contaminants*. Lecture conducted from Sheraton Oceanfront Hotel, Virginia Beach, Virginia.

Paul Rosenfeld Ph.D. (July 21-22, 2005). Fate Transport, Persistence and Toxicology of PFOA and Related Perfluorochemicals. *2005 National Groundwater Association Ground Water And Environmental Law Conference*. Lecture conducted from Wyndham Baltimore Inner Harbor, Baltimore Maryland.

Paul Rosenfeld Ph.D. (July 21-22, 2005). Brominated Flame Retardants in Groundwater: Pathways to Human Ingestion, Toxicology and Remediation. *2005 National Groundwater Association Ground Water and Environmental Law Conference*. Lecture conducted from Wyndham Baltimore Inner Harbor, Baltimore Maryland.

Paul Rosenfeld, Ph.D. and James Clark Ph.D. and Rob Hesse R.G. (May 5-6, 2004). Tert-butyl Alcohol Liability and Toxicology, A National Problem and Unquantified Liability. *National Groundwater Association. Environmental Law Conference*. Lecture conducted from Congress Plaza Hotel, Chicago Illinois.

Paul Rosenfeld, Ph.D. (March 2004). Perchlorate Toxicology. *Meeting of the American Groundwater Trust*. Lecture conducted from Phoenix Arizona.

Hagemann, M.F., **Paul Rosenfeld, Ph.D.** and Rob Hesse (2004). Perchlorate Contamination of the Colorado River. *Meeting of tribal representatives*. Lecture conducted from Parker, AZ.

Paul Rosenfeld, Ph.D. (April 7, 2004). A National Damage Assessment Model For PCE and Dry Cleaners. *Drycleaner Symposium. California Ground Water Association*. Lecture conducted from Radison Hotel, Sacramento, California.

Rosenfeld, P. E., Grey, M., (June 2003) Two stage biofilter for biosolids composting odor control. *Seventh International In Situ And On Site Bioremediation Symposium Battelle Conference* Orlando, FL.

Paul Rosenfeld, Ph.D. and James Clark Ph.D. (February 20-21, 2003) Understanding Historical Use, Chemical Properties, Toxicity and Regulatory Guidance of 1,4 Dioxane. *National Groundwater Association. Southwest Focus Conference. Water Supply and Emerging Contaminants..* Lecture conducted from Hyatt Regency Phoenix Arizona.

Paul Rosenfeld, Ph.D. (February 6-7, 2003). Underground Storage Tank Litigation and Remediation. *California CUPA Forum*. Lecture conducted from Marriott Hotel, Anaheim California.

Paul Rosenfeld, Ph.D. (October 23, 2002) Underground Storage Tank Litigation and Remediation. *EPA Underground Storage Tank Roundtable*. Lecture conducted from Sacramento California.

Rosenfeld, P.E. and Suffet, M. (October 7- 10, 2002). Understanding Odor from Compost, *Wastewater and Industrial Processes. Sixth Annual Symposium On Off Flavors in the Aquatic Environment. International Water Association*. Lecture conducted from Barcelona Spain.

Rosenfeld, P.E. and Suffet, M. (October 7- 10, 2002). Using High Carbon Wood Ash to Control Compost Odor. *Sixth Annual Symposium On Off Flavors in the Aquatic Environment. International Water Association*. Lecture conducted from Barcelona Spain.

Rosenfeld, P.E. and Grey, M. A. (September 22-24, 2002). Biocycle Composting For Coastal Sage Restoration. *Northwest Biosolids Management Association*. Lecture conducted from Vancouver Washington..

Rosenfeld, P.E. and Grey, M. A. (November 11-14, 2002). Using High-Carbon Wood Ash to Control Odor at a Green Materials Composting Facility. *Soil Science Society Annual Conference*. Lecture conducted from Indianapolis, Maryland.

Rosenfeld. P.E. (September 16, 2000). Two stage biofilter for biosolids composting odor control. *Water Environment Federation*. Lecture conducted from Anaheim California.

Rosenfeld. P.E. (October 16, 2000). Wood ash and biofilter control of compost odor. *Biofest*. Lecture conducted from Ocean Shores, California.

Rosenfeld, P.E. (2000). Bioremediation Using Organic Soil Amendments. *California Resource Recovery Association*. Lecture conducted from Sacramento California.

Rosenfeld, P.E., C.L. Henry, R. Harrison. (1998). Oat and Grass Seed Germination and Nitrogen and Sulfur Emissions Following Biosolids Incorporation With High-Carbon Wood-Ash. *Water Environment Federation 12th Annual Residuals and Biosolids Management Conference Proceedings*. Lecture conducted from Bellevue Washington.

Rosenfeld, P.E., and C.L. Henry. (1999). An evaluation of ash incorporation with biosolids for odor reduction. *Soil Science Society of America*. Lecture conducted from Salt Lake City Utah.

Rosenfeld, P.E., C.L. Henry, R. Harrison. (1998). Comparison of Microbial Activity and Odor Emissions from Three Different Biosolids Applied to Forest Soil. *Brown and Caldwell*. Lecture conducted from Seattle Washington.

Rosenfeld, P.E., C.L. Henry. (1998). Characterization, Quantification, and Control of Odor Emissions from Biosolids Application To Forest Soil. *Biofest*. Lecture conducted from Lake Chelan, Washington.

Rosenfeld, P.E., C.L. Henry, R. Harrison. (1998). Oat and Grass Seed Germination and Nitrogen and Sulfur Emissions Following Biosolids Incorporation With High-Carbon Wood-Ash. Water Environment Federation 12th Annual Residuals and Biosolids Management Conference Proceedings. Lecture conducted from Bellevue Washington.

Rosenfeld, P.E., C.L. Henry, R. B. Harrison, and R. Dills. (1997). Comparison of Odor Emissions From Three Different Biosolids Applied to Forest Soil. *Soil Science Society of America*. Lecture conducted from Anaheim California.

Teaching Experience:

UCLA Department of Environmental Health (Summer 2003 through 20010) Taught Environmental Health Science 100 to students, including undergrad, medical doctors, public health professionals and nurses. Course focused on the health effects of environmental contaminants.

National Ground Water Association, Successful Remediation Technologies. Custom Course in Sante Fe, New Mexico. May 21, 2002. Focused on fate and transport of fuel contaminants associated with underground storage tanks.

National Ground Water Association; Successful Remediation Technologies Course in Chicago Illinois. April 1, 2002. Focused on fate and transport of contaminants associated with Superfund and RCRA sites.

California Integrated Waste Management Board, April and May, 2001. Alternative Landfill Caps Seminar in San Diego, Ventura, and San Francisco. Focused on both prescriptive and innovative landfill cover design.

UCLA Department of Environmental Engineering, February 5, 2002. Seminar on Successful Remediation Technologies focusing on Groundwater Remediation.

University Of Washington, Soil Science Program, Teaching Assistant for several courses including: Soil Chemistry, Organic Soil Amendments, and Soil Stability.

U.C. Berkeley, Environmental Science Program Teaching Assistant for Environmental Science 10.

Academic Grants Awarded:

California Integrated Waste Management Board. \$41,000 grant awarded to UCLA Institute of the Environment. Goal: To investigate effect of high carbon wood ash on volatile organic emissions from compost. 2001.

Synagro Technologies, Corona California: \$10,000 grant awarded to San Diego State University. Goal: investigate effect of biosolids for restoration and remediation of degraded coastal sage soils. 2000.

King County, Department of Research and Technology, Washington State. \$100,000 grant awarded to University of Washington: Goal: To investigate odor emissions from biosolids application and the effect of polymers and ash on VOC emissions. 1998.

Northwest Biosolids Management Association, Washington State. \$20,000 grant awarded to investigate effect of polymers and ash on VOC emissions from biosolids. 1997.

James River Corporation, Oregon: \$10,000 grant was awarded to investigate the success of genetically engineered Poplar trees with resistance to round-up. 1996.

United State Forest Service, Tahoe National Forest: \$15,000 grant was awarded to investigating fire ecology of the Tahoe National Forest. 1995.

Kellogg Foundation, Washington D.C. \$500 grant was awarded to construct a large anaerobic digester on St. Kitts in West Indies. 1993

Deposition and/or Trial Testimony:

In the Circuit Court Of The Twentieth Judicial Circuit, St Clair County, Illinois
Martha Custer et al., Plaintiff vs. Cerro Flow Products, Inc., Defendants
Case No.: No. 0i9-L-2295
Rosenfeld Deposition, 5-14-2021
Trial, October 8-4-2021

In the Circuit Court of Cook County Illinois
Joseph Rafferty, Plaintiff vs. Consolidated Rail Corporation and National Railroad Passenger Corporation
d/b/a AMTRAK,
Case No.: No. 18-L-6845
Rosenfeld Deposition, 6-28-2021

In the United States District Court For the Northern District of Illinois
Theresa Romcoe, Plaintiff vs. Northeast Illinois Regional Commuter Railroad Corporation d/b/a METRA
Rail, Defendants
Case No.: No. 17-cv-8517
Rosenfeld Deposition, 5-25-2021

In the Superior Court of the State of Arizona In and For the Cuntly of Maricopa
Mary Tryon et al., Plaintiff vs. The City of Pheonix v. Cox Cactus Farm, L.L.C., Utah Shelter Systems, Inc.
Case Number CV20127-094749
Rosenfeld Deposition: 5-7-2021

In the United States District Court for the Eastern District of Texas Beaumont Division
Robinson, Jeremy et al *Plaintiffs*, vs. CNA Insurance Company et al.
Case Number 1:17-cv-000508
Rosenfeld Deposition: 3-25-2021

In the Superior Court of the State of California, County of San Bernardino
Gary Garner, Personal Representative for the Estate of Melvin Garner vs. BNSF Railway Company.
Case No. 1720288
Rosenfeld Deposition 2-23-2021

In the Superior Court of the State of California, County of Los Angeles, Spring Street Courthouse
Benny M Rodriguez vs. Union Pacific Railroad, A Corporation, et al.
Case No. 18STCV01162
Rosenfeld Deposition 12-23-2020

In the Circuit Court of Jackson County, Missouri
Karen Cornwell, *Plaintiff*, vs. Marathon Petroleum, LP, *Defendant*.
Case No.: 1716-CV10006
Rosenfeld Deposition. 8-30-2019

In the United States District Court For The District of New Jersey
Duarte et al, *Plaintiffs*, vs. United States Metals Refining Company et. al. *Defendant*.
Case No.: 2:17-cv-01624-ES-SCM
Rosenfeld Deposition. 6-7-2019

In the United States District Court of Southern District of Texas Galveston Division
M/T Carla Maersk, *Plaintiffs*, vs. Conti 168., Schiffahrts-GMBH & Co. Bulker KG MS “Conti Perdido”
Defendant.
Case No.: 3:15-CV-00106 consolidated with 3:15-CV-00237
Rosenfeld Deposition. 5-9-2019

In The Superior Court of the State of California In And For The County Of Los Angeles – Santa Monica
Carole-Taddeo-Bates et al., vs. Ifran Khan et al., Defendants
Case No.: No. BC615636
Rosenfeld Deposition, 1-26-2019

In The Superior Court of the State of California In And For The County Of Los Angeles – Santa Monica
The San Gabriel Valley Council of Governments et al. vs El Adobe Apts. Inc. et al., Defendants
Case No.: No. BC646857
Rosenfeld Deposition, 10-6-2018; Trial 3-7-19

In United States District Court For The District of Colorado
Bells et al. Plaintiff vs. The 3M Company et al., Defendants
Case No.: 1:16-cv-02531-RBJ
Rosenfeld Deposition, 3-15-2018 and 4-3-2018

In The District Court Of Regan County, Texas, 112th Judicial District
Phillip Bales et al., Plaintiff vs. Dow Agrosiences, LLC, et al., Defendants
Cause No.: 1923
Rosenfeld Deposition, 11-17-2017

In The Superior Court of the State of California In And For The County Of Contra Costa
Simons et al., Plaintiffs vs. Chevron Corporation, et al., Defendants
Cause No C12-01481
Rosenfeld Deposition, 11-20-2017

In The Circuit Court Of The Twentieth Judicial Circuit, St Clair County, Illinois
Martha Custer et al., Plaintiff vs. Cerro Flow Products, Inc., Defendants
Case No.: No. 0i9-L-2295
Rosenfeld Deposition, 8-23-2017

In United States District Court For The Southern District of Mississippi
Guy Manuel vs. The BP Exploration et al., Defendants
Case: No 1:19-cv-00315-RHW
Rosenfeld Deposition, 4-22-2020

In The Superior Court of the State of California, For The County of Los Angeles
Warrn Gilbert and Penny Gilber, Plaintiff vs. BMW of North America LLC
Case No.: LC102019 (c/w BC582154)
Rosenfeld Deposition, 8-16-2017, Trail 8-28-2018

In the Northern District Court of Mississippi, Greenville Division
Brenda J. Cooper, et al., *Plaintiffs*, vs. Meritor Inc., et al., *Defendants*
Case Number: 4:16-cv-52-DMB-JVM
Rosenfeld Deposition: July 2017

In The Superior Court of the State of Washington, County of Snohomish
Michael Davis and Julie Davis et al., Plaintiff vs. Cedar Grove Composting Inc., Defendants
Case No.: No. 13-2-03987-5
Rosenfeld Deposition, February 2017
Trial, March 2017

In The Superior Court of the State of California, County of Alameda
Charles Spain., Plaintiff vs. Thermo Fisher Scientific, et al., Defendants
Case No.: RG14711115
Rosenfeld Deposition, September 2015

In The Iowa District Court In And For Poweshiek County
Russell D. Winburn, et al., Plaintiffs vs. Doug Hoksbergen, et al., Defendants
Case No.: LALA002187
Rosenfeld Deposition, August 2015

In The Circuit Court of Ohio County, West Virginia
Robert Andrews, et al. v. Antero, et al.
Civil Action NO. 14-C-30000
Rosenfeld Deposition, June 2015

In The Iowa District Court For Muscatine County
Laurie Freeman et. al. Plaintiffs vs. Grain Processing Corporation, Defendant
Case No 4980
Rosenfeld Deposition: May 2015

In the Circuit Court of the 17th Judicial Circuit, in and For Broward County, Florida
Walter Hinton, et. al. Plaintiff, vs. City of Fort Lauderdale, Florida, a Municipality, Defendant.
Case Number CACE07030358 (26)
Rosenfeld Deposition: December 2014

In the County Court of Dallas County Texas
Lisa Parr et al, *Plaintiff*, vs. Aruba et al, *Defendant*.
Case Number cc-11-01650-E
Rosenfeld Deposition: March and September 2013
Rosenfeld Trial: April 2014

In the Court of Common Pleas of Tuscarawas County Ohio
John Michael Abicht, et al., *Plaintiffs*, vs. Republic Services, Inc., et al., *Defendants*
Case Number: 2008 CT 10 0741 (Cons. w/ 2009 CV 10 0987)
Rosenfeld Deposition: October 2012

In the United States District Court for the Middle District of Alabama, Northern Division
James K. Benefield, et al., *Plaintiffs*, vs. International Paper Company, *Defendant*.
Civil Action Number 2:09-cv-232-WHA-TFM
Rosenfeld Deposition: July 2010, June 2011

In the Circuit Court of Jefferson County Alabama
Jaeanette Moss Anthony, et al., *Plaintiffs*, vs. Drummond Company Inc., et al., *Defendants*
Civil Action No. CV 2008-2076
Rosenfeld Deposition: September 2010

In the United States District Court, Western District Lafayette Division
Ackle et al., *Plaintiffs*, vs. Citgo Petroleum Corporation, et al., *Defendants*.
Case Number 2:07CV1052
Rosenfeld Deposition: July 2009

CENTER FOR COMMUNITY ACTION AND ENVIRONMENTAL JUSTICE

"Bringing People Together to Improve Our Social and Natural Environment"

April 12, 2022

County of San Bernardino, Land Use Services Department
Attn: Steven Valdez, Senior Planner
385 N. Arrowhead Avenue, 1st Floor
San Bernardino, CA 92415-0182

Submitted via email to steven.valdez@lus.sbcounty.gov.

Re: 15719 and 15755 Arrow Route Warehouse Mitigated Negative Declaration (SCH 2022030365)

Dear Mr. Valdez,

This letter is in response to the Initial Study-Mitigated Negative Declaration that has been prepared and made available for the 15719 and 15755 Arrow Route Warehouse ("Project") that has been proposed. After reviewing the material, we would like to underscore the importance of ensuring that the Project adheres to applicable air quality and GHG standards. While we would prefer to not see another warehouse sited in the area, we are heartened to see that at least a Health Risk Assessment was completed for the Project and anticipate that it will continue to guide the development of the Project to ensure that no communities face additional exposures due to the Project.

It is vital that the Project focus on limiting truck traffic and ultimately the amount of pollution the community is exposed to. Although the MND indicates that no significant impacts would result from the Project, it is still imperative that the Project be built for ease of conversion to fully electrified service as quickly as possible. We also want to make sure that truck traffic serving the Project site be directed to travel routes that limit the exposure to sensitive receptor sites including schools, daycares, clinics, and parks, particularly during times of the day when sensitive receptors would be most likely to be exposed to the pollution from the truck traffic.

Finally, the Project site is only around a third of a mile from the Pacific-Electric Trail which connects communities across several cities from Claremont to Rialto. Although the Project is already expecting to have a lower VMT than regional average, the proximity to the trail provides additional opportunity to help reduce VMT even further, but it is crucial that the design of the built infrastructure enforce, not hinder that outcome. We would urge the County to provide bikeways along the Project frontage which meet the standards set out by Caltrans¹ or the FHWA² to maximize the opportunity of new infrastructure.

¹ Flournoy, M. (2020). Contextual guidance for bike facilities. Caltrans. Retrieved from <https://dot.ca.gov/-/media/dot-media/programs/transportation-planning/documents/office-of-smart-mobility-and-climate-change/planning-contextual-guidance-memo-03-11-20-a11y.pdf>.

² Schultheiss, B., Goodman, D., Blackburn, L., Wood, A., Reed, D., & Elbech, M. (2019). Bikeway selection guide (FHWA-SA-18-077). US Department of Transportation, Federal Highway Administration. Retrieved from https://safety.fhwa.dot.gov/ped_bike/tools_solve/docs/fhwasa18077.pdf.

CENTER FOR COMMUNITY ACTION AND ENVIRONMENTAL JUSTICE

"Bringing People Together to Improve Our Social and Natural Environment"


Thank you for this opportunity to provide comments and help ensure that as projects are brought forward, that they provide the maximum benefit to the community while avoiding negative impacts on its people. If there are any questions about these comments, please do not hesitate to reach out for clarification or answers.

Sincerely,



Marven Norman
Policy Specialist

CCA EJ is a long-standing community based organization with over 40 years of experience advocating for stronger regulations through strategic campaigns and building a base of community power. Most notably, CCA EJ's founder Penny Newman won a landmark federal case against Stringfellow Construction which resulted in the 'Stringfellow Acid Pits' being declared one of the first Superfund sites in the nation. **CCA EJ** prioritizes community voices as we continue our grassroots efforts to bring lasting environmental justice to the Inland Valley Region.



Mailing Address
P.O. Box 33124
Jurupa Valley CA 92519

Physical Address
3840 Sunnyhill Drive, Suite A
Jurupa Valley CA 92509

Tel: 951-360-8451
Fax: 951-360-5950
www.ccae.org

From: [A.S](#)
To: [Valdez, Steven](#)
Cc: [Terrance Lucio](#); [PATRICK HANINGER](#); [Unknown](#); jbourgeois029@gmail.com
Subject: 15719 AND 15755 ARROW ROUTE WAREHOUSE
Date: Wednesday, April 13, 2022 12:11:11 PM

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you can confirm the sender and know the content is safe.

Good Afternoon Mr. Valdez,

I am emailing in regards to the 15719 and 15755 Arrow Route Warehouse.

Please provide any updates to the above mentioned project.

I am requesting under Public Resource Code Section 21092.2 to add the email addresses and mailing address below to the notification list, regarding any subsequent environmental documents, public notices, public hearings, and notices of determination for this project.

t.lucio57@gmail.com

phaninger1@gmail.com

jbourg2271@aol.com

jbourgeois029@gmail.com

asalcido.07@gmail.com

Mailing Address:

P.O. Box 79222

Corona, CA 92877

Please confirm receipt of this email.

Thank You,

Adam Salcido

P: (626) 381-9248
F: (626) 389-5414
E: info@mitchtsailaw.com



139 South Hudson Avenue
Suite 200
Pasadena, California 91101

VIA E-MAIL

April 18, 2022

Steven Valdez
Senior Planner
County of San Bernardino
385 North Arrowhead Avenue, 1st Floor
San Bernardino, CA 92415
Em: steven.valdez@lus.sbcounty.gov

**RE: City of San Bernardino The 15719 and 15755 Arrow Route
Warehouse Project**

Dear Steven Valdez,

On behalf of the Southwest Regional Council of Carpenters (“**Southwest Carpenters**” or “**SWRCC**”), my Office is submitting these comments for the County of San Bernardino’s (the “**County**”) Initial Study/Mitigated Negative Declaration (“**IS/MND**”) for the 15719 and 15755 Arrow Route Warehouse Project (“**Project**”).

The Southwest Carpenters is a labor union representing 50,000 union carpenters in six states, including California, and has a strong interest in well ordered land use planning and addressing the environmental impacts of development projects.

Individual members of the Southwest Carpenters live, work and recreate in the County and surrounding communities and would be directly affected by the Project’s environmental impacts.

SWRCC expressly reserves the right to supplement these comments at or prior to hearings on the Project, and at any later hearings and proceedings related to this Project. Cal. Gov. Code § 65009(b); Cal. Pub. Res. Code § 21177(a); *Bakersfield Citizens for Local Control v. Bakersfield* (2004) 124 Cal. App. 4th 1184, 1199-1203; see *Galante Vineyards v. Monterey Water Dist.* (1997) 60 Cal. App. 4th 1109, 1121.

SWRCC incorporates by reference all comments raising issues regarding the EIR submitted prior to certification of the EIR for the Project. *Citizens for Clean Energy v City of Woodland* (2014) 225 Cal. App. 4th 173, 191 (finding that any party who has objected

to the Project’s environmental documentation may assert any issue timely raised by other parties).

Moreover, SWRCC requests that the County provide notice for any and all notices referring or related to the Project issued under the California Environmental Quality Act (“**CEQA**”), Cal Public Resources Code (“**PRC**”) § 21000 *et seq*, and the California Planning and Zoning Law (“**Planning and Zoning Law**”), Cal. Gov’t Code §§ 65000–65010. California Public Resources Code Sections 21092.2, and 21167(f) and Government Code Section 65092 require agencies to mail such notices to any person who has filed a written request for them with the clerk of the agency’s governing body.

The City should require the use of a local skilled and trained workforce to benefit the community’s economic development and environment. The County should require the use of workers who have graduated from a Joint Labor Management apprenticeship training program approved by the State of California, or have at least as many hours of on-the-job experience in the applicable craft which would be required to graduate from such a state approved apprenticeship training program or who are registered apprentices in an apprenticeship training program approved by the State of California.

Community benefits such as local hire and skilled and trained workforce requirements can also be helpful to reduce environmental impacts and improve the positive economic impact of the Project. Local hire provisions requiring that a certain percentage of workers reside within 10 miles or less of the Project Site can reduce the length of vendor trips, reduce greenhouse gas emissions and providing localized economic benefits. Local hire provisions requiring that a certain percentage of workers reside within 10 miles or less of the Project Site can reduce the length of vendor trips, reduce greenhouse gas emissions and providing localized economic benefits. As environmental consultants Matt Hagemann and Paul E. Rosenfeld note:

[A]ny local hire requirement that results in a decreased worker trip length from the default value has the potential to result in a reduction of construction-related GHG emissions, though the significance of the reduction would vary based on the location and urbanization level of the project site.

March 8, 2021 SWAPE Letter to Mitchell M. Tsai re Local Hire Requirements and Considerations for Greenhouse Gas Modeling.

Skilled and trained workforce requirements promote the development of skilled trades that yield sustainable economic development. As the California Workforce Development Board and the UC Berkeley Center for Labor Research and Education concluded:

. . . labor should be considered an investment rather than a cost – and investments in growing, diversifying, and upskilling California’s workforce can positively affect returns on climate mitigation efforts. In other words, well trained workers are key to delivering emissions reductions and moving California closer to its climate targets.¹

Local skilled and trained workforce requirements and policies have significant environmental benefits since they improve an area’s jobs-housing balance, decreasing the amount of and length of job commutes and their associated greenhouse gas emissions. Recently, on May 7, 2021, the South Coast Air Quality Management District found that that the “[u]se of a local state-certified apprenticeship program or a skilled and trained workforce with a local hire component” can result in air pollutant reductions.²

Cities are increasingly adopting local skilled and trained workforce policies and requirements into general plans and municipal codes. For example, the City of Hayward 2040 General Plan requires the City to “promote local hiring . . . to help achieve a more positive jobs-housing balance, and reduce regional commuting, gas consumption, and greenhouse gas emissions.”³

In fact, the City of Hayward has gone as far as to adopt a Skilled Labor Force policy into its Downtown Specific Plan and municipal code, requiring developments in its Downtown area to requiring that the City “[c]ontribute to the stabilization of regional construction markets by spurring applicants of

¹ California Workforce Development Board (2020) Putting California on the High Road: A Jobs and Climate Action Plan for 2030 at p. ii, *available at* <https://laborcenter.berkeley.edu/wp-content/uploads/2020/09/Putting-California-on-the-High-Road.pdf>.

² South Coast Air Quality Management District (May 7, 2021) Certify Final Environmental Assessment and Adopt Proposed Rule 2305 – Warehouse Indirect Source Rule – Warehouse Actions and Investments to Reduce Emissions Program, and Proposed Rule 316 – Fees for Rule 2305, Submit Rule 2305 for Inclusion Into the SIP, and Approve Supporting Budget Actions, *available at* <http://www.aqmd.gov/docs/default-source/Agendas/Governing-Board/2021/2021-May7-027.pdf?sfvrsn=10>

³ City of Hayward (2014) Hayward 2040 General Plan Policy Document at p. 3-99, *available at* https://www.hayward-ca.gov/sites/default/files/documents/General_Plan_FINAL.pdf.

housing and nonresidential developments to require contractors to utilize apprentices from state-approved, joint labor-management training programs, .”⁴ In addition, the City of Hayward requires all projects 30,000 square feet or larger to “utilize apprentices from state-approved, joint labor-management training programs.”⁵

Locating jobs closer to residential areas can have significant environmental benefits. . As the California Planning Roundtable noted in 2008:

People who live and work in the same jurisdiction would be more likely to take transit, walk, or bicycle to work than residents of less balanced communities and their vehicle trips would be shorter. Benefits would include potential reductions in both vehicle miles traveled and vehicle hours traveled.⁶

In addition, local hire mandates as well as skill training are critical facets of a strategy to reduce vehicle miles traveled. As planning experts Robert Cervero and Michael Duncan noted, simply placing jobs near housing stock is insufficient to achieve VMT reductions since the skill requirements of available local jobs must be matched to those held by local residents.⁷ Some municipalities have tied local hire and skilled and trained workforce policies to local development permits to address transportation issues. As Cervero and Duncan note:

In nearly built-out Berkeley, CA, the approach to balancing jobs and housing is to create local jobs rather than to develop new housing.” The city’s First Source program encourages businesses to hire local residents, especially for entry- and intermediate-level jobs, and sponsors vocational training to ensure residents are employment-ready. While the program is voluntary, some 300 businesses have used it to date, placing more than

⁴ City of Hayward (2019) Hayward Downtown Specific Plan at p. 5-24, *available at* <https://www.hayward-ca.gov/sites/default/files/Hayward%20Downtown%20Specific%20Plan.pdf>.

⁵ City of Hayward Municipal Code, Chapter 10, § 28.5.3.020(C).


⁶ California Planning Roundtable (2008) Deconstructing Jobs-Housing Balance at p. 6, *available at* <https://cproundtable.org/static/media/uploads/publications/cpr-jobs-housing.pdf>.

⁷ Cervero, Robert and Duncan, Michael (2006) Which Reduces Vehicle Travel More: Jobs-Housing Balance or Retail-Housing Mixing? Journal of the American Planning Association 72 (4), 475-490, 482, *available at* <http://reconnectingamerica.org/assets/Uploads/UTCT-825.pdf>.

3,000 city residents in local jobs since it was launched in 1986. When needed, these carrots are matched by sticks, since the city is not shy about negotiating corporate participation in First Source as a condition of approval for development permits.

The County should consider utilizing skilled and trained workforce policies and requirements to benefit the local area economically and mitigate greenhouse gas, air quality and transportation impacts.

Sincerely,



Mitchell M. Tsai

Attorneys for Southwest Regional
Council of Carpenters

Attached:

March 8, 2021 SWAPE Letter to Mitchell M. Tsai re Local Hire Requirements and Considerations for Greenhouse Gas Modeling (Exhibit A);

Air Quality and GHG Expert Paul Rosenfeld CV (Exhibit B); and

Air Quality and GHG Expert Matt Hagemann CV (Exhibit C).

EXHIBIT A



Technical Consultation, Data Analysis and
Litigation Support for the Environment

2656 29th Street, Suite 201
Santa Monica, CA 90405

Matt Hagemann, P.G, C.Hg.
(949) 887-9013
mhagemann@swape.com

Paul E. Rosenfeld, PhD
(310) 795-2335
prosenfeld@swape.com

March 8, 2021

Mitchell M. Tsai
155 South El Molino, Suite 104
Pasadena, CA 91101

Subject: Local Hire Requirements and Considerations for Greenhouse Gas Modeling

Dear Mr. Tsai,

Soil Water Air Protection Enterprise ("SWAPE") is pleased to provide the following draft technical report explaining the significance of worker trips required for construction of land use development projects with respect to the estimation of greenhouse gas ("GHG") emissions. The report will also discuss the potential for local hire requirements to reduce the length of worker trips, and consequently, reduced or mitigate the potential GHG impacts.

Worker Trips and Greenhouse Gas Calculations

The California Emissions Estimator Model ("CalEEMod") is a "statewide land use emissions computer model designed to provide a uniform platform for government agencies, land use planners, and environmental professionals to quantify potential criteria pollutant and greenhouse gas (GHG) emissions associated with both construction and operations from a variety of land use projects."¹ CalEEMod quantifies construction-related emissions associated with land use projects resulting from off-road construction equipment; on-road mobile equipment associated with workers, vendors, and hauling; fugitive dust associated with grading, demolition, truck loading, and on-road vehicles traveling along paved and unpaved roads; and architectural coating activities; and paving.²

The number, length, and vehicle class of worker trips are utilized by CalEEMod to calculate emissions associated with the on-road vehicle trips required to transport workers to and from the Project site during construction.³

¹ "California Emissions Estimator Model." CAPCOA, 2017, available at: <http://www.aqmd.gov/caleemod/home>.

² "California Emissions Estimator Model." CAPCOA, 2017, available at: <http://www.aqmd.gov/caleemod/home>.

³ "CalEEMod User's Guide." CAPCOA, November 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/01_user-39-s-guide2016-3-2_15november2017.pdf?sfvrsn=4, p. 34.

Specifically, the number and length of vehicle trips is utilized to estimate the vehicle miles travelled (“VMT”) associated with construction. Then, utilizing vehicle-class specific EMFAC 2014 emission factors, CalEEMod calculates the vehicle exhaust, evaporative, and dust emissions resulting from construction-related VMT, including personal vehicles for worker commuting.⁴

Specifically, in order to calculate VMT, CalEEMod multiplies the average daily trip rate by the average overall trip length (see excerpt below):

$$\text{“VMT}_d = \Sigma(\text{Average Daily Trip Rate}_i * \text{Average Overall Trip Length}_i) _n$$

Where:

n = Number of land uses being modeled.”⁵

Furthermore, to calculate the on-road emissions associated with worker trips, CalEEMod utilizes the following equation (see excerpt below):

$$\text{“Emissions}_{\text{pollutant}} = \text{VMT} * \text{EF}_{\text{running,pollutant}}$$

Where:

$\text{Emissions}_{\text{pollutant}}$ = emissions from vehicle running for each pollutant

VMT = vehicle miles traveled

$\text{EF}_{\text{running,pollutant}}$ = emission factor for running emissions.”⁶

Thus, there is a direct relationship between trip length and VMT, as well as a direct relationship between VMT and vehicle running emissions. In other words, when the trip length is increased, the VMT and vehicle running emissions increase as a result. Thus, vehicle running emissions can be reduced by decreasing the average overall trip length, by way of a local hire requirement or otherwise.

Default Worker Trip Parameters and Potential Local Hire Requirements

As previously discussed, the number, length, and vehicle class of worker trips are utilized by CalEEMod to calculate emissions associated with the on-road vehicle trips required to transport workers to and from the Project site during construction.⁷ In order to understand how local hire requirements and associated worker trip length reductions impact GHG emissions calculations, it is important to consider the CalEEMod default worker trip parameters. CalEEMod provides recommended default values based on site-specific information, such as land use type, meteorological data, total lot acreage, project type and typical equipment associated with project type. If more specific project information is known, the user can change the default values and input project-specific values, but the California Environmental Quality Act (“CEQA”) requires that such changes be justified by substantial evidence.⁸ The default number of construction-related worker trips is calculated by multiplying the

⁴ “Appendix A Calculation Details for CalEEMod.” CAPCOA, October 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6, p. 14-15.

⁵ “Appendix A Calculation Details for CalEEMod.” CAPCOA, October 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6, p. 23.

⁶ “Appendix A Calculation Details for CalEEMod.” CAPCOA, October 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6, p. 15.

⁷ “CalEEMod User’s Guide.” CAPCOA, November 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/01_user-39-s-guide2016-3-2_15november2017.pdf?sfvrsn=4, p. 34.

⁸ CalEEMod User Guide, available at: <http://www.caleemod.com/>, p. 1, 9.

number of pieces of equipment for all phases by 1.25, with the exception of worker trips required for the building construction and architectural coating phases.⁹ Furthermore, the worker trip vehicle class is a 50/25/25 percent mix of light duty autos, light duty truck class 1 and light duty truck class 2, respectively.”¹⁰ Finally, the default worker trip length is consistent with the length of the operational home-to-work vehicle trips.¹¹ The operational home-to-work vehicle trip lengths are:

“[B]ased on the location and urbanization selected on the project characteristic screen. These values were supplied by the air districts or use a default average for the state. Each district (or county) also assigns trip lengths for urban and rural settings” (emphasis added).¹²

Thus, the default worker trip length is based on the location and urbanization level selected by the User when modeling emissions. The below table shows the CalEEMod default rural and urban worker trip lengths by air basin (see excerpt below and Attachment A).¹³

Worker Trip Length by Air Basin		
Air Basin	Rural (miles)	Urban (miles)
Great Basin Valleys	16.8	10.8
Lake County	16.8	10.8
Lake Tahoe	16.8	10.8
Mojave Desert	16.8	10.8
Mountain Counties	16.8	10.8
North Central Coast	17.1	12.3
North Coast	16.8	10.8
Northeast Plateau	16.8	10.8
Sacramento Valley	16.8	10.8
Salton Sea	14.6	11
San Diego	16.8	10.8
San Francisco Bay Area	10.8	10.8
San Joaquin Valley	16.8	10.8
South Central Coast	16.8	10.8
South Coast	19.8	14.7
Average	16.47	11.17
Minimum	10.80	10.80
Maximum	19.80	14.70
Range	9.00	3.90

⁹ “CalEEMod User’s Guide.” CAPCOA, November 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/01_user-39-s-guide2016-3-2_15november2017.pdf?sfvrsn=4, p. 34.

¹⁰ “Appendix A Calculation Details for CalEEMod.” CAPCOA, October 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6, p. 15.

¹¹ “Appendix A Calculation Details for CalEEMod.” CAPCOA, October 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6, p. 14.

¹² “Appendix A Calculation Details for CalEEMod.” CAPCOA, October 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6, p. 21.

¹³ “Appendix D Default Data Tables.” CAPCOA, October 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/05_appendix-d2016-3-2.pdf?sfvrsn=4, p. D-84 – D-86.

As demonstrated above, default rural worker trip lengths for air basins in California vary from 10.8- to 19.8- miles, with an average of 16.47 miles. Furthermore, default urban worker trip lengths vary from 10.8- to 14.7- miles, with an average of 11.17 miles. Thus, while default worker trip lengths vary by location, default urban worker trip lengths tend to be shorter in length. Based on these trends evident in the CalEEMod default worker trip lengths, we can reasonably assume that the efficacy of a local hire requirement is especially dependent upon the urbanization of the project site, as well as the project location.

Practical Application of a Local Hire Requirement and Associated Impact

To provide an example of the potential impact of a local hire provision on construction-related GHG emissions, we estimated the significance of a local hire provision for the Village South Specific Plan (“Project”) located in the City of Claremont (“City”). The Project proposed to construct 1,000 residential units, 100,000-SF of retail space, 45,000-SF of office space, as well as a 50-room hotel, on the 24-acre site. The Project location is classified as Urban and lies within the Los Angeles-South Coast County. As a result, the Project has a default worker trip length of 14.7 miles.¹⁴ In an effort to evaluate the potential for a local hire provision to reduce the Project’s construction-related GHG emissions, we prepared an updated model, reducing all worker trip lengths to 10 miles (see Attachment B). Our analysis estimates that if a local hire provision with a 10-mile radius were to be implemented, the GHG emissions associated with Project construction would decrease by approximately 17% (see table below and Attachment C).

Local Hire Provision Net Change	
Without Local Hire Provision	
Total Construction GHG Emissions (MT CO ₂ e)	3,623
Amortized Construction GHG Emissions (MT CO ₂ e/year)	120.77
With Local Hire Provision	
Total Construction GHG Emissions (MT CO ₂ e)	3,024
Amortized Construction GHG Emissions (MT CO ₂ e/year)	100.80
% Decrease in Construction-related GHG Emissions	17%

As demonstrated above, by implementing a local hire provision requiring 10 mile worker trip lengths, the Project could reduce potential GHG emissions associated with construction worker trips. More broadly, any local hire requirement that results in a decreased worker trip length from the default value has the potential to result in a reduction of construction-related GHG emissions, though the significance of the reduction would vary based on the location and urbanization level of the project site.

This serves as an example of the potential impacts of local hire requirements on estimated project-level GHG emissions, though it does not indicate that local hire requirements would result in reduced construction-related GHG emission for all projects. As previously described, the significance of a local hire requirement depends on the worker trip length enforced and the default worker trip length for the project’s urbanization level and location.

¹⁴ “Appendix D Default Data Tables.” CAPCOA, October 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/05_appendix-d2016-3-2.pdf?sfvrsn=4, p. D-85.

Disclaimer

SWAPE has received limited discovery. Additional information may become available in the future; thus, we retain the right to revise or amend this report when additional information becomes available. Our professional services have been performed using that degree of care and skill ordinarily exercised, under similar circumstances, by reputable environmental consultants practicing in this or similar localities at the time of service. No other warranty, expressed or implied, is made as to the scope of work, work methodologies and protocols, site conditions, analytical testing results, and findings presented. This report reflects efforts which were limited to information that was reasonably accessible at the time of the work, and may contain informational gaps, inconsistencies, or otherwise be incomplete due to the unavailability or uncertainty of information obtained or provided by third parties.

Sincerely,

A handwritten signature in blue ink, appearing to read "M Hagemann".

Matt Hagemann, P.G., C.Hg.

A handwritten signature in blue ink, appearing to read "Paul Rosenfeld".

Paul E. Rosenfeld, Ph.D.

Location Type	Location Name	Rural H-W (miles)	Urban H-W (miles)
Air Basin	Great Basin	16.8	10.8
Air Basin	Lake County	16.8	10.8
Air Basin	Lake Tahoe	16.8	10.8
Air Basin	Mojave Desert	16.8	10.8
Air Basin	Mountain	16.8	10.8
Air Basin	North Central	17.1	12.3
Air Basin	North Coast	16.8	10.8
Air Basin	Northeast	16.8	10.8
Air Basin	Sacramento	16.8	10.8
Air Basin	Salton Sea	14.6	11
Air Basin	San Diego	16.8	10.8
Air Basin	San Francisco	10.8	10.8
Air Basin	San Joaquin	16.8	10.8
Air Basin	South Central	16.8	10.8
Air Basin	South Coast	19.8	14.7
Air District	Amador County	16.8	10.8
Air District	Antelope Valley	16.8	10.8
Air District	Bay Area AQMD	10.8	10.8
Air District	Butte County	12.54	12.54
Air District	Calaveras	16.8	10.8
Air District	Colusa County	16.8	10.8
Air District	El Dorado	16.8	10.8
Air District	Feather River	16.8	10.8
Air District	Glenn County	16.8	10.8
Air District	Great Basin	16.8	10.8
Air District	Imperial County	10.2	7.3
Air District	Kern County	16.8	10.8
Air District	Lake County	16.8	10.8
Air District	Lassen County	16.8	10.8
Air District	Mariposa	16.8	10.8
Air District	Mendocino	16.8	10.8
Air District	Modoc County	16.8	10.8
Air District	Mojave Desert	16.8	10.8
Air District	Monterey Bay	16.8	10.8
Air District	North Coast	16.8	10.8
Air District	Northern Sierra	16.8	10.8
Air District	Northern	16.8	10.8
Air District	Placer County	16.8	10.8
Air District	Sacramento	15	10

Air District	San Diego	16.8	10.8
Air District	San Joaquin	16.8	10.8
Air District	San Luis Obispo	13	13
Air District	Santa Barbara	8.3	8.3
Air District	Shasta County	16.8	10.8
Air District	Siskiyou County	16.8	10.8
Air District	South Coast	19.8	14.7
Air District	Tehama County	16.8	10.8
Air District	Tuolumne	16.8	10.8
Air District	Ventura County	16.8	10.8
Air District	Yolo/Solano	15	10
County	Alameda	10.8	10.8
County	Alpine	16.8	10.8
County	Amador	16.8	10.8
County	Butte	12.54	12.54
County	Calaveras	16.8	10.8
County	Colusa	16.8	10.8
County	Contra Costa	10.8	10.8
County	Del Norte	16.8	10.8
County	El Dorado-Lake	16.8	10.8
County	El Dorado-	16.8	10.8
County	Fresno	16.8	10.8
County	Glenn	16.8	10.8
County	Humboldt	16.8	10.8
County	Imperial	10.2	7.3
County	Inyo	16.8	10.8
County	Kern-Mojave	16.8	10.8
County	Kern-San	16.8	10.8
County	Kings	16.8	10.8
County	Lake	16.8	10.8
County	Lassen	16.8	10.8
County	Los Angeles-	16.8	10.8
County	Los Angeles-	19.8	14.7
County	Madera	16.8	10.8
County	Marin	10.8	10.8
County	Mariposa	16.8	10.8
County	Mendocino-	16.8	10.8
County	Mendocino-	16.8	10.8
County	Mendocino-	16.8	10.8
County	Mendocino-	16.8	10.8
County	Merced	16.8	10.8
County	Modoc	16.8	10.8
County	Mono	16.8	10.8
County	Monterey	16.8	10.8
County	Napa	10.8	10.8

County	Nevada	16.8	10.8
County	Orange	19.8	14.7
County	Placer-Lake	16.8	10.8
County	Placer-Mountain	16.8	10.8
County	Placer-	16.8	10.8
County	Plumas	16.8	10.8
County	Riverside-	16.8	10.8
County	Riverside-	19.8	14.7
County	Riverside-Salton	14.6	11
County	Riverside-South	19.8	14.7
County	Sacramento	15	10
County	San Benito	16.8	10.8
County	San Bernardino-	16.8	10.8
County	San Bernardino-	19.8	14.7
County	San Diego	16.8	10.8
County	San Francisco	10.8	10.8
County	San Joaquin	16.8	10.8
County	San Luis Obispo	13	13
County	San Mateo	10.8	10.8
County	Santa Barbara-	8.3	8.3
County	Santa Barbara-	8.3	8.3
County	Santa Clara	10.8	10.8
County	Santa Cruz	16.8	10.8
County	Shasta	16.8	10.8
County	Sierra	16.8	10.8
County	Siskiyou	16.8	10.8
County	Solano-	15	10
County	Solano-San	16.8	10.8
County	Sonoma-North	16.8	10.8
County	Sonoma-San	10.8	10.8
County	Stanislaus	16.8	10.8
County	Sutter	16.8	10.8
County	Tehama	16.8	10.8
County	Trinity	16.8	10.8
County	Tulare	16.8	10.8
County	Tuolumne	16.8	10.8
County	Ventura	16.8	10.8
County	Yolo	15	10
County	Yuba	16.8	10.8
Statewide	Statewide	16.8	10.8

Worker Trip Length by Air Basin		
Air Basin	Rural (miles)	Urban (miles)
Great Basin Valleys	16.8	10.8
Lake County	16.8	10.8
Lake Tahoe	16.8	10.8
Mojave Desert	16.8	10.8
Mountain Counties	16.8	10.8
North Central Coast	17.1	12.3
North Coast	16.8	10.8
Northeast Plateau	16.8	10.8
Sacramento Valley	16.8	10.8
Salton Sea	14.6	11
San Diego	16.8	10.8
San Francisco Bay Area	10.8	10.8
San Joaquin Valley	16.8	10.8
South Central Coast	16.8	10.8
South Coast	19.8	14.7
Average	16.47	11.17
Minimum	10.80	10.80
Maximum	19.80	14.70
Range	9.00	3.90

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	9			Operational Year	2028
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82
tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

2.1 Overall Construction**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2021	0.1713	1.8242	1.1662	2.4000e-003	0.4169	0.0817	0.4986	0.1795	0.0754	0.2549	0.0000	213.1969	213.1969	0.0601	0.0000	214.6993
2022	0.6904	4.1142	6.1625	0.0189	1.3058	0.1201	1.4259	0.3460	0.1128	0.4588	0.0000	1,721.6826	1,721.6826	0.1294	0.0000	1,724.9187
2023	0.6148	3.3649	5.6747	0.0178	1.1963	0.0996	1.2959	0.3203	0.0935	0.4138	0.0000	1,627.5295	1,627.5295	0.1185	0.0000	1,630.4925
2024	4.1619	0.1335	0.2810	5.9000e-004	0.0325	6.4700e-003	0.0390	8.6300e-003	6.0400e-003	0.0147	0.0000	52.9078	52.9078	8.0200e-003	0.0000	53.1082
Maximum	4.1619	4.1142	6.1625	0.0189	1.3058	0.1201	1.4259	0.3460	0.1128	0.4588	0.0000	1,721.6826	1,721.6826	0.1294	0.0000	1,724.9187

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

2.1 Overall Construction**Mitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2021	0.1713	1.8242	1.1662	2.4000e-003	0.4169	0.0817	0.4986	0.1795	0.0754	0.2549	0.0000	213.1967	213.1967	0.0601	0.0000	214.6991
2022	0.6904	4.1142	6.1625	0.0189	1.3058	0.1201	1.4259	0.3460	0.1128	0.4588	0.0000	1,721.6823	1,721.6823	0.1294	0.0000	1,724.9183
2023	0.6148	3.3648	5.6747	0.0178	1.1963	0.0996	1.2959	0.3203	0.0935	0.4138	0.0000	1,627.5291	1,627.5291	0.1185	0.0000	1,630.4921
2024	4.1619	0.1335	0.2810	5.9000e-004	0.0325	6.4700e-003	0.0390	8.6300e-003	6.0400e-003	0.0147	0.0000	52.9077	52.9077	8.0200e-003	0.0000	53.1082
Maximum	4.1619	4.1142	6.1625	0.0189	1.3058	0.1201	1.4259	0.3460	0.1128	0.4588	0.0000	1,721.6823	1,721.6823	0.1294	0.0000	1,724.9183

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	9-1-2021	11-30-2021	1.4103	1.4103
2	12-1-2021	2-28-2022	1.3613	1.3613
3	3-1-2022	5-31-2022	1.1985	1.1985
4	6-1-2022	8-31-2022	1.1921	1.1921
5	9-1-2022	11-30-2022	1.1918	1.1918
6	12-1-2022	2-28-2023	1.0774	1.0774
7	3-1-2023	5-31-2023	1.0320	1.0320
8	6-1-2023	8-31-2023	1.0260	1.0260

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

9	9-1-2023	11-30-2023	1.0265	1.0265
10	12-1-2023	2-29-2024	2.8857	2.8857
11	3-1-2024	5-31-2024	1.6207	1.6207
		Highest	2.8857	2.8857

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835
Energy	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	3,896.0732	3,896.0732	0.1303	0.0468	3,913.2833
Mobile	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162
Waste						0.0000	0.0000		0.0000	0.0000	207.8079	0.0000	207.8079	12.2811	0.0000	514.8354
Water						0.0000	0.0000		0.0000	0.0000	29.1632	556.6420	585.8052	3.0183	0.0755	683.7567
Total	6.8692	9.5223	30.3407	0.0914	7.7979	0.2260	8.0240	2.0895	0.2219	2.3114	236.9712	12,294.1807	12,531.1519	15.7904	0.1260	12,963.4751

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

2.2 Overall Operational**Mitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835
Energy	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	3,896.0732	3,896.0732	0.1303	0.0468	3,913.2833
Mobile	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162
Waste						0.0000	0.0000		0.0000	0.0000	207.8079	0.0000	207.8079	12.2811	0.0000	514.8354
Water						0.0000	0.0000		0.0000	0.0000	29.1632	556.6420	585.8052	3.0183	0.0755	683.7567
Total	6.8692	9.5223	30.3407	0.0914	7.7979	0.2260	8.0240	2.0895	0.2219	2.3114	236.9712	12,294.1807	12,531.1519	15.7904	0.1260	12,963.4751

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail**Construction Phase**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0496	0.0000	0.0496	7.5100e-003	0.0000	7.5100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0475	0.4716	0.3235	5.8000e-004		0.0233	0.0233		0.0216	0.0216	0.0000	51.0012	51.0012	0.0144	0.0000	51.3601
Total	0.0475	0.4716	0.3235	5.8000e-004	0.0496	0.0233	0.0729	7.5100e-003	0.0216	0.0291	0.0000	51.0012	51.0012	0.0144	0.0000	51.3601

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.2 Demolition - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.9300e-003	0.0634	0.0148	1.8000e-004	3.9400e-003	1.9000e-004	4.1300e-003	1.0800e-003	1.8000e-004	1.2600e-003	0.0000	17.4566	17.4566	1.2100e-003	0.0000	17.4869
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.7000e-004	7.5000e-004	8.5100e-003	2.0000e-005	2.4700e-003	2.0000e-005	2.4900e-003	6.5000e-004	2.0000e-005	6.7000e-004	0.0000	2.2251	2.2251	7.0000e-005	0.0000	2.2267
Total	2.9000e-003	0.0641	0.0233	2.0000e-004	6.4100e-003	2.1000e-004	6.6200e-003	1.7300e-003	2.0000e-004	1.9300e-003	0.0000	19.6816	19.6816	1.2800e-003	0.0000	19.7136

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0496	0.0000	0.0496	7.5100e-003	0.0000	7.5100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0475	0.4716	0.3235	5.8000e-004		0.0233	0.0233		0.0216	0.0216	0.0000	51.0011	51.0011	0.0144	0.0000	51.3600
Total	0.0475	0.4716	0.3235	5.8000e-004	0.0496	0.0233	0.0729	7.5100e-003	0.0216	0.0291	0.0000	51.0011	51.0011	0.0144	0.0000	51.3600

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.2 Demolition - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.9300e-003	0.0634	0.0148	1.8000e-004	3.9400e-003	1.9000e-004	4.1300e-003	1.0800e-003	1.8000e-004	1.2600e-003	0.0000	17.4566	17.4566	1.2100e-003	0.0000	17.4869
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.7000e-004	7.5000e-004	8.5100e-003	2.0000e-005	2.4700e-003	2.0000e-005	2.4900e-003	6.5000e-004	2.0000e-005	6.7000e-004	0.0000	2.2251	2.2251	7.0000e-005	0.0000	2.2267
Total	2.9000e-003	0.0641	0.0233	2.0000e-004	6.4100e-003	2.1000e-004	6.6200e-003	1.7300e-003	2.0000e-004	1.9300e-003	0.0000	19.6816	19.6816	1.2800e-003	0.0000	19.7136

3.3 Site Preparation - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1807	0.0000	0.1807	0.0993	0.0000	0.0993	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0389	0.4050	0.2115	3.8000e-004		0.0204	0.0204		0.0188	0.0188	0.0000	33.4357	33.4357	0.0108	0.0000	33.7061
Total	0.0389	0.4050	0.2115	3.8000e-004	0.1807	0.0204	0.2011	0.0993	0.0188	0.1181	0.0000	33.4357	33.4357	0.0108	0.0000	33.7061

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.3 Site Preparation - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.7000e-004	6.0000e-004	6.8100e-003	2.0000e-005	1.9700e-003	2.0000e-005	1.9900e-003	5.2000e-004	1.0000e-005	5.4000e-004	0.0000	1.7801	1.7801	5.0000e-005	0.0000	1.7814
Total	7.7000e-004	6.0000e-004	6.8100e-003	2.0000e-005	1.9700e-003	2.0000e-005	1.9900e-003	5.2000e-004	1.0000e-005	5.4000e-004	0.0000	1.7801	1.7801	5.0000e-005	0.0000	1.7814

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1807	0.0000	0.1807	0.0993	0.0000	0.0993	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0389	0.4050	0.2115	3.8000e-004		0.0204	0.0204		0.0188	0.0188	0.0000	33.4357	33.4357	0.0108	0.0000	33.7060
Total	0.0389	0.4050	0.2115	3.8000e-004	0.1807	0.0204	0.2011	0.0993	0.0188	0.1181	0.0000	33.4357	33.4357	0.0108	0.0000	33.7060

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.3 Site Preparation - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.7000e-004	6.0000e-004	6.8100e-003	2.0000e-005	1.9700e-003	2.0000e-005	1.9900e-003	5.2000e-004	1.0000e-005	5.4000e-004	0.0000	1.7801	1.7801	5.0000e-005	0.0000	1.7814
Total	7.7000e-004	6.0000e-004	6.8100e-003	2.0000e-005	1.9700e-003	2.0000e-005	1.9900e-003	5.2000e-004	1.0000e-005	5.4000e-004	0.0000	1.7801	1.7801	5.0000e-005	0.0000	1.7814

3.4 Grading - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1741	0.0000	0.1741	0.0693	0.0000	0.0693	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0796	0.8816	0.5867	1.1800e-003		0.0377	0.0377		0.0347	0.0347	0.0000	103.5405	103.5405	0.0335	0.0000	104.3776
Total	0.0796	0.8816	0.5867	1.1800e-003	0.1741	0.0377	0.2118	0.0693	0.0347	0.1040	0.0000	103.5405	103.5405	0.0335	0.0000	104.3776

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.6400e-003	1.2700e-003	0.0144	4.0000e-005	4.1600e-003	3.0000e-005	4.2000e-003	1.1100e-003	3.0000e-005	1.1400e-003	0.0000	3.7579	3.7579	1.1000e-004	0.0000	3.7607
Total	1.6400e-003	1.2700e-003	0.0144	4.0000e-005	4.1600e-003	3.0000e-005	4.2000e-003	1.1100e-003	3.0000e-005	1.1400e-003	0.0000	3.7579	3.7579	1.1000e-004	0.0000	3.7607

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1741	0.0000	0.1741	0.0693	0.0000	0.0693	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0796	0.8816	0.5867	1.1800e-003		0.0377	0.0377		0.0347	0.0347	0.0000	103.5403	103.5403	0.0335	0.0000	104.3775
Total	0.0796	0.8816	0.5867	1.1800e-003	0.1741	0.0377	0.2118	0.0693	0.0347	0.1040	0.0000	103.5403	103.5403	0.0335	0.0000	104.3775

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.6400e-003	1.2700e-003	0.0144	4.0000e-005	4.1600e-003	3.0000e-005	4.2000e-003	1.1100e-003	3.0000e-005	1.1400e-003	0.0000	3.7579	3.7579	1.1000e-004	0.0000	3.7607
Total	1.6400e-003	1.2700e-003	0.0144	4.0000e-005	4.1600e-003	3.0000e-005	4.2000e-003	1.1100e-003	3.0000e-005	1.1400e-003	0.0000	3.7579	3.7579	1.1000e-004	0.0000	3.7607

3.4 Grading - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0807	0.0000	0.0807	0.0180	0.0000	0.0180	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0127	0.1360	0.1017	2.2000e-004		5.7200e-003	5.7200e-003		5.2600e-003	5.2600e-003	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414
Total	0.0127	0.1360	0.1017	2.2000e-004	0.0807	5.7200e-003	0.0865	0.0180	5.2600e-003	0.0233	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.8000e-004	2.1000e-004	2.4400e-003	1.0000e-005	7.7000e-004	1.0000e-005	7.7000e-004	2.0000e-004	1.0000e-005	2.1000e-004	0.0000	0.6679	0.6679	2.0000e-005	0.0000	0.6684
Total	2.8000e-004	2.1000e-004	2.4400e-003	1.0000e-005	7.7000e-004	1.0000e-005	7.7000e-004	2.0000e-004	1.0000e-005	2.1000e-004	0.0000	0.6679	0.6679	2.0000e-005	0.0000	0.6684

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0807	0.0000	0.0807	0.0180	0.0000	0.0180	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0127	0.1360	0.1017	2.2000e-004		5.7200e-003	5.7200e-003		5.2600e-003	5.2600e-003	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414
Total	0.0127	0.1360	0.1017	2.2000e-004	0.0807	5.7200e-003	0.0865	0.0180	5.2600e-003	0.0233	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.8000e-004	2.1000e-004	2.4400e-003	1.0000e-005	7.7000e-004	1.0000e-005	7.7000e-004	2.0000e-004	1.0000e-005	2.1000e-004	0.0000	0.6679	0.6679	2.0000e-005	0.0000	0.6684
Total	2.8000e-004	2.1000e-004	2.4400e-003	1.0000e-005	7.7000e-004	1.0000e-005	7.7000e-004	2.0000e-004	1.0000e-005	2.1000e-004	0.0000	0.6679	0.6679	2.0000e-005	0.0000	0.6684

3.5 Building Construction - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1324	293.1324	0.0702	0.0000	294.8881
Total	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1324	293.1324	0.0702	0.0000	294.8881

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.5 Building Construction - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0527	1.6961	0.4580	4.5500e-003	0.1140	3.1800e-003	0.1171	0.0329	3.0400e-003	0.0359	0.0000	441.9835	441.9835	0.0264	0.0000	442.6435
Worker	0.4088	0.3066	3.5305	0.0107	1.1103	8.8700e-003	1.1192	0.2949	8.1700e-003	0.3031	0.0000	966.8117	966.8117	0.0266	0.0000	967.4773
Total	0.4616	2.0027	3.9885	0.0152	1.2243	0.0121	1.2363	0.3278	0.0112	0.3390	0.0000	1,408.7952	1,408.7952	0.0530	0.0000	1,410.1208

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1321	293.1321	0.0702	0.0000	294.8877
Total	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1321	293.1321	0.0702	0.0000	294.8877

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.5 Building Construction - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0527	1.6961	0.4580	4.5500e-003	0.1140	3.1800e-003	0.1171	0.0329	3.0400e-003	0.0359	0.0000	441.9835	441.9835	0.0264	0.0000	442.6435
Worker	0.4088	0.3066	3.5305	0.0107	1.1103	8.8700e-003	1.1192	0.2949	8.1700e-003	0.3031	0.0000	966.8117	966.8117	0.0266	0.0000	967.4773
Total	0.4616	2.0027	3.9885	0.0152	1.2243	0.0121	1.2363	0.3278	0.0112	0.3390	0.0000	1,408.7952	1,408.7952	0.0530	0.0000	1,410.1208

3.5 Building Construction - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2789	286.2789	0.0681	0.0000	287.9814
Total	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2789	286.2789	0.0681	0.0000	287.9814

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.5 Building Construction - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0382	1.2511	0.4011	4.3000e-003	0.1113	1.4600e-003	0.1127	0.0321	1.4000e-003	0.0335	0.0000	417.9930	417.9930	0.0228	0.0000	418.5624
Worker	0.3753	0.2708	3.1696	0.0101	1.0840	8.4100e-003	1.0924	0.2879	7.7400e-003	0.2957	0.0000	909.3439	909.3439	0.0234	0.0000	909.9291
Total	0.4135	1.5218	3.5707	0.0144	1.1953	9.8700e-003	1.2051	0.3200	9.1400e-003	0.3292	0.0000	1,327.3369	1,327.3369	0.0462	0.0000	1,328.4916

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2785	286.2785	0.0681	0.0000	287.9811
Total	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2785	286.2785	0.0681	0.0000	287.9811

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.5 Building Construction - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0382	1.2511	0.4011	4.3000e-003	0.1113	1.4600e-003	0.1127	0.0321	1.4000e-003	0.0335	0.0000	417.9930	417.9930	0.0228	0.0000	418.5624
Worker	0.3753	0.2708	3.1696	0.0101	1.0840	8.4100e-003	1.0924	0.2879	7.7400e-003	0.2957	0.0000	909.3439	909.3439	0.0234	0.0000	909.9291
Total	0.4135	1.5218	3.5707	0.0144	1.1953	9.8700e-003	1.2051	0.3200	9.1400e-003	0.3292	0.0000	1,327.3369	1,327.3369	0.0462	0.0000	1,328.4916

3.6 Paving - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.6 Paving - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.7000e-004	2.7000e-004	3.1200e-003	1.0000e-005	1.0700e-003	1.0000e-005	1.0800e-003	2.8000e-004	1.0000e-005	2.9000e-004	0.0000	0.8963	0.8963	2.0000e-005	0.0000	0.8968
Total	3.7000e-004	2.7000e-004	3.1200e-003	1.0000e-005	1.0700e-003	1.0000e-005	1.0800e-003	2.8000e-004	1.0000e-005	2.9000e-004	0.0000	0.8963	0.8963	2.0000e-005	0.0000	0.8968

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.6 Paving - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.7000e-004	2.7000e-004	3.1200e-003	1.0000e-005	1.0700e-003	1.0000e-005	1.0800e-003	2.8000e-004	1.0000e-005	2.9000e-004	0.0000	0.8963	0.8963	2.0000e-005	0.0000	0.8968
Total	3.7000e-004	2.7000e-004	3.1200e-003	1.0000e-005	1.0700e-003	1.0000e-005	1.0800e-003	2.8000e-004	1.0000e-005	2.9000e-004	0.0000	0.8963	0.8963	2.0000e-005	0.0000	0.8968

3.6 Paving - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.6 Paving - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.9000e-004	4.1000e-004	4.9200e-003	2.0000e-005	1.8100e-003	1.0000e-005	1.8200e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.4697	1.4697	4.0000e-005	0.0000	1.4706
Total	5.9000e-004	4.1000e-004	4.9200e-003	2.0000e-005	1.8100e-003	1.0000e-005	1.8200e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.4697	1.4697	4.0000e-005	0.0000	1.4706

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.6 Paving - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.9000e-004	4.1000e-004	4.9200e-003	2.0000e-005	1.8100e-003	1.0000e-005	1.8200e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.4697	1.4697	4.0000e-005	0.0000	1.4706
Total	5.9000e-004	4.1000e-004	4.9200e-003	2.0000e-005	1.8100e-003	1.0000e-005	1.8200e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.4697	1.4697	4.0000e-005	0.0000	1.4706

3.7 Architectural Coating - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	4.1372					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.1600e-003	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745
Total	4.1404	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.7 Architectural Coating - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0101	6.9900e-003	0.0835	2.8000e-004	0.0307	2.3000e-004	0.0309	8.1500e-003	2.2000e-004	8.3700e-003	0.0000	24.9407	24.9407	6.1000e-004	0.0000	24.9558
Total	0.0101	6.9900e-003	0.0835	2.8000e-004	0.0307	2.3000e-004	0.0309	8.1500e-003	2.2000e-004	8.3700e-003	0.0000	24.9407	24.9407	6.1000e-004	0.0000	24.9558

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	4.1372					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.1600e-003	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745
Total	4.1404	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.7 Architectural Coating - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0101	6.9900e-003	0.0835	2.8000e-004	0.0307	2.3000e-004	0.0309	8.1500e-003	2.2000e-004	8.3700e-003	0.0000	24.9407	24.9407	6.1000e-004	0.0000	24.9558
Total	0.0101	6.9900e-003	0.0835	2.8000e-004	0.0307	2.3000e-004	0.0309	8.1500e-003	2.2000e-004	8.3700e-003	0.0000	24.9407	24.9407	6.1000e-004	0.0000	24.9558

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162
Unmitigated	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	2,512.6465	2,512.6465	0.1037	0.0215	2,521.6356
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	2,512.6465	2,512.6465	0.1037	0.0215	2,521.6356
NaturalGas Mitigated	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4267	1,383.4267	0.0265	0.0254	1,391.6478
NaturalGas Unmitigated	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4267	1,383.4267	0.0265	0.0254	1,391.6478

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Low Rise	408494	2.2000e-003	0.0188	8.0100e-003	1.2000e-004		1.5200e-003	1.5200e-003		1.5200e-003	1.5200e-003	0.0000	21.7988	21.7988	4.2000e-004	4.0000e-004	21.9284
Apartments Mid Rise	1.30613e+007	0.0704	0.6018	0.2561	3.8400e-003		0.0487	0.0487		0.0487	0.0487	0.0000	696.9989	696.9989	0.0134	0.0128	701.1408
General Office Building	468450	2.5300e-003	0.0230	0.0193	1.4000e-004		1.7500e-003	1.7500e-003		1.7500e-003	1.7500e-003	0.0000	24.9983	24.9983	4.8000e-004	4.6000e-004	25.1468
High Turnover (Sit Down Restaurant)	8.30736e+006	0.0448	0.4072	0.3421	2.4400e-003		0.0310	0.0310		0.0310	0.0310	0.0000	443.3124	443.3124	8.5000e-003	8.1300e-003	445.9468
Hotel	1.74095e+006	9.3900e-003	0.0853	0.0717	5.1000e-004		6.4900e-003	6.4900e-003		6.4900e-003	6.4900e-003	0.0000	92.9036	92.9036	1.7800e-003	1.7000e-003	93.4557
Quality Restaurant	1.84608e+006	9.9500e-003	0.0905	0.0760	5.4000e-004		6.8800e-003	6.8800e-003		6.8800e-003	6.8800e-003	0.0000	98.5139	98.5139	1.8900e-003	1.8100e-003	99.0993
Regional Shopping Center	91840	5.0000e-004	4.5000e-003	3.7800e-003	3.0000e-005		3.4000e-004	3.4000e-004		3.4000e-004	3.4000e-004	0.0000	4.9009	4.9009	9.0000e-005	9.0000e-005	4.9301
Total		0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4268	1,383.4268	0.0265	0.0254	1,391.6478

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Low Rise	408494	2.2000e-003	0.0188	8.0100e-003	1.2000e-004		1.5200e-003	1.5200e-003		1.5200e-003	1.5200e-003	0.0000	21.7988	21.7988	4.2000e-004	4.0000e-004	21.9284
Apartments Mid Rise	1.30613e+007	0.0704	0.6018	0.2561	3.8400e-003		0.0487	0.0487		0.0487	0.0487	0.0000	696.9989	696.9989	0.0134	0.0128	701.1408
General Office Building	468450	2.5300e-003	0.0230	0.0193	1.4000e-004		1.7500e-003	1.7500e-003		1.7500e-003	1.7500e-003	0.0000	24.9983	24.9983	4.8000e-004	4.6000e-004	25.1468
High Turnover (Sit Down Restaurant)	8.30736e+006	0.0448	0.4072	0.3421	2.4400e-003		0.0310	0.0310		0.0310	0.0310	0.0000	443.3124	443.3124	8.5000e-003	8.1300e-003	445.9468
Hotel	1.74095e+006	9.3900e-003	0.0853	0.0717	5.1000e-004		6.4900e-003	6.4900e-003		6.4900e-003	6.4900e-003	0.0000	92.9036	92.9036	1.7800e-003	1.7000e-003	93.4557
Quality Restaurant	1.84608e+006	9.9500e-003	0.0905	0.0760	5.4000e-004		6.8800e-003	6.8800e-003		6.8800e-003	6.8800e-003	0.0000	98.5139	98.5139	1.8900e-003	1.8100e-003	99.0993
Regional Shopping Center	91840	5.0000e-004	4.5000e-003	3.7800e-003	3.0000e-005		3.4000e-004	3.4000e-004		3.4000e-004	3.4000e-004	0.0000	4.9009	4.9009	9.0000e-005	9.0000e-005	4.9301
Total		0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4268	1,383.4268	0.0265	0.0254	1,391.6478

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.3 Energy by Land Use - Electricity**Unmitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Low Rise	106010	33.7770	1.3900e-003	2.9000e-004	33.8978
Apartments Mid Rise	3.94697e+006	1,257.5879	0.0519	0.0107	1,262.0869
General Office Building	584550	186.2502	7.6900e-003	1.5900e-003	186.9165
High Turnover (Sit Down Restaurant)	1.58904e+006	506.3022	0.0209	4.3200e-003	508.1135
Hotel	550308	175.3399	7.2400e-003	1.5000e-003	175.9672
Quality Restaurant	353120	112.5116	4.6500e-003	9.6000e-004	112.9141
Regional Shopping Center	756000	240.8778	9.9400e-003	2.0600e-003	241.7395
Total		2,512.6465	0.1037	0.0215	2,521.6356

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.3 Energy by Land Use - Electricity**Mitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Low Rise	106010	33.7770	1.3900e-003	2.9000e-004	33.8978
Apartments Mid Rise	3.94697e+006	1,257.5879	0.0519	0.0107	1,262.0869
General Office Building	584550	186.2502	7.6900e-003	1.5900e-003	186.9165
High Turnover (Sit Down Restaurant)	1.58904e+006	506.3022	0.0209	4.3200e-003	508.1135
Hotel	550308	175.3399	7.2400e-003	1.5000e-003	175.9672
Quality Restaurant	353120	112.5116	4.6500e-003	9.6000e-004	112.9141
Regional Shopping Center	756000	240.8778	9.9400e-003	2.0600e-003	241.7395
Total		2,512.6465	0.1037	0.0215	2,521.6356

6.0 Area Detail**6.1 Mitigation Measures Area**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835
Unmitigated	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.4137					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	4.3998					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0206	0.1763	0.0750	1.1200e-003		0.0143	0.0143		0.0143	0.0143	0.0000	204.1166	204.1166	3.9100e-003	3.7400e-003	205.3295
Landscaping	0.3096	0.1187	10.3054	5.4000e-004		0.0572	0.0572		0.0572	0.0572	0.0000	16.8504	16.8504	0.0161	0.0000	17.2540
Total	5.1437	0.2950	10.3804	1.6600e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.4137					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	4.3998					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0206	0.1763	0.0750	1.1200e-003		0.0143	0.0143		0.0143	0.0143	0.0000	204.1166	204.1166	3.9100e-003	3.7400e-003	205.3295
Landscaping	0.3096	0.1187	10.3054	5.4000e-004		0.0572	0.0572		0.0572	0.0572	0.0000	16.8504	16.8504	0.0161	0.0000	17.2540
Total	5.1437	0.2950	10.3804	1.6600e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835

7.0 Water Detail**7.1 Mitigation Measures Water**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	585.8052	3.0183	0.0755	683.7567
Unmitigated	585.8052	3.0183	0.0755	683.7567

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

7.2 Water by Land Use**Unmitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Low Rise	1.62885 / 1.02688	10.9095	0.0535	1.3400e-003	12.6471
Apartments Mid Rise	63.5252 / 40.0485	425.4719	2.0867	0.0523	493.2363
General Office Building	7.99802 / 4.90201	53.0719	0.2627	6.5900e-003	61.6019
High Turnover (Sit Down Restaurant)	10.9272 / 0.697482	51.2702	0.3580	8.8200e-003	62.8482
Hotel	1.26834 / 0.140927	6.1633	0.0416	1.0300e-003	7.5079
Quality Restaurant	2.42827 / 0.154996	11.3934	0.0796	1.9600e-003	13.9663
Regional Shopping Center	4.14806 / 2.54236	27.5250	0.1363	3.4200e-003	31.9490
Total		585.8052	3.0183	0.0755	683.7567

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

7.2 Water by Land Use**Mitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Low Rise	1.62885 / 1.02688	10.9095	0.0535	1.3400e-003	12.6471
Apartments Mid Rise	63.5252 / 40.0485	425.4719	2.0867	0.0523	493.2363
General Office Building	7.99802 / 4.90201	53.0719	0.2627	6.5900e-003	61.6019
High Turnover (Sit Down Restaurant)	10.9272 / 0.697482	51.2702	0.3580	8.8200e-003	62.8482
Hotel	1.26834 / 0.140927	6.1633	0.0416	1.0300e-003	7.5079
Quality Restaurant	2.42827 / 0.154996	11.3934	0.0796	1.9600e-003	13.9663
Regional Shopping Center	4.14806 / 2.54236	27.5250	0.1363	3.4200e-003	31.9490
Total		585.8052	3.0183	0.0755	683.7567

8.0 Waste Detail**8.1 Mitigation Measures Waste**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	207.8079	12.2811	0.0000	514.8354
Unmitigated	207.8079	12.2811	0.0000	514.8354

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

8.2 Waste by Land Use**Unmitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Low Rise	11.5	2.3344	0.1380	0.0000	5.7834
Apartments Mid Rise	448.5	91.0415	5.3804	0.0000	225.5513
General Office Building	41.85	8.4952	0.5021	0.0000	21.0464
High Turnover (Sit Down Restaurant)	428.4	86.9613	5.1393	0.0000	215.4430
Hotel	27.38	5.5579	0.3285	0.0000	13.7694
Quality Restaurant	7.3	1.4818	0.0876	0.0000	3.6712
Regional Shopping Center	58.8	11.9359	0.7054	0.0000	29.5706
Total		207.8079	12.2811	0.0000	514.8354

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

8.2 Waste by Land Use**Mitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Low Rise	11.5	2.3344	0.1380	0.0000	5.7834
Apartments Mid Rise	448.5	91.0415	5.3804	0.0000	225.5513
General Office Building	41.85	8.4952	0.5021	0.0000	21.0464
High Turnover (Sit Down Restaurant)	428.4	86.9613	5.1393	0.0000	215.4430
Hotel	27.38	5.5579	0.3285	0.0000	13.7694
Quality Restaurant	7.3	1.4818	0.0876	0.0000	3.6712
Regional Shopping Center	58.8	11.9359	0.7054	0.0000	29.5706
Total		207.8079	12.2811	0.0000	514.8354

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment**Fire Pumps and Emergency Generators**

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	9			Operational Year	2028
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82
tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2769	46.4588	31.6840	0.0643	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	6,234.797 4	6,234.797 4	1.9495	0.0000	6,283.535 2
2022	5.3304	38.8967	49.5629	0.1517	9.8688	1.6366	10.7727	3.6558	1.5057	5.1615	0.0000	15,251.56 74	15,251.56 74	1.9503	0.0000	15,278.52 88
2023	4.8957	26.3317	46.7567	0.1472	9.8688	0.7794	10.6482	2.6381	0.7322	3.3702	0.0000	14,807.52 69	14,807.52 69	1.0250	0.0000	14,833.15 21
2024	237.1630	9.5575	15.1043	0.0244	1.7884	0.4698	1.8628	0.4743	0.4322	0.5476	0.0000	2,361.398 9	2,361.398 9	0.7177	0.0000	2,379.342 1
Maximum	237.1630	46.4588	49.5629	0.1517	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	15,251.56 74	15,251.56 74	1.9503	0.0000	15,278.52 88

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

2.1 Overall Construction (Maximum Daily Emission)**Mitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2769	46.4588	31.6840	0.0643	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	6,234.7974	6,234.7974	1.9495	0.0000	6,283.5352
2022	5.3304	38.8967	49.5629	0.1517	9.8688	1.6366	10.7727	3.6558	1.5057	5.1615	0.0000	15,251.5674	15,251.5674	1.9503	0.0000	15,278.5288
2023	4.8957	26.3317	46.7567	0.1472	9.8688	0.7794	10.6482	2.6381	0.7322	3.3702	0.0000	14,807.5269	14,807.5269	1.0250	0.0000	14,833.1520
2024	237.1630	9.5575	15.1043	0.0244	1.7884	0.4698	1.8628	0.4743	0.4322	0.5476	0.0000	2,361.3989	2,361.3989	0.7177	0.0000	2,379.3421
Maximum	237.1630	46.4588	49.5629	0.1517	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	15,251.5674	15,251.5674	1.9503	0.0000	15,278.5288

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08
Total	41.1168	67.2262	207.5497	0.6278	45.9592	2.4626	48.4217	12.2950	2.4385	14.7336	0.0000	76,811.18 16	76,811.18 16	2.8282	0.4832	77,025.87 86

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08
Total	41.1168	67.2262	207.5497	0.6278	45.9592	2.4626	48.4217	12.2950	2.4385	14.7336	0.0000	76,811.18 16	76,811.18 16	2.8282	0.4832	77,025.87 86

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411		3,747.9449	3,747.9449	1.0549		3,774.3174
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419		3,747.9449	3,747.9449	1.0549		3,774.3174

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.2 Demolition - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1273	4.0952	0.9602	0.0119	0.2669	0.0126	0.2795	0.0732	0.0120	0.0852		1,292.2413	1,292.2413	0.0877		1,294.4337
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0643	0.0442	0.6042	1.7100e-003	0.1677	1.3500e-003	0.1690	0.0445	1.2500e-003	0.0457		170.8155	170.8155	5.0300e-003		170.9413
Total	0.1916	4.1394	1.5644	0.0136	0.4346	0.0139	0.4485	0.1176	0.0133	0.1309		1,463.0568	1,463.0568	0.0927		1,465.3750

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411	0.0000	3,747.9449	3,747.9449	1.0549		3,774.3174
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419	0.0000	3,747.9449	3,747.9449	1.0549		3,774.3174

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.2 Demolition - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1273	4.0952	0.9602	0.0119	0.2669	0.0126	0.2795	0.0732	0.0120	0.0852		1,292.2413	1,292.2413	0.0877		1,294.4337
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0643	0.0442	0.6042	1.7100e-003	0.1677	1.3500e-003	0.1690	0.0445	1.2500e-003	0.0457		170.8155	170.8155	5.0300e-003		170.9413
Total	0.1916	4.1394	1.5644	0.0136	0.4346	0.0139	0.4485	0.1176	0.0133	0.1309		1,463.0568	1,463.0568	0.0927		1,465.3750

3.3 Site Preparation - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809		3,685.6569	3,685.6569	1.1920		3,715.4573
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116		3,685.6569	3,685.6569	1.1920		3,715.4573

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.3 Site Preparation - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0772	0.0530	0.7250	2.0600e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		204.9786	204.9786	6.0400e-003		205.1296
Total	0.0772	0.0530	0.7250	2.0600e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		204.9786	204.9786	6.0400e-003		205.1296

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809	0.0000	3,685.6569	3,685.6569	1.1920		3,715,4573
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116	0.0000	3,685.6569	3,685.6569	1.1920		3,715,4573

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.3 Site Preparation - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0772	0.0530	0.7250	2.0600e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		204.9786	204.9786	6.0400e-003		205.1296
Total	0.0772	0.0530	0.7250	2.0600e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		204.9786	204.9786	6.0400e-003		205.1296

3.4 Grading - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265		6,007.0434	6,007.0434	1.9428		6,055,6134
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230		6,007.0434	6,007.0434	1.9428		6,055,6134

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.4 Grading - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0857	0.0589	0.8056	2.2900e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		227.7540	227.7540	6.7100e-003		227.9217
Total	0.0857	0.0589	0.8056	2.2900e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		227.7540	227.7540	6.7100e-003		227.9217

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265	0.0000	6,007.0434	6,007.0434	1.9428		6,055,6134
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230	0.0000	6,007.0434	6,007.0434	1.9428		6,055,6134

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.4 Grading - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0857	0.0589	0.8056	2.2900e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		227.7540	227.7540	6.7100e-003		227.9217
Total	0.0857	0.0589	0.8056	2.2900e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		227.7540	227.7540	6.7100e-003		227.9217

3.4 Grading - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041		6,011.4105	6,011.4105	1.9442		6,060.0158
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006		6,011.4105	6,011.4105	1.9442		6,060.0158

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.4 Grading - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0803	0.0532	0.7432	2.2100e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		219.7425	219.7425	6.0600e-003		219.8941
Total	0.0803	0.0532	0.7432	2.2100e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		219.7425	219.7425	6.0600e-003		219.8941

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.4 Grading - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0803	0.0532	0.7432	2.2100e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		219.7425	219.7425	6.0600e-003		219.8941
Total	0.0803	0.0532	0.7432	2.2100e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		219.7425	219.7425	6.0600e-003		219.8941

3.5 Building Construction - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.5 Building Construction - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4079	13.2032	3.4341	0.0364	0.9155	0.0248	0.9404	0.2636	0.0237	0.2873		3,896.548 2	3,896.548 2	0.2236		3,902.138 4
Worker	3.2162	2.1318	29.7654	0.0883	8.9533	0.0701	9.0234	2.3745	0.0646	2.4390		8,800.685 7	8,800.685 7	0.2429		8,806.758 2
Total	3.6242	15.3350	33.1995	0.1247	9.8688	0.0949	9.9637	2.6381	0.0883	2.7263		12,697.23 39	12,697.23 39	0.4665		12,708.89 66

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.5 Building Construction - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4079	13.2032	3.4341	0.0364	0.9155	0.0248	0.9404	0.2636	0.0237	0.2873		3,896.548 2	3,896.548 2	0.2236		3,902.138 4
Worker	3.2162	2.1318	29.7654	0.0883	8.9533	0.0701	9.0234	2.3745	0.0646	2.4390		8,800.685 7	8,800.685 7	0.2429		8,806.758 2
Total	3.6242	15.3350	33.1995	0.1247	9.8688	0.0949	9.9637	2.6381	0.0883	2.7263		12,697.23 39	12,697.23 39	0.4665		12,708.89 66

3.5 Building Construction - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.5 Building Construction - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3027	10.0181	3.1014	0.0352	0.9156	0.0116	0.9271	0.2636	0.0111	0.2747		3,773.876 2	3,773.876 2	0.1982		3,778.830 0
Worker	3.0203	1.9287	27.4113	0.0851	8.9533	0.0681	9.0214	2.3745	0.0627	2.4372		8,478.440 8	8,478.440 8	0.2190		8,483.916 0
Total	3.3229	11.9468	30.5127	0.1203	9.8688	0.0797	9.9485	2.6381	0.0738	2.7118		12,252.31 70	12,252.31 70	0.4172		12,262.74 60

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.209 9	2,555.209 9	0.6079		2,570.406 1

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.5 Building Construction - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3027	10.0181	3.1014	0.0352	0.9156	0.0116	0.9271	0.2636	0.0111	0.2747		3,773.876 2	3,773.876 2	0.1982		3,778.830 0
Worker	3.0203	1.9287	27.4113	0.0851	8.9533	0.0681	9.0214	2.3745	0.0627	2.4372		8,478.440 8	8,478.440 8	0.2190		8,483.916 0
Total	3.3229	11.9468	30.5127	0.1203	9.8688	0.0797	9.9485	2.6381	0.0738	2.7118		12,252.31 70	12,252.31 70	0.4172		12,262.74 60

3.6 Paving - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.6 Paving - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0566	0.0361	0.5133	1.5900e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		158.7723	158.7723	4.1000e-003		158.8748
Total	0.0566	0.0361	0.5133	1.5900e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		158.7723	158.7723	4.1000e-003		158.8748

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.6 Paving - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0566	0.0361	0.5133	1.5900e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		158.7723	158.7723	4.1000e-003		158.8748
Total	0.0566	0.0361	0.5133	1.5900e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		158.7723	158.7723	4.1000e-003		158.8748

3.6 Paving - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.6 Paving - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0535	0.0329	0.4785	1.5400e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		153.8517	153.8517	3.7600e-003		153.9458
Total	0.0535	0.0329	0.4785	1.5400e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		153.8517	153.8517	3.7600e-003		153.9458

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.547 2	2,207.547 2	0.7140		2,225.396 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.6 Paving - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0535	0.0329	0.4785	1.5400e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		153.8517	153.8517	3.7600e-003		153.9458
Total	0.0535	0.0329	0.4785	1.5400e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		153.8517	153.8517	3.7600e-003		153.9458

3.7 Architectural Coating - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.7 Architectural Coating - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.5707	0.3513	5.1044	0.0165	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,641.085 2	1,641.085 2	0.0401		1,642.088 6
Total	0.5707	0.3513	5.1044	0.0165	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,641.085 2	1,641.085 2	0.0401		1,642.088 6

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.7 Architectural Coating - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.5707	0.3513	5.1044	0.0165	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,641.085 2	1,641.085 2	0.0401		1,642.088 6
Total	0.5707	0.3513	5.1044	0.0165	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,641.085 2	1,641.085 2	0.0401		1,642.088 6

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08
Unmitigated	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
NaturalGas Unmitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1119.16	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35784.3	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1283.42	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22759.9	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4769.72	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5057.75	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	251.616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1.11916	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35.7843	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1.28342	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22.7599	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4.76972	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5.05775	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	0.251616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

6.0 Area Detail**6.1 Mitigation Measures Area**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Unmitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

7.0 Water Detail**7.1 Mitigation Measures Water****8.0 Waste Detail****8.1 Mitigation Measures Waste****9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	9			Operational Year	2028
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82
tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2865	46.4651	31.6150	0.0642	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	6,221.4937	6,221.4937	1.9491	0.0000	6,270.2214
2022	5.7218	38.9024	47.3319	0.1455	9.8688	1.6366	10.7736	3.6558	1.5057	5.1615	0.0000	14,630.3099	14,630.3099	1.9499	0.0000	14,657.2663
2023	5.2705	26.4914	44.5936	0.1413	9.8688	0.7800	10.6488	2.6381	0.7328	3.3708	0.0000	14,210.3424	14,210.3424	1.0230	0.0000	14,235.9160
2024	237.2328	9.5610	15.0611	0.0243	1.7884	0.4698	1.8628	0.4743	0.4322	0.5476	0.0000	2,352.4178	2,352.4178	0.7175	0.0000	2,370.3550
Maximum	237.2328	46.4651	47.3319	0.1455	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	14,630.3099	14,630.3099	1.9499	0.0000	14,657.2663

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

2.1 Overall Construction (Maximum Daily Emission)**Mitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2865	46.4651	31.6150	0.0642	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	6,221.4937	6,221.4937	1.9491	0.0000	6,270.2214
2022	5.7218	38.9024	47.3319	0.1455	9.8688	1.6366	10.7736	3.6558	1.5057	5.1615	0.0000	14,630.3099	14,630.3099	1.9499	0.0000	14,657.2663
2023	5.2705	26.4914	44.5936	0.1413	9.8688	0.7800	10.6488	2.6381	0.7328	3.3708	0.0000	14,210.3424	14,210.3424	1.0230	0.0000	14,235.9160
2024	237.2328	9.5610	15.0611	0.0243	1.7884	0.4698	1.8628	0.4743	0.4322	0.5476	0.0000	2,352.4178	2,352.4178	0.7175	0.0000	2,370.3550
Maximum	237.2328	46.4651	47.3319	0.1455	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	14,630.3099	14,630.3099	1.9499	0.0000	14,657.2663

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.80 05	47,917.80 05	2.1953		47,972.68 39
Total	40.7912	67.7872	202.7424	0.6043	45.9592	2.4640	48.4231	12.2950	2.4399	14.7349	0.0000	74,422.37 87	74,422.37 87	2.8429	0.4832	74,637.44 17

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.80 05	47,917.80 05	2.1953		47,972.68 39
Total	40.7912	67.7872	202.7424	0.6043	45.9592	2.4640	48.4231	12.2950	2.4399	14.7349	0.0000	74,422.37 87	74,422.37 87	2.8429	0.4832	74,637.44 17

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411		3,747.9449	3,747.9449	1.0549		3,774.3174
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419		3,747.9449	3,747.9449	1.0549		3,774.3174

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.2 Demolition - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1304	4.1454	1.0182	0.0117	0.2669	0.0128	0.2797	0.0732	0.0122	0.0854		1,269.855 5	1,269.855 5	0.0908		1,272.125 2
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0715	0.0489	0.5524	1.6100e-003	0.1677	1.3500e-003	0.1690	0.0445	1.2500e-003	0.0457		160.8377	160.8377	4.7300e-003		160.9560
Total	0.2019	4.1943	1.5706	0.0133	0.4346	0.0141	0.4487	0.1176	0.0135	0.1311		1,430.693 2	1,430.693 2	0.0955		1,433.081 2

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.2 Demolition - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1304	4.1454	1.0182	0.0117	0.2669	0.0128	0.2797	0.0732	0.0122	0.0854		1,269.855 5	1,269.855 5	0.0908		1,272.125 2
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0715	0.0489	0.5524	1.6100e-003	0.1677	1.3500e-003	0.1690	0.0445	1.2500e-003	0.0457		160.8377	160.8377	4.7300e-003		160.9560
Total	0.2019	4.1943	1.5706	0.0133	0.4346	0.0141	0.4487	0.1176	0.0135	0.1311		1,430.693 2	1,430.693 2	0.0955		1,433.081 2

3.3 Site Preparation - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809		3,685.656 9	3,685.656 9	1.1920		3,715.457 3
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116		3,685.656 9	3,685.656 9	1.1920		3,715.457 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.3 Site Preparation - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0858	0.0587	0.6629	1.9400e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		193.0052	193.0052	5.6800e-003		193.1472
Total	0.0858	0.0587	0.6629	1.9400e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		193.0052	193.0052	5.6800e-003		193.1472

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.3 Site Preparation - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0858	0.0587	0.6629	1.9400e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		193.0052	193.0052	5.6800e-003		193.1472
Total	0.0858	0.0587	0.6629	1.9400e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		193.0052	193.0052	5.6800e-003		193.1472

3.4 Grading - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265		6,007.0434	6,007.0434	1.9428		6,055,6134
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230		6,007.0434	6,007.0434	1.9428		6,055,6134

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.4 Grading - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0954	0.0652	0.7365	2.1500e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		214.4502	214.4502	6.3100e-003		214.6080
Total	0.0954	0.0652	0.7365	2.1500e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		214.4502	214.4502	6.3100e-003		214.6080

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265	0.0000	6,007.0434	6,007.0434	1.9428		6,055,6134
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230	0.0000	6,007.0434	6,007.0434	1.9428		6,055,6134

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.4 Grading - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0954	0.0652	0.7365	2.1500e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		214.4502	214.4502	6.3100e-003		214.6080
Total	0.0954	0.0652	0.7365	2.1500e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		214.4502	214.4502	6.3100e-003		214.6080

3.4 Grading - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041		6,011.4105	6,011.4105	1.9442		6,060.0158
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006		6,011.4105	6,011.4105	1.9442		6,060.0158

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.4 Grading - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0896	0.0589	0.6784	2.0800e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		206.9139	206.9139	5.7000e-003		207.0563
Total	0.0896	0.0589	0.6784	2.0800e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		206.9139	206.9139	5.7000e-003		207.0563

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.4 Grading - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0896	0.0589	0.6784	2.0800e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		206.9139	206.9139	5.7000e-003		207.0563
Total	0.0896	0.0589	0.6784	2.0800e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		206.9139	206.9139	5.7000e-003		207.0563

3.5 Building Construction - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.5 Building Construction - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4284	13.1673	3.8005	0.0354	0.9155	0.0256	0.9412	0.2636	0.0245	0.2881		3,789.075 0	3,789.075 0	0.2381		3,795.028 3
Worker	3.5872	2.3593	27.1680	0.0832	8.9533	0.0701	9.0234	2.3745	0.0646	2.4390		8,286.901 3	8,286.901 3	0.2282		8,292.605 8
Total	4.0156	15.5266	30.9685	0.1186	9.8688	0.0957	9.9645	2.6381	0.0891	2.7271		12,075.97 63	12,075.97 63	0.4663		12,087.63 41

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.5 Building Construction - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4284	13.1673	3.8005	0.0354	0.9155	0.0256	0.9412	0.2636	0.0245	0.2881		3,789.0750	3,789.0750	0.2381		3,795.0283
Worker	3.5872	2.3593	27.1680	0.0832	8.9533	0.0701	9.0234	2.3745	0.0646	2.4390		8,286.9013	8,286.9013	0.2282		8,292.6058
Total	4.0156	15.5266	30.9685	0.1186	9.8688	0.0957	9.9645	2.6381	0.0891	2.7271		12,075.9763	12,075.9763	0.4663		12,087.6341

3.5 Building Construction - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.2099	2,555.2099	0.6079		2,570.4061
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.2099	2,555.2099	0.6079		2,570.4061

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.5 Building Construction - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3183	9.9726	3.3771	0.0343	0.9156	0.0122	0.9277	0.2636	0.0116	0.2752		3,671.4007	3,671.4007	0.2096		3,676.6417
Worker	3.3795	2.1338	24.9725	0.0801	8.9533	0.0681	9.0214	2.3745	0.0627	2.4372		7,983.7318	7,983.7318	0.2055		7,988.8683
Total	3.6978	12.1065	28.3496	0.1144	9.8688	0.0803	9.9491	2.6381	0.0743	2.7124		11,655.1325	11,655.1325	0.4151		11,665.5099

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.2099	2,555.2099	0.6079		2,570.4061
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.2099	2,555.2099	0.6079		2,570.4061

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.5 Building Construction - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3183	9.9726	3.3771	0.0343	0.9156	0.0122	0.9277	0.2636	0.0116	0.2752		3,671.400 7	3,671.400 7	0.2096		3,676.641 7
Worker	3.3795	2.1338	24.9725	0.0801	8.9533	0.0681	9.0214	2.3745	0.0627	2.4372		7,983.731 8	7,983.731 8	0.2055		7,988.868 3
Total	3.6978	12.1065	28.3496	0.1144	9.8688	0.0803	9.9491	2.6381	0.0743	2.7124		11,655.13 25	11,655.13 25	0.4151		11,665.50 99

3.6 Paving - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.6 Paving - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0633	0.0400	0.4677	1.5000e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		149.5081	149.5081	3.8500e-003		149.6043
Total	0.0633	0.0400	0.4677	1.5000e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		149.5081	149.5081	3.8500e-003		149.6043

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.6 Paving - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0633	0.0400	0.4677	1.5000e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		149.5081	149.5081	3.8500e-003		149.6043
Total	0.0633	0.0400	0.4677	1.5000e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		149.5081	149.5081	3.8500e-003		149.6043

3.6 Paving - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.6 Paving - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0601	0.0364	0.4354	1.4500e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		144.8706	144.8706	3.5300e-003		144.9587
Total	0.0601	0.0364	0.4354	1.4500e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		144.8706	144.8706	3.5300e-003		144.9587

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.547 2	2,207.547 2	0.7140		2,225.396 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.6 Paving - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0601	0.0364	0.4354	1.4500e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		144.8706	144.8706	3.5300e-003		144.9587
Total	0.0601	0.0364	0.4354	1.4500e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		144.8706	144.8706	3.5300e-003		144.9587

3.7 Architectural Coating - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.7 Architectural Coating - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.6406	0.3886	4.6439	0.0155	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,545.286 0	1,545.286 0	0.0376		1,546.226 2
Total	0.6406	0.3886	4.6439	0.0155	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,545.286 0	1,545.286 0	0.0376		1,546.226 2

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.7 Architectural Coating - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.6406	0.3886	4.6439	0.0155	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,545.286 0	1,545.286 0	0.0376		1,546.226 2
Total	0.6406	0.3886	4.6439	0.0155	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,545.286 0	1,545.286 0	0.0376		1,546.226 2

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.8005	47,917.8005	2.1953		47,972.6839
Unmitigated	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.8005	47,917.8005	2.1953		47,972.6839

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4,075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2,817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
NaturalGas Unmitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1119.16	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35784.3	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1283.42	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22759.9	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4769.72	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5057.75	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	251.616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1.11916	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35.7843	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1.28342	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22.7599	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4.76972	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5.05775	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	0.251616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

6.0 Area Detail**6.1 Mitigation Measures Area**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Unmitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

7.0 Water Detail**7.1 Mitigation Measures Water****8.0 Waste Detail****8.1 Mitigation Measures Waste****9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	9			Operational Year	2028
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Trips and VMT - Local hire provision

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27
tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

2.1 Overall Construction**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2021	0.1704	1.8234	1.1577	2.3800e-003	0.4141	0.0817	0.4958	0.1788	0.0754	0.2542	0.0000	210.7654	210.7654	0.0600	0.0000	212.2661
2022	0.5865	4.0240	5.1546	0.0155	0.9509	0.1175	1.0683	0.2518	0.1103	0.3621	0.0000	1,418.6554	1,418.6554	0.1215	0.0000	1,421.6925
2023	0.5190	3.2850	4.7678	0.0147	0.8497	0.0971	0.9468	0.2283	0.0912	0.3195	0.0000	1,342.4412	1,342.4412	0.1115	0.0000	1,345.2291
2024	4.1592	0.1313	0.2557	5.0000e-004	0.0221	6.3900e-003	0.0285	5.8700e-003	5.9700e-003	0.0118	0.0000	44.6355	44.6355	7.8300e-003	0.0000	44.8311
Maximum	4.1592	4.0240	5.1546	0.0155	0.9509	0.1175	1.0683	0.2518	0.1103	0.3621	0.0000	1,418.6554	1,418.6554	0.1215	0.0000	1,421.6925

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

2.1 Overall Construction**Mitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2021	0.1704	1.8234	1.1577	2.3800e-003	0.4141	0.0817	0.4958	0.1788	0.0754	0.2542	0.0000	210.7651	210.7651	0.0600	0.0000	212.2658
2022	0.5865	4.0240	5.1546	0.0155	0.9509	0.1175	1.0683	0.2518	0.1103	0.3621	0.0000	1,418.6550	1,418.6550	0.1215	0.0000	1,421.6921
2023	0.5190	3.2850	4.7678	0.0147	0.8497	0.0971	0.9468	0.2283	0.0912	0.3195	0.0000	1,342.4409	1,342.4409	0.1115	0.0000	1,345.2287
2024	4.1592	0.1313	0.2557	5.0000e-004	0.0221	6.3900e-003	0.0285	5.8700e-003	5.9700e-003	0.0118	0.0000	44.6354	44.6354	7.8300e-003	0.0000	44.8311
Maximum	4.1592	4.0240	5.1546	0.0155	0.9509	0.1175	1.0683	0.2518	0.1103	0.3621	0.0000	1,418.6550	1,418.6550	0.1215	0.0000	1,421.6921

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	9-1-2021	11-30-2021	1.4091	1.4091
2	12-1-2021	2-28-2022	1.3329	1.3329
3	3-1-2022	5-31-2022	1.1499	1.1499
4	6-1-2022	8-31-2022	1.1457	1.1457
5	9-1-2022	11-30-2022	1.1415	1.1415
6	12-1-2022	2-28-2023	1.0278	1.0278
7	3-1-2023	5-31-2023	0.9868	0.9868
8	6-1-2023	8-31-2023	0.9831	0.9831

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

9	9-1-2023	11-30-2023	0.9798	0.9798
10	12-1-2023	2-29-2024	2.8757	2.8757
11	3-1-2024	5-31-2024	1.6188	1.6188
		Highest	2.8757	2.8757

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835
Energy	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	3,896.0732	3,896.0732	0.1303	0.0468	3,913.2833
Mobile	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162
Waste						0.0000	0.0000		0.0000	0.0000	207.8079	0.0000	207.8079	12.2811	0.0000	514.8354
Water						0.0000	0.0000		0.0000	0.0000	29.1632	556.6420	585.8052	3.0183	0.0755	683.7567
Total	6.8692	9.5223	30.3407	0.0914	7.7979	0.2260	8.0240	2.0895	0.2219	2.3114	236.9712	12,294.1807	12,531.1519	15.7904	0.1260	12,963.4751

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

2.2 Overall Operational**Mitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835
Energy	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	3,896.0732	3,896.0732	0.1303	0.0468	3,913.2833
Mobile	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162
Waste						0.0000	0.0000		0.0000	0.0000	207.8079	0.0000	207.8079	12.2811	0.0000	514.8354
Water						0.0000	0.0000		0.0000	0.0000	29.1632	556.6420	585.8052	3.0183	0.0755	683.7567
Total	6.8692	9.5223	30.3407	0.0914	7.7979	0.2260	8.0240	2.0895	0.2219	2.3114	236.9712	12,294.1807	12,531.1519	15.7904	0.1260	12,963.4751

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail**Construction Phase**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0496	0.0000	0.0496	7.5100e-003	0.0000	7.5100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0475	0.4716	0.3235	5.8000e-004		0.0233	0.0233		0.0216	0.0216	0.0000	51.0012	51.0012	0.0144	0.0000	51.3601
Total	0.0475	0.4716	0.3235	5.8000e-004	0.0496	0.0233	0.0729	7.5100e-003	0.0216	0.0291	0.0000	51.0012	51.0012	0.0144	0.0000	51.3601

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.2 Demolition - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.9300e-003	0.0634	0.0148	1.8000e-004	3.9400e-003	1.9000e-004	4.1300e-003	1.0800e-003	1.8000e-004	1.2600e-003	0.0000	17.4566	17.4566	1.2100e-003	0.0000	17.4869
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.2000e-004	5.3000e-004	6.0900e-003	2.0000e-005	1.6800e-003	1.0000e-005	1.6900e-003	4.5000e-004	1.0000e-005	4.6000e-004	0.0000	1.5281	1.5281	5.0000e-005	0.0000	1.5293
Total	2.6500e-003	0.0639	0.0209	2.0000e-004	5.6200e-003	2.0000e-004	5.8200e-003	1.5300e-003	1.9000e-004	1.7200e-003	0.0000	18.9847	18.9847	1.2600e-003	0.0000	19.0161

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0496	0.0000	0.0496	7.5100e-003	0.0000	7.5100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0475	0.4716	0.3235	5.8000e-004		0.0233	0.0233		0.0216	0.0216	0.0000	51.0011	51.0011	0.0144	0.0000	51.3600
Total	0.0475	0.4716	0.3235	5.8000e-004	0.0496	0.0233	0.0729	7.5100e-003	0.0216	0.0291	0.0000	51.0011	51.0011	0.0144	0.0000	51.3600

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.2 Demolition - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.9300e-003	0.0634	0.0148	1.8000e-004	3.9400e-003	1.9000e-004	4.1300e-003	1.0800e-003	1.8000e-004	1.2600e-003	0.0000	17.4566	17.4566	1.2100e-003	0.0000	17.4869
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.2000e-004	5.3000e-004	6.0900e-003	2.0000e-005	1.6800e-003	1.0000e-005	1.6900e-003	4.5000e-004	1.0000e-005	4.6000e-004	0.0000	1.5281	1.5281	5.0000e-005	0.0000	1.5293
Total	2.6500e-003	0.0639	0.0209	2.0000e-004	5.6200e-003	2.0000e-004	5.8200e-003	1.5300e-003	1.9000e-004	1.7200e-003	0.0000	18.9847	18.9847	1.2600e-003	0.0000	19.0161

3.3 Site Preparation - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1807	0.0000	0.1807	0.0993	0.0000	0.0993	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0389	0.4050	0.2115	3.8000e-004		0.0204	0.0204		0.0188	0.0188	0.0000	33.4357	33.4357	0.0108	0.0000	33.7061
Total	0.0389	0.4050	0.2115	3.8000e-004	0.1807	0.0204	0.2011	0.0993	0.0188	0.1181	0.0000	33.4357	33.4357	0.0108	0.0000	33.7061

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.3 Site Preparation - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.8000e-004	4.3000e-004	4.8700e-003	1.0000e-005	1.3400e-003	1.0000e-005	1.3500e-003	3.6000e-004	1.0000e-005	3.7000e-004	0.0000	1.2225	1.2225	4.0000e-005	0.0000	1.2234
Total	5.8000e-004	4.3000e-004	4.8700e-003	1.0000e-005	1.3400e-003	1.0000e-005	1.3500e-003	3.6000e-004	1.0000e-005	3.7000e-004	0.0000	1.2225	1.2225	4.0000e-005	0.0000	1.2234

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1807	0.0000	0.1807	0.0993	0.0000	0.0993	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0389	0.4050	0.2115	3.8000e-004		0.0204	0.0204		0.0188	0.0188	0.0000	33.4357	33.4357	0.0108	0.0000	33.7060
Total	0.0389	0.4050	0.2115	3.8000e-004	0.1807	0.0204	0.2011	0.0993	0.0188	0.1181	0.0000	33.4357	33.4357	0.0108	0.0000	33.7060

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.3 Site Preparation - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.8000e-004	4.3000e-004	4.8700e-003	1.0000e-005	1.3400e-003	1.0000e-005	1.3500e-003	3.6000e-004	1.0000e-005	3.7000e-004	0.0000	1.2225	1.2225	4.0000e-005	0.0000	1.2234
Total	5.8000e-004	4.3000e-004	4.8700e-003	1.0000e-005	1.3400e-003	1.0000e-005	1.3500e-003	3.6000e-004	1.0000e-005	3.7000e-004	0.0000	1.2225	1.2225	4.0000e-005	0.0000	1.2234

3.4 Grading - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1741	0.0000	0.1741	0.0693	0.0000	0.0693	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0796	0.8816	0.5867	1.1800e-003		0.0377	0.0377		0.0347	0.0347	0.0000	103.5405	103.5405	0.0335	0.0000	104.3776
Total	0.0796	0.8816	0.5867	1.1800e-003	0.1741	0.0377	0.2118	0.0693	0.0347	0.1040	0.0000	103.5405	103.5405	0.0335	0.0000	104.3776

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.2200e-003	9.0000e-004	0.0103	3.0000e-005	2.8300e-003	2.0000e-005	2.8600e-003	7.5000e-004	2.0000e-005	7.8000e-004	0.0000	2.5808	2.5808	8.0000e-005	0.0000	2.5828
Total	1.2200e-003	9.0000e-004	0.0103	3.0000e-005	2.8300e-003	2.0000e-005	2.8600e-003	7.5000e-004	2.0000e-005	7.8000e-004	0.0000	2.5808	2.5808	8.0000e-005	0.0000	2.5828

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1741	0.0000	0.1741	0.0693	0.0000	0.0693	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0796	0.8816	0.5867	1.1800e-003		0.0377	0.0377		0.0347	0.0347	0.0000	103.5403	103.5403	0.0335	0.0000	104.3775
Total	0.0796	0.8816	0.5867	1.1800e-003	0.1741	0.0377	0.2118	0.0693	0.0347	0.1040	0.0000	103.5403	103.5403	0.0335	0.0000	104.3775

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.2200e-003	9.0000e-004	0.0103	3.0000e-005	2.8300e-003	2.0000e-005	2.8600e-003	7.5000e-004	2.0000e-005	7.8000e-004	0.0000	2.5808	2.5808	8.0000e-005	0.0000	2.5828
Total	1.2200e-003	9.0000e-004	0.0103	3.0000e-005	2.8300e-003	2.0000e-005	2.8600e-003	7.5000e-004	2.0000e-005	7.8000e-004	0.0000	2.5808	2.5808	8.0000e-005	0.0000	2.5828

3.4 Grading - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0807	0.0000	0.0807	0.0180	0.0000	0.0180	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0127	0.1360	0.1017	2.2000e-004		5.7200e-003	5.7200e-003		5.2600e-003	5.2600e-003	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414
Total	0.0127	0.1360	0.1017	2.2000e-004	0.0807	5.7200e-003	0.0865	0.0180	5.2600e-003	0.0233	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.1000e-004	1.5000e-004	1.7400e-003	1.0000e-005	5.2000e-004	0.0000	5.3000e-004	1.4000e-004	0.0000	1.4000e-004	0.0000	0.4587	0.4587	1.0000e-005	0.0000	0.4590
Total	2.1000e-004	1.5000e-004	1.7400e-003	1.0000e-005	5.2000e-004	0.0000	5.3000e-004	1.4000e-004	0.0000	1.4000e-004	0.0000	0.4587	0.4587	1.0000e-005	0.0000	0.4590

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0807	0.0000	0.0807	0.0180	0.0000	0.0180	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0127	0.1360	0.1017	2.2000e-004		5.7200e-003	5.7200e-003		5.2600e-003	5.2600e-003	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414
Total	0.0127	0.1360	0.1017	2.2000e-004	0.0807	5.7200e-003	0.0865	0.0180	5.2600e-003	0.0233	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.1000e-004	1.5000e-004	1.7400e-003	1.0000e-005	5.2000e-004	0.0000	5.3000e-004	1.4000e-004	0.0000	1.4000e-004	0.0000	0.4587	0.4587	1.0000e-005	0.0000	0.4590
Total	2.1000e-004	1.5000e-004	1.7400e-003	1.0000e-005	5.2000e-004	0.0000	5.3000e-004	1.4000e-004	0.0000	1.4000e-004	0.0000	0.4587	0.4587	1.0000e-005	0.0000	0.4590

3.5 Building Construction - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1324	293.1324	0.0702	0.0000	294.8881
Total	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1324	293.1324	0.0702	0.0000	294.8881

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.5 Building Construction - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0527	1.6961	0.4580	4.5500e-003	0.1140	3.1800e-003	0.1171	0.0329	3.0400e-003	0.0359	0.0000	441.9835	441.9835	0.0264	0.0000	442.6435
Worker	0.3051	0.2164	2.5233	7.3500e-003	0.7557	6.2300e-003	0.7619	0.2007	5.7400e-003	0.2065	0.0000	663.9936	663.9936	0.0187	0.0000	664.4604
Total	0.3578	1.9125	2.9812	0.0119	0.8696	9.4100e-003	0.8790	0.2336	8.7800e-003	0.2424	0.0000	1,105.9771	1,105.9771	0.0451	0.0000	1,107.1039

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1321	293.1321	0.0702	0.0000	294.8877
Total	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1321	293.1321	0.0702	0.0000	294.8877

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.5 Building Construction - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0527	1.6961	0.4580	4.5500e-003	0.1140	3.1800e-003	0.1171	0.0329	3.0400e-003	0.0359	0.0000	441.9835	441.9835	0.0264	0.0000	442.6435
Worker	0.3051	0.2164	2.5233	7.3500e-003	0.7557	6.2300e-003	0.7619	0.2007	5.7400e-003	0.2065	0.0000	663.9936	663.9936	0.0187	0.0000	664.4604
Total	0.3578	1.9125	2.9812	0.0119	0.8696	9.4100e-003	0.8790	0.2336	8.7800e-003	0.2424	0.0000	1,105.9771	1,105.9771	0.0451	0.0000	1,107.1039

3.5 Building Construction - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2789	286.2789	0.0681	0.0000	287.9814
Total	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2789	286.2789	0.0681	0.0000	287.9814

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.5 Building Construction - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0382	1.2511	0.4011	4.3000e-003	0.1113	1.4600e-003	0.1127	0.0321	1.4000e-003	0.0335	0.0000	417.9930	417.9930	0.0228	0.0000	418.5624
Worker	0.2795	0.1910	2.2635	6.9100e-003	0.7377	5.9100e-003	0.7436	0.1960	5.4500e-003	0.2014	0.0000	624.5363	624.5363	0.0164	0.0000	624.9466
Total	0.3177	1.4420	2.6646	0.0112	0.8490	7.3700e-003	0.8564	0.2281	6.8500e-003	0.2349	0.0000	1,042.5294	1,042.5294	0.0392	0.0000	1,043.5090

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2785	286.2785	0.0681	0.0000	287.9811
Total	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2785	286.2785	0.0681	0.0000	287.9811

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.5 Building Construction - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0382	1.2511	0.4011	4.3000e-003	0.1113	1.4600e-003	0.1127	0.0321	1.4000e-003	0.0335	0.0000	417.9930	417.9930	0.0228	0.0000	418.5624
Worker	0.2795	0.1910	2.2635	6.9100e-003	0.7377	5.9100e-003	0.7436	0.1960	5.4500e-003	0.2014	0.0000	624.5363	624.5363	0.0164	0.0000	624.9466
Total	0.3177	1.4420	2.6646	0.0112	0.8490	7.3700e-003	0.8564	0.2281	6.8500e-003	0.2349	0.0000	1,042.5294	1,042.5294	0.0392	0.0000	1,043.5090

3.6 Paving - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.6 Paving - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.8000e-004	1.9000e-004	2.2300e-003	1.0000e-005	7.3000e-004	1.0000e-005	7.3000e-004	1.9000e-004	1.0000e-005	2.0000e-004	0.0000	0.6156	0.6156	2.0000e-005	0.0000	0.6160
Total	2.8000e-004	1.9000e-004	2.2300e-003	1.0000e-005	7.3000e-004	1.0000e-005	7.3000e-004	1.9000e-004	1.0000e-005	2.0000e-004	0.0000	0.6156	0.6156	2.0000e-005	0.0000	0.6160

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.6 Paving - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.8000e-004	1.9000e-004	2.2300e-003	1.0000e-005	7.3000e-004	1.0000e-005	7.3000e-004	1.9000e-004	1.0000e-005	2.0000e-004	0.0000	0.6156	0.6156	2.0000e-005	0.0000	0.6160
Total	2.8000e-004	1.9000e-004	2.2300e-003	1.0000e-005	7.3000e-004	1.0000e-005	7.3000e-004	1.9000e-004	1.0000e-005	2.0000e-004	0.0000	0.6156	0.6156	2.0000e-005	0.0000	0.6160

3.6 Paving - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.6 Paving - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.4000e-004	2.9000e-004	3.5100e-003	1.0000e-005	1.2300e-003	1.0000e-005	1.2400e-003	3.3000e-004	1.0000e-005	3.4000e-004	0.0000	1.0094	1.0094	3.0000e-005	0.0000	1.0100
Total	4.4000e-004	2.9000e-004	3.5100e-003	1.0000e-005	1.2300e-003	1.0000e-005	1.2400e-003	3.3000e-004	1.0000e-005	3.4000e-004	0.0000	1.0094	1.0094	3.0000e-005	0.0000	1.0100

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.6 Paving - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.4000e-004	2.9000e-004	3.5100e-003	1.0000e-005	1.2300e-003	1.0000e-005	1.2400e-003	3.3000e-004	1.0000e-005	3.4000e-004	0.0000	1.0094	1.0094	3.0000e-005	0.0000	1.0100
Total	4.4000e-004	2.9000e-004	3.5100e-003	1.0000e-005	1.2300e-003	1.0000e-005	1.2400e-003	3.3000e-004	1.0000e-005	3.4000e-004	0.0000	1.0094	1.0094	3.0000e-005	0.0000	1.0100

3.7 Architectural Coating - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	4.1372					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.1600e-003	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745
Total	4.1404	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.7 Architectural Coating - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.4800e-003	4.9300e-003	0.0596	1.9000e-004	0.0209	1.6000e-004	0.0211	5.5500e-003	1.5000e-004	5.7000e-003	0.0000	17.1287	17.1287	4.3000e-004	0.0000	17.1394
Total	7.4800e-003	4.9300e-003	0.0596	1.9000e-004	0.0209	1.6000e-004	0.0211	5.5500e-003	1.5000e-004	5.7000e-003	0.0000	17.1287	17.1287	4.3000e-004	0.0000	17.1394

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	4.1372					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.1600e-003	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745
Total	4.1404	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.7 Architectural Coating - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.4800e-003	4.9300e-003	0.0596	1.9000e-004	0.0209	1.6000e-004	0.0211	5.5500e-003	1.5000e-004	5.7000e-003	0.0000	17.1287	17.1287	4.3000e-004	0.0000	17.1394
Total	7.4800e-003	4.9300e-003	0.0596	1.9000e-004	0.0209	1.6000e-004	0.0211	5.5500e-003	1.5000e-004	5.7000e-003	0.0000	17.1287	17.1287	4.3000e-004	0.0000	17.1394

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162
Unmitigated	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	2,512.6465	2,512.6465	0.1037	0.0215	2,521.6356
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	2,512.6465	2,512.6465	0.1037	0.0215	2,521.6356
NaturalGas Mitigated	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4267	1,383.4267	0.0265	0.0254	1,391.6478
NaturalGas Unmitigated	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4267	1,383.4267	0.0265	0.0254	1,391.6478

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Low Rise	408494	2.2000e-003	0.0188	8.0100e-003	1.2000e-004		1.5200e-003	1.5200e-003		1.5200e-003	1.5200e-003	0.0000	21.7988	21.7988	4.2000e-004	4.0000e-004	21.9284
Apartments Mid Rise	1.30613e+007	0.0704	0.6018	0.2561	3.8400e-003		0.0487	0.0487		0.0487	0.0487	0.0000	696.9989	696.9989	0.0134	0.0128	701.1408
General Office Building	468450	2.5300e-003	0.0230	0.0193	1.4000e-004		1.7500e-003	1.7500e-003		1.7500e-003	1.7500e-003	0.0000	24.9983	24.9983	4.8000e-004	4.6000e-004	25.1468
High Turnover (Sit Down Restaurant)	8.30736e+006	0.0448	0.4072	0.3421	2.4400e-003		0.0310	0.0310		0.0310	0.0310	0.0000	443.3124	443.3124	8.5000e-003	8.1300e-003	445.9468
Hotel	1.74095e+006	9.3900e-003	0.0853	0.0717	5.1000e-004		6.4900e-003	6.4900e-003		6.4900e-003	6.4900e-003	0.0000	92.9036	92.9036	1.7800e-003	1.7000e-003	93.4557
Quality Restaurant	1.84608e+006	9.9500e-003	0.0905	0.0760	5.4000e-004		6.8800e-003	6.8800e-003		6.8800e-003	6.8800e-003	0.0000	98.5139	98.5139	1.8900e-003	1.8100e-003	99.0993
Regional Shopping Center	91840	5.0000e-004	4.5000e-003	3.7800e-003	3.0000e-005		3.4000e-004	3.4000e-004		3.4000e-004	3.4000e-004	0.0000	4.9009	4.9009	9.0000e-005	9.0000e-005	4.9301
Total		0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4268	1,383.4268	0.0265	0.0254	1,391.6478

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Low Rise	408494	2.2000e-003	0.0188	8.0100e-003	1.2000e-004		1.5200e-003	1.5200e-003		1.5200e-003	1.5200e-003	0.0000	21.7988	21.7988	4.2000e-004	4.0000e-004	21.9284
Apartments Mid Rise	1.30613e+007	0.0704	0.6018	0.2561	3.8400e-003		0.0487	0.0487		0.0487	0.0487	0.0000	696.9989	696.9989	0.0134	0.0128	701.1408
General Office Building	468450	2.5300e-003	0.0230	0.0193	1.4000e-004		1.7500e-003	1.7500e-003		1.7500e-003	1.7500e-003	0.0000	24.9983	24.9983	4.8000e-004	4.6000e-004	25.1468
High Turnover (Sit Down Restaurant)	8.30736e+006	0.0448	0.4072	0.3421	2.4400e-003		0.0310	0.0310		0.0310	0.0310	0.0000	443.3124	443.3124	8.5000e-003	8.1300e-003	445.9468
Hotel	1.74095e+006	9.3900e-003	0.0853	0.0717	5.1000e-004		6.4900e-003	6.4900e-003		6.4900e-003	6.4900e-003	0.0000	92.9036	92.9036	1.7800e-003	1.7000e-003	93.4557
Quality Restaurant	1.84608e+006	9.9500e-003	0.0905	0.0760	5.4000e-004		6.8800e-003	6.8800e-003		6.8800e-003	6.8800e-003	0.0000	98.5139	98.5139	1.8900e-003	1.8100e-003	99.0993
Regional Shopping Center	91840	5.0000e-004	4.5000e-003	3.7800e-003	3.0000e-005		3.4000e-004	3.4000e-004		3.4000e-004	3.4000e-004	0.0000	4.9009	4.9009	9.0000e-005	9.0000e-005	4.9301
Total		0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4268	1,383.4268	0.0265	0.0254	1,391.6478

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.3 Energy by Land Use - Electricity**Unmitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Low Rise	106010	33.7770	1.3900e-003	2.9000e-004	33.8978
Apartments Mid Rise	3.94697e+006	1,257.5879	0.0519	0.0107	1,262.0869
General Office Building	584550	186.2502	7.6900e-003	1.5900e-003	186.9165
High Turnover (Sit Down Restaurant)	1.58904e+006	506.3022	0.0209	4.3200e-003	508.1135
Hotel	550308	175.3399	7.2400e-003	1.5000e-003	175.9672
Quality Restaurant	353120	112.5116	4.6500e-003	9.6000e-004	112.9141
Regional Shopping Center	756000	240.8778	9.9400e-003	2.0600e-003	241.7395
Total		2,512.6465	0.1037	0.0215	2,521.6356

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.3 Energy by Land Use - Electricity**Mitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Low Rise	106010	33.7770	1.3900e-003	2.9000e-004	33.8978
Apartments Mid Rise	3.94697e+006	1,257.5879	0.0519	0.0107	1,262.0869
General Office Building	584550	186.2502	7.6900e-003	1.5900e-003	186.9165
High Turnover (Sit Down Restaurant)	1.58904e+006	506.3022	0.0209	4.3200e-003	508.1135
Hotel	550308	175.3399	7.2400e-003	1.5000e-003	175.9672
Quality Restaurant	353120	112.5116	4.6500e-003	9.6000e-004	112.9141
Regional Shopping Center	756000	240.8778	9.9400e-003	2.0600e-003	241.7395
Total		2,512.6465	0.1037	0.0215	2,521.6356

6.0 Area Detail**6.1 Mitigation Measures Area**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835
Unmitigated	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.4137					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	4.3998					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0206	0.1763	0.0750	1.1200e-003		0.0143	0.0143		0.0143	0.0143	0.0000	204.1166	204.1166	3.9100e-003	3.7400e-003	205.3295
Landscaping	0.3096	0.1187	10.3054	5.4000e-004		0.0572	0.0572		0.0572	0.0572	0.0000	16.8504	16.8504	0.0161	0.0000	17.2540
Total	5.1437	0.2950	10.3804	1.6600e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.4137					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	4.3998					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0206	0.1763	0.0750	1.1200e-003		0.0143	0.0143		0.0143	0.0143	0.0000	204.1166	204.1166	3.9100e-003	3.7400e-003	205.3295
Landscaping	0.3096	0.1187	10.3054	5.4000e-004		0.0572	0.0572		0.0572	0.0572	0.0000	16.8504	16.8504	0.0161	0.0000	17.2540
Total	5.1437	0.2950	10.3804	1.6600e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835

7.0 Water Detail**7.1 Mitigation Measures Water**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	585.8052	3.0183	0.0755	683.7567
Unmitigated	585.8052	3.0183	0.0755	683.7567

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

7.2 Water by Land Use**Unmitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Low Rise	1.62885 / 1.02688	10.9095	0.0535	1.3400e-003	12.6471
Apartments Mid Rise	63.5252 / 40.0485	425.4719	2.0867	0.0523	493.2363
General Office Building	7.99802 / 4.90201	53.0719	0.2627	6.5900e-003	61.6019
High Turnover (Sit Down Restaurant)	10.9272 / 0.697482	51.2702	0.3580	8.8200e-003	62.8482
Hotel	1.26834 / 0.140927	6.1633	0.0416	1.0300e-003	7.5079
Quality Restaurant	2.42827 / 0.154996	11.3934	0.0796	1.9600e-003	13.9663
Regional Shopping Center	4.14806 / 2.54236	27.5250	0.1363	3.4200e-003	31.9490
Total		585.8052	3.0183	0.0755	683.7567

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

7.2 Water by Land Use**Mitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Low Rise	1.62885 / 1.02688	10.9095	0.0535	1.3400e-003	12.6471
Apartments Mid Rise	63.5252 / 40.0485	425.4719	2.0867	0.0523	493.2363
General Office Building	7.99802 / 4.90201	53.0719	0.2627	6.5900e-003	61.6019
High Turnover (Sit Down Restaurant)	10.9272 / 0.697482	51.2702	0.3580	8.8200e-003	62.8482
Hotel	1.26834 / 0.140927	6.1633	0.0416	1.0300e-003	7.5079
Quality Restaurant	2.42827 / 0.154996	11.3934	0.0796	1.9600e-003	13.9663
Regional Shopping Center	4.14806 / 2.54236	27.5250	0.1363	3.4200e-003	31.9490
Total		585.8052	3.0183	0.0755	683.7567

8.0 Waste Detail**8.1 Mitigation Measures Waste**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	207.8079	12.2811	0.0000	514.8354
Unmitigated	207.8079	12.2811	0.0000	514.8354

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

8.2 Waste by Land Use**Unmitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Low Rise	11.5	2.3344	0.1380	0.0000	5.7834
Apartments Mid Rise	448.5	91.0415	5.3804	0.0000	225.5513
General Office Building	41.85	8.4952	0.5021	0.0000	21.0464
High Turnover (Sit Down Restaurant)	428.4	86.9613	5.1393	0.0000	215.4430
Hotel	27.38	5.5579	0.3285	0.0000	13.7694
Quality Restaurant	7.3	1.4818	0.0876	0.0000	3.6712
Regional Shopping Center	58.8	11.9359	0.7054	0.0000	29.5706
Total		207.8079	12.2811	0.0000	514.8354

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

8.2 Waste by Land Use**Mitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Low Rise	11.5	2.3344	0.1380	0.0000	5.7834
Apartments Mid Rise	448.5	91.0415	5.3804	0.0000	225.5513
General Office Building	41.85	8.4952	0.5021	0.0000	21.0464
High Turnover (Sit Down Restaurant)	428.4	86.9613	5.1393	0.0000	215.4430
Hotel	27.38	5.5579	0.3285	0.0000	13.7694
Quality Restaurant	7.3	1.4818	0.0876	0.0000	3.6712
Regional Shopping Center	58.8	11.9359	0.7054	0.0000	29.5706
Total		207.8079	12.2811	0.0000	514.8354

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment**Fire Pumps and Emergency Generators**

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	9			Operational Year	2028
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Trips and VMT - Local hire provision

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27
tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2561	46.4415	31.4494	0.0636	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	6,163.416 6	6,163.416 6	1.9475	0.0000	6,212.103 9
2022	4.5441	38.8811	40.8776	0.1240	8.8255	1.6361	10.4616	3.6369	1.5052	5.1421	0.0000	12,493.44 03	12,493.44 03	1.9485	0.0000	12,518.57 07
2023	4.1534	25.7658	38.7457	0.1206	7.0088	0.7592	7.7679	1.8799	0.7136	2.5935	0.0000	12,150.48 90	12,150.48 90	0.9589	0.0000	12,174.46 15
2024	237.0219	9.5478	14.9642	0.0239	1.2171	0.4694	1.2875	0.3229	0.4319	0.4621	0.0000	2,313.180 8	2,313.180 8	0.7166	0.0000	2,331.095 6
Maximum	237.0219	46.4415	40.8776	0.1240	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	12,493.44 03	12,493.44 03	1.9485	0.0000	12,518.57 07

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

2.1 Overall Construction (Maximum Daily Emission)**Mitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2561	46.4415	31.4494	0.0636	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	6,163.4166	6,163.4166	1.9475	0.0000	6,212.1039
2022	4.5441	38.8811	40.8776	0.1240	8.8255	1.6361	10.4616	3.6369	1.5052	5.1421	0.0000	12,493.4403	12,493.4403	1.9485	0.0000	12,518.5707
2023	4.1534	25.7658	38.7457	0.1206	7.0088	0.7592	7.7679	1.8799	0.7136	2.5935	0.0000	12,150.4890	12,150.4890	0.9589	0.0000	12,174.4615
2024	237.0219	9.5478	14.9642	0.0239	1.2171	0.4694	1.2875	0.3229	0.4319	0.4621	0.0000	2,313.1808	2,313.1808	0.7166	0.0000	2,331.0955
Maximum	237.0219	46.4415	40.8776	0.1240	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	12,493.4403	12,493.4403	1.9485	0.0000	12,518.5707

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08
Total	41.1168	67.2262	207.5497	0.6278	45.9592	2.4626	48.4217	12.2950	2.4385	14.7336	0.0000	76,811.18 16	76,811.18 16	2.8282	0.4832	77,025.87 86

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08
Total	41.1168	67.2262	207.5497	0.6278	45.9592	2.4626	48.4217	12.2950	2.4385	14.7336	0.0000	76,811.18 16	76,811.18 16	2.8282	0.4832	77,025.87 86

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411		3,747.9449	3,747.9449	1.0549		3,774.3174
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419		3,747.9449	3,747.9449	1.0549		3,774.3174

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.2 Demolition - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1273	4.0952	0.9602	0.0119	0.2669	0.0126	0.2795	0.0732	0.0120	0.0852		1,292.241 3	1,292.241 3	0.0877		1,294.433 7
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0487	0.0313	0.4282	1.1800e-003	0.1141	9.5000e-004	0.1151	0.0303	8.8000e-004	0.0311		117.2799	117.2799	3.5200e-003		117.3678
Total	0.1760	4.1265	1.3884	0.0131	0.3810	0.0135	0.3946	0.1034	0.0129	0.1163		1,409.521 2	1,409.521 2	0.0912		1,411.801 5

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.2 Demolition - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1273	4.0952	0.9602	0.0119	0.2669	0.0126	0.2795	0.0732	0.0120	0.0852		1,292.241 3	1,292.241 3	0.0877		1,294.433 7
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0487	0.0313	0.4282	1.1800e-003	0.1141	9.5000e-004	0.1151	0.0303	8.8000e-004	0.0311		117.2799	117.2799	3.5200e-003		117.3678
Total	0.1760	4.1265	1.3884	0.0131	0.3810	0.0135	0.3946	0.1034	0.0129	0.1163		1,409.521 2	1,409.521 2	0.0912		1,411.801 5

3.3 Site Preparation - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809		3,685.656 9	3,685.656 9	1.1920		3,715.457 3
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116		3,685.656 9	3,685.656 9	1.1920		3,715.457 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.3 Site Preparation - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0584	0.0375	0.5139	1.4100e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		140.7359	140.7359	4.2200e-003		140.8414
Total	0.0584	0.0375	0.5139	1.4100e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		140.7359	140.7359	4.2200e-003		140.8414

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.3 Site Preparation - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0584	0.0375	0.5139	1.4100e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		140.7359	140.7359	4.2200e-003		140.8414
Total	0.0584	0.0375	0.5139	1.4100e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		140.7359	140.7359	4.2200e-003		140.8414

3.4 Grading - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265		6,007.0434	6,007.0434	1.9428		6,055,6134
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230		6,007.0434	6,007.0434	1.9428		6,055,6134

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.4 Grading - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0649	0.0417	0.5710	1.5700e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		156.3732	156.3732	4.6900e-003		156.4904
Total	0.0649	0.0417	0.5710	1.5700e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		156.3732	156.3732	4.6900e-003		156.4904

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265	0.0000	6,007.0434	6,007.0434	1.9428		6,055,6134
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230	0.0000	6,007.0434	6,007.0434	1.9428		6,055,6134

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.4 Grading - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0649	0.0417	0.5710	1.5700e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		156.3732	156.3732	4.6900e-003		156.4904
Total	0.0649	0.0417	0.5710	1.5700e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		156.3732	156.3732	4.6900e-003		156.4904

3.4 Grading - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041		6,011.4105	6,011.4105	1.9442		6,060.0158
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006		6,011.4105	6,011.4105	1.9442		6,060.0158

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.4 Grading - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0607	0.0376	0.5263	1.5100e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		150.8754	150.8754	4.2400e-003		150.9813
Total	0.0607	0.0376	0.5263	1.5100e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		150.8754	150.8754	4.2400e-003		150.9813

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.4 Grading - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0607	0.0376	0.5263	1.5100e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		150.8754	150.8754	4.2400e-003		150.9813
Total	0.0607	0.0376	0.5263	1.5100e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		150.8754	150.8754	4.2400e-003		150.9813

3.5 Building Construction - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.5 Building Construction - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4079	13.2032	3.4341	0.0364	0.9155	0.0248	0.9404	0.2636	0.0237	0.2873		3,896.548 2	3,896.548 2	0.2236		3,902.138 4
Worker	2.4299	1.5074	21.0801	0.0607	6.0932	0.0493	6.1425	1.6163	0.0454	1.6617		6,042.558 5	6,042.558 5	0.1697		6,046.800 0
Total	2.8378	14.7106	24.5142	0.0971	7.0087	0.0741	7.0828	1.8799	0.0691	1.9490		9,939.106 7	9,939.106 7	0.3933		9,948.938 4

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.5 Building Construction - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4079	13.2032	3.4341	0.0364	0.9155	0.0248	0.9404	0.2636	0.0237	0.2873		3,896.548 2	3,896.548 2	0.2236		3,902.138 4
Worker	2.4299	1.5074	21.0801	0.0607	6.0932	0.0493	6.1425	1.6163	0.0454	1.6617		6,042.558 5	6,042.558 5	0.1697		6,046.800 0
Total	2.8378	14.7106	24.5142	0.0971	7.0087	0.0741	7.0828	1.8799	0.0691	1.9490		9,939.106 7	9,939.106 7	0.3933		9,948.938 4

3.5 Building Construction - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.5 Building Construction - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3027	10.0181	3.1014	0.0352	0.9156	0.0116	0.9271	0.2636	0.0111	0.2747		3,773.876 2	3,773.876 2	0.1982		3,778.830 0
Worker	2.2780	1.3628	19.4002	0.0584	6.0932	0.0479	6.1411	1.6163	0.0441	1.6604		5,821.402 8	5,821.402 8	0.1529		5,825.225 4
Total	2.5807	11.3809	22.5017	0.0936	7.0088	0.0595	7.0682	1.8799	0.0552	1.9350		9,595.279 0	9,595.279 0	0.3511		9,604.055 4

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.209 9	2,555.209 9	0.6079		2,570.406 1

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.5 Building Construction - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3027	10.0181	3.1014	0.0352	0.9156	0.0116	0.9271	0.2636	0.0111	0.2747		3,773.876 2	3,773.876 2	0.1982		3,778.830 0
Worker	2.2780	1.3628	19.4002	0.0584	6.0932	0.0479	6.1411	1.6163	0.0441	1.6604		5,821.402 8	5,821.402 8	0.1529		5,825.225 4
Total	2.5807	11.3809	22.5017	0.0936	7.0088	0.0595	7.0682	1.8799	0.0552	1.9350		9,595.279 0	9,595.279 0	0.3511		9,604.055 4

3.6 Paving - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.6 Paving - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0427	0.0255	0.3633	1.0900e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		109.0150	109.0150	2.8600e-003		109.0866
Total	0.0427	0.0255	0.3633	1.0900e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		109.0150	109.0150	2.8600e-003		109.0866

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.6 Paving - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0427	0.0255	0.3633	1.0900e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		109.0150	109.0150	2.8600e-003		109.0866
Total	0.0427	0.0255	0.3633	1.0900e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		109.0150	109.0150	2.8600e-003		109.0866

3.6 Paving - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.6 Paving - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0403	0.0233	0.3384	1.0600e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		105.6336	105.6336	2.6300e-003		105.6992
Total	0.0403	0.0233	0.3384	1.0600e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		105.6336	105.6336	2.6300e-003		105.6992

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.547 2	2,207.547 2	0.7140		2,225.396 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.6 Paving - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0403	0.0233	0.3384	1.0600e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		105.6336	105.6336	2.6300e-003		105.6992
Total	0.0403	0.0233	0.3384	1.0600e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		105.6336	105.6336	2.6300e-003		105.6992

3.7 Architectural Coating - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.7 Architectural Coating - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.4296	0.2481	3.6098	0.0113	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,126.7583	1,126.7583	0.0280		1,127.4583
Total	0.4296	0.2481	3.6098	0.0113	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,126.7583	1,126.7583	0.0280		1,127.4583

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.7 Architectural Coating - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.4296	0.2481	3.6098	0.0113	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,126.7583	1,126.7583	0.0280		1,127.4583
Total	0.4296	0.2481	3.6098	0.0113	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,126.7583	1,126.7583	0.0280		1,127.4583

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08
Unmitigated	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
NaturalGas Unmitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1119.16	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35784.3	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1283.42	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22759.9	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4769.72	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5057.75	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	251.616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1.11916	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35.7843	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1.28342	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22.7599	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4.76972	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5.05775	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	0.251616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

6.0 Area Detail**6.1 Mitigation Measures Area**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Unmitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

7.0 Water Detail**7.1 Mitigation Measures Water****8.0 Waste Detail****8.1 Mitigation Measures Waste****9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	9			Operational Year	2028
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Trips and VMT - Local hire provision

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27
tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2621	46.4460	31.4068	0.0635	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	6,154.3377	6,154.3377	1.9472	0.0000	6,203.0186
2022	4.7966	38.8851	39.6338	0.1195	8.8255	1.6361	10.4616	3.6369	1.5052	5.1421	0.0000	12,035.3440	12,035.3440	1.9482	0.0000	12,060.6013
2023	4.3939	25.8648	37.5031	0.1162	7.0088	0.7598	7.7685	1.8799	0.7142	2.5940	0.0000	11,710.4080	11,710.4080	0.9617	0.0000	11,734.4497
2024	237.0656	9.5503	14.9372	0.0238	1.2171	0.4694	1.2875	0.3229	0.4319	0.4621	0.0000	2,307.0517	2,307.0517	0.7164	0.0000	2,324.9627
Maximum	237.0656	46.4460	39.6338	0.1195	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	12,035.3440	12,035.3440	1.9482	0.0000	12,060.6013

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

2.1 Overall Construction (Maximum Daily Emission)**Mitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2621	46.4460	31.4068	0.0635	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	6,154.3377	6,154.3377	1.9472	0.0000	6,203.0186
2022	4.7966	38.8851	39.6338	0.1195	8.8255	1.6361	10.4616	3.6369	1.5052	5.1421	0.0000	12,035.3440	12,035.3440	1.9482	0.0000	12,060.6013
2023	4.3939	25.8648	37.5031	0.1162	7.0088	0.7598	7.7685	1.8799	0.7142	2.5940	0.0000	11,710.4080	11,710.4080	0.9617	0.0000	11,734.4497
2024	237.0656	9.5503	14.9372	0.0238	1.2171	0.4694	1.2875	0.3229	0.4319	0.4621	0.0000	2,307.0517	2,307.0517	0.7164	0.0000	2,324.9627
Maximum	237.0656	46.4460	39.6338	0.1195	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	12,035.3440	12,035.3440	1.9482	0.0000	12,060.6013

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.80 05	47,917.80 05	2.1953		47,972.68 39
Total	40.7912	67.7872	202.7424	0.6043	45.9592	2.4640	48.4231	12.2950	2.4399	14.7349	0.0000	74,422.37 87	74,422.37 87	2.8429	0.4832	74,637.44 17

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.80 05	47,917.80 05	2.1953		47,972.68 39
Total	40.7912	67.7872	202.7424	0.6043	45.9592	2.4640	48.4231	12.2950	2.4399	14.7349	0.0000	74,422.37 87	74,422.37 87	2.8429	0.4832	74,637.44 17

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411		3,747.9449	3,747.9449	1.0549		3,774.3174
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419		3,747.9449	3,747.9449	1.0549		3,774.3174

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.2 Demolition - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1304	4.1454	1.0182	0.0117	0.2669	0.0128	0.2797	0.0732	0.0122	0.0854		1,269.855 5	1,269.855 5	0.0908		1,272.125 2
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0532	0.0346	0.3963	1.1100e-003	0.1141	9.5000e-004	0.1151	0.0303	8.8000e-004	0.0311		110.4707	110.4707	3.3300e-003		110.5539
Total	0.1835	4.1800	1.4144	0.0128	0.3810	0.0137	0.3948	0.1034	0.0131	0.1165		1,380.326 2	1,380.326 2	0.0941		1,382.679 1

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.2 Demolition - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1304	4.1454	1.0182	0.0117	0.2669	0.0128	0.2797	0.0732	0.0122	0.0854		1,269.855 5	1,269.855 5	0.0908		1,272.125 2
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0532	0.0346	0.3963	1.1100e-003	0.1141	9.5000e-004	0.1151	0.0303	8.8000e-004	0.0311		110.4707	110.4707	3.3300e-003		110.5539
Total	0.1835	4.1800	1.4144	0.0128	0.3810	0.0137	0.3948	0.1034	0.0131	0.1165		1,380.326 2	1,380.326 2	0.0941		1,382.679 1

3.3 Site Preparation - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809		3,685.656 9	3,685.656 9	1.1920		3,715.457 3
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116		3,685.656 9	3,685.656 9	1.1920		3,715.457 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.3 Site Preparation - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0638	0.0415	0.4755	1.3300e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		132.5649	132.5649	3.9900e-003		132.6646
Total	0.0638	0.0415	0.4755	1.3300e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		132.5649	132.5649	3.9900e-003		132.6646

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.3 Site Preparation - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0638	0.0415	0.4755	1.3300e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		132.5649	132.5649	3.9900e-003		132.6646
Total	0.0638	0.0415	0.4755	1.3300e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		132.5649	132.5649	3.9900e-003		132.6646

3.4 Grading - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265		6,007.0434	6,007.0434	1.9428		6,055,6134
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230		6,007.0434	6,007.0434	1.9428		6,055,6134

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.4 Grading - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0709	0.0462	0.5284	1.4800e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		147.2943	147.2943	4.4300e-003		147.4051
Total	0.0709	0.0462	0.5284	1.4800e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		147.2943	147.2943	4.4300e-003		147.4051

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265	0.0000	6,007.0434	6,007.0434	1.9428		6,055,6134
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230	0.0000	6,007.0434	6,007.0434	1.9428		6,055,6134

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.4 Grading - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0709	0.0462	0.5284	1.4800e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		147.2943	147.2943	4.4300e-003		147.4051
Total	0.0709	0.0462	0.5284	1.4800e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		147.2943	147.2943	4.4300e-003		147.4051

3.4 Grading - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041		6,011.4105	6,011.4105	1.9442		6,060.0158
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006		6,011.4105	6,011.4105	1.9442		6,060.0158

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.4 Grading - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0665	0.0416	0.4861	1.4300e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		142.1207	142.1207	4.0000e-003		142.2207
Total	0.0665	0.0416	0.4861	1.4300e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		142.1207	142.1207	4.0000e-003		142.2207

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.4 Grading - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0665	0.0416	0.4861	1.4300e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		142.1207	142.1207	4.0000e-003		142.2207
Total	0.0665	0.0416	0.4861	1.4300e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		142.1207	142.1207	4.0000e-003		142.2207

3.5 Building Construction - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.5 Building Construction - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4284	13.1673	3.8005	0.0354	0.9155	0.0256	0.9412	0.2636	0.0245	0.2881		3,789.075 0	3,789.075 0	0.2381		3,795.028 3
Worker	2.6620	1.6677	19.4699	0.0571	6.0932	0.0493	6.1425	1.6163	0.0454	1.6617		5,691.935 4	5,691.935 4	0.1602		5,695.940 8
Total	3.0904	14.8350	23.2704	0.0926	7.0087	0.0749	7.0836	1.8799	0.0699	1.9498		9,481.010 4	9,481.010 4	0.3984		9,490.969 1

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.5 Building Construction - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4284	13.1673	3.8005	0.0354	0.9155	0.0256	0.9412	0.2636	0.0245	0.2881		3,789.075 0	3,789.075 0	0.2381		3,795.028 3
Worker	2.6620	1.6677	19.4699	0.0571	6.0932	0.0493	6.1425	1.6163	0.0454	1.6617		5,691.935 4	5,691.935 4	0.1602		5,695.940 8
Total	3.0904	14.8350	23.2704	0.0926	7.0087	0.0749	7.0836	1.8799	0.0699	1.9498		9,481.010 4	9,481.010 4	0.3984		9,490.969 1

3.5 Building Construction - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.5 Building Construction - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3183	9.9726	3.3771	0.0343	0.9156	0.0122	0.9277	0.2636	0.0116	0.2752		3,671.4007	3,671.4007	0.2096		3,676.6417
Worker	2.5029	1.5073	17.8820	0.0550	6.0932	0.0479	6.1411	1.6163	0.0441	1.6604		5,483.7974	5,483.7974	0.1442		5,487.4020
Total	2.8211	11.4799	21.2591	0.0893	7.0088	0.0601	7.0688	1.8799	0.0557	1.9356		9,155.1981	9,155.1981	0.3538		9,164.0437

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.2099	2,555.2099	0.6079		2,570.4061
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.2099	2,555.2099	0.6079		2,570.4061

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.5 Building Construction - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3183	9.9726	3.3771	0.0343	0.9156	0.0122	0.9277	0.2636	0.0116	0.2752		3,671.4007	3,671.4007	0.2096		3,676.6417
Worker	2.5029	1.5073	17.8820	0.0550	6.0932	0.0479	6.1411	1.6163	0.0441	1.6604		5,483.7974	5,483.7974	0.1442		5,487.4020
Total	2.8211	11.4799	21.2591	0.0893	7.0088	0.0601	7.0688	1.8799	0.0557	1.9356		9,155.1981	9,155.1981	0.3538		9,164.0437

3.6 Paving - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.5841	2,207.5841	0.7140		2,225.4336

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.6 Paving - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0469	0.0282	0.3349	1.0300e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		102.6928	102.6928	2.7000e-003		102.7603
Total	0.0469	0.0282	0.3349	1.0300e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		102.6928	102.6928	2.7000e-003		102.7603

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.6 Paving - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0469	0.0282	0.3349	1.0300e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		102.6928	102.6928	2.7000e-003		102.7603
Total	0.0469	0.0282	0.3349	1.0300e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		102.6928	102.6928	2.7000e-003		102.7603

3.6 Paving - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.6 Paving - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0444	0.0257	0.3114	1.0000e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		99.5045	99.5045	2.4700e-003		99.5663
Total	0.0444	0.0257	0.3114	1.0000e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		99.5045	99.5045	2.4700e-003		99.5663

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.5472	2,207.5472	0.7140		2,225.3963
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.5472	2,207.5472	0.7140		2,225.3963

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.6 Paving - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0444	0.0257	0.3114	1.0000e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		99.5045	99.5045	2.4700e-003		99.5663
Total	0.0444	0.0257	0.3114	1.0000e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		99.5045	99.5045	2.4700e-003		99.5663

3.7 Architectural Coating - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.7 Architectural Coating - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.4734	0.2743	3.3220	0.0107	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,061.3818	1,061.3818	0.0264		1,062.0410
Total	0.4734	0.2743	3.3220	0.0107	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,061.3818	1,061.3818	0.0264		1,062.0410

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.7 Architectural Coating - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.4734	0.2743	3.3220	0.0107	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,061.3818	1,061.3818	0.0264		1,062.0410
Total	0.4734	0.2743	3.3220	0.0107	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,061.3818	1,061.3818	0.0264		1,062.0410

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.8005	47,917.8005	2.1953		47,972.6839
Unmitigated	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.8005	47,917.8005	2.1953		47,972.6839

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4,075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2,817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
NaturalGas Unmitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1119.16	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35784.3	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1283.42	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22759.9	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4769.72	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5057.75	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	251.616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1.11916	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35.7843	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1.28342	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22.7599	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4.76972	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5.05775	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	0.251616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

6.0 Area Detail**6.1 Mitigation Measures Area**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Unmitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.00 00	18,000.00 00	0.3450	0.3300	18,106.96 50
Landscaping	2.4766	0.9496	82.4430	4.3600e- 003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92

7.0 Water Detail**7.1 Mitigation Measures Water****8.0 Waste Detail****8.1 Mitigation Measures Waste****9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Attachment C

Local Hire Provision Net Change	
Without Local Hire Provision	
Total Construction GHG Emissions (MT CO2e)	3,623
Amortized (MT CO2e/year)	120.77
With Local Hire Provision	
Total Construction GHG Emissions (MT CO2e)	3,024
Amortized (MT CO2e/year)	100.80
% Decrease in Construction-related GHG Emissions	17%

EXHIBIT B



Paul Rosenfeld, Ph.D.

Principal Environmental Chemist

Chemical Fate and Transport & Air Dispersion Modeling

Risk Assessment & Remediation Specialist

Education

Ph.D. Soil Chemistry, University of Washington, 1999. Dissertation on volatile organic compound filtration.

M.S. Environmental Science, U.C. Berkeley, 1995. Thesis on organic waste economics.

B.A. Environmental Studies, U.C. Santa Barbara, 1991. Thesis on wastewater treatment.

Professional Experience

Dr. Rosenfeld has over 25 years' experience conducting environmental investigations and risk assessments for evaluating impacts to human health, property, and ecological receptors. His expertise focuses on the fate and transport of environmental contaminants, human health risk, exposure assessment, and ecological restoration. Dr. Rosenfeld has evaluated and modeled emissions from unconventional oil drilling operations, oil spills, landfills, boilers and incinerators, process stacks, storage tanks, confined animal feeding operations, and many other industrial and agricultural sources. His project experience ranges from monitoring and modeling of pollution sources to evaluating impacts of pollution on workers at industrial facilities and residents in surrounding communities.

Dr. Rosenfeld has investigated and designed remediation programs and risk assessments for contaminated sites containing lead, heavy metals, mold, bacteria, particulate matter, petroleum hydrocarbons, chlorinated solvents, pesticides, radioactive waste, dioxins and furans, semi- and volatile organic compounds, PCBs, PAHs, perchlorate, asbestos, per- and poly-fluoroalkyl substances (PFOA/PFOS), unusual polymers, fuel oxygenates (MTBE), among other pollutants. Dr. Rosenfeld also has experience evaluating greenhouse gas emissions from various projects and is an expert on the assessment of odors from industrial and agricultural sites, as well as the evaluation of odor nuisance impacts and technologies for abatement of odorous emissions. As a principal scientist at SWAPE, Dr. Rosenfeld directs air dispersion modeling and exposure assessments. He has served as an expert witness and testified about pollution sources causing nuisance and/or personal injury at dozens of sites and has testified as an expert witness on more than ten cases involving exposure to air contaminants from industrial sources.

Professional History:

Soil Water Air Protection Enterprise (SWAPE); 2003 to present; Principal and Founding Partner
UCLA School of Public Health; 2007 to 2011; Lecturer (Assistant Researcher)
UCLA School of Public Health; 2003 to 2006; Adjunct Professor
UCLA Environmental Science and Engineering Program; 2002-2004; Doctoral Intern Coordinator
UCLA Institute of the Environment, 2001-2002; Research Associate
Komex H₂O Science, 2001 to 2003; Senior Remediation Scientist
National Groundwater Association, 2002-2004; Lecturer
San Diego State University, 1999-2001; Adjunct Professor
Anteon Corp., San Diego, 2000-2001; Remediation Project Manager
Ogden (now Amec), San Diego, 2000-2000; Remediation Project Manager
Bechtel, San Diego, California, 1999 – 2000; Risk Assessor
King County, Seattle, 1996 – 1999; Scientist
James River Corp., Washington, 1995-96; Scientist
Big Creek Lumber, Davenport, California, 1995; Scientist
Plumas Corp., California and USFS, Tahoe 1993-1995; Scientist
Peace Corps and World Wildlife Fund, St. Kitts, West Indies, 1991-1993; Scientist

Publications:

Remy, L.L., Clay T., Byers, V., **Rosenfeld P. E.** (2019) Hospital, Health, and Community Burden After Oil Refinery Fires, Richmond, California 2007 and 2012. *Environmental Health*. 18:48

Simons, R.A., Seo, Y. **Rosenfeld, P.**, (2015) Modeling the Effect of Refinery Emission On Residential Property Value. *Journal of Real Estate Research*. 27(3):321-342

Chen, J. A, Zapata A. R., Sutherland A. J., Molmen, D.R., Chow, B. S., Wu, L. E., **Rosenfeld, P. E.**, Hesse, R. C., (2012) Sulfur Dioxide and Volatile Organic Compound Exposure To A Community In Texas City Texas Evaluated Using Aermol and Empirical Data. *American Journal of Environmental Science*, 8(6), 622-632.

Rosenfeld, P.E. & Feng, L. (2011). *The Risks of Hazardous Waste*. Amsterdam: Elsevier Publishing.

Cheremisinoff, N.P., & **Rosenfeld, P.E.** (2011). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Agrochemical Industry*, Amsterdam: Elsevier Publishing.

Gonzalez, J., Feng, L., Sutherland, A., Waller, C., Sok, H., Hesse, R., **Rosenfeld, P.** (2010). PCBs and Dioxins/Furans in Attic Dust Collected Near Former PCB Production and Secondary Copper Facilities in Sauget, IL. *Procedia Environmental Sciences*. 113–125.

Feng, L., Wu, C., Tam, L., Sutherland, A.J., Clark, J.J., **Rosenfeld, P.E.** (2010). Dioxin and Furan Blood Lipid and Attic Dust Concentrations in Populations Living Near Four Wood Treatment Facilities in the United States. *Journal of Environmental Health*. 73(6), 34-46.

Cheremisinoff, N.P., & **Rosenfeld, P.E.** (2010). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Wood and Paper Industries*. Amsterdam: Elsevier Publishing.

Cheremisinoff, N.P., & **Rosenfeld, P.E.** (2009). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Petroleum Industry*. Amsterdam: Elsevier Publishing.

Wu, C., Tam, L., Clark, J., **Rosenfeld, P.** (2009). Dioxin and furan blood lipid concentrations in populations living near four wood treatment facilities in the United States. *WIT Transactions on Ecology and the Environment, Air Pollution*, 123 (17), 319-327.

Tam L. K., Wu C. D., Clark J. J. and **Rosenfeld, P.E.** (2008). A Statistical Analysis Of Attic Dust And Blood Lipid Concentrations Of Tetrachloro-p-Dibenzodioxin (TCDD) Toxicity Equivalency Quotients (TEQ) In Two Populations Near Wood Treatment Facilities. *Organohalogen Compounds*, 70, 002252-002255.

Tam L. K., Wu C. D., Clark J. J. and **Rosenfeld, P.E.** (2008). Methods For Collect Samples For Assessing Dioxins And Other Environmental Contaminants In Attic Dust: A Review. *Organohalogen Compounds*, 70, 000527-000530.

Hensley, A.R. A. Scott, J. J. J. Clark, **Rosenfeld, P.E.** (2007). Attic Dust and Human Blood Samples Collected near a Former Wood Treatment Facility. *Environmental Research*. 105, 194-197.

Rosenfeld, P.E., J. J. J. Clark, A. R. Hensley, M. Suffet. (2007). The Use of an Odor Wheel Classification for Evaluation of Human Health Risk Criteria for Compost Facilities. *Water Science & Technology* 55(5), 345-357.

Rosenfeld, P. E., M. Suffet. (2007). The Anatomy Of Odour Wheels For Odours Of Drinking Water, Wastewater, Compost And The Urban Environment. *Water Science & Technology* 55(5), 335-344.

Sullivan, P. J. Clark, J.J.J., Agardy, F. J., **Rosenfeld, P.E.** (2007). *Toxic Legacy, Synthetic Toxins in the Food, Water, and Air in American Cities*. Boston Massachusetts: Elsevier Publishing

Rosenfeld, P.E., and Suffet I.H. (2004). Control of Compost Odor Using High Carbon Wood Ash. *Water Science and Technology*. 49(9),171-178.

Rosenfeld P. E., J.J. Clark, I.H. (Mel) Suffet (2004). The Value of An Odor-Quality-Wheel Classification Scheme For The Urban Environment. *Water Environment Federation's Technical Exhibition and Conference (WEFTEC) 2004*. New Orleans, October 2-6, 2004.

Rosenfeld, P.E., and Suffet, I.H. (2004). Understanding Odorants Associated With Compost, Biomass Facilities, and the Land Application of Biosolids. *Water Science and Technology*. 49(9), 193-199.

Rosenfeld, P.E., and Suffet I.H. (2004). Control of Compost Odor Using High Carbon Wood Ash, *Water Science and Technology*, 49(9), 171-178.

Rosenfeld, P. E., Grey, M. A., Sellev, P. (2004). Measurement of Biosolids Odor and Odorant Emissions from Windrows, Static Pile and Biofilter. *Water Environment Research*. 76(4), 310-315.

Rosenfeld, P.E., Grey, M and Suffet, M. (2002). Compost Demonstration Project, Sacramento California Using High-Carbon Wood Ash to Control Odor at a Green Materials Composting Facility. *Integrated Waste Management Board Public Affairs Office*, Publications Clearinghouse (MS-6), Sacramento, CA Publication #442-02-008.

Rosenfeld, P.E., and C.L. Henry. (2001). Characterization of odor emissions from three different biosolids. *Water Soil and Air Pollution*. 127(1-4), 173-191.

Rosenfeld, P.E., and Henry C. L., (2000). Wood ash control of odor emissions from biosolids application. *Journal of Environmental Quality*. 29, 1662-1668.

Rosenfeld, P.E., C.L. Henry and D. Bennett. (2001). Wastewater dewatering polymer affect on biosolids odor emissions and microbial activity. *Water Environment Research*. 73(4), 363-367.

Rosenfeld, P.E., and C.L. Henry. (2001). Activated Carbon and Wood Ash Sorption of Wastewater, Compost, and Biosolids Odorants. *Water Environment Research*, 73, 388-393.

Rosenfeld, P.E., and Henry C. L., (2001). High carbon wood ash effect on biosolids microbial activity and odor. *Water Environment Research*. 131(1-4), 247-262.

Chollack, T. and **P. Rosenfeld**. (1998). Compost Amendment Handbook For Landscaping. Prepared for and distributed by the City of Redmond, Washington State.

Rosenfeld, P. E. (1992). The Mount Liamuiga Crater Trail. *Heritage Magazine of St. Kitts*, 3(2).

Rosenfeld, P. E. (1993). High School Biogas Project to Prevent Deforestation On St. Kitts. *Biomass Users Network*, 7(1).

Rosenfeld, P. E. (1998). Characterization, Quantification, and Control of Odor Emissions From Biosolids Application To Forest Soil. Doctoral Thesis. University of Washington College of Forest Resources.

Rosenfeld, P. E. (1994). Potential Utilization of Small Diameter Trees on Sierra County Public Land. Masters thesis reprinted by the Sierra County Economic Council. Sierra County, California.

Rosenfeld, P. E. (1991). How to Build a Small Rural Anaerobic Digester & Uses Of Biogas In The First And Third World. Bachelors Thesis. University of California.

Presentations:

Rosenfeld, P.E., Sutherland, A; Hesse, R.; Zapata, A. (October 3-6, 2013). Air dispersion modeling of volatile organic emissions from multiple natural gas wells in Decatur, TX. *44th Western Regional Meeting, American Chemical Society*. Lecture conducted from Santa Clara, CA.

Sok, H.L.; Waller, C.C.; Feng, L.; Gonzalez, J.; Sutherland, A.J.; Wisdom-Stack, T.; Sahai, R.K.; Hesse, R.C.; **Rosenfeld, P.E.** (June 20-23, 2010). Atrazine: A Persistent Pesticide in Urban Drinking Water. *Urban Environmental Pollution*. Lecture conducted from Boston, MA.

Feng, L.; Gonzalez, J.; Sok, H.L.; Sutherland, A.J.; Waller, C.C.; Wisdom-Stack, T.; Sahai, R.K.; La, M.; Hesse, R.C.; **Rosenfeld, P.E.** (June 20-23, 2010). Bringing Environmental Justice to East St. Louis, Illinois. *Urban Environmental Pollution*. Lecture conducted from Boston, MA.

Rosenfeld, P.E. (April 19-23, 2009). Perfluorooctanoic Acid (PFOA) and Perfluorooctane Sulfonate (PFOS) Contamination in Drinking Water From the Use of Aqueous Film Forming Foams (AFFF) at Airports in the United States. *2009 Ground Water Summit and 2009 Ground Water Protection Council Spring Meeting*, Lecture conducted from Tuscon, AZ.

Rosenfeld, P.E. (April 19-23, 2009). Cost to Filter Atrazine Contamination from Drinking Water in the United States” Contamination in Drinking Water From the Use of Aqueous Film Forming Foams (AFFF) at Airports in the United States. *2009 Ground Water Summit and 2009 Ground Water Protection Council Spring Meeting*. Lecture conducted from Tuscon, AZ.

Wu, C., Tam, L., Clark, J., **Rosenfeld, P.** (20-22 July, 2009). Dioxin and furan blood lipid concentrations in populations living near four wood treatment facilities in the United States. Brebbia, C.A. and Popov, V., eds., *Air Pollution XVII: Proceedings of the Seventeenth International Conference on Modeling, Monitoring and Management of Air Pollution*. Lecture conducted from Tallinn, Estonia.

Rosenfeld, P. E. (October 15-18, 2007). Moss Point Community Exposure To Contaminants From A Releasing Facility. *The 23rd Annual International Conferences on Soils Sediment and Water*. Platform lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld, P. E. (October 15-18, 2007). The Repeated Trespass of Tritium-Contaminated Water Into A Surrounding Community Form Repeated Waste Spills From A Nuclear Power Plant. *The 23rd Annual International Conferences on Soils Sediment and Water*. Platform lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld, P. E. (October 15-18, 2007). Somerville Community Exposure To Contaminants From Wood Treatment Facility Emissions. The 23rd Annual International Conferences on Soils Sediment and Water. Lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld P. E. (March 2007). Production, Chemical Properties, Toxicology, & Treatment Case Studies of 1,2,3-Trichloropropane (TCP). *The Association for Environmental Health and Sciences (AEHS) Annual Meeting*. Lecture conducted from San Diego, CA.

Rosenfeld P. E. (March 2007). Blood and Attic Sampling for Dioxin/Furan, PAH, and Metal Exposure in Florala, Alabama. *The AEHS Annual Meeting*. Lecture conducted from San Diego, CA.

Hensley A.R., Scott, A., **Rosenfeld P.E.**, Clark, J.J.J. (August 21 – 25, 2006). Dioxin Containing Attic Dust And Human Blood Samples Collected Near A Former Wood Treatment Facility. *The 26th International Symposium on Halogenated Persistent Organic Pollutants – DIOXIN2006*. Lecture conducted from Radisson SAS Scandinavia Hotel in Oslo Norway.

Hensley A.R., Scott, A., **Rosenfeld P.E.**, Clark, J.J.J. (November 4-8, 2006). Dioxin Containing Attic Dust And Human Blood Samples Collected Near A Former Wood Treatment Facility. *APHA 134 Annual Meeting & Exposition*. Lecture conducted from Boston Massachusetts.

Paul Rosenfeld Ph.D. (October 24-25, 2005). Fate, Transport and Persistence of PFOA and Related Chemicals. Mealey's C8/PFOA. *Science, Risk & Litigation Conference*. Lecture conducted from The Rittenhouse Hotel, Philadelphia, PA.

Paul Rosenfeld Ph.D. (September 19, 2005). Brominated Flame Retardants in Groundwater: Pathways to Human Ingestion, *Toxicology and Remediation PEMA Emerging Contaminant Conference*. Lecture conducted from Hilton Hotel, Irvine California.

Paul Rosenfeld Ph.D. (September 19, 2005). Fate, Transport, Toxicity, And Persistence of 1,2,3-TCP. *PEMA Emerging Contaminant Conference*. Lecture conducted from Hilton Hotel in Irvine, California.

Paul Rosenfeld Ph.D. (September 26-27, 2005). Fate, Transport and Persistence of PDBEs. *Mealey's Groundwater Conference*. Lecture conducted from Ritz Carlton Hotel, Marina Del Ray, California.

Paul Rosenfeld Ph.D. (June 7-8, 2005). Fate, Transport and Persistence of PFOA and Related Chemicals. *International Society of Environmental Forensics: Focus On Emerging Contaminants*. Lecture conducted from Sheraton Oceanfront Hotel, Virginia Beach, Virginia.

Paul Rosenfeld Ph.D. (July 21-22, 2005). Fate Transport, Persistence and Toxicology of PFOA and Related Perfluorochemicals. *2005 National Groundwater Association Ground Water And Environmental Law Conference*. Lecture conducted from Wyndham Baltimore Inner Harbor, Baltimore Maryland.

Paul Rosenfeld Ph.D. (July 21-22, 2005). Brominated Flame Retardants in Groundwater: Pathways to Human Ingestion, Toxicology and Remediation. *2005 National Groundwater Association Ground Water and Environmental Law Conference*. Lecture conducted from Wyndham Baltimore Inner Harbor, Baltimore Maryland.

Paul Rosenfeld, Ph.D. and James Clark Ph.D. and Rob Hesse R.G. (May 5-6, 2004). Tert-butyl Alcohol Liability and Toxicology, A National Problem and Unquantified Liability. *National Groundwater Association. Environmental Law Conference*. Lecture conducted from Congress Plaza Hotel, Chicago Illinois.

Paul Rosenfeld, Ph.D. (March 2004). Perchlorate Toxicology. *Meeting of the American Groundwater Trust*. Lecture conducted from Phoenix Arizona.

Hagemann, M.F., **Paul Rosenfeld, Ph.D.** and Rob Hesse (2004). Perchlorate Contamination of the Colorado River. *Meeting of tribal representatives*. Lecture conducted from Parker, AZ.

Paul Rosenfeld, Ph.D. (April 7, 2004). A National Damage Assessment Model For PCE and Dry Cleaners. *Drycleaner Symposium. California Ground Water Association*. Lecture conducted from Radison Hotel, Sacramento, California.

Rosenfeld, P. E., Grey, M., (June 2003) Two stage biofilter for biosolids composting odor control. *Seventh International In Situ And On Site Bioremediation Symposium Battelle Conference* Orlando, FL.

Paul Rosenfeld, Ph.D. and James Clark Ph.D. (February 20-21, 2003) Understanding Historical Use, Chemical Properties, Toxicity and Regulatory Guidance of 1,4 Dioxane. *National Groundwater Association. Southwest Focus Conference. Water Supply and Emerging Contaminants..* Lecture conducted from Hyatt Regency Phoenix Arizona.

Paul Rosenfeld, Ph.D. (February 6-7, 2003). Underground Storage Tank Litigation and Remediation. *California CUPA Forum*. Lecture conducted from Marriott Hotel, Anaheim California.

Paul Rosenfeld, Ph.D. (October 23, 2002) Underground Storage Tank Litigation and Remediation. *EPA Underground Storage Tank Roundtable*. Lecture conducted from Sacramento California.

Rosenfeld, P.E. and Suffet, M. (October 7- 10, 2002). Understanding Odor from Compost, *Wastewater and Industrial Processes. Sixth Annual Symposium On Off Flavors in the Aquatic Environment. International Water Association*. Lecture conducted from Barcelona Spain.

Rosenfeld, P.E. and Suffet, M. (October 7- 10, 2002). Using High Carbon Wood Ash to Control Compost Odor. *Sixth Annual Symposium On Off Flavors in the Aquatic Environment. International Water Association*. Lecture conducted from Barcelona Spain.

Rosenfeld, P.E. and Grey, M. A. (September 22-24, 2002). Biocycle Composting For Coastal Sage Restoration. *Northwest Biosolids Management Association*. Lecture conducted from Vancouver Washington..

Rosenfeld, P.E. and Grey, M. A. (November 11-14, 2002). Using High-Carbon Wood Ash to Control Odor at a Green Materials Composting Facility. *Soil Science Society Annual Conference*. Lecture conducted from Indianapolis, Maryland.

Rosenfeld. P.E. (September 16, 2000). Two stage biofilter for biosolids composting odor control. *Water Environment Federation*. Lecture conducted from Anaheim California.

Rosenfeld. P.E. (October 16, 2000). Wood ash and biofilter control of compost odor. *Biofest*. Lecture conducted from Ocean Shores, California.

Rosenfeld, P.E. (2000). Bioremediation Using Organic Soil Amendments. *California Resource Recovery Association*. Lecture conducted from Sacramento California.

Rosenfeld, P.E., C.L. Henry, R. Harrison. (1998). Oat and Grass Seed Germination and Nitrogen and Sulfur Emissions Following Biosolids Incorporation With High-Carbon Wood-Ash. *Water Environment Federation 12th Annual Residuals and Biosolids Management Conference Proceedings*. Lecture conducted from Bellevue Washington.

Rosenfeld, P.E., and C.L. Henry. (1999). An evaluation of ash incorporation with biosolids for odor reduction. *Soil Science Society of America*. Lecture conducted from Salt Lake City Utah.

Rosenfeld, P.E., C.L. Henry, R. Harrison. (1998). Comparison of Microbial Activity and Odor Emissions from Three Different Biosolids Applied to Forest Soil. *Brown and Caldwell*. Lecture conducted from Seattle Washington.

Rosenfeld, P.E., C.L. Henry. (1998). Characterization, Quantification, and Control of Odor Emissions from Biosolids Application To Forest Soil. *Biofest*. Lecture conducted from Lake Chelan, Washington.

Rosenfeld, P.E., C.L. Henry, R. Harrison. (1998). Oat and Grass Seed Germination and Nitrogen and Sulfur Emissions Following Biosolids Incorporation With High-Carbon Wood-Ash. Water Environment Federation 12th Annual Residuals and Biosolids Management Conference Proceedings. Lecture conducted from Bellevue Washington.

Rosenfeld, P.E., C.L. Henry, R. B. Harrison, and R. Dills. (1997). Comparison of Odor Emissions From Three Different Biosolids Applied to Forest Soil. *Soil Science Society of America*. Lecture conducted from Anaheim California.

Teaching Experience:

UCLA Department of Environmental Health (Summer 2003 through 20010) Taught Environmental Health Science 100 to students, including undergrad, medical doctors, public health professionals and nurses. Course focused on the health effects of environmental contaminants.

National Ground Water Association, Successful Remediation Technologies. Custom Course in Sante Fe, New Mexico. May 21, 2002. Focused on fate and transport of fuel contaminants associated with underground storage tanks.

National Ground Water Association; Successful Remediation Technologies Course in Chicago Illinois. April 1, 2002. Focused on fate and transport of contaminants associated with Superfund and RCRA sites.

California Integrated Waste Management Board, April and May, 2001. Alternative Landfill Caps Seminar in San Diego, Ventura, and San Francisco. Focused on both prescriptive and innovative landfill cover design.

UCLA Department of Environmental Engineering, February 5, 2002. Seminar on Successful Remediation Technologies focusing on Groundwater Remediation.

University Of Washington, Soil Science Program, Teaching Assistant for several courses including: Soil Chemistry, Organic Soil Amendments, and Soil Stability.

U.C. Berkeley, Environmental Science Program Teaching Assistant for Environmental Science 10.

Academic Grants Awarded:

California Integrated Waste Management Board. \$41,000 grant awarded to UCLA Institute of the Environment. Goal: To investigate effect of high carbon wood ash on volatile organic emissions from compost. 2001.

Synagro Technologies, Corona California: \$10,000 grant awarded to San Diego State University. Goal: investigate effect of biosolids for restoration and remediation of degraded coastal sage soils. 2000.

King County, Department of Research and Technology, Washington State. \$100,000 grant awarded to University of Washington: Goal: To investigate odor emissions from biosolids application and the effect of polymers and ash on VOC emissions. 1998.

Northwest Biosolids Management Association, Washington State. \$20,000 grant awarded to investigate effect of polymers and ash on VOC emissions from biosolids. 1997.

James River Corporation, Oregon: \$10,000 grant was awarded to investigate the success of genetically engineered Poplar trees with resistance to round-up. 1996.

United State Forest Service, Tahoe National Forest: \$15,000 grant was awarded to investigating fire ecology of the Tahoe National Forest. 1995.

Kellogg Foundation, Washington D.C. \$500 grant was awarded to construct a large anaerobic digester on St. Kitts in West Indies. 1993

Deposition and/or Trial Testimony:

In the United States District Court For The District of New Jersey

Duarte et al, *Plaintiffs*, vs. United States Metals Refining Company et. al. *Defendant*.

Case No.: 2:17-cv-01624-ES-SCM

Rosenfeld Deposition. 6-7-2019

In the United States District Court of Southern District of Texas Galveston Division

M/T Carla Maersk, *Plaintiffs*, vs. Conti 168., Schiffahrts-GMBH & Co. Bulker KG MS “Conti Perdido”
Defendant.

Case No.: 3:15-CV-00106 consolidated with 3:15-CV-00237

Rosenfeld Deposition. 5-9-2019

In The Superior Court of the State of California In And For The County Of Los Angeles – Santa Monica

Carole-Taddeo-Bates et al., vs. Ifran Khan et al., Defendants

Case No.: No. BC615636

Rosenfeld Deposition, 1-26-2019

In The Superior Court of the State of California In And For The County Of Los Angeles – Santa Monica

The San Gabriel Valley Council of Governments et al. vs El Adobe Apts. Inc. et al., Defendants

Case No.: No. BC646857

Rosenfeld Deposition, 10-6-2018; Trial 3-7-19

In United States District Court For The District of Colorado

Bells et al. Plaintiff vs. The 3M Company et al., Defendants

Case: No 1:16-cv-02531-RBJ

Rosenfeld Deposition, 3-15-2018 and 4-3-2018

In The District Court Of Regan County, Texas, 112th Judicial District

Phillip Bales et al., Plaintiff vs. Dow Agrosiences, LLC, et al., Defendants

Cause No 1923

Rosenfeld Deposition, 11-17-2017

In The Superior Court of the State of California In And For The County Of Contra Costa

Simons et al., Plaintiffs vs. Chevron Corporation, et al., Defendants

Cause No C12-01481

Rosenfeld Deposition, 11-20-2017

In The Circuit Court Of The Twentieth Judicial Circuit, St Clair County, Illinois

Martha Custer et al., Plaintiff vs. Cerro Flow Products, Inc., Defendants

Case No.: No. 0i9-L-2295

Rosenfeld Deposition, 8-23-2017

In The Superior Court of the State of California, For The County of Los Angeles

Warrn Gilbert and Penny Gilber, Plaintiff vs. BMW of North America LLC

Case No.: LC102019 (c/w BC582154)

Rosenfeld Deposition, 8-16-2017, Trail 8-28-2018

In the Northern District Court of Mississippi, Greenville Division

Brenda J. Cooper, et al., *Plaintiffs*, vs. Meritor Inc., et al., *Defendants*

Case Number: 4:16-cv-52-DMB-JVM

Rosenfeld Deposition: July 2017

In The Superior Court of the State of Washington, County of Snohomish
Michael Davis and Julie Davis et al., Plaintiff vs. Cedar Grove Composting Inc., Defendants
Case No.: No. 13-2-03987-5
Rosenfeld Deposition, February 2017
Trial, March 2017

In The Superior Court of the State of California, County of Alameda
Charles Spain., Plaintiff vs. Thermo Fisher Scientific, et al., Defendants
Case No.: RG14711115
Rosenfeld Deposition, September 2015

In The Iowa District Court In And For Poweshiek County
Russell D. Winburn, et al., Plaintiffs vs. Doug Hoksbergen, et al., Defendants
Case No.: LALA002187
Rosenfeld Deposition, August 2015

In The Iowa District Court For Wapello County
Jerry Dovico, et al., Plaintiffs vs. Valley View Sine LLC, et al., Defendants
Law No.: LALA105144 - Division A
Rosenfeld Deposition, August 2015

In The Iowa District Court For Wapello County
Doug Pauls, et al., et al., Plaintiffs vs. Richard Warren, et al., Defendants
Law No.: LALA105144 - Division A
Rosenfeld Deposition, August 2015

In The Circuit Court of Ohio County, West Virginia
Robert Andrews, et al. v. Antero, et al.
Civil Action NO. 14-C-30000
Rosenfeld Deposition, June 2015

In The Third Judicial District County of Dona Ana, New Mexico
Betty Gonzalez, et al. Plaintiffs vs. Del Oro Dairy, Del Oro Real Estate LLC, Jerry Settles and Deward
DeRuyter, Defendants
Rosenfeld Deposition: July 2015

In The Iowa District Court For Muscatine County
Laurie Freeman et. al. Plaintiffs vs. Grain Processing Corporation, Defendant
Case No 4980
Rosenfeld Deposition: May 2015

In the Circuit Court of the 17th Judicial Circuit, in and For Broward County, Florida
Walter Hinton, et. al. Plaintiff, vs. City of Fort Lauderdale, Florida, a Municipality, Defendant.
Case Number CACE07030358 (26)
Rosenfeld Deposition: December 2014

In the United States District Court Western District of Oklahoma
Tommy McCarty, et al., Plaintiffs, v. Oklahoma City Landfill, LLC d/b/a Southeast Oklahoma City
Landfill, et al. Defendants.
Case No. 5:12-cv-01152-C
Rosenfeld Deposition: July 2014

In the County Court of Dallas County Texas

Lisa Parr et al, *Plaintiff*, vs. Aruba et al, *Defendant*.

Case Number cc-11-01650-E

Rosenfeld Deposition: March and September 2013

Rosenfeld Trial: April 2014

In the Court of Common Pleas of Tuscarawas County Ohio

John Michael Abicht, et al., *Plaintiffs*, vs. Republic Services, Inc., et al., *Defendants*

Case Number: 2008 CT 10 0741 (Cons. w/ 2009 CV 10 0987)

Rosenfeld Deposition: October 2012

In the United States District Court of Southern District of Texas Galveston Division

Kyle Cannon, Eugene Donovan, Genaro Ramirez, Carol Sassler, and Harvey Walton, each Individually and on behalf of those similarly situated, *Plaintiffs*, vs. BP Products North America, Inc., *Defendant*.

Case 3:10-cv-00622

Rosenfeld Deposition: February 2012

Rosenfeld Trial: April 2013

In the Circuit Court of Baltimore County Maryland

Philip E. Cvach, II et al., *Plaintiffs* vs. Two Farms, Inc. d/b/a Royal Farms, Defendants

Case Number: 03-C-12-012487 OT

Rosenfeld Deposition: September 2013

EXHIBIT C



Technical Consultation, Data Analysis and
Litigation Support for the Environment

1640 5th St., Suite 204 Santa
Santa Monica, California 90401
Tel: (949) 887-9013
Email: mhagemann@swape.com

Matthew F. Hagemann, P.G., C.Hg., QSD, QSP

**Geologic and Hydrogeologic Characterization
Industrial Stormwater Compliance
Investigation and Remediation Strategies
Litigation Support and Testifying Expert
CEQA Review**

Education:

M.S. Degree, Geology, California State University Los Angeles, Los Angeles, CA, 1984.

B.A. Degree, Geology, Humboldt State University, Arcata, CA, 1982.

Professional Certifications:

California Professional Geologist

California Certified Hydrogeologist

Qualified SWPPP Developer and Practitioner

Professional Experience:

Matt has 25 years of experience in environmental policy, assessment and remediation. He spent nine years with the U.S. EPA in the RCRA and Superfund programs and served as EPA's Senior Science Policy Advisor in the Western Regional Office where he identified emerging threats to groundwater from perchlorate and MTBE. While with EPA, Matt also served as a Senior Hydrogeologist in the oversight of the assessment of seven major military facilities undergoing base closure. He led numerous enforcement actions under provisions of the Resource Conservation and Recovery Act (RCRA) while also working with permit holders to improve hydrogeologic characterization and water quality monitoring.

Matt has worked closely with U.S. EPA legal counsel and the technical staff of several states in the application and enforcement of RCRA, Safe Drinking Water Act and Clean Water Act regulations. Matt has trained the technical staff in the States of California, Hawaii, Nevada, Arizona and the Territory of Guam in the conduct of investigations, groundwater fundamentals, and sampling techniques.

Positions Matt has held include:

- Founding Partner, Soil/Water/Air Protection Enterprise (SWAPE) (2003 – present);
- Geology Instructor, Golden West College, 2010 – 2014;
- Senior Environmental Analyst, Komex H₂O Science, Inc. (2000 -- 2003);

- Executive Director, Orange Coast Watch (2001 – 2004);
- Senior Science Policy Advisor and Hydrogeologist, U.S. Environmental Protection Agency (1989–1998);
- Hydrogeologist, National Park Service, Water Resources Division (1998 – 2000);
- Adjunct Faculty Member, San Francisco State University, Department of Geosciences (1993 – 1998);
- Instructor, College of Marin, Department of Science (1990 – 1995);
- Geologist, U.S. Forest Service (1986 – 1998); and
- Geologist, Dames & Moore (1984 – 1986).

Senior Regulatory and Litigation Support Analyst:

With SWAPE, Matt’s responsibilities have included:

- Lead analyst and testifying expert in the review of over 100 environmental impact reports since 2003 under CEQA that identify significant issues with regard to hazardous waste, water resources, water quality, air quality, Valley Fever, greenhouse gas emissions, and geologic hazards. Make recommendations for additional mitigation measures to lead agencies at the local and county level to include additional characterization of health risks and implementation of protective measures to reduce worker exposure to hazards from toxins and Valley Fever.
- Stormwater analysis, sampling and best management practice evaluation at industrial facilities.
- Manager of a project to provide technical assistance to a community adjacent to a former Naval shipyard under a grant from the U.S. EPA.
- Technical assistance and litigation support for vapor intrusion concerns.
- Lead analyst and testifying expert in the review of environmental issues in license applications for large solar power plants before the California Energy Commission.
- Manager of a project to evaluate numerous formerly used military sites in the western U.S.
- Manager of a comprehensive evaluation of potential sources of perchlorate contamination in Southern California drinking water wells.
- Manager and designated expert for litigation support under provisions of Proposition 65 in the review of releases of gasoline to sources drinking water at major refineries and hundreds of gas stations throughout California.
- Expert witness on two cases involving MTBE litigation.
- Expert witness and litigation support on the impact of air toxins and hazards at a school.
- Expert witness in litigation at a former plywood plant.

With Komex H2O Science Inc., Matt’s duties included the following:

- Senior author of a report on the extent of perchlorate contamination that was used in testimony by the former U.S. EPA Administrator and General Counsel.
- Senior researcher in the development of a comprehensive, electronically interactive chronology of MTBE use, research, and regulation.
- Senior researcher in the development of a comprehensive, electronically interactive chronology of perchlorate use, research, and regulation.
- Senior researcher in a study that estimates nationwide costs for MTBE remediation and drinking water treatment, results of which were published in newspapers nationwide and in testimony against provisions of an energy bill that would limit liability for oil companies.
- Research to support litigation to restore drinking water supplies that have been contaminated by MTBE in California and New York.

- Expert witness testimony in a case of oil production-related contamination in Mississippi.
- Lead author for a multi-volume remedial investigation report for an operating school in Los Angeles that met strict regulatory requirements and rigorous deadlines.

- Development of strategic approaches for cleanup of contaminated sites in consultation with clients and regulators.

Executive Director:

As Executive Director with Orange Coast Watch, Matt led efforts to restore water quality at Orange County beaches from multiple sources of contamination including urban runoff and the discharge of wastewater. In reporting to a Board of Directors that included representatives from leading Orange County universities and businesses, Matt prepared issue papers in the areas of treatment and disinfection of wastewater and control of the discharge of grease to sewer systems. Matt actively participated in the development of countywide water quality permits for the control of urban runoff and permits for the discharge of wastewater. Matt worked with other nonprofits to protect and restore water quality, including Surfrider, Natural Resources Defense Council and Orange County CoastKeeper as well as with business institutions including the Orange County Business Council.

Hydrogeology:

As a Senior Hydrogeologist with the U.S. Environmental Protection Agency, Matt led investigations to characterize and cleanup closing military bases, including Mare Island Naval Shipyard, Hunters Point Naval Shipyard, Treasure Island Naval Station, Alameda Naval Station, Moffett Field, Mather Army Airfield, and Sacramento Army Depot. Specific activities were as follows:

- Led efforts to model groundwater flow and contaminant transport, ensured adequacy of monitoring networks, and assessed cleanup alternatives for contaminated sediment, soil, and groundwater.
- Initiated a regional program for evaluation of groundwater sampling practices and laboratory analysis at military bases.
- Identified emerging issues, wrote technical guidance, and assisted in policy and regulation development through work on four national U.S. EPA workgroups, including the Superfund Groundwater Technical Forum and the Federal Facilities Forum.

At the request of the State of Hawaii, Matt developed a methodology to determine the vulnerability of groundwater to contamination on the islands of Maui and Oahu. He used analytical models and a GIS to show zones of vulnerability, and the results were adopted and published by the State of Hawaii and County of Maui.

As a hydrogeologist with the EPA Groundwater Protection Section, Matt worked with provisions of the Safe Drinking Water Act and NEPA to prevent drinking water contamination. Specific activities included the following:

- Received an EPA Bronze Medal for his contribution to the development of national guidance for the protection of drinking water.
- Managed the Sole Source Aquifer Program and protected the drinking water of two communities through designation under the Safe Drinking Water Act. He prepared geologic reports, conducted public hearings, and responded to public comments from residents who were very concerned about the impact of designation.

- Reviewed a number of Environmental Impact Statements for planned major developments, including large hazardous and solid waste disposal facilities, mine reclamation, and water transfer.

Matt served as a hydrogeologist with the RCRA Hazardous Waste program. Duties were as follows:

- Supervised the hydrogeologic investigation of hazardous waste sites to determine compliance with Subtitle C requirements.
- Reviewed and wrote "part B" permits for the disposal of hazardous waste.
- Conducted RCRA Corrective Action investigations of waste sites and led inspections that formed the basis for significant enforcement actions that were developed in close coordination with U.S. EPA legal counsel.
- Wrote contract specifications and supervised contractor's investigations of waste sites.

With the National Park Service, Matt directed service-wide investigations of contaminant sources to prevent degradation of water quality, including the following tasks:

- Applied pertinent laws and regulations including CERCLA, RCRA, NEPA, NRDA, and the Clean Water Act to control military, mining, and landfill contaminants.
- Conducted watershed-scale investigations of contaminants at parks, including Yellowstone and Olympic National Park.
- Identified high-levels of perchlorate in soil adjacent to a national park in New Mexico and advised park superintendent on appropriate response actions under CERCLA.
- Served as a Park Service representative on the Interagency Perchlorate Steering Committee, a national workgroup.
- Developed a program to conduct environmental compliance audits of all National Parks while serving on a national workgroup.
- Co-authored two papers on the potential for water contamination from the operation of personal watercraft and snowmobiles, these papers serving as the basis for the development of nation-wide policy on the use of these vehicles in National Parks.
- Contributed to the Federal Multi-Agency Source Water Agreement under the Clean Water Action Plan.

Policy:

Served senior management as the Senior Science Policy Advisor with the U.S. Environmental Protection Agency, Region 9. Activities included the following:

- Advised the Regional Administrator and senior management on emerging issues such as the potential for the gasoline additive MTBE and ammonium perchlorate to contaminate drinking water supplies.
- Shaped EPA's national response to these threats by serving on workgroups and by contributing to guidance, including the Office of Research and Development publication, *Oxygenates in Water: Critical Information and Research Needs*.
- Improved the technical training of EPA's scientific and engineering staff.
- Earned an EPA Bronze Medal for representing the region's 300 scientists and engineers in negotiations with the Administrator and senior management to better integrate scientific principles into the policy-making process.
- Established national protocol for the peer review of scientific documents.

Geology:

With the U.S. Forest Service, Matt led investigations to determine hillslope stability of areas proposed for timber harvest in the central Oregon Coast Range. Specific activities were as follows:

- Mapped geology in the field, and used aerial photographic interpretation and mathematical models to determine slope stability.
- Coordinated his research with community members who were concerned with natural resource protection.
- Characterized the geology of an aquifer that serves as the sole source of drinking water for the city of Medford, Oregon.

As a consultant with Dames and Moore, Matt led geologic investigations of two contaminated sites (later listed on the Superfund NPL) in the Portland, Oregon, area and a large hazardous waste site in eastern Oregon. Duties included the following:

- Supervised year-long effort for soil and groundwater sampling.
- Conducted aquifer tests.
- Investigated active faults beneath sites proposed for hazardous waste disposal.

Teaching:

From 1990 to 1998, Matt taught at least one course per semester at the community college and university levels:

- At San Francisco State University, held an adjunct faculty position and taught courses in environmental geology, oceanography (lab and lecture), hydrogeology, and groundwater contamination.
- Served as a committee member for graduate and undergraduate students.
- Taught courses in environmental geology and oceanography at the College of Marin.

Matt taught physical geology (lecture and lab and introductory geology at Golden West College in Huntington Beach, California from 2010 to 2014.

Invited Testimony, Reports, Papers and Presentations:

Hagemann, M.F., 2008. Disclosure of Hazardous Waste Issues under CEQA. Presentation to the Public Environmental Law Conference, Eugene, Oregon.

Hagemann, M.F., 2008. Disclosure of Hazardous Waste Issues under CEQA. Invited presentation to U.S. EPA Region 9, San Francisco, California.

Hagemann, M.F., 2005. Use of Electronic Databases in Environmental Regulation, Policy Making and Public Participation. Brownfields 2005, Denver, Colorado.

Hagemann, M.F., 2004. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in Nevada and the Southwestern U.S. Presentation to a meeting of the American Groundwater Trust, Las Vegas, NV (served on conference organizing committee).

Hagemann, M.F., 2004. Invited testimony to a California Senate committee hearing on air toxins at schools in Southern California, Los Angeles.

Brown, A., Farrow, J., Gray, A. and **Hagemann, M.**, 2004. An Estimate of Costs to Address MTBE Releases from Underground Storage Tanks and the Resulting Impact to Drinking Water Wells. Presentation to the Ground Water and Environmental Law Conference, National Groundwater Association.

Hagemann, M.F., 2004. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in Arizona and the Southwestern U.S. Presentation to a meeting of the American Groundwater Trust, Phoenix, AZ (served on conference organizing committee).

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in the Southwestern U.S. Invited presentation to a special committee meeting of the National Academy of Sciences, Irvine, CA.

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River. Invited presentation to a tribal EPA meeting, Pechanga, CA.

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River. Invited presentation to a meeting of tribal representatives, Parker, AZ.

Hagemann, M.F., 2003. Impact of Perchlorate on the Colorado River and Associated Drinking Water Supplies. Invited presentation to the Inter-Tribal Meeting, Torres Martinez Tribe.

Hagemann, M.F., 2003. The Emergence of Perchlorate as a Widespread Drinking Water Contaminant. Invited presentation to the U.S. EPA Region 9.

Hagemann, M.F., 2003. A Deductive Approach to the Assessment of Perchlorate Contamination. Invited presentation to the California Assembly Natural Resources Committee.

Hagemann, M.F., 2003. Perchlorate: A Cold War Legacy in Drinking Water. Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. From Tank to Tap: A Chronology of MTBE in Groundwater. Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. A Chronology of MTBE in Groundwater and an Estimate of Costs to Address Impacts to Groundwater. Presentation to the annual meeting of the Society of Environmental Journalists.

Hagemann, M.F., 2002. An Estimate of the Cost to Address MTBE Contamination in Groundwater (and Who Will Pay). Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. An Estimate of Costs to Address MTBE Releases from Underground Storage Tanks and the Resulting Impact to Drinking Water Wells. Presentation to a meeting of the U.S. EPA and State Underground Storage Tank Program managers.

Hagemann, M.F., 2001. From Tank to Tap: A Chronology of MTBE in Groundwater. Unpublished report.

Hagemann, M.F., 2001. Estimated Cleanup Cost for MTBE in Groundwater Used as Drinking Water. Unpublished report.

Hagemann, M.F., 2001. Estimated Costs to Address MTBE Releases from Leaking Underground Storage Tanks. Unpublished report.

Hagemann, M.F., and VanMouwerik, M., 1999. Potential Water Quality Concerns Related to Snowmobile Usage. Water Resources Division, National Park Service, Technical Report.

VanMouwerik, M. and **Hagemann, M.F.** 1999, Water Quality Concerns Related to Personal Watercraft Usage. Water Resources Division, National Park Service, Technical Report.

Hagemann, M.F., 1999, Is Dilution the Solution to Pollution in National Parks? The George Wright Society Biannual Meeting, Asheville, North Carolina.

Hagemann, M.F., 1997, The Potential for MTBE to Contaminate Groundwater. U.S. EPA Superfund Groundwater Technical Forum Annual Meeting, Las Vegas, Nevada.

Hagemann, M.F., and Gill, M., 1996, Impediments to Intrinsic Remediation, Moffett Field Naval Air Station, Conference on Intrinsic Remediation of Chlorinated Hydrocarbons, Salt Lake City.

Hagemann, M.F., Fukunaga, G.L., 1996, The Vulnerability of Groundwater to Anthropogenic Contaminants on the Island of Maui, Hawaii. Hawaii Water Works Association Annual Meeting, Maui, October 1996.

Hagemann, M. F., Fukanaga, G. L., 1996, Ranking Groundwater Vulnerability in Central Oahu, Hawaii. Proceedings, Geographic Information Systems in Environmental Resources Management, Air and Waste Management Association Publication VIP-61.

Hagemann, M.F., 1994. Groundwater Characterization and Cleanup at Closing Military Bases in California. Proceedings, California Groundwater Resources Association Meeting.

Hagemann, M.F. and Sabol, M.A., 1993. Role of the U.S. EPA in the High Plains States Groundwater Recharge Demonstration Program. Proceedings, Sixth Biennial Symposium on the Artificial Recharge of Groundwater.

Hagemann, M.F., 1993. U.S. EPA Policy on the Technical Impracticability of the Cleanup of DNAPL-contaminated Groundwater. California Groundwater Resources Association Meeting.

Hagemann, M.F., 1992. Dense Nonaqueous Phase Liquid Contamination of Groundwater: An Ounce of Prevention... Proceedings, Association of Engineering Geologists Annual Meeting, v. 35.

Other Experience:

Selected as subject matter expert for the California Professional Geologist licensing examination, 2009-2011.



Department of Public Works

- Flood Control
- Operations
- Solid Waste Management
- Special Districts
- Surveyor
- Transportation

www.SBCounty.gov

Brendon Biggs, M.S., P.E.
Director

Noel Castillo, P.E.
Assistant Director

Trevor Leja
Assistant Director

April 18, 2022

Transmitted Via Email

File: 10(ENV)-4.01

Steven Valdez, Senior Planner
County of San Bernardino
Land Use Services Department - Planning Division
385 North Arrowhead Avenue, First Floor
San Bernardino, CA 92415-0187

RE: CEQA –NOTICE OF AVAILABILITY (NOA)/ NOTICE OF INTENT (NOI) TO ADOPT AN INITIAL STUDY / MITIGATED NEGATIVE DECLARATION 15719 AND 15755 ARROW ROUTE WAREHOUSE

Dear Mr. Valdez:

Thank you for allowing the San Bernardino County Department of Public Works the opportunity to comment on the above-referenced project. **We received this request on March 21, 2022** and pursuant to our review, we have the following comments:

Flood Control Planning & Water Resources Division (Michael Fam, Chief, 909-387-8120):

1. We are aware there may be storm drains in and around the site that may be affected by the proposed Project. proposed Project. When planning for or altering existing or future storm drains, be advised that the Project is subject to the City of Fontana Master Plan of Drainage, dated June 1992. It is to be used as a guideline for drainage in the area and is available in the City of Fontana's offices. Any revision to the drainage should be reviewed and approved by the jurisdictional agency in which the revision occurs (e.g. City or County). Should construction of new, or alterations to existing storm drains be necessary as part of the Proposed Project, their impacts and any required mitigation should be discussed within the IS/MND before the document is adopted by the Lead Agency.

BOARD OF SUPERVISORS

COL. PAUL COOK (RET.)
First District

JANICE RUTHERFORD
Second District

DAWN ROWE
Vice Chair, Third District

CURT HAGMAN
Chairman, Fourth District

JOE BACA, JR.
Fifth District

Leonard X. Hernandez
Chief Executive Officer

Permits/Operations Support Division (Fong Tse, Chief, 909-387-7995):

1. Portions of the Project may be adjacent to the San Bernardino County Flood Control District (SBCFCD) right-of-way and facility. Any encroachments on the District's right-of-way or facilities, including but not limited to access, fencing and grading, utility crossings, landscaping, new and/or alteration to drainage connections will require a permit from the SBCFCD prior to start of construction. The necessity for permits, and any impacts associated with them, should be addressed in the IS/MND prior to adoption and certification. If you have any questions regarding this process, please contact the FCD Permit Section at (909) 387-1863

We respectfully request to be included on the circulation list for all project notices, public reviews, or public hearings. In closing, I would like to thank you again for allowing the San Bernardino County Department of Public Works the opportunity to comment on the above-referenced project. Should you have any questions or need additional clarification, please contact the individuals who provided the specific comment, as listed above.

Sincerely,

Michael Perry

Michael R. Perry

Supervising Planner

Environmental Management



City Council

Acquanetta Warren
Mayor

Peter A. Garcia
Mayor Pro Tem

John B. Roberts
Council Member

Jesus "Jesse" Sandoval
Council Member

Phillip W. Cothran
Council Member

RECEIVED
2022 MAY 12 AM 7:41
LAND USE SERVICES
PLANNING DEPARTMENT

April 18, 2022

Mr. Steven Valdez, Project Planner
San Bernardino County
Land Use Services Department/Planning Division
385 North Arrowhead Avenue, First Floor
San Bernardino, CA 92415-0182

RE: Department review for Project No. PROJ-2020-00235 [Fontana's Project No. County Project Review No. (CPR) No. 22-002] a request to approve a Conditional Use Permit (CUP) to establish a 209,759 square foot logistics warehouse center with 10,000 of office space over two parcels totaling approximately 9.2 gross acres within the General Industrial (GI) Land Use Category (LUC) and the Regional Industrial (IR) Zoning District.

The project site is located within in the City of Fontana's Sphere of Influence, a un-incorporated County area. The project site has a General Plan land use designation of Open Space (OS), this land use designation includes quarries, flood control channels, ground water percolation basins, and agriculture uses.

The project site is located within the pre-zoned area of the Open Space-Resource (OS-R) zoning district, this zoning district accommodates quarries, flood control channels, groundwater percolation basins, agriculture, and is intended to allow for the continued productive use of natural resources.

The OS-R zoning district does not allow for logistics warehouse center uses.

LOCATION: The project site is located on the south side of Arrow Boulevard, consisting of two parcels identified as Assessor Parcel Number (APN): 0232-161-18 and -19. The project site fronts Arrow Boulevard for approximately 660 feet and has a depth of approximately 600 feet.

APPLICANT: Mr. Jonah Chodosh
WPT Arrow Boulevard, LP
150 South Fifth Street, Suite No. 2675
Minneapolis, MN 55402

JOB NO.: PROJ-2020-00235

CITY OF FONTANA 8353 SIERRA AVENUE, FONTANA, CALIFORNIA 92335
www.Fontana.org

Dear Mr. Valdez:

Thank you for the opportunity to review and comment on the above-referenced project. The project site is located on the south side of Arrow Boulevard, consisting of two parcels identified as Assessor Parcel Number (APN): 0232-161-18 and -19, and is located within the City of Fontana's Sphere of Influence. The project site has a General Plan land use designation of Open Space (OS), and the pre-zoning of these parcels are Open Space-Resource (OS-R) zoning district. The OS-R zoning district does not allow for logistics warehouse center uses. If the County chooses to proceed with granting approval of this project the following items should be addressed:

Section No. 30-532.7.d, Walls. A minimum ten (10) foot high wall shall be required adjacent to existing residential uses. A higher wall may be required for noise and/or screening purposes.

Section No. 30-532.7.e, Minimum Architecture Standard.

1) **Mass and Scale.**

- a) The mass and scale of the buildings shall respect the visual and physical relationship to the adjacent buildings and surrounding sensitive uses. Taller building elements shall be placed towards the center of the site, with lower elements adjacent to surrounding properties.
- b) Buildings shall be stepped back when adjacent to or in close proximity to sensitive uses (e.g. residential, schools, etc.).
- c) Vertical and horizontal offsets shall be provided to reduce the visual bulk of the building.

2) **Minimum Building Facades Standard**

- a) Building facades shall incorporate architectural elements such as windows, decorative trim (cornice or cap), pillars, roofline variations and wall plane breaks to minimize blank walls to create visual interest, and to reduce the opportunity for graffiti.
- b) All building elevations, whether front, side, or rear shall be architecturally detailed.

3) **Architectural Accents** (e.g., cornices, tiles, trim around windows, grooves in building faces, accent band details, bulkheads, etc.) shall be used to create variation along building facades. See Figure No. 1. And Figure No. 2.



Figure No. 1



Figure No. 2

Section No. 30-538.E. Parking Lot Screening.

1. Along any boundary between an industrial zoning district and abutting, residentially designated property, decorative screen walls shall be installed and dense vegetation planted. Trees with at least 24-inch boxes shall be planted at intervals of 30 feet or less, depending upon the species used, along the nonresidential side of the wall. The use of barbed wire, razor wire, electric fencing, or similar materials is prohibited when located along any boundary that abuts residentially designated property.
2. Parking areas and driveways adjacent to a public right-of-way, shall be screened from view by a landscape buffer with a minimum width of 15 feet or as required setbacks. Berming shall be provided, mounded to an average height of three feet above the curb height along public streets. Maximum slope of mounds shall be three to one. Trees and shrubs shall be planted in this area according to the standards contained in Article X.
3. A sight-line analysis shall be required with all development applications, and shall show that all loading areas, roll-up doors, storage items, equipment, and vehicles, are screened from the public view of adjoining parcels and public streets.
 - A sight-line analysis shall be identified on the site plan and cross section graphics demonstrating the line of sight from the right-of-way to the loading or storage areas at six feet above the right-of-way surface at three distinct points: The centerline of the right-of-way and the property lines on either side of the right-of-way. The graphics shall be to scale, fully dimensioned, and contain all building elevations, berms, walls, landscaping, setbacks, fences, and other structures as they are being proposed to be built.

Engineering Land Development and Traffic: please contact Kyle Scribner, Assistant Engineer, at 909-428-7627

The proposed project shall not impact intersections of City of Fontana negatively, especially Arrow/Almeria, Arrow/Tokay, and Arrow Citrus. Provide the City of Fontana information on their traffic circulation pattern.

If you have any questions or concerns regarding this letter, please call me at (909) 350-6681 or e-mail me at jdille@fontana.org.

Sincerely,

Jon S. Dille,
Associate Planner



P.O. Box 79222 Corona, CA 92877

July 19, 2022

Steven Valdez, Senior Planner
County of San Bernardino
Land Use Services Department - Planning Division

Re: 15719 and 15755 Arrow Route Warehouse Project, SCH No. 2022030365 (the "Project")

Dear Mr. Valdez:

On behalf of the Golden State Environmental Justice Alliance ("GSEJA"), I am writing to you regarding the 15719 And 15755 Arrow Route Warehouse MND (SCH NO. 2022030365) (the "Project").

The Project's developer has addressed GSEJA's concerns about environmental mitigation. Therefore, GSEJA supports and withdraws its comment letter on the Project.

Sincerely,



Joe Bourgeois
Executive Director

EXHIBIT E

Responses to Comments

Responses to Comments

Initial Study PROJ-2020-00235

**WPT Arrow Boulevard, LP
APN: 0232-161-18 and 0232-161-19**

Lead Agency:

San Bernardino County
Land Use Services Department
385 N. Arrowhead Avenue, 1st Floor
San Bernardino, CA 92415-0182

August 2022

Table of Contents

Section 1.0	Introduction	1
Section 2.0	Comment Letters and Responses to Comments	1
	Comment Letter A – Golden State Environmental Justice Alliance	2
	Response to Comment Letter A – Golden State Environmental Justice Alliance	37
	Comment Letter B – Center for Community Action and Environmental Justice	57
	Response to Comment Letter B – Center for Community Action and Environmental Justice	60
	Comment Letter C – Adam Salcido	62
	Response to Comment Letter C – Adam Salcido	64
	Comment Letter D – Southwest Regional Council of Carpenters	65
	Response to Comment Letter D – Southwest Regional Council of Carpenters	71
	Comment Letter E – County of San Bernardino, Department of Public Works	72
	Response to Comment Letter E – County of San Bernardino, Department of Public Works	75
	Comment Letter F – City of Fontana	76
	Response to Comment Letter F – City of Fontana	80
	Comment Letter G – Golden State Environmental Justice Alliance	81
	Response to Comment Letter G – Golden State Environmental Justice Alliance	83

Attachments

- Attachment A – Comment Letter A Golden State Environmental Justice Alliance’s Attachment A - Attachment F
- Attachment B – Comment Letter D Southwest Regional Council of Carpenters’ Exhibit A - Exhibit C
- Attachment C – Consistency with Environmental Justice Policies Memo

SECTION 1.0 INTRODUCTION

Pursuant to the Guidelines for Implementation of the California Environmental Quality Act (CEQA Guidelines) § 15073, the Initial Study/Mitigated Negative Declaration (IS/MND) for the WPT Arrow Boulevard LP (Project No. 2020-00235) was circulated to the State Clearinghouse, Responsible Agencies, and interested parties for a 30-day period that commenced on March 14 and concluded on April 18, 2022 for public review and comment.

SECTION 2.0 COMMENT LETTERS AND RESPONSES TO COMMENTS

CEQA Guidelines § 15074 requires the decision-making body to consider the proposed IS/MND together with any comments received during the public review process. There is no requirement for a formal response to each of the comments received (unlike the requirement for a Final Environmental Impact Report). However, in order to provide the County of San Bernardino with additional information upon which to base their decision whether to approve or deny the proposed Project, the following Responses to Comments has been prepared. Each comment letter is labeled alphabetically with each individual comment identified by a number. The responses are provided following each letter. All written comments have been made a part of the public record.

LIST OF PERSONS, ORGANIZATIONS AND AGENCIES THAT COMMENTED ON THE INITIAL STUDY

Letter	Commenting Party	Date
A	Golden State Environmental Justice Alliance	April 11, 2022
B	Center for Community Action and Environmental Justice	April 12, 2022
C	Adam Salcido	April 13, 2022
D	Southwest Regional Council of Carpenters	April 18, 2022
E	San Bernardino County; Department of Public Works	April 18, 2022
F	City of Fontana	April 18, 2022
G	Golden State Environmental Justice Alliance/Support Letter	July 19, 2022

Comment Letter A – Golden State Environmental Justice Alliance

Comment letter A commences on the next page.

**BLUM COLLINS & HO, LLP
ATTORNEYS AT LAW
AON CENTER
707 WILSHIRE BLVD., SUITE 4880
LOS ANGELES, CALIFORNIA 90017
(213) 572-0400**

April 11, 2022

Steven Valdez, Senior Planner
County of San Bernardino
Land Use Services Department - Planning Division
385 North Arrowhead Avenue, First Floor
San Bernardino, CA 92415-0187

VIA EMAIL TO:
steven.Valdez@lusc.sbcounty.gov

Subject: Comments On 15719 And 15755 Arrow Route Warehouse MND (SCH NO. 2022030365)

Dear Mr. Valdez,

Thank you for the opportunity to comment on the Mitigated Negative Declaration (MND) for the proposed 15719 and 15755 Arrow Route Warehouse Project. Please accept and consider these comments on behalf of Golden State Environmental Justice Alliance (GSEJA). Also, GSEJA formally requests to be added to the public interest list regarding any subsequent environmental documents, public notices, public hearings, and notices of determination for this project. Send all communications to Golden State Environmental Justice Alliance P.O. Box 79222 Corona, CA 92877.

1.0 Summary

The project proposes the construction and operation of one 209,759-square-foot (sf), industrial non-refrigerated warehouse building including 10,000-sf of potential office space on an approximately 9.23 net acre site. The site proposes 28 truck/trailer loading dock doors, 121 passenger car parking spaces, and 37 truck/trailer parking spaces.

2.0 Project Description

The MND does not include a floor plan, grading plan, or detailed site plan, for the proposed project. The basic components of a Planning Application include a site plan, floor plan, grading plan, elevations, and written narrative. The site plan provided in Figure 5 does not provide any detailed information such as the earthwork quantity notes, parking requirements, site coverage, floor area ratio, etc. The MND has excluded these required application items from public review, which does not comply with CEQA's requirements for adequate informational documents and meaningful disclosure

A-1

A-2

Steven Valdez

April 11, 2022

Page 2

(CEQA § 15121 and 21003(b)). Incorporation by reference (CEQA § 15150 (f)) is not appropriate as these documents contribute directly to analysis of the problem at hand.

Additionally, the project site is analyzed as vacant with no improvements or structures on the site throughout the MND. The project description states that:

“The site contains three former automotive/dismantling parts businesses that are currently unoccupied. On January 16, 2022, the All Auto Parts Office building located at 15755 Arrow Route was damaged by a structure fire caused by transients who illegally occupied the building. The fire caused structural damage that poses a risk to public safety, which requires the building to be demolished. To address public safety concerns and prevent further potential risk from unauthorized occupation, all structures are being demolished under a permit to be issued by the Building and Safety Department. The remainder of the on-site infrastructure will be demolished prior to site grading.”

However, demolition of the onsite structures is implementation of the proposed project prior to CEQA review and alters the environmental setting. Removing the existing structures requires site preparation, demolition, and hauling trips that are not analyzed in the MND. An EIR must be prepared to accurately analyze the potentially significant impacts, including those related to project implementation prior to CEQA review. Additionally, site photos in Appendix I: Phase 1 Environmental Site Assessment depict the site to include more items onsite, such as high-pile outdoor storage of compacted dismantled vehicles, aboveground vehicle lifts, air compressors and other equipment, and outdoor vehicle and pallet storage:



Photo #7 View of auto yard (Riteway Auto yard on Tract 1).




Photo #8 View of auto yard (Riteway Auto yard on Tract 1).

Clearing the entire site will require numerous truck/trailer hauling trips, as shown by the amount of items stored on the project site in the Phase 1 ESA. An EIR must be prepared to accurately quantify the amount of existing structures, items, debris, etc required to be removed from the project site in order to provide an accurate and adequate environmental analysis.

3.3 Air Quality, 3.6 Energy, and 3.8 Greenhouse Gas Emissions

Please refer to attachments from SWAPE for a complete technical commentary and analysis.



Photo #9 View of the auto dismantling area, located in the garage, behind the business office (Riteway Auto yard on Tract 1).



Photo #10 View of the air compressor, located in the garage, behind the business office (Riteway Auto yard on Tract 1).



Photo #27 View of the auto yard located on western portion of All Auto Parts on Tract 2.



Photo #26 View of the auto yard located on the eastern portion of All Auto Parts on Tract 1.

The MND does not include for analysis relevant environmental justice issues in reviewing potential impacts, including cumulative impacts from the

proposed project. This is especially significant as the surrounding community is highly burdened by pollution. According to CalEnviroScreen 4.0¹, CalEPA's screening tool that ranks each census tract in the state for pollution and socioeconomic vulnerability, the proposed project's census tract (6071002402) ranks worse than 81% of the rest of the state overall. The surrounding community, including nearby residences to the east and south, bears the impact of multiple sources of pollution and is more polluted than other census tracts in many pollution indicators measured by CalEnviroScreen. For example, the project census tract ranks in the 97th percentile for ozone burden, 91st percentile for PM 2.5 burden, and 76th percentile for diesel particulate matter burden, which are attributed to heavy truck activity in the area. The census tract also ranks in the 80th percentile for hazardous waste² impacts. Hazardous waste generators and facilities contribute to the contamination of air, water and soil near waste generators and facilities can harm the environment as well as people.

Further, the census tract is a diverse community including 87% Hispanic residents, which are especially vulnerable to the impacts of pollution. The community has a high rate of low educational attainment, meaning 91% of the census tract over age 25 has not attained a high school diploma, which is an indication that they may lack health insurance or access to medical care. Medical care is vital for this census tract as it ranks in the 85th percentile for incidence of cardiovascular disease and 71st percentile for incidence of asthma. The community also has a high rate of linguistic isolation, meaning 83% of the census tract speaks little to no English and faces further challenges and inequities due to this.

Additionally, the project's census tract (6071002402) is identified as a SB 535 Disadvantaged Community³, which is not discussed or presented for analysis in the MND.

As noted above, the project site contains numerous structures, items, debris, etc that must be removed in order to implement the project. Appendix A only analyzes 21 days of demolition and 15 days of grading. The MND has not analyzed the required site preparation and demolition, which will be much more extensive than presented for analysis. An EIR must be prepared to accurately quantify the amount of existing structures, items, debris, etc required to be removed from the project site in order to provide an accurate and adequate environmental analysis. The Air Quality Analysis must be revised to account for site preparation, demolition, and clearing the entire site as described and photographed in the Phase 1 ESA that establishes the environmental setting.

Further, the CalEEMod output sheets in Appendix A only analyze the proposed warehouse space. The proposed 10,000 square feet of office space is not included for analysis. An EIR must be prepared that includes all proposed aspects of the project for analysis.

¹ CalEnviroScreen 4.0 <https://oehha.ca.gov/calenviroscreen/report/calenviroscreen-40>

² OEHHA Hazardous Waste Generators and Facilities
<https://oehha.ca.gov/calenviroscreen/indicator/hazardous-waste-generators-and-facilities>

³ OEHHA SB 535 Census Tracts <https://oehha.ca.gov/calenviroscreen/sb535>



The MND is erroneous and misleading to the public and decision makers regarding greenhouse gas emissions. The MND relies on CalEEMod output sheets from the Air Quality analysis to determine the metric tons of CO₂e generated by the project. The CalEEMod output sheets within Appendix A: Air Quality and Greenhouse Gas Emissions concludes the project will generate 2,760 MTCO₂e annually (2,483 MTCO₂e attributed to mobile sources). The AQ Appendix calculates the project will generate 15,592 MTCO₂e in the summer (15,501 MTCO₂e attributed to mobile sources i.e. trucks/cars) and 14,966 MTCO₂e in the winter (14,875 MTCO₂e attributed to mobile sources). The CalEEMod output sheets nor the MND provide information regarding how generation of 14,966 MTCO₂e in the winter and 15,592 MTCO₂e in the summer will average to an annual generation rate of 2,760 MTCO₂e. It appears that the GHG annual analysis was skewed downward to be less than the 3,000 MTCO₂e significance threshold. An EIR must be prepared to include this information and a revised GHG calculation for analysis.

A-7

The State of California lists three approved energy compliance modeling softwares⁴ for non-residential buildings: CBECC-Com, EnergyPro, and IES VE. CalEEMod is not listed as an approved software. The spreadsheet-based modeling and CalEEMod energy calculations in the MND do not comply with the 2019 Building Energy Efficiency Standards and under reports the project's potentially significant GHG and Energy impacts to the public and decision makers. Since the MND did not accurately or adequately model the energy impacts in compliance with Title 24, a finding of significance must be made. An EIR with modeling in one of the approved software types must be circulated for public review in order to adequately analyze the project's potentially significant environmental impacts. This is vital as the MND utilizes CalEEMod as a source in its methodology and analysis, which is clearly not one of the approved softwares.

A-8

3.11 Land Use and Planning

The MND does not include a consistency analysis with any General Plan goals or policies. The MND is inadequate as an informational document and an EIR must be prepared with a consistency analysis with all General Plan policies, including the following:

Policy LU-2.3 Compatibility with natural environment. We require that new development is located, scaled, buffered, and designed for compatibility with the surrounding natural environment and biodiversity.

Policy LU-2.6 Coordination with adjacent entities. We require that new and amended development projects notify and coordinate with adjacent local, state, and federal entities to maximize land use compatibility, inform future planning and implementation, and realize mutually beneficial outcomes.

A-9

⁴ 2019 Building Energy Efficiency Standards Approved Computer Compliance Programs, California Energy Commission. <https://www.energy.ca.gov/programs-and-topics/programs/building-energy-efficiency-standards/2019-building-energy-efficiency-2>

Policy LU-4.5 Community identity. We require that new development be consistent with and reinforce the physical and historical character and identity of our unincorporated communities, as described in Table LU-3 and in the values section of Community Action Guides. In addition, we consider the aspirations section of Community Action Guides in our review of new development.

Goal TM-1 Roadway Capacity Unincorporated areas served by roads with capacity that is adequate for residents, businesses, tourists, and emergency services.

Policy TM-1.1 Roadway level of service (LOS). We require our roadways to be built to achieve the following minimum level of service standards during peak commute periods (typically 7:00-9:00 AM and 4:00-6:00 PM on a weekday): LOS D in the Valley Region

Goal TM-3 Vehicle Miles Traveled A pattern of development and transportation system that minimizes vehicle miles traveled.

Policy TM-3.1 VMT Reduction. We promote new development that will reduce household and employment VMT relative to existing conditions.

Goal NR-1 Air Quality Air quality that promotes health and wellness of residents in San Bernardino County through improvements in locally-generated emissions.

Policy NR-1.7 Greenhouse gas reduction targets. We strive to meet the 2040 and 2050 greenhouse gas emission reduction targets in accordance with state law.

Policy NR-1.9 Building design and upgrades. We use the CALGreen Code to meet energy efficiency standards for new buildings and encourage the upgrading of existing buildings to incorporate design elements, building materials, and fixtures that improve environmental sustainability and reduce emissions.

Goal HZ-3 Environmental Justice: For unincorporated environmental justice focus areas, equitable levels of protection from environmental and health hazards; expanded opportunities for physical activity and meaningful civic engagement; and access to healthy food, public facilities, safe and sanitary housing.

Policy HZ-3.1 Health risk assessment. We require projects processed by the County to provide a health risk assessment when a project could potentially increase the incremental cancer risk by 10 in 1 million or more in unincorporated environmental justice focus areas, and we require such assessments to evaluate impacts of truck traffic from the project to freeways. We establish appropriate mitigation prior to the approval of new construction, rehabilitation, or expansion permits.

Policy HZ-3.18 Application requirements. In order for a Planning Project Application (excluding Minor Use Permits) to be deemed complete, we require applicants to indicate whether the project is within or adjacent to an unincorporated environmental justice focus area and, if so, to:

- document to the County's satisfaction how an applicant will address environmental justice concerns potentially created by the project; and
- present a plan to conduct at least one public meeting for nearby residents, businesses, and property owners to obtain public input for applications involving a change in zoning or the Policy Plan. The County will require additional public outreach if the proposed project changes substantively in use, scale, or intensity

Analysis of the proposed project in accordance with these goals and policies is vital as there is high potential for inconsistency with the General Plan. For example, the project site is located within an EJ focus area (west Fontana census tract 6071002402) and the MND does not include any information regarding the required EJ concerns document and public outreach meeting. Additionally, the Energy modeling is not in compliance with Title 24 requirements (CalGreen) as noted above, which conflicts with policies to achieve GHG reduction targets.

A-10

Additionally, the MND does not provide any consistency analysis with SCAG's 2020-2045 Connect SoCal RTP/SCS. Due to errors in modeling and modeling without supporting evidence, as noted throughout this comment letter and attachments, the proposed project has significant potential for inconsistency with Goal 5 to reduce greenhouse gas emissions and improve air quality, Goal 6 to support healthy and equitable communities, and Goal 7 to adapt to a changing climate. An EIR must be prepared to include revised, accurate modeling and a consistency analysis with all goals of the RTP/SCS.

A-11

3.14 Population and Housing

The MND concludes that impacts to population and housing will not be significant without providing a quantified analysis of the construction and operational jobs generated by the project. The MND utilizes uncertain language by stating that, "it is *anticipated* that the *majority* of new jobs would be filled by workers who already reside in the *Project vicinity* and that the Project would not attract a *significant* number of new residents to the area." Additionally, the MND does not define the boundaries of the "project vicinity," or demonstrate how the project will not need any workers from outside the "vicinity." Relying upon the workforce of the SCAG region will increase VMT and air quality/greenhouse gas emissions, and a project EIR must be prepared to reflect this. An EIR must also include information and analysis regarding the number of construction jobs generated by the project and their potential to relocate to the County.

A-12

SCAG's Employment Density Study⁵ provides the following applicable average employment generation rates for San Bernardino County:

1 employee per 1,195 sf of warehouse area

1 employee per 697 sf of office area

Application of the ratio results in the following calculation:

199,759 sf warehouse / 1,195 = 168 employees

10,000 sf office / 697 = 15 employees

Total: 183 employees

A-13

⁵ SCAG Employment Density Study

<http://www.mwcog.org/file.aspx?A=QTTITR24POOOUIw5mPNzK8F4d8djdJe4LF9Exj6lXOU%3D>

Utilizing SCAG's Employment Density Study ratios, the proposed project will generate 183 employees. The MND utilizes uncertain and misleading language which does not provide any meaningful analysis of the project's population and employment generation. In order to comply with CEQA's requirements for meaningful disclosure, an EIR must be prepared to provide an accurate estimate of employees generated by all uses of the proposed project. It must also provide demographic and geographic information on the location of qualified workers to fill these positions.

↑
A-13
Cont'd

SCAG's Connect SoCal Demographics and Growth Forecast⁶ notes that the unincorporated areas of San Bernardino County will add 14,100 jobs between 2016 - 2045. Utilizing the correctly applied methodology from the SCAG Employment Density calculation of 180 employees, the project represents 1.2% of unincorporated San Bernardino County's employment growth from 2016 - 2045. SCAG's Growth Forecast notes that unincorporated San Bernardino County's population will increase by 45,000 residents between 2016 - 2045. Utilizing the correctly applied methodology from the SCAG Employment Density calculation of 180 employees, the project represents 0.4% of unincorporated San Bernardino County's population growth from 2016 - 2045. A single project accounting for more these amounts of growth within unincorporated San Bernardino County over 29 years represents a significant amount of growth. An EIR must be prepared to include this analysis, and also provide a cumulative analysis discussion of projects approved since 2016 and projects "in the pipeline" to determine if the project will exceed SCAG's employment and/or population growth forecast.

A-14

3.17 Transportation

Appendix L: TIA and VMT Screening Memo identifies the project TAZ (53723201) as a low VMT (vehicle miles traveled) TAZ and therefore exempts the project from any further VMT assessment. The MND states that the VMT per employee for the project TAZ in 2021 is 15, which is 11.64% less than the County's 17 VMT per employee. The MND relies on this entirely to conclude that "the project is not expected to have a VMT impact." However, the operational nature of industrial/warehouse uses involves high rates of truck/trailer VMT due to traveling from large regional distribution centers to smaller industrial parks (such as the proposed project) and then to their final delivery destinations. Appendix A - Air Quality calculates that the project's annual VMT is 3,712,793 miles, which results in an average of 10,172 VMT per day. The project's truck/trailer activity is unable to utilize public transit and it is misleading to the public and decision makers to screen out the proposed project as less than significant VMT impacts solely based on the low VMT of the TAZ factor. An EIR must be prepared which reflects a quantified project-based VMT analysis regarding the potentially significant project transportation impacts.

A-15

⁶ SCAG Connect SoCal Demographics and Growth Forecast adopted September 3, 2020
https://scag.ca.gov/sites/main/files/file-attachments/0903fconnectsocial_demographics-and-growth-forecast.pdf?1606001579

Steven Valdez

April 11, 2022

Page 9

As noted above due to potentially significant VMT impacts, the project has the potential to generate VMT that could result in a transportation impact per the County's Transportation Impact Study (TIS) Guidelines⁷. A TIS must be provided as part of a project EIR and include analysis of the following facilities providing direct access to the project site:

Freeway Merge/Diverge

I-210 at I-15

I-15 at I-10

I-10 at I-215

I-210 at I-215

Freeway On/Off Ramps

I-15 at Foothill Blvd.

I-15 at Fourth St./San Bernardino Ave.

I-15 at Baseline Ave.

I-210 at Cherry Ave.

I-210 at Sierra Ave.

I-10 at Cherry Ave.

I-10 at Citrus Ave.

I-10 at Etiwanda Ave.

Intersections

Foothill Blvd. at Etiwanda Ave.

Foothill Blvd. at Cherry Ave.

Foothill Blvd. at Beech Ave.

Foothill Blvd. at Citrus Ave.

Arrow Rte. At Etiwanda Ave.

Arrow Rte. at Cherry Ave.

Arrow Rte. at Beech Ave.

Arrow Rte. at Citrus Ave.

Arrow Rte. at Sultana Ave.

Arrow Rte. at Lime Ave.

Arrow Rte. at Almeria Ln.

Arrow Rte. at Tokay Ave.

Cherry Ave. at Baseline Ave.

Citrus Ave. at Valley Blvd.

Citrus Ave. at San Bernardino Ave.

⁷ San Bernardino County Transportation Impact Study Guidelines

<http://cms.sbcounty.gov/Portals/50/transportation/Traffic-Study-Guidelines.pdf?ver=2019-10-03-155637-153>

Steven Valdez
April 11, 2022
Page 10
Citrus Ave. at Randall Ave.
Citrus Ave. at Merrill Ave.

This is especially vital for analysis since the I-15 and I-210 provide direct access to the project site from the Southern California Logistics Airport. Additionally, the County's General Plan Policy Map TM-5 Goods Movement depicts the I-15, I-10, and I-210 as truck routes. An EIR must be prepared with a project-specific VMT analysis and TIS (including a LOS analysis for compliance with General Plan Policy TM-1.1 to achieve LOS D during AM and PM peak hours) in order to accurately and adequately analyze the potentially significant impacts of the proposed project.

Conclusion

For the foregoing reasons, GSEJA believes the MND is flawed and an EIR must be prepared for the proposed project and circulated for public review. Golden State Environmental Justice Alliance requests to be added to the public interest list regarding any subsequent environmental documents, public notices, public hearings, and notices of determination for this project. Send all communications to Golden State Environmental Justice Alliance P.O. Box 79222 Corona, CA 92877.

Sincerely,



Gary Ho
Blum Collins & Ho, LLP

Attachments:

1. SWAPE Analysis

A-16
Cont'd

A-17



Technical Consultation, Data Analysis and
Litigation Support for the Environment

2656 29th Street, Suite 201
Santa Monica, CA 90405

Matt Hagemann, P.G, C.Hg.
(949) 887-9013
mhagemann@swape.com

Paul E. Rosenfeld, PhD
(310) 795-2335
prosenfeld@swape.com

April 8, 2022

Gary Ho
Blum Collins LLP
707 Wilshire Blvd, Ste. 4880
Los Angeles, CA 90017

**Subject: Comments on the 15719 and 15755 Arrow Route Warehouse Project
(SCH No. 2022030365)**

Dear Mr. Ho,

We have reviewed the March 2022 Initial Study/Mitigated Negative Declaration (“IS/MND”) for the 15719 and 15755 Arrow Route Warehouse Project (“Project”) located in the City of Fontana (“City”). The Project proposes to demolish the existing structures and construct 209,759-square-feet (“SF”) of warehouse space, including 10,000-SF of office space, as well as 37 trailers stalls and 121 parking spaces on the 9.23-acre site.

Our review concludes that the IS/MND fails to adequately evaluate the Project’s air quality, health risk, and greenhouse gas impacts. As a result, emissions and health risk impacts associated with construction and operation of the proposed Project are underestimated and inadequately addressed. An Environmental Impact Report (“EIR”) should be prepared to adequately assess and mitigate the potential air quality, health risk, and greenhouse gas impacts that the project may have on the environment.

Air Quality

Unsubstantiated Input Parameters Used to Estimate Project Emissions

The IS/MND’s air quality analysis relies on emissions calculated with CalEEMod.2016.3.2 (p. 23, 27).¹ CalEEMod provides recommended default values based on site-specific information, such as land use type, meteorological data, total lot acreage, project type and typical equipment associated with project

¹ “CalEEMod User’s Guide.” California Air Pollution Control Officers Association (CAPCOA), November 2017, available at: <http://www.aqmd.gov/caleemod/archive/user's-guide-version-2016-3-2>.

A-18

A-19

type. If more specific project information is known, the user can change the default values and input project-specific values, but the California Environmental Quality Act (“CEQA”) requires that such changes be justified by substantial evidence. Once all of the values are inputted into the model, the Project's construction and operational emissions are calculated, and "output files" are generated. These output files disclose to the reader what parameters are utilized in calculating the Project's air pollutant emissions and make known which default values are changed as well as provide justification for the values selected.

When reviewing the Project’s CalEEMod output files, provided in the May 2021 Air Quality/Greenhouse Gas Analysis (“AQ & GHG Analysis”) as Appendix A to the IS/MND, we found that several model inputs were not consistent with information disclosed in the IS/MND. As a result, the Project’s construction and operational emissions are underestimated. An EIR should be prepared to include an updated air quality analysis that adequately evaluates the impacts that construction and operation of the Project will have on local and regional air quality.

Underestimated Land Use Size

According to the IS/MND:

“The approximately 209,759-square-foot (sf), industrial non-refrigerated warehouse building includes 10,000-sf of potential office space on an approximately 9.23 net acre site” (p. 3).

As such, the models should have included 199,759-SF of warehouse space.² However, review of the CalEEMod output files demonstrates that the “15755 Arrow Route Warehouse Project” and “15755 Arrow Route Warehouse Project (Operation LST)” models include only 196,650-SF of warehouse space (see excerpt below) (Appendix A, pp. 13, 39, 65, 99, 111).

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area
Unrefrigerated Warehouse-No Rail	196.65	1000sqft	4.51	196,650.00
Other Asphalt Surfaces	0.07	Acre	0.07	3,049.20
Other Non-Asphalt Surfaces	4.95	Acre	4.95	215,622.00

As demonstrated in the excerpt above, the proposed warehouse is underestimated by 3,109-SF.³ This underestimation presents an issue, as the land use size feature is used throughout CalEEMod to determine default variable and emission factors that go into the model’s calculations. The square footage of a land use is used for certain calculations such as determining the wall space to be painted (i.e., VOC emissions from architectural coatings) and volume that is heated or cooled (i.e., energy impacts).⁴

² Calculated: (209,759-SF total building size) - (10,000-SF of office space) = 199,759-SF warehouse space.

³ Calculated: (199,759-SF proposed warehouse space) – (196,650-SF modeled warehouse space) = 3,109-SF underestimated warehouse space.

⁴ “CalEEMod User’s Guide Version 2020.4.0.” California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user-s-guide>, p. 28.

According to the updated September 2021 Air Quality/Greenhouse Gas Analysis/Energy/HRA Evaluation (“Updated AQ & GHG Analysis”):

“In May 2021, Albert A Webb Associates (WEBB) prepared an Air Quality and Greenhouse Gas Analysis, Health Risk Assessment (HRA), and Energy consumption calculations for the 15719 and 15755 Arrow Route Warehouse Project (CUP No. 2020-0023) (hereinafter referred to as the Project). At the time the studies were prepared, the proposed Project included an approximately 196,654-square foot (sf) warehouse of which 4,000 sf was office space with 22 truck loading docks. The Project was designed to include two office areas and employee parking along Arrow Route and the loading dock and truck trailer parking lot were located on the south side of the building (see Figure 2). The Project site was redesigned in August 2021. As a result, the building’s orientation changed and the size of the warehouse building increased by 13,105 sf to a total of 209,759 sf and the loading dock number increased by 6 docks to 28 docks” (p. 1).

Regarding the Project’s environmental impacts, the Updated AQ & GHG Analysis concludes:

“The nominal increase in building size and in daily vehicle trips as a result of the larger warehouse building would not result in new or substantively different or substantively increased air quality or greenhouse emissions than those disclosed in the Air Quality and Greenhouse Gas Analysis and no new mitigation would be required” (p. 3).

However, as discussed in the section of this letter titled “Updated Analysis Indicates a Potentially Significant Air Quality Impact,” the Project’s air quality impacts are potentially significant when modeled correctly. As such, by underestimating the size of the proposed warehouse land use, the model underestimates the Project’s construction and operational emissions. As a result, the IS/MND’s less-than-significant impact determination should not be relied upon.

Failure to Model All Proposed Land Uses

According to the IS/MND:

“The approximately 209,759-square-foot (sf), industrial non-refrigerated warehouse building includes 10,000-sf of potential office space on an approximately 9.23 net acre site” (p. 3).

Furthermore, the IS/MND states:

“A total of 105 standard parking stalls, seven American Disabilities Act-compliant (ADA) handicapped parking spaces, and nine vanpool/EV/ clean air stalls will be provided, for a total of 121 vehicle parking spaces. The Project will also include 37 trailer parking spaces” (p. 4).

As such, the models should have included 10,000-SF of office space and 158 parking spaces.⁵ However, review of the CalEEMod output files demonstrates that the “15755 Arrow Route Warehouse Project”

⁵ Calculated: 121 vehicle parking spaces + 37 trailer stalls = 158 total parking spaces.

and “15755 Arrow Route Warehouse Project (Operation LST)” models fail to include the proposed office or parking land uses whatsoever (see excerpt below) (Appendix A, pp. 13, 39, 65, 99, 111).

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area
Unrefrigerated Warehouse-No Rail	196.65	1000sqft	4.51	196,650.00
Other Asphalt Surfaces	0.07	Acre	0.07	3,049.20
Other Non-Asphalt Surfaces	4.95	Acre	4.95	215,622.00

As demonstrated in the excerpt above, the models fail to include the proposed office or parking land uses. This inconsistency presents an issue, as CalEEMod includes 63 different land use types that are each assigned a distinctive set of energy usage emission factors.⁶ Furthermore, the square footage of parking land uses is used for certain calculations such as determining the area to be painted and stripped (i.e., VOC emissions from architectural coatings) and space to include lighting (i.e., energy impacts).⁷ Thus, by failing to include all proposed land use types, the models underestimate the Project’s construction-related and operational emissions and should not be relied upon to determine Project significance.

Unsubstantiated Reduction to Architectural Coating Emission Factors

Review of the CalEEMod output files demonstrates that the “15755 Arrow Route Warehouse Project” model includes several reductions to the default architectural coating emission factors (see excerpt below) (Appendix A, pp. 14, 40, 66).

Table Name	Column Name	Default Value	New Value
tblArchitecturalCoating	EF_Nonresidential_Exterior	100.00	50.00
tblArchitecturalCoating	EF_Nonresidential_Interior	100.00	50.00

As you can see in the excerpt above, the nonresidential exterior and interior architectural coating emission factors are reduced from the default value of 100- to 50-grams per liter (“g/L”). As previously mentioned, the CalEEMod User’s Guide requires any changes to model defaults be justified.⁸ According to the “User Entered Comments & Non-Default Data” table, the justification provided for these changes is:

“50 VOC/L per Rule 1113” (Appendix A, pp. 14, 40, 66).

However, these changes remain unsupported for two reasons.

⁶ “Appendix D – Default Data Tables” California Air Pollution Control Officers Association (CAPCOA), June 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>.

⁷ “CalEEMod User’s Guide Version 2020.4.0.” California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 25.

⁸ “CalEEMod User’s Guide Version 2020.4.0.” California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 1, 14.

First, the IS/MND fails to mention or discuss Project compliance with SCAQMD Rule 1113 whatsoever. Without additional information to justify the revised architectural coating emissions factors, the reductions remain unsubstantiated.

Second, we cannot verify the accuracy of the revised architectural coating emission factors based on SCAQMD Rule 1113 alone. The SCAQMD Rule 1113 Table of Standards provides the required VOC limits (grams of VOC per liter of coating) for 57 different coating categories (e.g., Floor coatings, Faux Finishing Coatings, Fire-Proofing Coatings, Cement Coatings, Multi-Color Coatings, Primers, Sealers, Recycled Coatings, Shellac, Stains, Traffic Coatings, Waterproofing Sealers, Wood Coatings, etc.).⁹ The VOC limits for each coating varies from a minimum value of 50 g/L to a maximum value of 730 g/L. As such, we cannot verify that SCAQMD Rule 1113 substantiates reductions to the default coating values without more information regarding what category of coating will be used. As the IS/MND and associated documents fail to explicitly require the use of a specific type of coating, we are unable to verify the revised emission factors assumed in the model.

These unsubstantiated reductions present an issue, as CalEEMod uses the architectural coating emission factors to calculate the Project's reactive organic gas/volatile organic compound ("ROG"/"VOC") emissions.¹⁰ Thus, by including unsubstantiated reductions to the default architectural coating emission factors, the model may underestimate the Project's construction ROG/VOC emissions and should not be relied upon to determine Project significance.

Unsubstantiated Changes to Individual Construction Phase Lengths

Review of the CalEEMod output files demonstrates that the "15755 Arrow Route Warehouse Project" model includes several changes to the default individual construction phase lengths (see excerpt below) (Appendix A, pp. 14, 15, 40, 41, 66, 67).

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	20.00	21.00
tblConstructionPhase	NumDays	230.00	180.00
tblConstructionPhase	NumDays	20.00	21.00
tblConstructionPhase	NumDays	20.00	15.00
tblConstructionPhase	NumDays	20.00	21.00

As a result of these changes, the model includes the following construction schedule (see excerpt below) (Appendix A, pp. 20, 46, 73):

⁹ SCAQMD Rule 1113 Advisory Notice." SCAQMD, February 2016, *available at*:

<http://www.aqmd.gov/docs/default-source/rule-book/reg-xi/r1113.pdf?sfvrsn=24>, p. 1113-14, Table of Standards

1.

¹⁰ "CalEEMod User's Guide Version 2020.4.0." California Air Pollution Control Officers Association (CAPCOA), May 2021, *available at*: <https://www.aqmd.gov/caleemod/user-s-guide>, p. 35, 40.

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days
1	Demolition	Demolition	1/1/2022	1/31/2022	5	21
2	Grading	Grading	2/1/2022	2/21/2022	5	15
3	Building Construction	Building Construction	2/22/2022	10/31/2022	5	180
4	Paving	Paving	10/1/2022	10/31/2022	5	21
5	Architectural Coating	Architectural Coating	10/1/2022	10/31/2022	5	21

As you can see from the excerpt above, the demolition phase is increased by 5%, from the default value of 20 to 21 days; the grading phase is decreased by 25%, from the default value of 20 to 15 days; the building construction phase is decreased by 22%, from the default value of 230 to 180 days; the paving phase is increased by 5%, from the default value of 20 to 21 days; and the architectural coating phase is also increased by 5%, from the default value of 20 to 21 days. As previously mentioned, the CalEEMod User's Guide requires any changes to model defaults be justified.¹¹ According to the "User Entered Comments & Non-Default Data" table, the justification provided for these changes is:

"Per Applicant" (Appendix A, pp. 14, 40, 66).

Furthermore, regarding the Project's anticipated construction schedule, the IS/MND states:

"The proposed Project would be constructed in a single phase, with construction expected to commence in January 2022 and be completed by November 2022" (p. 4).

However, these changes remain unsupported. While the IS/MND indicates the total construction duration of 10 months, the IS/MND fails to mention or justify the individual construction phase lengths. This is incorrect, as according to the CalEEMod User's Guide:

"CalEEMod was also designed to allow the user to change the defaults to reflect site- or project-specific information, when available, provided that the information is supported by substantial evidence as required by CEQA."¹²

Here, as the IS/MND only justifies the total construction duration of 10 months, the IS/MND fails to provide substantial evidence to support the revised individual construction phase lengths. As such, we cannot verify the changes.

These unsubstantiated changes present an issue, as the construction emissions are improperly spread out over a longer period of time for some phases, but not for others. According to the CalEEMod User's Guide, each construction phase is associated with different emissions activities (see excerpt below).¹³

¹¹ "CalEEMod User's Guide Version 2020.4.0." California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user-s-guide>, p. 1, 14.

¹² "CalEEMod User's Guide Version 2020.4.0." California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user-s-guide>, p. 13-14.

¹³ "CalEEMod User's Guide Version 2020.4.0." California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user-s-guide>, p. 32.

Demolition involves removing buildings or structures.

Site Preparation involves clearing vegetation (grubbing and tree/stump removal) and removing stones and other unwanted material or debris prior to grading.

Grading involves the cut and fill of land to ensure that the proper base and slope is created for the foundation.

Building Construction involves the construction of the foundation, structures and buildings.

Architectural Coating involves the application of coatings to both the interior and exterior of buildings or structures, the painting of parking lot or parking garage striping, associated signage and curbs, and the painting of the walls or other components such as stair railings inside parking structures.

Paving involves the laying of concrete or asphalt such as in parking lots, roads, driveways, or sidewalks.

Thus, by disproportionately altering and extending some of the individual construction phase lengths without proper justification, the model assumes there are a greater number of days to complete the construction activities required by the prolonged phases. As such, there will be less construction activities required per day and, consequently, less pollutants emitted per day. As a result, the model may underestimate the peak daily emissions associated with some phases of construction and should not be relied upon to determine Project significance.

Unsubstantiated Reduction to Acres of Grading Value

Review of the CalEEMod output files demonstrates that the “15755 Arrow Route Warehouse Project” model includes a manual reduction to the default acres of grading value (see excerpt below) (Appendix A, pp. 15, 41, 67).

Table Name	Column Name	Default Value	New Value
tblGrading	AcresOfGrading	52.50	10.00

As you can see from the excerpt above, the acres of grading value is reduced by approximately 81%, from the default value of 52.5- to 10-acres. As previously mentioned, the CalEEMod User’s Guide requires any changes to model defaults be justified.¹⁴ However, the “User Entered Comments & Non-Default Data” table fails to provide a justification for the revised acres of grading value. Furthermore, the IS/MND and associated documents fail to mention the revised acres of grading value or substantiate this reduction whatsoever. This is incorrect, as according to the CalEEMod User’s Guide:

“CalEEMod was also designed to allow the user to change the defaults to reflect site- or project-specific information, when available, provided that the information is supported by substantial evidence as required by CEQA.”¹⁵

¹⁴ “CalEEMod User’s Guide Version 2020.4.0.” California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 1, 14.

¹⁵ “CalEEMod User’s Guide Version 2020.4.0.” California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 13-14.

Here, as the IS/MND and associated documents fail to provide substantial evidence to support the revised acres of grading value, we cannot verify the change. Additionally, the CalEEMod User's Guide states:

"[T]he dimensions (e.g., length and width) of the grading site have no impact on the calculation, only the total area to be graded. In order to properly grade a piece of land multiple passes with equipment may be required. The acres is based on the equipment list and days in grading or site preparation phase according to the anticipated maximum number of acres a given piece of equipment can pass over in an 8-hour workday."¹⁶

As demonstrated above, the acres of grading value is based on construction equipment and the length of the grading or site preparation phase. Thus, as the dimensions of the Project site have no impact on the acres of grading value, the reduction remains unsupported.

This unsubstantiated reduction presents an issue, as CalEEMod uses the acres of grading value to estimate the dust emissions associated with grading.¹⁷ Thus, by including an unsubstantiated reduction to the default acres of grading value, the model may underestimate the Project's construction-related emissions and should not be relied upon to determine Project significance.

Failure to Substantiate Demolition

Review of the CalEEMod output files demonstrates that the "15755 Arrow Route Warehouse Project" model includes 121 default demolition hauling truck trips (see excerpt below) (Appendix A, pp. 20, 46, 73).

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number
Demolition	7	18.00	2.00	121.00
Grading	7	18.00	2.00	0.00
Building Construction	26	174.00	68.00	0.00
Paving	5	13.00	2.00	0.00
Architectural Coating	1	35.00	0.00	0.00

However, the number of demolition hauling trips is unsubstantiated. According to the CalEEMod User's Guide:

¹⁶ "Appendix A Calculation Details for CalEEMod." California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <http://www.aqmd.gov/caleemod/user's-guide>, p. 9.

¹⁷ "Appendix A Calculation Details for CalEEMod." California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 9.

“The default values for hauling trips assume that a truck can haul 20 tons (or 16 cubic yards) of material per load.”¹⁸

Therefore, CalEEMod calculates a default number of hauling trips based upon the amount of demolition material inputted into the model. However, the IS/MND fails to disclose the specific square footage of buildings to be demolished or the tons of debris resulting from this demolition. Specifically, regarding demolition, the IS/MND states:

“In January 2022, the All Auto Parts Office building was damaged by a structure fire. As a result, the demolition of the Project site will be done in two stages. The buildings are being demolished initially to ensure public safety, and the remainder of the on-site infrastructure improvements will be demolished prior to site grading” (p. 135).

As demonstrated above, the IS/MND fails to provide a numeric value of demolition required for Project construction. Thus, we cannot verify that the hauling trip number calculated in the model is the result of the input of the correct amount of demolition. As such, demolition may be underestimated.

This potential underestimation presents an issue, as the amount of demolition material inputted into the model is used by CalEEMod to determine emissions associated with this phase of construction. The three primary operations that generate dust emissions during the demolition phase are mechanical or explosive dismemberment, site removal of debris, and on-site truck traffic on paved and unpaved road.¹⁹ Thus, by failing to substantiate the demolition of the existing structures, the model may underestimate the Project’s construction-related emissions and should not be relied upon to determine Project significance. An EIR should be prepared to substantiate the amount of required demolition and revise the model accordingly, if necessary.

Unsubstantiated Number of New Trees for Sequestration

Review of the CalEEMod output files demonstrates that the “15755 Arrow Route Warehouse Project” and “15755 Arrow Route Warehouse Project (Operation LST)” models include the sequestration of 137 new trees (see excerpt below) (Appendix 4.1-1, pp. 552, 557).

Table Name	Column Name	Default Value	New Value
tbiSequestration	NumberOfNewTrees	0.00	137.00

As you can see in the excerpt above, the model assumes that the proposed Project would plant 137 new trees. As previously mentioned, the CalEEMod User’s Guide requires any changes to model defaults be

¹⁸ “CalEEMod User’s Guide Version 2020.4.0.” California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 35.

¹⁹ “Appendix A Calculation Details for CalEEMod.” California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 12.

justified.²⁰ According to the “User Entered Comments & Non-Default Data” table, the justification provided for this assumption is:

“Per Landscape Plan” (Appendix A, pp. 14, 40, 66).

Furthermore, the IS/MND states:

“The existing trees along Arrow Route, which front the Project site, will be removed to expand the southerly portion of Arrow Route and to add a sidewalk. However, new trees will be planted onsite and in the right-of-way that will not impact scenic resources” (IS/MND, pp. 16).

However, this assumption remains unsupported, as the IS/MND and associated documents fail to explicitly state the Project’s anticipated number of trees expected to be planted. As such, we cannot verify the inclusion of 137 new trees in the model is accurate.

This presents an issue, as CalEEMod uses the number of new trees to reduce the Project’s greenhouse gas (“GHG”) emissions due to the sequestration from new trees (see excerpt below).²¹

$$\text{Total Sequestered CO}_2 = (\text{Growing Period} \times \sum_{i=1}^n [\text{Sequestration } i \times \text{Trees } i])$$

Where:

Growing Period = Growing period for all trees, expressed in years (20).

n = Number of broad species classes.

Sequestration i = Default annual CO₂ accumulation per tree for broad species class i .

Trees i = Number of net new trees of broad species class i .

As demonstrated above, there is a direct relationship between the number of net new trees and total sequestered carbon dioxide (“CO₂”). Thus, when the number of new trees is increased, the total CO₂ emitted as a result of the proposed Project decreases. As such, by including an unsubstantiated number of new trees, the model may artificially reduce the Project’s GHG emissions and should not be relied upon to determine Project significance.

Underestimated Operational Vehicle Trip Rates

According to the Traffic Impact Analysis and Vehicle Miles Traveled Screening Analysis (“TIA”), provided as Appendix L to IS/MND, the proposed Project is expected to generate approximately 365 daily operational vehicle trips (see excerpt below) (p. 2, Table 2):

²⁰ “CalEEMod User’s Guide Version 2020.4.0.” California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 1, 14.

²¹ “Appendix A Calculation Details for CalEEMod.” California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 58.

Table 2 – Proposed Project Trip Generation

Vehicle Type	PCE Factor ¹	Units ²	Daily	AM Peak Hour			PM Peak Hour		
				In	Out	Total	In	Out	Total
Proposed Project Trip Generation (classification, non-PCE)									
Passenger Cars ⁵	-	210 KSF	239	25	6	31	7	26	33
2-axle Trucks	-		21	0	0	0	1	1	2
3-axle Trucks	-		26	0	0	0	1	1	2
4-axle Trucks	-		79	1	1	2	2	2	4
Total			365	26	7	33	11	30	41

¹ PCE factors per San Bernardino County Transportation Authority² KSF = 1,000 square feet gross floor area

As such, the Project's model should have included trip rates that reflect the estimated number of average daily vehicle trips. However, review of the CalEEMod output files demonstrates that the "15755 Arrow Route Warehouse Project" model includes only approximately 342.17 weekday, Saturday, and Sunday vehicle trips (see excerpt below) (Appendix A, pp. 33, 59, 87).

Land Use	Average Daily Trip Rate		
	Weekday	Saturday	Sunday
Other Asphalt Surfaces	0.00	0.00	0.00
Other Non-Asphalt Surfaces	0.00	0.00	0.00
Unrefrigerated Warehouse-No Rail	342.17	342.17	342.17
Total	342.17	342.17	342.17

As you can see in the excerpt above, the average daily vehicle trips are underestimated by approximately 23 trips.²² As such, the trip rates inputted into the model are underestimated and inconsistent with the information provided by the TIA.

These inconsistencies present an issue, as CalEEMod uses the operational vehicle trip rates to calculate the emissions associated with the operational on-road vehicles.²³ Thus, by including underestimated operational daily vehicle trips, the model underestimates the Project's mobile-source operational emissions and should not be relied upon to determine Project significance.

Incorrect Application of Energy-Related Operational Mitigation Measure

Review of the CalEEMod output files demonstrates that the "15755 Arrow Route Warehouse Project" and "15755 Arrow Route Warehouse Project (Operation LST)" models include the following energy-related operational mitigation measures (see excerpt below) (Appendix A, pp. 34, 60, 88, 107, 119):

²² 365 proposed daily trips – 342.17 model daily trips = 22.83 underestimated daily trips.

²³ "CalEEMod User's Guide Version 2020.4.0." California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user-s-guide>, p. 36.

5.1 Mitigation Measures Energy

Exceed Title 24

As previously mentioned, the CalEEMod User's Guide requires any changes to model defaults be justified.²⁴ According to the "User Entered Comments & Non-Default Data" table, the justification provided for the inclusion of the energy-related operational mitigation measure is:

"2019 Title 24" respectively (Appendix A, pp. 14, 40, 66).

Furthermore, the IS/MND states:

"The proposed Project will comply with Title 24. This would be accomplished through, among other things, implementation of energy reduction measures, such as energy efficient lighting and lighting control systems, appliances, installation of light colored "cool" roofs over office spaces, installation of cool pavements, installation of barriers between conditioned and unconditioned spaces, and providing carpool /vanpool/EV parking stalls" (p. 49).

However, the inclusion of the above-mentioned energy-related operational mitigation measure is unsupported, as the IS/MND fails to demonstrate that the Project intends to *exceed* Title 24 standards. According to the CalEEMod User's Guide, CalEEMod's "Exceed Title 24" mitigation measure corresponds with CAPCOA's Mitigation Measure BE-1.²⁵ Furthermore, CAPCOA indicates that buildings must exceed Title 24 Building Envelope Energy Efficiency Standards by a specific percentage to be consistent with the BE-1 mitigation strategy (see excerpt below).²⁶

A-28
Cont'd

²⁴ "CalEEMod User's Guide Version 2020.4.0." California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 1, 14.

²⁵ "CalEEMod User's Guide Version 2020.4.0." California Air Pollution Control Officers Association (CAPCOA), May 2021, available at: <https://www.aqmd.gov/caleemod/user's-guide>, p. 58-59.

²⁶ "Quantifying Greenhouse Gas Mitigation Measures." California Air Pollution Control Officers Association (CAPCOA), August 2010, available at: <http://www.aqmd.gov/docs/default-source/ceqa/handbook/capcoa-quantifying-greenhouse-gas-mitigation-measures.pdf>, p. 64, Table 6-1.

Energy						
Category	Measure Number	Strategy	BMP	Grouped With #	Range of Effectiveness	
					Percent Reduction in GHG Emissions	Basis
Building Energy Use	BE-1	Buildings exceed Title 24 Building Envelope Energy Efficiency Standards by X% (X is equal to the percentage improvement selected for the project)			For a 10% improvement over 2008 Title 24: Non-Residential electricity use: 0.2-5.5%; natural gas use: 0.7-10% Residential electricity use: 0.3-2.6%; natural gas use: 7.5-9.1%	
	BE-2	Install Programmable Thermostat Timers	x		BMP	
	BE-3	Obtain Third-party HVAC Commissioning and Verification of Energy Savings	x	BE-1	BMP	
	BE-4	Install Energy Efficient Appliances			Residential building: 2-4% Grocery Stores: 17-22%	Appliance Electricity Use
	BE-5	Install Energy Efficient Boilers			1.2-18.4%	Fuel Use

Thus, as the IS/MND fails to require the Project to exceed Title 24 Standards, this measure is not applicable to the proposed Project. By incorrectly including an energy-related operational mitigation measure, the model underestimates the Project's operational emissions and should not be relied upon to determine Project significance.

Updated Analysis Indicates a Potentially Significant Air Quality Impact

In an effort to more accurately estimate the Project's construction-related and operational emissions, we prepared an updated CalEEMod model, using the Project-specific information provided by the IS/MND. In our updated model, we included the correct land use sizes and types; omitted the unsubstantiated changes to the architectural coating emission factors, acres of grading value, and number of new trees; proportionately altered the individual construction phase lengths to match the proposed construction duration of 10 months; corrected the operational daily vehicle trip rates; and excluded the incorrect energy-related operational mitigation measure.²⁷

Our updated analysis estimates that the Project's construction-related VOC emissions would exceed the applicable South Coast Air Quality Management District ("SCAQMD") threshold of 75-pounds per day ("lbs/day"), as referenced by the IS/MND (p. 24, Table A) (see table below).²⁸

²⁷ See Attachment B for updated air modeling.

²⁸ "South Coast AQMD Air Quality Significance Thresholds." SCAQMD, April 2019, *available at*: <http://www.aqmd.gov/docs/default-source/ceqa/handbook/scaqmd-air-quality-significance-thresholds.pdf>.

SWAPE Criteria Air Pollutant Emissions	
Construction	VOC (lbs/day)
IS/MND	52.86
SWAPE	189.69
% Increase	259%
SCAQMD Threshold	75
Exceeds?	Yes

As you can see in the table above, the Project's construction-related VOC emissions, as estimated by SWAPE, increase by approximately 259% and exceed the applicable SCAQMD significance threshold. Thus, our updated model demonstrates that the Project would result in a potentially significant air quality impact that was not previously identified or addressed in the IS/MND. As a result, an EIR should be prepared to adequately assess and mitigate the potential air quality impacts that the Project may have on the environment.

Diesel Particulate Matter Health Risk Emissions Inadequately Evaluated

The IS/MND estimates that the maximum incremental cancer risk posed to nearby, existing residential sensitive receptors as a result of heavy-duty diesel trucks during Project operation would be 1.1 in one million, which would not exceed the SCAQMD significance threshold of 10 in one million (see excerpt below) (p. 28, Table F).

Table F – Project-Generated Cancer Risk

Receptor	Cancer Risk (per million)
Sensitive Receptors	
1	1.1
2	0.8
3	0.8
4	0.7
6	0.8
9	0.7
School Child Receptor	
5	0.2
7	0.3
8	0.3
Off-site Worker Receptors	
10	0.2
11	0.1

Source: WEBB-B, Table 4 (Appendix B).

However, the IS/MND fails to discuss construction-related toxic air contaminant ("TAC") emissions, or conduct a construction health risk analysis ("HRA"), whatsoever. Thus, the IS/MND's evaluation of the

Project's potential health risk impacts, as well as the subsequent less-than-significant impact conclusion, is incorrect for three reasons.

First, by failing to prepare a quantified construction HRA, the Project is inconsistent with CEQA's requirement to correlate the increase in emissions that the Project would generate to the adverse impacts on human health caused by those emissions.²⁹ This is incorrect, as construction of the proposed Project will produce emissions of diesel particulate matter ("DPM") through the exhaust stacks of construction equipment over the course of the 10-month construction duration (p. 4). However, the IS/MND fails to discuss the potential TACs associated with Project construction or evaluate the concentrations at which such pollutants would trigger adverse health effects. Thus, without making a reasonable effort to connect the Project's construction-related TAC emissions to the potential health risks posed to nearby receptors, the Project is inconsistent with CEQA's requirement to correlate the increase in TAC emissions with potential adverse impacts on human health.

Second, the State of California Department of Justice recommends the preparation of a quantitative HRA pursuant to the Office of Environmental Health Hazard Assessment ("OEHHA"), the organization responsible for providing guidance on conducting HRAs in California, as well as local air district guidelines.³⁰ OEHHA released its most recent *Risk Assessment Guidelines: Guidance Manual for Preparation of Health Risk Assessments* in February 2015, as referenced by the Project's Health Risk Assessment, provided as Appendix B to the IS/MND (p. 10).³¹ This guidance document describes the types of projects that warrant the preparation of an HRA. The OEHHA document recommends that all short-term projects lasting at least two months be evaluated for cancer risks to nearby sensitive receptors. As the Project's proposed construction duration vastly exceeds the 2-month requirement set forth by OEHHA, it is clear that the Project meets the threshold warranting a quantified construction-related HRA under OEHHA guidance. These recommendations reflect the most recent state health risk policies, and as such, we recommend that an analysis of health risk impacts posed to nearby sensitive receptors from Project-generated construction DPM emissions be included in an EIR for the Project.

Third, while the IS/MND includes a HRA evaluating the health risk impacts to nearby, existing receptors as a result of Project operation, the HRA fails to evaluate the combined lifetime cancer risk to nearby, existing receptors as a result of Project construction and operation together. According to OEHHA guidance, "the excess cancer risk is calculated separately for each age grouping and then summed to yield cancer risk at the receptor location."³² However, the Project's HRA fails to sum each age bin to evaluate the total cancer risk over the course of Project construction *and* operation. This is incorrect and thus, an updated analysis should quantify the entirety of the Project's construction and operational

²⁹ "Sierra Club v. County of Fresno." Supreme Court of California, December 2018, *available at*:

<https://ceqaportal.org/decisions/1907/Sierra%20Club%20v.%20County%20of%20Fresno.pdf>.

³⁰ "Warehouse Projects: Best Practices and Mitigation Measures to Comply with the California Environmental Quality Act." State of California Department of Justice, *available at*:

<https://oag.ca.gov/sites/all/files/agweb/pdfs/environment/warehouse-best-practices.pdf>, p. 6.

³¹ "Risk Assessment Guidelines Guidance Manual for Preparation of Health Risk Assessments." OEHHA, February 2015, *available at*: http://oehha.ca.gov/air/hot_spots/hotspots2015.html.

³² "Guidance Manual for preparation of Health Risk Assessments." OEHHA, February 2015, *available at*: <https://oehha.ca.gov/media/downloads/cnr/2015guidancemanual.pdf> p. 8-4

health risks together and sum them to compare to the SCAQMD threshold of 10 in one million, as referenced by the IS/MND (p. 28).

Screening-Level Analysis Indicates Significant Health Risk Impact

In order to conduct our screening-level risk assessment we relied upon AERSCREEN, which is a screening level air quality dispersion model.³³ The model replaced SCREEN3, and AERSCREEN is included in the OEHHA³⁴ and the California Air Pollution Control Officers Associated (“CAPCOA”)³⁵ guidance as the appropriate air dispersion model for Level 2 health risk screening assessments (“HRSAs”). A Level 2 HRSA utilizes a limited amount of site-specific information to generate maximum reasonable downwind concentrations of air contaminants to which nearby sensitive receptors may be exposed. If an unacceptable air quality hazard is determined to be possible using AERSCREEN, a more refined modeling approach is required prior to approval of the Project.

We prepared a preliminary HRA of the Project’s construction-related health risk impact to residential sensitive receptors using the annual PM₁₀ exhaust estimates from the IS/MND’s CalEEMod output files. Consistent with recommendations set forth by OEHHA, we assumed residential exposure begins during the third trimester stage of life. The IS/MND’s CalEEMod model indicates that construction activities will generate approximately 316 pounds of DPM over the 303-day construction period.³⁶ The AERSCREEN model relies on a continuous average emission rate to simulate maximum downward concentrations from point, area, and volume emission sources. To account for the variability in equipment usage and truck trips over Project construction, we calculated an average DPM emission rate by the following equation:

$$\text{Emission Rate} \left(\frac{\text{grams}}{\text{second}} \right) = \frac{316.4 \text{ lbs}}{303 \text{ days}} \times \frac{453.6 \text{ grams}}{1 \text{ lbs}} \times \frac{1 \text{ day}}{24 \text{ hours}} \times \frac{1 \text{ hour}}{3,600 \text{ seconds}} = \mathbf{0.00548 \text{ g/s}}$$

Using this equation, we estimated a construction emission rate of 0.00548 grams per second (“g/s”). Construction was simulated as a 9.23-acre rectangular area source in AERSCREEN, with approximate dimensions of 273- by 137-meters. A release height of three meters was selected to represent the height of stacks of operational equipment and other heavy-duty vehicles, and an initial vertical dimension of one and a half meters was used to simulate instantaneous plume dispersion upon release. An urban meteorological setting was selected with model-default inputs for wind speed and direction distribution. The population of Fontana was obtained from U.S. 2020 Census data.³⁷

The AERSCREEN model generates maximum reasonable estimates of single-hour DPM concentrations from the Project Site. EPA guidance suggests that in screening procedures, the annualized average

³³ U.S. EPA (April 2011) AERSCREEN Released as the EPA Recommended Screening Model, http://www.epa.gov/ttn/scram/guidance/clarification/20110411_AERSCREEN_Release_Memo.pdf

³⁴ OEHHA (February 2015) Risk Assessment Guidelines Guidance Manual for Preparation of Health Risk Assessments, <https://oehha.ca.gov/media/downloads/crn/2015guidancemanual.pdf>.

³⁵ CAPCOA (July 2009) Health Risk Assessments for Proposed Land Use Projects, http://www.capcoa.org/wp-content/uploads/2012/03/CAPCOA_HRA_LU_Guidelines_8-6-09.pdf.

³⁶ See Attachment C for calculations.

³⁷ “Fontana.” U.S. Census Bureau, 2020, available at: <https://datacommons.org/place/geoid/0624680>.

concentration of an air pollutant to be estimated by multiplying the single-hour concentration by 10%.³⁸ According to the IS/MND, the nearest sensitive receptor is located 341 meters away from the Project site (p. 27). Thus, the single-hour concentration estimated by AERSCREEN for Project construction is approximately 1.503 µg/m³ DPM at approximately 350 meters downwind. Multiplying this single-hour concentration by 10%, we get an annualized average concentration of 0.1503 µg/m³ for Project construction at the MEIR.

We calculated the excess cancer risk to the MEIR using applicable HRA methodologies prescribed by OEHHA, as recommended by SCAQMD.³⁹ Consistent with the 303-day construction schedule, the annualized average concentration for construction was used for the entire third trimester of pregnancy (0.25 years) and first 0.58 years of the infantile stage of life (0 – 2 years).

Consistent with OEHHA guidance, as recommended by SCAQMD and referenced by the IS/MND, we used Age Sensitivity Factors (“ASF(s)”) to account for the heightened susceptibility of young children to the carcinogenic toxicity of air pollution (Appendix B, p. 11).^{40, 41} According to this guidance, the quantified cancer risk should be multiplied by a factor of 10 during the third trimester of pregnancy and during the first two years of life (infant). Furthermore, in accordance with guidance set forth by OEHHA, we used the 95th percentile breathing rates for infants.⁴² Finally, consistent with OEHHA and SCAQMD guidance, we used a Fraction of Time At Home (“FAH”) Value of 1 for the 3rd trimester and infant receptors.⁴³ We used a cancer potency factor of 1.1 (mg/kg-day)⁻¹ and an averaging time of 25,550 days. The results of our calculations are shown in the tables below.

A-31
Cont'd

³⁸ U.S. EPA (October 1992) Screening Procedures for Estimating the Air Quality Impact of Stationary Sources Revised, http://www.epa.gov/ttn/scram/guidance/guide/EPA-454R-92-019_OCR.pdf.

³⁹ “Supplemental Guidelines for Submission of Rule 1200 Health Risk Assessments (HRAs).” SDAPCD, July 2019, available at: https://www.sandiegocounty.gov/content/dam/sdc/apcd/PDF/Toxics_Program/APCD_1200_Supplemental_Guidelines.pdf.

⁴⁰ “Risk Assessment Guidelines Guidance Manual for Preparation of Health Risk Assessments.” OEHHA, February 2015, available at: <https://oehha.ca.gov/media/downloads/cnr/2015guidancemanual.pdf>.

⁴¹ “Supplemental Guidelines for Submission of Rule 1200 Health Risk Assessments (HRAs).” SDAPCD, July 2019, available at: https://www.sandiegocounty.gov/content/dam/sdc/apcd/PDF/Toxics_Program/APCD_1200_Supplemental_Guidelines.pdf.

⁴² “Supplemental Guidelines for Preparing Risk Assessments for the Air Toxics ‘Hot Spots’ Information and Assessment Act.” SCAQMD, June 2015, available at: <http://www.aqmd.gov/docs/default-source/planning/risk-assessment/ab2588-risk-assessment-guidelines.pdf?sfvrsn=6>, p. 19; see also: “Risk Assessment Guidelines Guidance Manual for Preparation of Health Risk Assessments.” OEHHA, February 2015, available at: <https://oehha.ca.gov/media/downloads/cnr/2015guidancemanual.pdf>.

⁴³ “Risk Assessment Procedures for Rules 1401, 1401.1, and 212.” SCAQMD, August 2017, available at: http://www.aqmd.gov/docs/default-source/rule-book/Proposed-Rules/1401/riskassessmentprocedures_2017_080717.pdf, p. 7.

The Maximally Exposed Individual at an Existing Residential Receptor							
Age Group	Emissions Source	Duration (years)	Concentration (ug/m3)	Breathing Rate (L/kg-day)	Cancer Risk (without ASFs*)	ASF	Cancer Risk (with ASFs*)
3rd Trimester	Construction	0.25	0.1503	361	2.04E-07	10	2.04E-06
	<i>Construction</i>	<i>0.58</i>	<i>0.1503</i>	<i>1090</i>	<i>1.43E-06</i>		
	<i>Operation</i>	<i>1.42</i>	<i>*</i>	<i>1090</i>	<i>*</i>		
Infant (Age 0 - 2)	Total	2			1.43E-06	10	1.43E-05
Child (Age 2 - 16)	Operation	14	*	572	*	3	*
Adult (Age 16 - 30)	Operation	14	*	261	*	1	*
Lifetime		30			1.64E-06		1.64E-05

* Operational cancer risk calculated separately in the IS/MND.

As demonstrated in the table above, the excess cancer risks for the 3rd trimester of pregnancy and infants at the MEIR located approximately 350 meters away, over the course of Project construction, utilizing ASFs, are approximately 2.04 and 14.3 in one million, respectively. The excess cancer risk associated with Project construction over the course of 303 days, utilizing ASFs, is approximately 16.4 in one million. When summing the Project's construction-related cancer risk, as estimated by SWAPE, with the IS/MND's operational cancer risk of 1.1 in one million, we estimate an excess cancer risk of approximately 17.5 in one million over the course of a residential lifetime (p. 28, Table F).⁴⁴ As such, the infant and lifetime cancer risks exceed the SCAQMD threshold of 10 in one million, thus resulting in a potentially significant impact not previously addressed or identified by the IS/MND.

An agency must include an analysis of health risks that connects the Project's air emissions with the health risk posed by those emissions. Our analysis represents a screening-level HRA, which is known to be conservative and tends to err on the side of health protection. The purpose of the screening-level construction and operational HRA shown above is to demonstrate the link between the proposed Project's emissions and the potential health risk. Our screening-level HRA demonstrates that construction and operation of the Project could result in a potentially significant health risk impact, when correct exposure assumptions and up-to-date, applicable guidance are used. Thus, an EIR should be prepared, including a quantified air pollution model as well as an updated, quantified refined health risk assessment which adequately and accurately evaluates health risk impacts associated with both Project construction and operation.

⁴⁴ Calculated: 16.4 in one million + 1.1 in one million = 17.5 in one million.

Greenhouse Gas

Failure to Adequately Evaluate Greenhouse Gas Impacts

The IS/MND estimates that the Project would generate net annual greenhouse gas (“GHG”) emissions of 2,738.39 metric tons of carbon dioxide equivalents per year (“MT CO₂e/year”) (see excerpt below) (p. 57, Table I).

Table I – Total Project-Related Equipment GHG Emissions

Source	Metric Tons per year (MT/yr)			Total CO ₂ E
	CO ₂	CH ₄	N ₂ O	
Amortized Construction	--	--	--	33.26
Vegetation	--	--	--	-3.23
Area	0.01	0.00	0.00	0.01
Energy	140.07	0.01	0.00	140.75
Mobile	2,480.69	0.10	0.00	2,483.11
Solid Waste	23.64	1.40	0.00	58.57
Water	19.85	0.19	0.00	25.92
Total	2,664.26	1.70	0.00	2,738.39

Source: Table 9, Appendix A of the Initial Study.

As such, the IS/MND concludes:

“The total GHG emissions from the Project is below the County's GHG Plan screening level of 3,000 MTCO₂E/yr for industrial projects. Therefore, the proposed Project will not generate GHG emissions, directly or indirectly, that have a significant effect on the environment and impacts will be less than significant” (p. 57).

Furthermore, the IS/MND’s analysis relies upon the Project’s consistency with the CARB *Scoping Plan* and San Bernardino GHG Plan to conclude that the Project would result in a less-than-significant GHG impact (p. 58). However, the IS/MND’s analysis, as well as the subsequent less-than-significant impact conclusion, is incorrect for three reasons.

- (1) The IS/MND’s quantitative GHG analysis relies upon an incorrect and unsubstantiated air model;
- (2) SWAPE’s updated model indicates a potentially significant GHG impact; and
- (3) The IS/MND fails to consider the performance-based standards under CARB’s *Scoping Plan*;

1) *Incorrect and Unsubstantiated Quantitative Analysis of Emissions*

As previously stated, the IS/MND estimates that the Project would generate net annual GHG emissions of 2,738.39 MT CO₂e/year (p. 57, Table I). However, the IS/MND’s quantitative GHG analysis is unsubstantiated. As previously discussed, when we reviewed the Project's CalEEMod output files, provided in the AQ & GHG Analysis as Appendix A to the IS/MND, we found that several of the values inputted into the model are not consistent with information disclosed in the IS/MND. As a result, the model underestimates the Project’s emissions, and the IS/MND’s quantitative GHG analysis should not be relied upon to determine Project significance. An EIR should be prepared that adequately assesses the potential GHG impacts that construction and operation of the proposed Project may have on the environment.

2) Updated Analysis Indicates a Potentially Significant GHG Impact

SWAPE's updated air model indicates a potentially significant GHG impact, when applying the County's screening level threshold of 3,000 MT CO₂e/year. The updated CalEEMod output files disclose the Project's mitigated emissions, which include approximately 1,040 MT CO₂e of total construction emissions and approximately 2,980 MT CO₂e/year of annual operational emissions (sum of area-, energy-, mobile-, waste-, and water-related emissions). When amortizing the Project's construction-related GHG emissions over a period of 30 years and summing them with the Project's operational GHG emissions, we estimate net annual GHG emissions of approximately 3,015 MT CO₂e/year (see table below).

SWAPE Annual Greenhouse Gas Emissions	
Project Phase	Proposed Project (MT CO ₂ e/year)
<i>Total Construction</i>	<i>1,040.20</i>
Construction (amortized over 30 years)	34.67
<i>Area</i>	<i>0.01</i>
<i>Energy</i>	<i>184.76</i>
<i>Mobile</i>	<i>2,652.84</i>
<i>Waste</i>	<i>99.10</i>
<i>Water</i>	<i>43.35</i>
Annual Operational	2,980.06
Total Net Annual GHG Emissions	3,014.73
County Screening Level Threshold	3,000
<i>Exceeds?</i>	Yes

As demonstrated above, the Project's estimated annual GHG emissions, as estimated by SWAPE, exceed the County's screening level threshold of 3,000 MT CO₂e/year, thus resulting in a significant impact not previously addressed or mitigated in the IS/MND. As a result, the IS/MND's less-than-significant GHG impact conclusion should not be relied upon. An EIR should be prepared, including an updated GHG analysis and incorporating additional mitigation measures to reduce the Project's GHG emissions to less-than-significant levels.

3) Failure to Consider Performance-based Standards Under CARB's 2017 Scoping Plan

As previously discussed, the IS/MND concludes that the Project would be consistent with CARB's 2017 Climate Change Scoping Plan (p. 58). However, this is incorrect, as the IS/MND fails to consider performance-based measures proposed by CARB.

i. Passenger & Light Duty VMT Per Capita Benchmarks per SB 375

In reaching the State's long-term GHG emission reduction goals, CARB's 2017 *Scoping Plan* explicitly cites to SB 375 and the VMT reductions anticipated under the implementation of Sustainable

Community Strategies.⁴⁵ CARB has identified the population and daily VMT from passenger autos and light-duty vehicles at the state and county level for each year between 2010 to 2050 under a “baseline scenario” that includes “current projections of VMT included in the existing Regional Transportation Plans/Sustainable Communities Strategies (RTP/SCSs) adopted by the State’s 18 Metropolitan Planning Organizations (MPOs) pursuant to SB 375 as of 2015.”⁴⁶ By dividing the projected daily VMT by the population, we calculated the daily VMT per capita for each year at the state and county level for 2010 (baseline year), 2022 (Project operational year), and 2030 (target years under SB 32) (see table below).

2017 Scoping Plan Daily VMT Per Capita						
Year	San Bernardino County			State		
	Population	LDV VMT Baseline	VMT Per Capita	Population	LDV VMT Baseline	VMT Per Capita
2010	2,043,484	55,741,307.23	27.28	37,335,085	836,463,980.46	22.40
2022	2,278,414	61,507,949.89	27.00	41,321,565	916,010,145.57	22.17
2030	2,478,888	65,538,854.28	26.44	43,939,250	957,178,153.19	21.78

As the IS/MND fails to evaluate the Project’s consistency with the CARB 2017 *Scoping Plan* performance-based daily VMT per capita projections, the IS/MND’s claim that the proposed Project would not conflict with the CARB 2017 *Scoping Plan* is unsupported. An EIR should be prepared for the proposed Project to provide additional information and analysis to conclude less-than-significant GHG impacts.

Feasible Mitigation Measures Available to Reduce Emissions

Our analysis demonstrates that the Project would result in potentially significant air quality, health risk, and GHG impacts that should be mitigated further. As such, in an effort to reduce the Project’s emissions, we identified several mitigation measures that are applicable to the proposed Project. Feasible mitigation measures can be found in the Department of Justice Warehouse Project Best Practices document.⁴⁷ Therefore, to reduce the Project’s emissions, consideration of the following measures should be made:

- Requiring off-road construction equipment to be zero-emission, where available, and all diesel-fueled off-road construction equipment, to be equipped with CARB Tier IV-compliant engines or better, and including this requirement in applicable bid documents, purchase orders, and contracts, with successful contractors demonstrating the ability to supply the compliant construction equipment for use prior to any ground-disturbing and construction activities.
- Prohibiting off-road diesel-powered equipment from being in the “on” position for more than 10 hours per day.
- Requiring on-road heavy-duty haul trucks to be model year 2010 or newer if diesel-fueled.

⁴⁵ “California’s 2017 Climate Change Scoping Plan.” CARB, November 2017, *available at*:

https://ww3.arb.ca.gov/cc/scopingplan/scoping_plan_2017.pdf, p. 25, 98, 101-103.

⁴⁶ “Supporting Calculations for 2017 Scoping Plan-Identified VMT Reductions,” Excel Sheet “Readme.” CARB, January 2019, *available at*: https://ww2.arb.ca.gov/sites/default/files/2019-01/sp_mss_vmt_calculations_jan19_0.xlsx.

⁴⁷ “Warehouse Projects: Best Practices and Mitigation Measures to Comply with the California Environmental Quality Act.” State of California Department of Justice.

- Providing electrical hook ups to the power grid, rather than use of diesel-fueled generators, for electric construction tools, such as saws, drills and compressors, and using electric tools whenever feasible.
- Limiting the amount of daily grading disturbance area.
- Prohibiting grading on days with an Air Quality Index forecast of greater than 100 for particulates or ozone for the project area.
- Forbidding idling of heavy equipment for more than two minutes.
- Keeping onsite and furnishing to the lead agency or other regulators upon request, all equipment maintenance records and data sheets, including design specifications and emission control tier classifications.
- Conducting an on-site inspection to verify compliance with construction mitigation and to identify other opportunities to further reduce construction impacts.
- Using paints, architectural coatings, and industrial maintenance coatings that have volatile organic compound levels of less than 10 g/L.
- Providing information on transit and ridesharing programs and services to construction employees.
- Providing meal options onsite or shuttles between the facility and nearby meal destinations for construction employees.
- Requiring that all facility-owned and operated fleet equipment with a gross vehicle weight rating greater than 14,000 pounds accessing the site meet or exceed 2010 model-year emissions equivalent engine standards as currently defined in California Code of Regulations Title 13, Division 3, Chapter 1, Article 4.5, Section 2025. Facility operators shall maintain records on-site demonstrating compliance with this requirement and shall make records available for inspection by the local jurisdiction, air district, and state upon request.
- Requiring all heavy-duty vehicles entering or operated on the project site to be zero-emission beginning in 2030.
- Requiring on-site equipment, such as forklifts and yard trucks, to be electric with the necessary electrical charging stations provided.
- Requiring tenants to use zero-emission light- and medium-duty vehicles as part of business operations.
- Forbidding trucks from idling for more than two minutes and requiring operators to turn off engines when not in use.
- Posting both interior- and exterior-facing signs, including signs directed at all dock and delivery areas, identifying idling restrictions and contact information to report violations to CARB, the air district, and the building manager.
- Installing and maintaining, at the manufacturer's recommended maintenance intervals, air filtration systems at sensitive receptors within a certain radius of facility for the life of the project.
- Installing and maintaining, at the manufacturer's recommended maintenance intervals, an air monitoring station proximate to sensitive receptors and the facility for the life of the project, and making the resulting data publicly available in real time. While air monitoring does not

A-36
Cont'd

mitigate the air quality or greenhouse gas impacts of a facility, it nonetheless benefits the affected community by providing information that can be used to improve air quality or avoid exposure to unhealthy air.

- Constructing electric truck charging stations proportional to the number of dock doors at the project.
- Constructing electric plugs for electric transport refrigeration units at every dock door, if the warehouse use could include refrigeration.
- Constructing electric light-duty vehicle charging stations proportional to the number of parking spaces at the project.
- Installing solar photovoltaic systems on the project site of a specified electrical generation capacity, such as equal to the building's projected energy needs.
- Requiring all stand-by emergency generators to be powered by a non-diesel fuel.
- Requiring facility operators to train managers and employees on efficient scheduling and load management to eliminate unnecessary queuing and idling of trucks.
- Requiring operators to establish and promote a rideshare program that discourages single-occupancy vehicle trips and provides financial incentives for alternate modes of transportation, including carpooling, public transit, and biking.
- Meeting CalGreen Tier 2 green building standards, including all provisions related to designated parking for clean air vehicles, electric vehicle charging, and bicycle parking.
- Achieving certification of compliance with LEED green building standards.
- Providing meal options onsite or shuttles between the facility and nearby meal destinations.
- Posting signs at every truck exit driveway providing directional information to the truck route.
- Improving and maintaining vegetation and tree canopy for residents in and around the project area.
- Requiring that every tenant train its staff in charge of keeping vehicle records in diesel technologies and compliance with CARB regulations, by attending CARB approved courses. Also require facility operators to maintain records on-site demonstrating compliance and make records available for inspection by the local jurisdiction, air district, and state upon request.
- Requiring tenants to enroll in the United States Environmental Protection Agency's SmartWay program, and requiring tenants to use carriers that are SmartWay carriers.
- Providing tenants with information on incentive programs, such as the Carl Moyer Program and Voucher Incentive Program, to upgrade their fleets.

These measures offer a cost-effective, feasible way to incorporate lower-emitting design features into the proposed Project, which subsequently, reduce emissions released during Project construction and operation.

Furthermore, as it is policy of the State that eligible renewable energy resources and zero-carbon resources supply 100% of retail sales of electricity to California end-use customers by December 31, 2045, we emphasize the applicability of incorporating solar power system into the Project design. Until the feasibility of incorporating on-site renewable energy production is considered to reduce the Project's GHG emissions, the IS/MND should not be approved.

An EIR should be prepared to include all feasible mitigation measures, as well as include updated air quality, health risk, and GHG analyses to ensure that the necessary mitigation measures are implemented to reduce emissions to below thresholds. The EIR should also demonstrate a commitment to the implementation of these measures prior to Project approval, to ensure that the Project's significant emissions are reduced to the maximum extent possible.

Disclaimer

SWAPE has received limited discovery regarding this project. Additional information may become available in the future; thus, we retain the right to revise or amend this report when additional information becomes available. Our professional services have been performed using that degree of care and skill ordinarily exercised, under similar circumstances, by reputable environmental consultants practicing in this or similar localities at the time of service. No other warranty, expressed or implied, is made as to the scope of work, work methodologies and protocols, site conditions, analytical testing results, and findings presented. This report reflects efforts which were limited to information that was reasonably accessible at the time of the work, and may contain informational gaps, inconsistencies, or otherwise be incomplete due to the unavailability or uncertainty of information obtained or provided by third parties.

Sincerely,



Matt Hagemann, P.G., C.Hg.



Paul E. Rosenfeld, Ph.D.

Attachment A: Construction Phase Calculations
Attachment B: CalEEMod Output Files
Attachment C: Health Risk Calculations
Attachment D: AERSCREEN Output Files
Attachment E: Matt Hagemann CV
Attachment F: Paul E. Rosenfeld CV

A-36
Cont'd

A-37

Response to Comment Letter A – Golden State Environmental Justice Alliance

Response to Comment A-1:

The comments provided by Blum Collins & Ho, LLP Attorneys at Law on behalf of Golden State Environmental Justice Alliance have been accepted and considered. Golden State Environmental Justice Alliance will be added to the public interest list regarding any subsequent environmental documents, public notices, public hearings, and notifications of determination for the Project. The commenter correctly summarizes the Project description. No environmental issues raised.

Response to Comment A-2:

This comment questions the adequacy of the Project Description provided in the IS/MND and the public's inability to verify the description. The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. The contents of an IS/MND are set forth in *CEQA Guidelines* §15063(d) as follows: "An Initial study shall contain in brief form: (1) A description of the project including the location of the project; (2) An identification of the environmental setting; (3) An identification of environmental effects by use of a checklist, matrix, or other method, provided that entries on a checklist or other form are briefly explained to indicate that there is some evidence to support the entries. The brief explanation may be either through a narrative or a reference to another information source such as an attached map, photographs, or an earlier EIR or negative declaration. A reference to another document should include, where appropriate, a citation to the page or pages where the information is found; (4) A discussion of the ways to mitigate the significant effects identified, if any; (5) An examination of whether the project would be consistent with existing zoning, plans, and other applicable land use controls; (6) The name of the person or persons who prepared or participated in the Initial Study."

The contents of IS/MND satisfy these requirements. The Project Description, including location, is described in the IS/MND under the *Project Description* section. (IS/MND, pp 2-4). The Project Description includes figures to supplement the narrative including, but not limited to, the Proposed Site Plan (Figure 5), Building Elevations (Figure 6), and Landscape Plan. (Figure 7). Taken together, the narrative provided within the project description and accompanying figures provided meet the specifications required by the CEQA Guidelines and provide sufficient detail to evaluate environmental impacts. A grading plan was not included within the IS/MND because it was determined to be overly technical (the amount of detail in a project description should reflect the size and scope of the project and the types and severity of impacts that are expected [AEP 2019]) and grading was generally described throughout the IS/MND, (i.e., "no import or export soils were required," "earthwork would balance," and grading activities would occur over "15 days"). With regard to internal floorplans, specific floorplans are not available because an end user of the proposed warehouse building has not yet been identified; therefore, the floor plans have not been finalized and are unavailable. Moreover, CEQA does not require the Project Site Plan to include earth quantity notes, parking requirements, site coverage, and floor area ratios; nonetheless, the IS/MND identified the number of parking spaces to be provided and references the location in the San Bernardino County Development Code (SBCDC), Chapter 83.11, should a reader want to verify that adequate parking is being provided (IS/MND, p. 4.). The commenter fails to provide substantial evidence that the exclusion of the Project's floor plans or grading plans constitutes a significant environmental impact. The *Air Quality/Greenhouse Gas Analysis for the 15719 and 15755 Arrow Route Warehouse Project*, included as Appendix A of the project's IS/MND, indicates that no import or export soils were required, and the earthwork would balance (IS/MND; Appendix A. p 3.) The Project is replacing an industrial use (car dismantling uses) with another industrial use (warehouse) which are permitted uses under the Regional Industrial (IR) zoning District. With the

approval of the Conditional Use Permit (CUP), the proposed Project would conform with IR zoning District's development standards including floor area ratio (FAR) and lot coverage.

The commenter correctly points out a complete entitlement planning application includes detailed information about the Project including, but not limited to, the site plan and conceptual grading plan. These documents are available to the public, including the commenter, at the County. The County has not received a request from the commenter to review the planning application materials for the proposed Project.

Since the Project was adequately described pursuant to CEQA *Guidelines* §15063(d), an EIR or recirculation of the IS/MND is not required.

Response to Comment A-3:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. The commenter quoted the Project Summary on page 2 of the IS/MND. However, the Project Description, on page 3 of the IS/MND, fully describes all the Project's components, and the IS/MND analyzed all environmental impacts generated by the Project, including demolition. The IS/MND indicates that the "Project [...] involves the demolition of the existing development and the construction and operation of an industrial non-refrigerated warehouse building." The air modeling conducted for the Project analyzes demolition of the existing buildings as indicated in *Section III. Air Quality* of the IS/MND and in the Appendix A, *Air Quality/Greenhouse Gas Analysis*. Specifically, *Table A- Unmitigated Estimated Maximum Daily Construction Emission* and *Table D – Unmitigated LST Results for Daily Construction Emissions*. The air modeling shows that Project construction, which includes the demolition activity, is below the regional and localized significance thresholds. Therefore, the IS/MND properly analyzed the Project and impacts were determined to be less than significant. No additional analysis is warranted and the preparation of an EIR is not required.

The commenter references the high-pile dismantled vehicles, air compressors, and outdoor vehicle and pallet storage discussed and photographed in the Appendix I- *Phase I Environmental Site Assessment*, and asserts that the removal of these items should have been analyzed as part of the Project. These items referenced are the car dismantling owners' business supplies and inventory; the Site Assessment was conducted prior to the removal of these items. The car dismantling business owners removed their personal items, business supplies, and inventory when vacating the Project site prior to completion of the IS/MND. As such, the Project's setting, as stated on page 2 of the IS/MND, indicates that "The Project site contains three former automotive dismantling/parts businesses..." and the "Project site was previously occupied by Riteway Auto Dismantlers, All Auto Parts, and Arrow Salvage (pallet storage and sales operations)." As referenced by the commenter, page 3 of the IS/MND also states "The former automotive dismantling/parts businesses, including the storage facilities with office space, and associated outbuilding/garages are currently unoccupied." To clarify and amplify the discussion in the IS/MND, the word "former" was used to indicate the site is vacant and that the businesses documented onsite during the Site Assessment are no longer operating and have removed their belongings. Therefore, the IS/MND properly described the current site conditions, and properly analyzed the Project's impacts. No additional analysis is warranted and the preparation of an EIR is not required.

Response to Comment A-4:

For SWAPE response see Responses to Comments A-18 through A-36

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. Pursuant to CEQA, the Project's physical impacts on the environment were evaluated in the IS/MND using CEQA *Guidelines* Appendix G thresholds as well as thresholds of

significance adopted by other agencies with authority over affected resources (i.e., the SCAQMD). Neither the County of San Bernardino nor the *CEQA Guidelines* include thresholds of significance for environmental justice. Environmental justice is not a required part of an initial study analysis. CEQA requires an analysis of physical impacts to the environment; it does not require analysis of social and economic impacts. CEQA provides that economic and social changes are not to be treated as significant effects on the environment. Effects analyzed under CEQA must be related to a physical change.

Regarding air quality, the Project's regional and localized construction-related and operational emissions would not exceed the numerical thresholds of significance established by the SCAQMD for any criteria pollutant nor would the estimated health risk exceed the SCAQMD cancer and non-cancer risk thresholds. (IS/MND, pp. 21-29). The commenter provides no evidence that the conclusions of the IS/MND are incorrect. As such, air quality impacts related to operational activities are considered to be less than significant and no additional mitigation is required.

The determination that the proposed project will not result in cumulatively considerable air quality impacts is based on SCAQMD guidance in the *White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution*¹. As stated on page 23 of the IS/MND:

The SCAQMD considers the thresholds for project-specific impacts and cumulative impacts to be the same. Therefore, projects that exceed project-specific significance thresholds are considered by SCAQMD to be cumulatively considerable. Based on SCAQMD's regulatory jurisdiction over regional air quality, it is reasonable to rely on its thresholds to determine whether there is a cumulative air quality impact.

Regarding hazardous waste, the proposed use would be consistent with allowable uses per SBCDC. The *Phase I Environmental Site Assessment* and the *Limited Site Investigation* conducted for the Project, concluded that no significant impairments were identified, and impacts related to the release of hazardous materials was low. (IS/MND, p. 62.) Moreover, the IS/MND concluded that the Project would result in less than significant impacts regarding hazards and hazardous materials. (IS/MND, pp. 60-64.) No additional analysis is warranted and the preparation of an EIR is not required.

Response to Comment A-5:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. As indicated above in Response to Comment A-3, the IS/MND properly described the current site conditions, and accurately analyzed the Project's impacts associated with the existing, unoccupied site. The removal of a former business owner's property (high-pile dismantled vehicles, air compressors, and outdoor vehicle and pallet storage) is not connected to and is separate from the demolition of the Project site. In CalEEMod, the default length of each construction activity (i.e., grading, site prep, building construction, etc.) and the equipment used in each construction activity is based on the site acreage. The default CalEEMod construction schedule and equipment list, based on the Project's site acreage was reviewed by the Project Team, including the Project Applicant, and adjusted based on the Applicant's experience. (See Response to Comment Letter A-23, SWAPE Attachment for further discussion on substantial evidence). The commenter does not provide substantial evidence that the IS/MND assumptions were incorrect. Per CalEEMod defaults, the number of days estimated to demolish the structures totaling a combined 26,590 square feet (0.61 acres), is

¹ South Coast Air Quality Management District, *White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution*, August 2003. (Available at <http://www.aqmd.gov/docs/default-source/Agendas/Environmental-Justice/cumulative-impacts-working-group/cumulative-impacts-white-paper.pdf>)

approximately 20 working days. The Project's demolition phase was conservatively modeled for an entire calendar month which correlated to 21 working days, based on the estimated construction start date. The hauling trips were based on the size of the existing structures using model defaults, as such, 121 hauling trips were estimated. The Project site was assumed to be cleared during demolition and a separate site preparation activity was not required. As discussed above, a separate site preparation phase was not needed since demolition, as modeled, included removing all structures and improvements prior to grading. Therefore, the IS/MND properly and adequately analyzed construction impacts and the IS/MND determined those impacts to be less than significant. No additional analysis is warranted and the preparation of an EIR is not required.

Response to Comment A-6:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. CalEEMod uses the trip generation rate from the Integrated Traffic Engineering's (ITE) Trip Generation Manual. Per the Trip Generation Manual, trip generation for a warehouse is primarily devoted to the storage of materials, but it may also include office and maintenance areas. As such, the traffic associated with office space is accounted when modeling warehouse land uses in CalEEMod, as shown in Appendix A, *Air Quality/Greenhouse Gas Analysis*. The results from this analysis determined that the proposed Project would have less than significant air quality impacts. Since the total building square footage includes the office space, which is required to populate construction information such as construction phases, equipment, and operational emissions associated with area, energy, mobile, water and wastewater, and solid waste sources. Separating the office space would not result in changes to the emission calculations, because the emission calculations are based on the construction and operation of a warehouse building, which inherently assume that office space would be needed for operation of the warehouse. As described in the IS/MND, the size of the building increased due to a redesign which resulted in a larger warehouse and office building from a total of 196,654 sf to a total of 209,759 sf, a 6.7 percent increase in building size. (IS/MND, pp. 21-22.) A subsequent air quality evaluation was conducted, the *Air Quality/Greenhouse Gas Analysis/ Energy/HRA Evaluation for the 15719 and 15755 Arrow Route Warehouse Project (CUP No. 2020-00235)* Memorandum (included as Appendix A.1), and the results of this evaluation concluded that the nominal increase would not result in new or substantively different or substantively increased air quality or greenhouse emissions than previously analyzed in the smaller warehouse building and no new mitigation was required. No additional analysis is warranted and the preparation of an EIR is not required.

Response to Comment A-7:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. The commenter incorrectly states there are discrepancies in the GHG emissions disclosed in the IS/MND. The CalEEMod Emissions Summary provided in Appendix A to the IS/MND quantify the emissions that were calculated for both air quality and greenhouse gas (GHG) emissions. The GHG emissions cited in the comment from summer and winter are from the respective modeling output files and are reported in different units than the annual emissions output. The unit for the seasonal output is in pounds per day (lb/day) whereas the annual output is in metric tons per year. The GHG threshold is in metric tons per year. Therefore, the IS/MND accurately disclosed the GHG impacts. No additional analysis is warranted and the preparation of an EIR is not required.

Response to Comment A-8:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact, and does not provide substantial evidence that the use of CalEEMod inaccurately quantifies emissions. The energy models cited in the comment are not applicable to the CEQA process and are in fact used to demonstrate compliance with the Title 24 building energy efficiency standards, which is conducted prior to issuance of building permits. CalEEMod is a statewide land use emissions computer model, recommended by the SCAQMD, designed to provide a uniform platform and

methodology to quantify potential criteria pollutant and greenhouse gas (GHG) emissions associated with both construction and operations from a variety of land use projects. The model quantifies indirect emissions from energy use, which incorporates Title 24 standards (www.caleemod.com, <http://www.aqmd.gov/home/rules-compliance/ceqa/air-quality-modeling>). As such, the IS/MND appropriately quantified and disclosed the energy-related impacts. No additional analysis is warranted and the preparation of an EIR is not required.

Response to Comment A-9:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. The proposed Project consists of the construction and operation of a warehouse, and industrial uses, which will replace an auto dismantling business, another industrial use in the Regional Industrial Zone that allows industrial land uses. Since the proposed Project, a warehouse, is an allowable use consistent with the current zoning, no changes to zoning or GP land use designations are required. Moreover, this industrial infill development will improve the existing character of the area by constructing a new, aesthetically pleasing building with landscape. As such, this type of development is consistent with GP goals and policies. Under the CEQA Guidelines, an IS/MND need only discuss inconsistencies between the proposed project and an applicable general plan. This rule does not require that general plan consistency be evaluated, only that any inconsistencies with the plan be discussed. Moreover, the Appendix G threshold of significance for land use and planning relates to conflicts with a general plan's goals or policies that are adopted for the purposes of avoiding or mitigating an environmental effect; not to every goal or policy of a general plan. Nonetheless, the Project's consistency with the General Plan policies provided in the comment have been clarified below and demonstrate the Project would not result in significant environmental impacts due to a conflict with policies adopted for the purpose of avoiding or mitigating an environmental effect. Because no new environmental issues pursuant to CEQA were identified, no further analysis is necessary.

Specifically, the Project would be consistent with Policy LU-2.3, Compatibility with natural environment. As described in the setting section of the IS/MND, there is no existing biodiversity in the Project area (IS/MND, p. 2.), the implementation of this infill development in an existing industrial use area, would not preclude biodiversity in the Project area or other areas in the Countywide Plan area.

The Project is consistent with Policy LU-2.6, Coordination with adjacent entities. Since no GPA or Zoning change is required, then the Project is consistent with the existing Countywide Plan and Zoning. As such, the Project's use is compatible.

The Project is consistent with Policy LU-4.5, Community identity. As described in *Section I Aesthetics* and *Section V Cultural Resources* of the IS/MND, the Project site and the surrounding area does not include any historical resources. The Project will replace an industrial use with another industrial use that will not change the community identity. Also, the Project site is not within a Community Plan Area, and it is not within the communities listed in Table LU-3. As such, the Project's use is compatible with the surrounding community.

The Project is consistent with Goal TM-1, Roadway Capacity. Appendix L, *TIA VMT Screening Analysis* indicates that this Project will generate 33 AM peak-hour trips and 41 PM peak hour trips. The trip generation is below the Countywide Guidelines of 100 peak hour trips and was exempted from a full Traffic Impact Analysis (TIA). As such, the Project will not impact roadway capacity.

The Project is consistent with Policy TM-1.1, Roadway level of service (LOS). The Project site is not within the Valley Region, Mountain Region or the North and East Desert Region Community Plan Areas.

The implementation of the Project will not preclude these areas from achieving their respective LOS standards. Moreover, as mentioned in Appendix L, *TIA VMT Screening Analysis*, the Project was exempted from a full TIA analysis.

The Project is consistent with Goal TM-3, Vehicle Miles Traveled. A vehicle miles traveled (VMT) screening analysis (Appendix L, *TIA VMT Screening Analysis*) was conducted for the Project. The Project site is located within a low VMT generating area. Per the Countywide Plan, if a project is located within an area that currently produces low VMT per the County screening map, then that project is exempt from VMT analysis. As such, the Project was exempted from a VMT analysis.

The Project is consistent with Policy TM-3.1, VMT Reduction. Per Section XVII *Transportation* and Appendix L, *TIA VMT Screening Analysis*, the proposed Project is exempt from VMT analysis because the Project site is located in a low VMT generating area in the base year 2016, present year 2021, and future year 2040 and VMT impacts are minimal.

The Project is consistent with Goal NR-1, Air Quality. Per Section II *Air Quality* and Appendix A, *Air Quality/Greenhouse Gas Analysis*, an air quality analysis was prepared for the proposed Project to analyze the Project's air quality impacts. The air quality impacts were determined to be less than significant.

The Project is consistent with Policy NR-1.7, Greenhouse gas reduction targets. Per Section II *Air Quality* and Appendix A, *Air Quality/Greenhouse Gas Analysis*, an analysis prepared showed that the proposed Project would generate greenhouse gas emissions below the County's screening level of significance for development projects. As such, greenhouse gas impacts were determined to be less than significant.

The Project is consistent with Policy NR-1.9, Building design and upgrades. The Project will promote building energy efficiency through compliance with energy efficiency standards (Title 24 and CALGreen). The Project Applicant has committed to achieve LEED "Certified" status for the building. (IS/MND, p. 45.)

The Project is consistent with applicable policies under Goal HZ-3, Environmental Justice. The *Consistency with Environmental Policies* dated April 29, 2022, Attachment C as attached herein, *Consistency with Environmental Justice Policies Memo*, details how the proposed Project is consistent with Goal HZ-3 as further detailed in the following discussion.

The Project is consistent with Policy HZ-3.1, Health risk assessment. Per Attachment C, *Consistency with Environmental Justice Policies Memo*, the Project site is located within an environmental justice focus area as identified within the Countywide Plan. The Project's Draft IS/MND included an operational health risk assessment (HRA) that evaluated potential diesel particulate matter (DPM) impacts of the Project on sensitive receptors with regard to cancer and non-cancer health risks. The non-cancer risks can be described as acute (short-term, generally 1-hour peak exposures) or chronic (long-term exposure). The results of the operational HRA analysis demonstrate that the Project would result in a Maximum Individual Cancer Risk from DPM of 1.10 in one million for residents and 0.20 in one million for students. (IS/MND, p. 28.) Impacts are considered significant if these values are above 10 in one million. The Project would result in a maximum chronic hazard index (used to evaluate non-cancer health risks) of 0.007, which is less than the significance threshold of 1.0. (IS/MND, p. 29.) As such, the Project's potential for health risks is well below established thresholds of significance and no mitigation is required. Because a HRA was prepared and impacts are less than the thresholds of significance, the Project is consistent with this policy.

The Project is consistent with Policy HZ-3.18, Application requirements. Per Attachment C, *Consistency with Environmental Justice Policies Memo*, the Project site is located within an environmental justice focus area, as identified on Policy Map HZ-1, Environmental Justice and Legacy Communities of the Countywide Plan. As discussed throughout the Draft IS/MND, the Project would result in no impact, less than significant impacts or less than significant impacts with mitigation for all resource areas evaluated per Appendix G of the State CEQA Guidelines. As discussed in Project Consistency to Policy HZ-3.1 above, the Project would result in health risks that are substantially below thresholds of significance established by the South Coast Air Quality Management District (SCAQMD) (health risks are below 1.1 in one million, below the threshold of 10 in one million). Moreover, as further detailed in this memorandum, this Project is consistent with applicable Environmental Justice Policies. Thus, the Project would not result in significant impacts to disadvantaged communities within the vicinity of the Project site.

The Project site has been used for auto dismantling purposes for approximately 60 years and the surrounding area uses include manufacturing shops, auto dismantlers, and sand, gravel, and concrete operations. (IS/MND, pp. 5, 61.) Once implemented, the Project will improve the existing visual character of the area. The proposed Project would develop the site in accordance with the CWP standards, and construct a new aesthetically pleasing warehouse building, expand the existing site frontage of Arrow Route from 36-ft roadway to 40-ft, provide new curb and gutter, sidewalk, and add new landscaping onsite and on the southerly portion of Arrow Route for screening, privacy, and security. The Project lighting would be directed inward and downward and/or shielded to minimize the light spilling over to adjacent properties. The exterior façade would consist of non-reflective materials, such as concrete. In addition, the windows would be comprised of blue reflective glazing, which reduces glare over other transparent surfaces. (IS/MND, p. 17.) The noise that would result from the Project's construction and operational activities would not result in noise levels that would exceed County standards. (IS/MND, pp. 75-77.) Also, groundborne vibration impacts to surrounding land uses during construction and operation activities would not exceed groundborne vibration standards. (IS/MND, pp. 78-79.) Additionally, development of the proposed Project will maintain the existing drainage pattern by conveying runoff utilizing curb and gutter, onsite subsurface storm drains which ultimately flow to the existing West Fontana Channel. Coupled with the incorporation of required site design, source control and treatment control best management practices to address storm water runoff generated onsite that are required by the Water Quality Management Plan and the latest regulations, the Project will not degrade water quality. (IS/MND, pp. 66-69.) Moreover, the development of the proposed use would also be within an established industrial area that is also designated for industrial uses per the CWP. In summary, the Project would not conflict with Policy HZ-3.18 and would not result in significant environmental effects to surrounding disadvantaged communities.

Response to Comment A-10:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. As discussed in Response to Comment 9, above, the proposed Project is consistent with the Countywide goals and Policies, including the Environmental Justice Element. Consistency with Environmental Justice Policies are further discussed in Attachment C, *Consistency with Environmental Justice Policies Memo*.

Regarding energy modeling and CalGreen compliance, see Response to Comment 8. Since the proposed Project is modeled by CalEEMod, a SCAQMD recommended model that demonstrates compliance with Title 24 building energy efficiency standards, and the results were less than significant

impacts, then the Project does not conflict with policies that aim to achieve greenhouse gas reduction. No additional analysis is warranted and the preparation of an EIR is not required.

Response to Comment A-11:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. The comment states that the IS/MND did not provide an analysis of the Project's consistency with the Southern California Association of Governments (SCAG) 2020–2045 Regional Transportation Plan/Sustainable Communities Strategy (RTP/SCS), also referred to as the Connect SoCal Plan. The comment suggests that due to modeling inputs that the commenter believes are incorrect, the Project has the potential to be inconsistent with Goal 5 (reduce GHG emissions and improve air quality), Goal 6 (support healthy and equitable communities), and Goal 7 (adapt to a changing climate). No clarification is provided regarding which modeling inputs are incorrect, however, it can be assumed that this comment references subsequent comments in which the commenter states that the IS/MND's air quality, greenhouse gas emission, and transportation-related impacts are incorrectly analyzed. Refer to [Response to Comment A-15](#) through [Response to Comment A-36](#) in which responses are provided to concerns regarding model inputs. As discussed within these responses, the model inputs used to calculate and analyze the project's air quality, greenhouse gas emissions, and transportation-related impacts were correctly and appropriately selected and the IS/MND is adequate as provided. As discussed throughout the IS/MND, the Project would not result in significant impacts with regard to air quality or greenhouse gas emissions. Accordingly, the Project would not conflict with Goal 5 (reduce GHG emissions and improve air quality), Goal 6 (support healthy and equitable communities), and Goal 7 (adapt to a changing climate). If an EIR were to be prepared for the proposed Project, it would reach the same conclusions regarding Project consistency with the 2020-2045 RTP/SCS. Because no new environmental issues were identified, no further analysis is necessary.

Response to Comment A-12:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. The proposed Project site is zoned Regional Industrial (IR) industrial. The proposed Project would replace former industrial uses, car dismantling businesses, with another industrial use, a warehouse, which are two allowable uses within IR. The Project site's existing and proposed land use are also consistent with the Countywide Plan designations of General Industrial (GI). No zoning change or general plan amendment are proposed or required. Since the Project's land use is consistent with the Countywide Plan, then direct or indirect population and employment growth has been accounted for and analyzed in the Countywide Plan EIR and determined housing and population growth impacts were less than significant (CWP EIR, pp. 5.13-9 -5.13-12.). Based on information provided by the Project Applicant, the Project Applicant intends to construct the Project using a licensed general contractor with full-time staff that are assigned to construction projects on a rotating basis, depending on the nature of the construction phase and the required worker skillsets. The Project's construction labor needs would be met by a pool of existing construction workers in the region. The Project does not involve any specialized construction methods that would require specialized construction workers to be sourced outside of the region. As such, it was reasonably assumed that employment from operational and construction activities related to the Project would be filled by workers that reside in the Project vicinity as discussed in the IS/MND. (IS/MND, p. 80.) The Project vicinity includes the Countywide Plan area which is an area within the SCAG region. Moreover, it is unlikely that the construction of the Project would attract significant number of potential construction employees that would permanently relocate to the Project vicinity. Specifically for short-term employment that would last approximately 10 months. The environmental effects (i.e., air pollutant and greenhouse emissions associated with vehicle miles traveled for worker trips) have been accounted for throughout the IS/MND within the Project's air quality and greenhouse gas emission analyses. In this case, because the exact locations of where workers trips would originate, the analyses assumed a default worker trip length of 14.7 miles, as recommended for use by the California Air Pollution Control Officers Association

(CAPCOA 2017). VMT impacts are discussed in Response to Comment A-15 and Response to Comment A-16. and Air quality and Greenhouse Gas Emission impacts are discussed in Response to Comment A-4 through Response to Comment A-8. The IS/MND analysis determined that the proposed Project would have less than significant environmental impacts related to population and housing. No additional analysis is warranted and the preparation of an EIR is not required.

Response to Comment A-13:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. The employment density study referenced in the comment was prepared in 2001, which uses data from research conducted prior to the current prevalence of automation in warehousing buildings. However, even if this data was used, as discussed in IS/MND, a future tenant of the warehouse has not yet been identified (IS/MND, p.60.), and thus, the number of jobs that the Project would generate cannot be precisely determined. Moreover, the comment is implying that if there is any growth it is unplanned growth. As discussed earlier, the IS/MND, the Project is consistent with the County's zoning and Countywide Plan land use designations and the proposed project then the Project's existing and proposed land use is consistent with the Countywide Plan and SCAG.

Using the median employee generation rate from SCAG's Employment Density Study, the Project would generate one 1 employee per 2,111 sf of the warehouse building, resulting in approximately 100 employees. As stated above, the office space is associated with the warehouse operations and therefore it is appropriate to estimate employment based on the proposed building use. A more recent study in 2010 by NAIOP², indicated that the existing inventory and warehouses are generating 1 employee per 2,574 sf of warehouse area. Applying this ratio to the Project, then the proposed Project would generate approximately 82 employees. Using the NAIOP date, which is almost 10 years newer, would be more representative of the proposed Project, because the NAIOP study captures the current condition of warehouse automation. As mentioned earlier, the Project's industrial uses have already been accounted for in SCAG and in the Countywide plan since no changes in zoning would occur.

Therefore, the construction and operation of the proposed Project will not significantly induce substantial unplanned population growth either directly or indirectly. (IS/MND, p 80.) No additional analysis is warranted and the preparation of an EIR is not required.

Response to Comment A-14:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. The Project is consistent with the County's Countywide Plan land use designations, which are used as the foundation for developing the RTP/SCS plans. As such, it follows that the Project would be consistent with the long-term planning efforts within the 2020 RTP/SCS plan. An EIR would not change these findings. Because no new environmental issues were identified, no further analysis is necessary.

Response to Comment A-15:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. The comment states that the operational nature of industrial/warehouse uses involves high rates of truck/trailer VMT and concludes that the Project's truck/trailer activity is unable to utilize public transit and is therefore misleading to the public and decision makers to screen out the proposed project as less than significant VMT impacts solely based on the low VMT of the TAZ factor. However, per the California Governor's Office of Planning and Research (OPR) Technical Advisory on Evaluating Transportation Impacts in CEQA (Technical Advisory) and Section 15064.3(a) of the CEQA Guidelines, "'vehicle miles traveled' refers to the amount and distance of automobile travel attributable

² <https://www.naiop.org/en/Research-and-Publications/Reports/Logistics-Trends-and-Specific-Industries>

to a project.” Further, the OPR Technical Advisory states that “the term ‘automobile’ refers to on-road passenger vehicles, specifically cars and light trucks. Heavy-duty truck VMT could be included for modeling convenience and ease of calculation.” In addition, according to the County’s Transportation Impact Study Guidelines (TIS Guidelines), “employment projects” include office, industrial, governmental, and institutional land uses. Therefore, because the proposed Project is an industrial warehousing development where automobile trips are predominantly related to employee based VMT, the conclusion made by the commenter regarding truck/trailer VMT is not accurate under CEQA, and the Project is appropriately screened-out based on the low VMT generated in its traffic analysis zone (TAZ).

Additionally, the OPR Technical Advisory states that “residential and office projects that are located in areas with low VMT, and that incorporate similar features (i.e., density, mix of uses, transit accessibility), will tend to exhibit similarly low VMT.” The proposed Project would be consistent with the density and mix of uses (industrial/warehousing) currently operating in this area and within the TAZ the Project is located within. TAZs are geographic polygons similar to Census block groups used to represent areas of homogenous travel behavior. As such, the Project meets the low VMT area screening criteria detailed in the Transportation Impact Analysis (TIA) and Vehicle Miles Traveled (VMT) screening Analysis, included in Appendix L of the IS/MND, and a project-level VMT analysis would not be warranted. The Project also meets the TIA’s peak hour trips screening criteria, and a full TIA analysis would not be warranted.

Since the screening analysis prepared for the Project was conducted according to the County’s Guidelines, and met the VMT analysis exemption threshold, then no other analysis is required and preparation of an EIR is not warranted for the proposed Project.

Response to Comment A-16:

See Response to Comment 15 regarding additional VMT analysis.

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. It appears from the listing of intersections and the reference to “analysis of [the listed] facilities” that the commenter may be referring to automotive delay, commonly known as Level of Service or LOS. As discussed on IS/MND page 85 under the Explanation of Checklist Answers 17b, Senate Bill 743 was signed into law in 2013. SB 743 required the Office of Planning and Research to develop alternative methods of measuring transportation impacts for CEQA purposes. Specifically, SB 743 mandates that lead agencies can no longer use LOS as a method for conducting transportation analysis under CEQA. In December 2018, The State Office of Planning and Research (OPR) released the Technical Advisory on Evaluating Transportation Impacts in CEQA, set forth guidelines for the use of a broader measure called Vehicle Miles Traveled (VMT). VMT measures the total amount of driving over a given distance and is intended to better align transportation analysis with the State’s Greenhouse Gas reduction goals. These changes became mandatory on July 1, 2020, and lead agencies are now required to analyze transportation impacts under VMT, not LOS. Thus, the commenter’s assertion and request for analysis of transportation facilities in a CEQA document is no longer required.

Since LOS is no longer used as a CEQA threshold or considered an environmental effect, then this comment does not raise any environmental issues. No additional analysis is warranted and the preparation of an EIR is not required.

Response to Comment A-17:

As discussed in Responses to Comments A-1 through A-16, the analysis in the IS/MND is consistent, complete, and thorough, and not flawed as asserted by the commenter. No new environmental issues were identified that would warrant the preparation of an EIR for the proposed Project.

The contact information for Golden State Environmental Justice Alliance is noted.

Response to Comment Letter A-18, SWAPE Attachment:

This comment references an analysis conducted by SWAPE on behalf of Blum Collins for the proposed Project. This comment accurately summarizes the description of the Project. The SWAPE analysis contends that the Project's air quality, health risk, and greenhouse emissions were inaccurately analyzed and underestimated and that an EIR should be prepared. The following Response to Comment Letter A-19, SWAPE Attachment through Response to Comment Letter A-28, SWAPE Attachment demonstrate these comments are unsubstantiated opinion. No additional analysis is warranted and the preparation of an EIR is not required.

Response to Comment Letter A-19, SWAPE Attachment:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. This comment is introductory in nature. The comment correctly points out that the CalEEMod model, version 2016.3.2, was used to quantify the Project's air quality and greenhouse gas emissions and that those emissions calculations were used in the air quality analysis in the IS/MND. The comment also correctly points out that the model allows the user to change the default values and that these changes are shown in the "output files" after the model run. These output files are included as part of *Air Quality/Greenhouse Gas Analysis*, Appendix A. As the commenter indicated, the CalEEMod users guide for version 2016.3.2, was designed to allow the user to change the defaults to reflect site- or project-specific information, when available, provided that the information is supported by substantial evidence. Substantial evidence is defined in the CEQA Guidelines (Section 15384(b) "facts, reasonable assumptions predicated on facts, and expert opinion supported by facts." The model provides several opportunities for the user to change the defaults in the model; and those changes require users to provide justification for all changes made to the default settings (e.g., reference more appropriate data sources)³. The assumptions outlined in the *Air Quality/Greenhouse Gas Analysis*, and output files in Appendix A constitute substantial evidence under CEQA that can be used to more accurately estimate project-generated emissions.

The commenter indicates that several model inputs are not consistent with information disclosed in the IS/MND and because of that the construction and operational emission are underestimated. This comment is vague and does not provide detailed information of what specific data input is "not consistent" with the IS/MND. This comment does not raise any environmental issues. No additional analysis is warranted and the preparation of an EIR is not required.

Response to Comment Letter A-20, SWAPE Attachment:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. As discussed in the IS/MND, an *Air Quality/Greenhouse Gas Analysis* (Appendix A) was prepared on May 20, 2021, for the Project. At the time the study was prepared, the proposed Project included an approximately 196,654-sf warehouse of which 4,000 sf was office space with 22 truck loading docks. The Project was designed to include two office areas and employee parking along Arrow Route and the loading dock and truck trailer parking lot were located on the south side of the building. The Project site was redesigned in August 2021. As a result, the building's orientation changed and the size of the warehouse building increased by 13,105 sf to a total of 209,759 sf and the loading dock number increased by 6 docks to 28 docks. The warehouse increased approximately 6.7 percent in building size and the loading docks increased by 27 percent compared to the smaller 196,654-sf building that was previously analyzed. The current Project site design includes one office area with

³ CalEEMod User's Guide Version 2016.3.2 http://www.aqmd.gov/docs/default-source/caleemod/01_user-39-s-guide2016-3-2_15november2017.pdf?sfvrsn=4

10,000 sf split between two levels, an employee parking area on the eastern portion of the Project site and loading docks and the truck trailer parking area on the west side of the Project site. (IS/MND, p. 21.)

The comment correctly points out that 196,650 sf of non-refrigerated warehouse building, and not the 209,759 sf, was modeled in CalEEMod model. However, although cited in the comment, the commenter failed to acknowledge that the subsequent evaluation prepared, the *Air Quality/Greenhouse Gas Analysis/ Energy/HRA Evaluation* for the 15719 and 15755 Arrow Route Warehouse Project (CUP No. 2020-00235) Memorandum (Appendix A.1, did evaluate the larger 209,759 sf building (warehouse and office building together). The 6.7 percent increase in building size would generate 6.4 percent more total operational vehicle trips, a nominal increase, which would not result in new or substantively different or substantively increased air quality (i.e., VOC, NO_x, CO, SO₂, PM-10, and PM-2.5) or greenhouse gas emissions (CO₂E) than those disclosed in the *Air Quality and Greenhouse Gas Analysis*. The increase in energy consumption would increase in proportionately to the size of the building, 6.7 percent more, which would not result in a significant increase in energy demand from what was previously analyzed. Therefore, the current Project's operational energy consumption would not result in wasteful, inefficient, or unnecessary consumption of energy resources. No new mitigation would be required. (IS/MND; Appendix A, pp. 2-3.) No changes to construction timing, construction equipment, land use, or offsite improvements result from the updated Project. As such, construction-related emissions were assumed to be similar to those previously estimated in the original analysis, *Air Quality/Greenhouse Gas Analysis*.

See Response to Comment Letter A-29, SWAPE Attachment, regarding commenter's assertion that updated modeling would result in potentially significant air quality impacts.

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. As described in the preceding discussion, evaluation of the larger warehouse would not substantively change impacts and those impacts would remain less than significant. Therefore, the IS/MND properly analyzed the Project (i.e., the larger building) and impacts are less than significant. No additional analysis is warranted and the preparation of an EIR is not required.

Response to Comment Letter A-21, SWAPE Attachment:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. The commenter failed to acknowledge the Land Use default changes made in CalEEMod, included in the CalEEMod output under *Section 1.3 User Entered Comments and Non-Default Data*, support the Project's specific land use characteristics. The proposed Project's total square footage was accurately estimated in CalEEMod. The total building square footage for the warehouse includes the office space, which is required to populate construction information such as construction phases, equipment, and operational emissions associated with area, energy, mobile, water and wastewater, and solid waste sources. Separating the square footage of office space would not result in changes to the emission calculations, because the emission calculations are based on the construction and operation of a warehouse building, which inherently assume that office space would be needed for operations. Parking land uses were not, in fact, omitted from the Project's air quality analysis – parking land uses were included within the *Other Asphalt Surfaces* land use in the Project's CalEEMod model. As shown in the comment and in the CalEEMod output, *Other Asphalt Surfaces* is included in the Project's CalEEMod model. *Other Asphalt Surfaces* is a sub-category of the parking lot land use category. So, all related parking area emissions are included in the emissions estimate, including but not limited to, architectural coatings application in the parking lot, and asphalt off-gassing emissions during parking lot construction. See Response to Comment Letter A-20, SWAPE Attachment for discussion on the 209,759-sf building, (warehouse and office). Thus, no changes to the IS/MND are required as a result of this comment and the IS/MND's analysis is adequate as provided.

Response to Comment Letter A-22, SWAPE Attachment:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. Contrary to the commenter's assertion, the adjustments to the architectural coating emission factor were substantiated. As shown in the comment, the emission factor was adjusted based on SCAQMD Rule 1113. Rule 1113 was adopted in September 1977 to tackle area source emissions, specifically paint and coatings, as they constitute the majority of area source emissions. This rule limits the volatile organic content (VOC) of architectural coatings used in the SCAQMD. Any person who supplies, sells, offers for sale, or manufactures any architectural coating for use in the South Coast AQMD must comply with the current VOC standards⁴.

Coatings anticipated for the proposed Project during construction (and typical construction in general) are anticipated to be flat coatings and non-flat coatings. The VOC emission rates assumed in the modeling were obtained from SCAQMD's Rule 1113 which identifies the VOC content limits. Per SCAQMD Rule 1113, starting 2014, all projects would be required to apply flat and non-flat coatings that have a VOC limit of 50 grams per liter. Therefore, the IS/MND's analysis is adequate and accurate as presented.

Response to Comment Letter A-23, SWAPE Attachment:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. As discussed in the CalEEMod User's Guide pages 30 through 31, the construction tab contains default information obtained from a survey conducted by SCAQMD of construction sites with a range of project types and sizes and provides default construction equipment list and phase length data based on the total lot acreage of a project. The User's Guide states: "If the user has more detailed site-specific equipment and phase information, the user should override the default values." This is precisely what was done in the IS/MND analysis, which cited "Per Applicant" for the construction schedule and was based on the construction schedule provided by the Project Team. The Applicant's estimated construction schedule of one phase with a length of 10 months is based on experience building similarly sized projects. The commenter fails to provide substantial evidence that this adjustment was improper. The commenter seems to suggest that all construction projects of a specific acreage should all require the same individual construction phase lengths (e.g., demolition, grading, building construction) without any site-specific consideration of how much demolition might be required, depth of excavation, and building square footage constructed. The analysis properly relied on Project specific construction phases which accurately reflect the required construction activities necessary for Project buildout. The commenter has not provided any supporting documentation as to why the construction assumptions used in the IS/MND analysis would not be representative of the Project's construction. The Project Applicant represent 'experts' in estimating construction activities for the proposed Project based on their experience with similar projects and their need to estimate construction activities. Substantial evidence is defined in the CEQA Guidelines (Section 15384(b) as "facts, reasonable assumptions predicated on facts, and expert opinion supported by facts." Because assumptions provided by the Project Applicant represent an expert opinion supported by facts, these assumptions constitute substantial evidence under CEQA that can be used to more accurately estimate Project-generated emissions. Thus, the IS/MND's analysis is adequate as presented.

No additional analysis is required and the preparation of an EIR is not required.

Response to Comment Letter A-24, SWAPE Attachment:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. The grading value modeled for the proposed Project analysis was not changed and instead was automatically adjusted within the model as a result of the Project-specific construction

⁴ <http://www.aqmd.gov/home/rules-compliance/compliance/vocs/architectural-coatings>

schedule and equipment list input provided by the Project Applicant. As described in Response to Comment Letter A-23, SWAPE Attachment, above, the Project Applicant represents 'experts' in estimating construction activities for the proposed Project based on their experience with similar projects and their need to estimate construction activities. Substantial evidence is defined in the CEQA Guidelines (Section 15384(b) as "facts, reasonable assumptions predicated on facts, and expert opinion supported by facts." Because assumptions provided by the Project Applicant represent an expert opinion supported by facts, these assumptions constitute substantial evidence under CEQA that can be used to more accurately estimate Project-generated emissions. As the User Guide except shown in the comment states "The acres is based on the equipment list and days in grading or site preparation phase according to the anticipated maximum number of acres a given piece of equipment can pass over in an 8-hour workday." The commenter fails to provide substantial evidence that these adjustments are inappropriate. Thus, the IS/MND's analysis is adequate as presented.

No additional analysis is required. The preparation of an EIR is not required.

Response to Comment Letter A-25, SWAPE Attachment:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. Contrary to the commenter's assertion, the IS/MND did disclose the specific square footage of buildings to be demolished; the Project modeled the demolition of 26,560 sf (IS/MND; Appendix A, p. 3.). The 26,560-sf value was based on site-specific survey data provided by the Project engineer as shown in the CalEEMod output under *1.3 User Entered Comments and Non-Default Data*. As the commenter indicated, this demolition value is used by CalEEMod to calculate the number of hauling trips required to haul debris. Since the square footage of the structures was modeled and substantiated, then no additional analysis is required. The preparation of an EIR is not required.

Response to Comment Letter A-26, SWAPE Attachment:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. The *Air Quality/Greenhouse Gas Analysis* (Appendix A) prepared for the Project, discusses the 137 new trees that will be planted. (IS/MND; Appendix A, p. 9.) The source for these new trees is the *Conceptual Landscape Plan*. (IS/MND; Appendix A, p. 9.) The *Conceptual Landscape Plan* is shown in IS/MND Figure 7. As shown in the CalEEMod output, the estimated one-time sequestration of CO₂ from the planting of Project trees equates to a net reduction of 3.23 MTCO₂E annually. (IS/MND; Appendix A, p. 9.). Since the addition of the new trees was substantiated, then no additional analysis is required. The preparation of an EIR is not required.

Response to Comment Letter A-27, SWAPE Attachment:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. This comment correctly identifies that the CalEEMod output file in Appendix A of the IS/MND includes 342.17 daily trips and the *Traffic Impact Analysis and Vehicle Miles Traveled*, Appendix L shows 365 daily trips. The difference of approximately 23 trips is due to the TIA reflecting the larger 209,759-sf building.

As indicated in the IS/MND (p. 21), an evaluation for the larger building was prepared for the Project, the *Air Quality/Greenhouse Gas Analysis/ Energy/HRA Evaluation for the 15719 and 15755 Arrow Route Warehouse Project (CUP No. 2020-00235)*. This evaluation considered the larger building and the additional daily trips and concluded that the increase in building, approximately 6.7 percent, would not result in new or substantively different or substantively increased air quality or greenhouse emissions than those disclosed in the *Air Quality and Greenhouse Gas Analysis* and no new mitigation would be required.

Since the IS/MND evaluated the larger building and considered the increased of vehicles trips and resulted in in no new or substantially different increase in air quality or greenhouse gas emissions, then no additional analysis is required. The preparation of an EIR is not required.

Response to Comment Letter A-28, SWAPE Attachment:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. CalEEMod energy demand default parameters only include compliance with 2016 Title 24 standards⁵. The Project's energy emissions were adjusted to reflect the improvements expected from 2019 Title 24 standards, which became effective January 1, 2020.⁶ (IS/MND, p. 24; Appendix A, p. 4.) Footnote 5 of the *Air Quality and Greenhouse Gas Analysis* (p. 4 of IS/MND Appendix A) further specifies that the 2019 Title 24 standards are 30 percent more efficient for non-residential uses than the 2016 standards in CalEEMod and provides a link to the source for this data (note the text and hyperlink for this footnote is included herein a Footnote 6). Since CalEEMod includes 2016 Title 24 Standards and the Project would be required to comply with 2019 Title 24 Standards, then the CalEEMod was adjusted to "Exceed Title 24," to account for the more stringent 2019 Title 24 Standards which are required of the Project. The CalEEMod outputs show this adjustment and is justified by indicating that adjustment made in CalEEMod was due to "2019 Title 24." As mentioned in the IS/MND, the Project is required to comply with Title 24 [2019 Standards]. The Project Applicant has committed to achieve LEED "Certified" status for the building. (IS/MND, p 45.) Additionally, the Project will meet Title 24 regulatory standards for windows, roof systems, and electrical systems. (IS/MND, p. 47.). This would be accomplished through, among other things, implementation of energy reduction measures, such as energy efficient lighting and lighting control systems, appliances, installation of light colored "cool" roofs over office spaces, installation of cool pavements, installation of barriers between conditioned and unconditioned spaces, and providing carpool /vanpool/EV parking stalls are proposed. (IS/MND, p. 49.)

Since the appropriate adjustment in CalEEMod were made to the reflect the current 2019 Title 24 Standards that became effective January 1, 2020, and these adjustments were substantiated, then no additional analysis is warranted. As such, the preparation of an EIR is not required.

Response to Comment Letter A-29, SWAPE Attachment:

Please refer to Response to Comment Letter A-19, SWAPE Attachment to Comment Letter A-28, SWAPE Attachment, above for supporting evidence as to why the commenter's efforts to remodel the Project's analysis in their "Updated Analysis," included as Attachment A to this Response to Comments, was not necessary since the air quality modeling done for the proposed Project, included in Appendix A of the IS/MND, captured the Project's characteristics and all changes to CalEEMod defaults were substantiated. Further, as described in the IS/MND, the larger 209,759-sf building (warehouse and office) that was not accounted for in the CalEEMod model, was evaluated in the *Air Quality/Greenhouse Gas Analysis/ Energy/HRA Evaluation for the 15719 and 15755 Arrow Route Warehouse Project (CUP No. 2020-00235)*. The larger building did not result in new or substantially new or substantially different air quality or greenhouse emissions than those in the CalEEMod analysis disclosed in the *Air Quality and Greenhouse Gas Analysis*. (IS/MND; Appendix A.1, p 3.) The commenter's Updated Analysis incorrectly reverted back substantiated changes made to CalEEMod to reflect the Project. As discussed in Response to Comment Letter A-19, SWAPE Attachment through Comment Letter A-28, Swape Attachment, architectural revision of 50 VOC/L per SCAQMD's Rule 1113, the number of acres graded, the number of new trees, the types of construction phases and lengths, and energy related revisions, were all substantiated.

⁵ http://www.aqmd.gov/docs/default-source/caleemod/06_appendix-e2016-3-2.pdf?sfvrsn=4

⁶ The 2019 Title 24 standards are 7 percent more efficient for residential uses and 30 percent more efficient for non-residential uses than the 2016 standards in CalEEMod: https://www.energy.ca.gov/sites/default/files/2020-03/Title_24_2019_Building_Standards_FAQ_ada.pdf

For the reasons stated above, no additional analysis is warranted and the preparation of an EIR is not required.

Response to Comment Letter A-30, SWAPE Attachment:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. Project construction would result in emissions of diesel particulate matter (DPM) from heavy construction equipment and trucks accessing the site. DPM is characterized as a toxic air contaminant (TAC) by the State of California. The Office of Environmental Health Hazard Assessment (OEHHA) has identified carcinogenic and chronic noncarcinogenic effects from long-term exposure but has not identified health effects due to short-term exposure to diesel exhaust. According to OEHHA health risk assessments, which determine the exposure of sensitive receptors to toxic emissions, should be based on a 30-year exposure period for the maximally exposed individual resident; however, such assessments should be limited to the period/duration of activities associated with the project. Thus, the duration of the proposed construction activities would only constitute a small percentage of the total 30-year exposure period. Due to this relatively short period of exposure (10 months) and minimal particulate emissions on site, TACs generated by the Project would not result in concentrations causing significant health risks.

Furthermore, the closest sensitive receptors are located over 1,000 feet from the Project site (IS/MND, p. 26). Generally, cancer risk will drop off with distance from a ground level pollution source, such as a freeway or a distribution center. According to the 2005 California Air Resources Board (CARB) document *Air Quality and Land Use Handbook*, based on dispersion of DPM emissions from a large distribution center, there is about an 80 percent drop off in concentration at approximately 1,000 feet downwind. As such, sensitive receptor exposure from the Project's construction and subsequent operation-related DPM emissions would be limited.

While the comment correctly identifies that the Office of Environmental Health Hazard Assessment (OEHHA) adopted a new version of the *Air Toxics Hot Spots Program Guidance Manual for the Preparation of Risk Assessments* (Guidance Manual) in March of 2015, this guidance is not applicable to the construction of the proposed Project. The Guidance Manual was developed by OEHHA, in conjunction with CARB, for use in implementing the Air Toxics "Hot Spots" Program (Health and Safety Code Section 44360 et. seq.). The Air Toxics "Hot Spots" Program requires stationary sources to report the types and quantities of certain substances routinely released into the air. The goals of the Air Toxics "Hot Spots" Act are to collect emission data, to identify facilities having localized impacts, to ascertain health risks, to notify nearby residents of significant risks, and to reduce those significant risks to acceptable levels.

The 2015 Guidance Manual provides recommendations related to cancer risk evaluation for certain short-term projects. As discussed in Section 8.2.10 of the Guidance Manual, "[t]he local air pollution control districts sometimes use the risk assessment guidelines for the Hot Spots program in permitting decisions for short-term projects such as construction or waste site remediation." Short-term projects that would require a permitting decision by SCAQMD typically would be limited to site remediation (e.g., stationary soil vapor extractors). As such, the guidance in the 2015 Guidance Manual would not be applicable to the proposed Project. Additionally, the new Guidance Manual does not provide specific recommendations for evaluation of short-term use of mobile sources (e.g., heavy-duty diesel construction equipment). This comment misrepresents OEHHA's guidance in Section 8.2.10 (page 8-18) that "the OEHHA document recommends that all short-term projects [in the Hot Spots program] lasting at least two months be evaluated for cancer risks to nearby sensitive receptors." There is also no other requirement or guidance for preparing a construction HRA by SCAQMD.

Finally, a combination of the construction health risks on top of the operational health risk impacts, as stated in the comment, is not appropriate since the concentrations vary by location and the operational risk assessment is based on a separate 30-year exposure scenario consistent with applicable guidance. The comment provides no substantial evidence that the IS/MND air quality analysis and health risk assessment are flawed, or that if the analysis and HRA were prepared differently, that the IS/MND analysis and conclusions would need to be revised to render new significant impacts. Therefore, no additional analysis is warranted and the preparation of an EIR is not required.

Response to Comment Letter A-31, SWAPE Attachment:

SWAPE claims that a construction HRA should be prepared and goes so far as to attempt to prepare a screening-level HRA. SWAPE's screening-level HRA has several critical flaws. First, SWAPE utilizes the AERSCREEN model which is not the most appropriate model for determining concentrations from construction activity for risk calculation. AERSCREEN is limited in that it only produces a 1-hour ground level concentration – risk assessments should be based on an annual average concentration.⁷ SWAPE attempts to adjust for this by applying a 10 percent conversion factor that is based on model documentation from 1992 which is less refined and not representative of the Project's actual annual emissions concentration. Because the AERSCREEN model will produce estimates of "worst-case" 1-hour concentrations, and also includes conversion factors to estimate "worst-case" annual concentrations, it overstates the results. If the analysis was conducted with the U.S EPA-preferred refined dispersion model, AERMOD, the annual emissions concentration would be more accurate. Second, SWAPE's emission factor calculation is severely flawed: SWAPE takes the total daily emissions and divides them over a 24-hour period – effectively assuming that construction occurs 24 hours per day. The County regulations prohibit construction from occurring 24 hours per day. This critical flaw results in a significant overestimation of the potential risk estimates from Project construction activity. A standard work week is eight hours per day and 40 hours per week. Any work beyond the standard eight-hour workday would require overtime payment to the construction crew. Based upon our extensive experience in working on construction projects, unless there are unusual circumstances that would warrant overtime pay, working beyond an eight-hour day is not typical practice. As there are no known unusual circumstances that would result in the need for overtime pay, there are no known unusual circumstances that warrant analyzing this scenario. In addition, most pieces of equipment would likely operate for fewer hours per day than indicated in the IS/MND (i.e., not all equipment would operate eight hours per day each day of construction).

Consequently, the coarser AERSCREEN evaluation provides an inaccurate assessment of Project health risks and provides misleading information to the public and decision makers. If the commenter's analysis accounted for the guidance and data discussed above, then the results would have been substantially less. As stated in Response to Comment Letter A-30, SWAPE Attachment, above, a construction HRA is not warranted by the Project due to the nature of proposed activities and the relative distance to sensitive receptors. Furthermore, the IS/MND did evaluate the localized impacts to sensitive receptors from construction activities and found the impacts to be below applicable thresholds for all pollutants (IS/MND, pp. 25-26). No additional analysis is warranted and the preparation of an EIR is not required.

Response to Comment Letter A-32, SWAPE Attachment:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. The commenter statement is correct that the IS/MND analysis concludes that the Project would generate GHG emissions below the County's Screening level of significance of 3,000 MTCO₂E/yr. The GHG emissions derived from the CalEEMod outputs modeled after a 196,654-sf building (warehouse and office) that was subsequently increased to 209,759-sf. (IS/MND, p. 42.) The

⁷ SCAQMD, *Health Risk Assessment Guidance for Analyzing Cancer Risks from Mobile Source Diesel Emissions*, 2003. (Available at: <http://www.aqmd.gov/home/rules-compliance/ceqa/air-quality-analysis-handbook/mobile-source-toxics-analysis>.)

larger building size was evaluated, and the evaluation determined that the larger warehouse would not substantively change impacts compared to the smaller warehouse previously analyzed and that the significance determined remains less than significant and no mitigation is required. (IS/MND, p. 42.)

For responses related to (1) The IS/MND's quantitative GHG analysis relies upon an incorrect and unsubstantiated air model; (2) commenter's updated model indicates a potentially significant GHG impact; and (3) The IS/MND fails to consider the performance-based standards under CARB's Scoping Plan, please see [Response to Comment Letter A-33, SWAPE Attachment](#) through [Response to Comment Letter A-35, SWAPE Attachment](#).

Response to Comment Letter A-33, SWAPE Attachment:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. As discussed above, the Project air quality analysis was based on 196,654-sf building (warehouse and office) that was subsequently increased to 209,759-sf. (IS/MND, p. 42.) The larger building size was evaluated, and the evaluation determined that the larger warehouse would not substantively change impacts compared to the smaller warehouse previously analyzed and that the significance determined remains less than significant and no mitigation is required. (IS/MND, p. 42.) For detailed discussion on the air modeling input please see [Response to Comment Letter A-20, SWAPE Attachment](#) through [Response to Comment Letter A-28, SWAPE Attachment](#) above.

Since the Project was properly analyzed and the GHG emissions were below the level of significance, then no additional analysis is warranted. As such, the preparation of an EIR is not required.

Response to Comment Letter A-34, SWAPE Attachment:

As previously discussed in the above responses, the Updated Analysis prepared by the commenter, included as Attachment A to this Response to Comments document, was not required since the emissions modeling done for the proposed Project, included in Appendix A of the IS/MND, captured the Project's characteristics and all changes to CalEEMod defaults were substantiated. Specifically, and as discussed in [Response to Comment Letter A-19, SWAPE Attachment](#) through [Response to Comment Letter A-28, SWAPE Attachment](#), the commenter did not provide substantial evidence concerning the existence of a significant environmental impact. The IS/MND and the Air Quality Analysis modeled all the Project's components (land use, types of construction phases, number of trees proposed, etc.), in CalEEMod. The Project's changes to CalEEMod's defaults (SCAQMD's Rule 1113 architectural coating requirements, Title 24 adjustments, construction phase lengths, etc.) were based on substantial evidence. Thus, the IS/MND's analysis is adequate as presented.

Moreover, the Updated Analysis contains several flaws, including, but not limited to:

- **Overestimation of emissions associated with the added Parking Lot land use.** The addition of the Parking Lot land use resulted in an overestimation of the Project site acreage and any resultant emissions such as electricity use. The Updated Analysis kept the parking and landscaping surfaces that were modeled in the IS/MND that had been adjusted to include electricity use for a total of 5.02 acres (0.07 acres of Other Asphalt Surfaces and 4.95 acres of Other Non- Asphalt Surfaces). However, the Updated Analysis added 1.42 more acres of parking lot surfaces, which also includes a CalEEMod default to model electricity use. As a result, the increase in GHG emissions from electricity use associated with the additional 1.42 acres of parking lot was overestimated.
- **Did not include all Project components.** The Updated Analysis did not model the new 137 trees proposed. Since the trees were omitted, the model did not account for sequestration.
- **Not consistent with the most recent Title 24 requirements.** The Updated Analysis did not account for the building energy efficiency standards required pursuant to the 2019 Title 24

Standards, which are 30 percent more efficient than the 2016 standards. As such, the natural gas and electricity related GHG emissions were overestimated.

Since the Project was properly analyzed and the GHG emissions were below the level of significance and no additional analysis is warranted. Additionally, the Updated Analysis contained flaws that resulted in an overestimation of GHG related emissions. As such, the preparation of an EIR is not required.

Response to Comment Letter A-35, SWAPE Attachment:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. The comment erroneously claims the IS/MND conclusion that the proposed Project would not conflict with applicable plans, policies, or regulations adopted for the purpose of reducing the GHG emissions is incorrect.

The CARB 2017 Scoping Plan is applicable to state agencies but is not directly applicable to cities/counties and individual projects (i.e., the Scoping Plan does not require the County to adopt policies, programs, or regulations to reduce GHG emissions). Thus, the performance measures proposed by CARB do not apply to individual development projects. However, new regulations adopted by the state agencies outlined in the 2017 Scoping Plan result in GHG emissions reductions at the local level. As a result, local jurisdictions benefit from reductions in transportation emissions rates, increases in water efficiency in the building and landscape codes, and other statewide actions that would affect a local jurisdiction's emissions inventory from the top down. Moreover, as stated in the *Air Quality/Greenhouse Gas Analysis* (IS/MND Appendix A, p. 8), the County of San Bernardino adopted the Greenhouse Gas Reduction Plan (GHG Plan) in 2011, which provides guidance on how to analyze GHG emissions and determine significance during the CEQA review of proposed development projects within the County of San Bernardino. The reduction strategies in the GHG Plan correspond to reduction measures. Measurable reductions in GHG emissions are achieved through adherence to the County's Development Review Process (DRP) procedures.

The County's DRP specifies a two-step approach in quantifying GHG emissions. First, a screening threshold of 3,000 metric tons of carbon dioxide-equivalent per year (MTCO₂E/yr) is used to determine if additional analysis is required. Projects that exceed the 3,000 MTCO₂E per year are required to either achieve a minimum 100 points per the Screening Tables or will be required to quantify project-specific GHG emissions that achieve the equivalent level of GHG emissions efficiency as a 100-point project. The County adopted an update to the Greenhouse Reduction Plan and their revised GHG DPR Screening Tables in September 2021,⁸ that specifies the same two-step approach in quantifying GHG emissions and the same screen threshold. As stated in the County's DRP (p. 1), the County has determined that reducing GHG emissions within the unincorporated County area 40 percent below the 2016 levels of emissions by 2030 matches the State goal outlined in SB 32 and complements the Statewide efforts outlined in the Scoping Plan and the County's GHG Emissions Reduction Plan Update was updated to ensure conformity with the latest State climate change regulations and 2017 Scoping Plan. Thus, through compliance with the County's DRP, the proposed Project has complied with both the County's applicable greenhouse gas reduction plan and by extension the 2017 Scoping Plan. No additional analysis is warranted and the preparation of an EIR is not required.

Response to Comment Letter A-36, SWAPE Attachment:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. The comment serves as a conclusion and expresses the opinion of the commenter that an EIR must be prepared. As discussed throughout, the Project was properly modeled and analyzed and the IS/MND appropriately determined that the Project would not generate significant

⁸ http://www.sbcounty.gov/uploads/LUS/GreenhouseGas/GHG_2021/GHG%20Revised%20Screening%20Tables%20-%20Adopted%209-20-2021.pdf

air quality or GHG impacts, and CEQA does not require mitigation measures for insignificant impacts. Therefore, since no mitigation is required, then the mitigation listed by the commenter is noted, but is not required to be implemented. The IS/MND's analysis is adequate as provided and impacts to air quality and GHGs would remain unchanged. As such, no additional analysis is warranted and the preparation of an EIR is not required.

Response to Comment Letter A-37, SWAPE Attachment:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. This comment, which includes a disclaimer, various attachments, Attachment A through Attachment F, is noted. The attachments are included in Attachment A to this Response to Comments document. No new environmental issues were raised.

Comment Letter B – Center for Community Action and Environmental Justice

Comment letter B commences on the next page.

CENTER FOR COMMUNITY ACTION AND ENVIRONMENTAL JUSTICE

"Bringing People Together to Improve Our Social and Natural Environment"

Comment Letter
B

April 12, 2022

County of San Bernardino, Land Use Services Department
Attn: Steven Valdez, Senior Planner
385 N. Arrowhead Avenue, 1st Floor
San Bernardino, CA 92415-0182

Submitted via email to steven.valdez@lus.sbcounty.gov.

Re: 15719 and 15755 Arrow Route Warehouse Mitigated Negative Declaration (SCH 2022030365)

Dear Mr. Valdez,

This letter is in response to the Initial Study-Mitigated Negative Declaration that has been prepared and made available for the 15719 and 15755 Arrow Route Warehouse ("Project") that has been proposed. After reviewing the material, we would like to underscore the importance of ensuring that the Project adheres to applicable air quality and GHG standards. While we would prefer to not see another warehouse sited in the area, we are heartened to see that at least a Health Risk Assessment was completed for the Project and anticipate that it will continue to guide the development of the Project to ensure that no communities face additional exposures due to the Project.

B-1

It is vital that the Project focus on limiting truck traffic and ultimately the amount of pollution the community is exposed to. Although the MND indicates that no significant impacts would result from the Project, it is still imperative that the Project be built for ease of conversion to fully electrified service as quickly as possible. We also want to make sure that truck traffic serving the Project site be directed to travel routes that limit the exposure to sensitive receptor sites including schools, daycares, clinics, and parks, particularly during times of the day when sensitive receptors would be most likely to be exposed to the pollution from the truck traffic.

B-2

Finally, the Project site is only around a third of a mile from the Pacific-Electric Trail which connects communities across several cities from Claremont to Rialto. Although the Project is already expecting to have a lower VMT than regional average, the proximity to the trail provides additional opportunity to help reduce VMT even further, but it is crucial that the design of the built infrastructure enforce, not hinder that outcome. We would urge the County to provide bikeways along the Project frontage which meet the standards set out by Caltrans¹ or the FHWA² to maximize the opportunity of new infrastructure.

B-3

¹ Flournoy, M. (2020). Contextual guidance for bike facilities. Caltrans. Retrieved from <https://dot.ca.gov/-/media/dot-media/programs/transportation-planning/documents/office-of-smart-mobility-and-climate-change/planning-contextual-guidance-memo-03-11-20-a11y.pdf>.

² Schultheiss, B., Goodman, D., Blackburn, L., Wood, A., Reed, D., & Elbech, M. (2019). Bikeway selection guide (FHWA-SA-18-077). US Department of Transportation, Federal Highway Administration. Retrieved from https://safety.fhwa.dot.gov/ped_bike/tools_solve/docs/fhwasa18077.pdf.

CENTER FOR COMMUNITY ACTION AND ENVIRONMENTAL JUSTICE

"Bringing People Together to Improve Our Social and Natural Environment"

Thank you for this opportunity to provide comments and help ensure that as projects are brought forward, that they provide the maximum benefit to the community while avoiding negative impacts on its people. If there are any questions about these comments, please do not hesitate to reach out for clarification or answers.


B-4

Sincerely,



Marven Norman
Policy Specialist

CCA EJ is a long-standing community based organization with over 40 years of experience advocating for stronger regulations through strategic campaigns and building a base of community power. Most notably, CCA EJ's founder Penny Newman won a landmark federal case against Stringfellow Construction which resulted in the 'Stringfellow Acid Pits' being declared one of the first Superfund sites in the nation. **CCA EJ** prioritizes community voices as we continue our grassroots efforts to bring lasting environmental justice to the Inland Valley Region.



Mailing Address
P.O. Box 33124
Jurupa Valley CA 92519

Physical Address
3840 Sunnyhill Drive, Suite A
Jurupa Valley CA 92509

Tel: 951-360-8451
Fax: 951-360-5950
www.ccae.org

Response to Comment Letter B – Center for Community Action and Environmental Justice

Response to Comment B-1:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. The County appreciates the commenter's participation in the CEQA process. This comment correctly indicates that a Health Risk Assessment (HRA) was prepared for the Project and included as Appendix B of the IS/MND. Appendix B. HRAs are commonly used to estimate the health risks to the surrounding community from projects that significantly increase the number of diesel vehicles and hence increase the amount of diesel particulate matter (DPM) in the area. The results from this analysis determined that the proposed Project would have less than significant air quality impacts. As described in the IS/MND, the size of the building increased due to a redesign which resulted in a larger warehouse and office building from a total of 196,654 sf to a total of 209,759 sf, a 6.7 percent increase in building size. (IS/MND, pp. 21-22.) A subsequent air quality evaluation was conducted, the *Air Quality/Greenhouse Gas Analysis/ Energy/HRA Evaluation for the 15719 and 15755 Arrow Route Warehouse Project (CUP No. 2020-00235)* Memorandum (included as Appendix A.1), and the results of this evaluation concluded that the nominal increase would not result in new or substantively different or substantively increased air quality than previously analyzed in the smaller warehouse building and no new mitigation was required.

This comment does not raise environmental concerns regarding the Project and no additional response is warranted.

Response to Comment B-2:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. The Project site is near Arrow Route and Citrus Avenue, the nearby truck routes in the area. The Project trucks are assumed to use those routes. Because the Project is proposed as a speculative building and the tenant is unknown, the exact number of truck trips and time of use are unknown, and the Project cannot limit the amount of truck traffic that serve the building. As stated in the *TIA VMT screening Memorandum* prepared for the Project (included as Appendix L), the number of total trips during peak hours is less than the County of San Bernardino Guidelines of 100 trips during any peak hour. The total daily Project trips were accounted for in the air quality modeling and the air quality analysis, included as Appendix A of this IS/MND, determined less than significant air quality impacts (IS/MND, pp. 21-30.)

Regarding electrification, the Project is required to comply with CalGreen requirements and provide carpool/vanpool and EV parking stalls. (IS/MND, p. 49.) Additionally, once the building is operational, the operators of the building are subject to the Warehouse Actions and Investments to Reduce Emissions (WAIRE) program that regulates warehouse facilities to reduce emissions. To comply with this program, operators have a menu of options to reduce emission including by, but not limited to, installing charging nor solar infrastructure at the site.

Regarding impacts to sensitive receptors, an HRA was prepared, as mentioned in Response to Comment B-1. Project trucks would use Arrow Route and Citrus Avenue. Eleven discrete sensitive receptors are located near the Project site and the routes the Project trucks would access (see Figure 8 in the IS/MND). However, the HRA analysis concluded that the long-term DPM emissions directly from the Project will not result in cancer risks exceeding the SCAQMD 10-in-one-million threshold at sensitive receptors. Additionally, non-cancer risks are less than one percent of the SCAQMD recommended threshold. (IS/MND, pp. 28-29.) A larger building was subsequently redesigned, and the building size (warehouse and office combined) increased from 196,654 sf to a total of 209,759-sf. (IS/MND, pp. 21-

22.) The Air Quality/Greenhouse Gas Analysis/ Energy/HRA Evaluation for the 15719 and 15755 Arrow Route Warehouse Project (CUP No. 2020-00235) Memorandum (included as Appendix A.1), evaluated the larger building and concluded that the nominal increase in building size would not result in new or substantively different or substantively increased air quality than previously analyzed in the smaller warehouse building and no new mitigation was required. Therefore, impacts to sensitive receptors are less than significant. (IS/MND, pp. 28-29.)

Response to Comment B-3:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. As discussed in the of the IS/MND, the proposed Project will expand the existing 36 ft roadway to 40 ft, add new curb and gutter, reconfigure driveways, replacing most of sidewalk, and add landscaping on the southerly portion of Arrow Route along the Project site's frontage Arrow Route is not a designated a bike route. (IS/MND, p. 84.) The San Bernardino County Transportation Authority (SBTCA) plans for future Class II bike lanes on Arrow Route and Citrus Avenue that will connect to the Pacific-Electric trail. By improving the Project site's frontage to its ultimate condition, then this road expansion will facilitate the future bike lane when SBTCA is ready to implement. Moreover, the Project supports alternative transportation choices by including bike racks as part of the design (IS/MND, p 48.) As such, the Project would not hinder Pacific-Electric Trail to continue to connect communities.

Response to Comment B-4:

This comment does not raise environmental concerns regarding the Project and no additional response is warranted.

Remainder of page intentionally blank

Comment Letter C – Adam Salcido

Comment letter C commences on the next page.

From: A S <asalcido.07@gmail.com>
Sent: Wednesday, April 13, 2022 12:11 PM
To: Valdez, Steven <Steven.Valdez@lus.sbcounty.gov>
Cc: Terrance Lucio <t.lucio57@gmail.com>; PATRICK HANINGER <phaninger1@gmail.com>;
Unknown <jbourg2271@aol.com>; jbourgeois029@gmail.com
Subject: 15719 AND 15755 ARROW ROUTE WAREHOUSE

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you can confirm the sender and know the content is safe.

Good Afternoon Mr. Valdez,

I am emailing in regards to the 15719 and 15755 Arrow Route Warehouse.

Please provide any updates to the above mentioned project.

I am requesting under Public Resource Code Section 21092.2 to add the email addresses and mailing address below to the notification list, regarding any subsequent environmental documents, public notices, public hearings, and notices of determination for this project.

t.lucio57@gmail.com

phaninger1@gmail.com

jbourg2271@aol.com

jbourgeois029@gmail.com

asalcido.07@gmail.com

Mailing Address:

P.O. Box 79222, Corona, CA 92877

Please confirm receipt of this email.

Thank You,

Adam Salcido

C-1

Response to Comment Letter C – Adam Salcido

Response to Comment C-1:

The addresses provided will be added to the public interest list regarding any subsequent environmental documents, public notices, public hearings, and notices of determination for this Project. No environmental issues were identified.

Remainder of page intentionally blank

Comment Letter D – Southwest Regional Council of Carpenters

Comment letter D commences on the next page.



P: (626) 381-9248
F: (626) 389-5414
E: info@mitchtsailaw.com

Mitchell M. Tsai
Attorney At Law

139 South Hudson Avenue
Suite 200
Pasadena, California 91101

VIA E-MAIL

April 18, 2022

Steven Valdez
Senior Planner
County of San Bernardino
385 North Arrowhead Avenue, 1st Floor
San Bernardino, CA 92415
Em: steven.valdez@lus.sbcounty.gov

**RE: City of San Bernardino The 15719 and 15755 Arrow Route
Warehouse Project**

Dear Steven Valdez,

On behalf of the Southwest Regional Council of Carpenters (“**Southwest Carpenters**” or “**SWRCC**”), my Office is submitting these comments for the County of San Bernardino’s (the “**County**”) Initial Study/Mitigated Negative Declaration (“**IS/MND**”) for the 15719 and 15755 Arrow Route Warehouse Project (“**Project**”).

The Southwest Carpenters is a labor union representing 50,000 union carpenters in six states, including California, and has a strong interest in well ordered land use planning and addressing the environmental impacts of development projects.

Individual members of the Southwest Carpenters live, work and recreate in the County and surrounding communities and would be directly affected by the Project’s environmental impacts.

SWRCC expressly reserves the right to supplement these comments at or prior to hearings on the Project, and at any later hearings and proceedings related to this Project. Cal. Gov. Code § 65009(b); Cal. Pub. Res. Code § 21177(a); *Bakersfield Citizens for Local Control v. Bakersfield* (2004) 124 Cal. App. 4th 1184, 1199-1203; see *Galante Vineyards v. Monterey Water Dist.* (1997) 60 Cal. App. 4th 1109, 1121.

SWRCC incorporates by reference all comments raising issues regarding the EIR submitted prior to certification of the EIR for the Project. *Citizens for Clean Energy v City of Woodland* (2014) 225 Cal. App. 4th 173, 191 (finding that any party who has objected

D-1

D-2

to the Project’s environmental documentation may assert any issue timely raised by other parties).

Moreover, SWRCC requests that the County provide notice for any and all notices referring or related to the Project issued under the California Environmental Quality Act (“**CEQA**”), Cal Public Resources Code (“**PRC**”) § 21000 *et seq*, and the California Planning and Zoning Law (“**Planning and Zoning Law**”), Cal. Gov’t Code §§ 65000–65010. California Public Resources Code Sections 21092.2, and 21167(f) and Government Code Section 65092 require agencies to mail such notices to any person who has filed a written request for them with the clerk of the agency’s governing body.

The City should require the use of a local skilled and trained workforce to benefit the community’s economic development and environment. The County should require the use of workers who have graduated from a Joint Labor Management apprenticeship training program approved by the State of California, or have at least as many hours of on-the-job experience in the applicable craft which would be required to graduate from such a state approved apprenticeship training program or who are registered apprentices in an apprenticeship training program approved by the State of California.

Community benefits such as local hire and skilled and trained workforce requirements can also be helpful to reduce environmental impacts and improve the positive economic impact of the Project. Local hire provisions requiring that a certain percentage of workers reside within 10 miles or less of the Project Site can reduce the length of vendor trips, reduce greenhouse gas emissions and providing localized economic benefits. Local hire provisions requiring that a certain percentage of workers reside within 10 miles or less of the Project Site can reduce the length of vendor trips, reduce greenhouse gas emissions and providing localized economic benefits. As environmental consultants Matt Hagemann and Paul E. Rosenfeld note:

[A]ny local hire requirement that results in a decreased worker trip length from the default value has the potential to result in a reduction of construction-related GHG emissions, though the significance of the reduction would vary based on the location and urbanization level of the project site.

March 8, 2021 SWAPE Letter to Mitchell M. Tsai re Local Hire Requirements and Considerations for Greenhouse Gas Modeling.

D-2
Cont'd

D-3

D-4

Skilled and trained workforce requirements promote the development of skilled trades that yield sustainable economic development. As the California Workforce Development Board and the UC Berkeley Center for Labor Research and Education concluded:

. . . labor should be considered an investment rather than a cost – and investments in growing, diversifying, and upskilling California’s workforce can positively affect returns on climate mitigation efforts. In other words, well trained workers are key to delivering emissions reductions and moving California closer to its climate targets.¹

Local skilled and trained workforce requirements and policies have significant environmental benefits since they improve an area’s jobs-housing balance, decreasing the amount of and length of job commutes and their associated greenhouse gas emissions. Recently, on May 7, 2021, the South Coast Air Quality Management District found that that the “[u]se of a local state-certified apprenticeship program or a skilled and trained workforce with a local hire component” can result in air pollutant reductions.²

Cities are increasingly adopting local skilled and trained workforce policies and requirements into general plans and municipal codes. For example, the City of Hayward 2040 General Plan requires the City to “promote local hiring . . . to help achieve a more positive jobs-housing balance, and reduce regional commuting, gas consumption, and greenhouse gas emissions.”³

In fact, the City of Hayward has gone as far as to adopt a Skilled Labor Force policy into its Downtown Specific Plan and municipal code, requiring developments in its Downtown area to requiring that the City “[c]ontribute to the stabilization of regional construction markets by spurring applicants of

¹ California Workforce Development Board (2020) Putting California on the High Road: A Jobs and Climate Action Plan for 2030 at p. ii, *available at* <https://laborcenter.berkeley.edu/wp-content/uploads/2020/09/Putting-California-on-the-High-Road.pdf>.

² South Coast Air Quality Management District (May 7, 2021) Certify Final Environmental Assessment and Adopt Proposed Rule 2305 – Warehouse Indirect Source Rule – Warehouse Actions and Investments to Reduce Emissions Program, and Proposed Rule 316 – Fees for Rule 2305, Submit Rule 2305 for Inclusion Into the SIP, and Approve Supporting Budget Actions, *available at* <http://www.aqmd.gov/docs/default-source/Agendas/Governing-Board/2021/2021-May7-027.pdf?sfvrsn=10>

³ City of Hayward (2014) Hayward 2040 General Plan Policy Document at p. 3-99, *available at* https://www.hayward-ca.gov/sites/default/files/documents/General_Plan_FINAL.pdf.

housing and nonresidential developments to require contractors to utilize apprentices from state-approved, joint labor-management training programs, .”⁴ In addition, the City of Hayward requires all projects 30,000 square feet or larger to “utilize apprentices from state-approved, joint labor-management training programs.”⁵

Locating jobs closer to residential areas can have significant environmental benefits. . As the California Planning Roundtable noted in 2008:

People who live and work in the same jurisdiction would be more likely to take transit, walk, or bicycle to work than residents of less balanced communities and their vehicle trips would be shorter. Benefits would include potential reductions in both vehicle miles traveled and vehicle hours traveled.⁶

In addition, local hire mandates as well as skill training are critical facets of a strategy to reduce vehicle miles traveled. As planning experts Robert Cervero and Michael Duncan noted, simply placing jobs near housing stock is insufficient to achieve VMT reductions since the skill requirements of available local jobs must be matched to those held by local residents.⁷ Some municipalities have tied local hire and skilled and trained workforce policies to local development permits to address transportation issues. As Cervero and Duncan note:

In nearly built-out Berkeley, CA, the approach to balancing jobs and housing is to create local jobs rather than to develop new housing.” The city’s First Source program encourages businesses to hire local residents, especially for entry- and intermediate-level jobs, and sponsors vocational training to ensure residents are employment-ready. While the program is voluntary, some 300 businesses have used it to date, placing more than

⁴ City of Hayward (2019) Hayward Downtown Specific Plan at p. 5-24, *available at* <https://www.hayward-ca.gov/sites/default/files/Hayward%20Downtown%20Specific%20Plan.pdf>.

⁵ City of Hayward Municipal Code, Chapter 10, § 28.5.3.020(C).


⁶ California Planning Roundtable (2008) Deconstructing Jobs-Housing Balance at p. 6, *available at* <https://cproundtable.org/static/media/uploads/publications/cpr-jobs-housing.pdf>.

⁷ Cervero, Robert and Duncan, Michael (2006) Which Reduces Vehicle Travel More: Jobs-Housing Balance or Retail-Housing Mixing? Journal of the American Planning Association 72 (4), 475-490, 482, *available at* <http://reconnectingamerica.org/assets/Uploads/UTCT-825.pdf>.

3,000 city residents in local jobs since it was launched in 1986. When needed, these carrots are matched by sticks, since the city is not shy about negotiating corporate participation in First Source as a condition of approval for development permits.

The County should consider utilizing skilled and trained workforce policies and requirements to benefit the local area economically and mitigate greenhouse gas, air quality and transportation impacts.

Sincerely,



Mitchell M. Tsai

Attorneys for Southwest Regional
Council of Carpenters

Attached:

March 8, 2021 SWAPE Letter to Mitchell M. Tsai re Local Hire Requirements and Considerations for Greenhouse Gas Modeling (Exhibit A);

Air Quality and GHG Expert Paul Rosenfeld CV (Exhibit B); and

Air Quality and GHG Expert Matt Hagemann CV (Exhibit C).

D-4
Cont'd

D-5

Response to Comment Letter D – Southwest Regional Council of Carpenters

Response to Comment D-1:

The comments provided by Mitchell M Tsai, attorney at law, on behalf of Southwest Regional Council of Carpenters (SWRCC) have been accepted and considered. This comment provides a background on SWRCC and does not address the adequacy of the analysis in the IS/MND. No environmental issues were identified. Therefore, no further analysis or revisions to the IS/MND is required.

Response to Comment D-2:

The comment reserves the commenter's right to provide additional comments on the Project and incorporates "all comments raising issues regarding the EIR," however it is assumed the commenter meant the Draft IS/MND. The comment does not address the adequacy of the analysis in the IS/MND. Therefore, no further analysis or revisions to the IS/MND is required.

Response to Comment D-3:

The comment requests notification from the County referring or related to the Project. The comment does not address the adequacy of the analysis in the IS/MND. Therefore, no further analysis is required or revisions to the IS/MND is required.

Response to Comment D-4:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. The comment states that the County of San Bernardino (the commenter incorrectly stated "City"), should require the applicant to hire local, skilled and trained workers to build the Project, specifically workers who have graduated from a Joint Labor Management apprenticeship training program or have as many on-the-job hours of experience as would be required by such a state-approved apprenticeship program. The comment states that hiring local can reduce environmental impacts of the project by hiring workers who reside within a 10-mile radius of the Project site. The comment further states that hiring local can have "sustainable economic development" and points out that cities such as Hayward are adopting policies into General Plans and Municipal Codes. The comment states that hiring local workers would reduce vehicle miles traveled. The comment suggests that the County consider a hire-local requirement to address greenhouse gas emissions, air quality, and transportation impacts. The County appreciates the comment and notes that the IS/MND analyzed the Project's transportation-related impacts, including in *Section III Air Quality*; *Section VIII Greenhouse Gas Emissions*; and *Section XVII Transportation*, and that all potential impacts would be less than significant. The comment does not address the adequacy of the analysis in the IS/MND. Therefore, no further analysis or revisions to the IS/MND is required.

Response to Comment D-5:

The commenter provided three attachments to their comment letter which are included as Attachment B to this Response to Comments document.

The attachments include a *Local Hire Requirements and Considerations for Greenhouse Gas Modeling* Memo dated March 8, 2021, from the Soil Water Air Protection Enterprise (SWAPE) and the curriculum vitae (CV) resume for Paul Rosenfeld and Matt Hagemann, the authors of the memo. These attachments are referenced in Response to Comment D-4. The attachments do not address the adequacy of the analysis in the IS/MND. Because no new environmental issues were identified, no further analysis is necessary. Therefore, no revisions are required for the IS/MND, and no further response is required.

Comment Letter E – County of San Bernardino, Department of Public Works

Comment letter E commences on the next page.



Department of Public Works

- Flood Control
- Operations
- Solid Waste Management
- Special Districts
- Surveyor
- Transportation

Brendon Biggs, M.S., P.E.
Director

Noel Castillo, P.E.
Assistant Director

Trevor Leja
Assistant Director

April 18, 2022

Transmitted Via Email

File: 10(ENV)-4.01

Steven Valdez, Senior Planner
County of San Bernardino
Land Use Services Department - Planning Division
385 North Arrowhead Avenue, First Floor
San Bernardino, CA 92415-0187

Comment Letter
E

RE: CEQA –NOTICE OF AVAILABILITY (NOA)/ NOTICE OF INTENT (NOI) TO ADOPT AN INITIAL STUDY / MITIGATED NEGATIVE DECLARATION 15719 AND 15755 ARROW ROUTE WAREHOUSE

Dear Mr. Valdez:

Thank you for allowing the San Bernardino County Department of Public Works the opportunity to comment on the above-referenced project. **We received this request on March 21, 2022** and pursuant to our review, we have the following comments:

Flood Control Planning & Water Resources Division (Michael Fam, Chief, 909-387-8120):

1. We are aware there may be storm drains in and around the site that may be affected by the proposed Project. proposed Project. When planning for or altering existing or future storm drains, be advised that the Project is subject to the City of Fontana Master Plan of Drainage, dated June 1992. It is to be used as a guideline for drainage in the area and is available in the City of Fontana's offices. Any revision to the drainage should be reviewed and approved by the jurisdictional agency in which the revision occurs (e.g. City or County). Should construction of new, or alterations to existing storm drains be necessary as part of the Proposed Project, their impacts and any required mitigation should be discussed within the IS/MND before the document is adopted by the Lead Agency.

BOARD OF SUPERVISORS

COL. PAUL COOK (RET.)
First District

JANICE RUTHERFORD
Second District

DAWN ROWE
Vice Chair, Third District

CURT HAGMAN
Chairman, Fourth District

JOE BACA, JR.
Fifth District

Leonard X. Hernandez
Chief Executive Officer

Permits/Operations Support Division (Fong Tse, Chief, 909-387-7995):

1. Portions of the Project may be adjacent to the San Bernardino County Flood Control District (SBCFCD) right-of-way and facility. Any encroachments on the District's right-of-way or facilities, including but not limited to access, fencing and grading, utility crossings, landscaping, new and/or alteration to drainage connections will require a permit from the SBCFCD prior to start of construction. The necessity for permits, and any impacts associated with them, should be addressed in the IS/MND prior to adoption and certification. If you have any questions regarding this process, please contact the FCD Permit Section at (909) 387-1863

E-3

We respectfully request to be included on the circulation list for all project notices, public reviews, or public hearings. In closing, I would like to thank you again for allowing the San Bernardino County Department of Public Works the opportunity to comment on the above-referenced project. Should you have any questions or need additional clarification, please contact the individuals who provided the specific comment, as listed above.

E-4

Sincerely,

Michael Perry

Michael R. Perry

Supervising Planner

Environmental Management

Response to Comment Letter E – County of San Bernardino, Department of Public Works**Response to Comment E-1:**

This comment acknowledges the receipt of the Project's NOA/NOI. No environmental issues were identified, and no further response is warranted.

Response to Comment E-2:

The comment states that the Project may affect storm drains in and around the Project site, and any alterations or impacts to these storm drains should be reviewed and approved by the County, as well as be discussed within the environmental documents. As discussed in Section XIX, Utilities and Service Systems, of the IS/MND, the Project would include the construction of a new onsite stormwater drainage system that would be designed to conform with applicable federal, state, and local requirements related to drainage, hydrology, and water quality, including the current MS4 Permit. The County notes that the comment provides factual regulatory information and does not raise an environmental issue related to the Project. No further response is required or necessary. No changes to the IS/MND are required.

Response to Comment E-3:

The comment states that the Project would require a permit prior to start of construction from the San Bernardino County Flood Control District (SBCFCD) if the Project were to encroach onto the nearby SBCFCD right-of-way and facility (i.e., the West Fontana Channel to the south of the Project site). At this time, the Project does not involve any components that would require encroachment on the SBCFCD right-of-way. Should the Project require any such encroachment, the County would ensure that the Project applicant obtain the necessary permit(s) from SBCFCD prior to the start of construction. The County notes that the comment provides factual regulatory information and does not raise an environmental issue related to the Project. No further response is required or necessary. No changes to the IS/MND are required.

Response to Comment E-4:

The comment requests notification from the County referring or related to the Project and serves as a conclusion to the letter. The comment does not address the adequacy of the analysis in the IS/MND. Therefore, no further analysis is required or revisions to the IS/MND is required.

Comment Letter F – City of Fontana

Comment letter F commences on the next page.



RECEIVED
2022 MAY 12 AM 7:41
LAND USE SERVICES
PLANNING DEPARTMENT

April 18, 2022

City Council

Acquanetta Warren
Mayor

Peter A. Garcia
Mayor Pro Tem

John B. Roberts
Council Member

Jesus "Jesse" Sandoval
Council Member

Phillip W. Cothran
Council Member

Mr. Steven Valdez, Project Planner
San Bernardino County
Land Use Services Department/Planning Division
385 North Arrowhead Avenue, First Floor
San Bernardino, CA 92415-0182

RE: Department review for Project No. PROJ-2020-00235 [Fontana's Project No. County Project Review No. (CPR) No. 22-002] a request to approve a Conditional Use Permit (CUP) to establish a 209,759 square foot logistics warehouse center with 10,000 of office space over two parcels totaling approximately 9.2 gross acres within the General Industrial (GI) Land Use Category (LUC) and the Regional Industrial (IR) Zoning District.

The project site is located within in the City of Fontana's Sphere of Influence, a un-incorporated County area. The project site has a General Plan land use designation of Open Space (OS), this land use designation includes quarries, flood control channels, ground water percolation basins, and agriculture uses.

The project site is located within the pre-zoned area of the Open Space-Resource (OS-R) zoning district, this zoning district accommodates quarries, flood control channels, groundwater percolation basins, agriculture, and is intended to allow for the continued productive use of natural resources.

The OS-R zoning district does not allow for logistics warehouse center uses.

LOCATION: The project site is located on the south side of Arrow Boulevard, consisting of two parcels identified as Assessor Parcel Number (APN): 0232-161-18 and -19. The project site fronts Arrow Boulevard for approximately 660 feet and has a depth of approximately 600 feet.

APPLICANT: Mr. Jonah Chodosh
WPT Arrow Boulevard, LP
150 South Fifth Street, Suite No. 2675
Minneapolis, MN 55402

JOB NO.: PROJ-2020-00235

CITY OF FONTANA 8353 SIERRA AVENUE, FONTANA, CALIFORNIA 92335
www.Fontana.org

Dear Mr. Valdez:

Thank you for the opportunity to review and comment on the above-referenced project. The project site is located on the south side of Arrow Boulevard, consisting of two parcels identified as Assessor Parcel Number (APN): 0232-161-18 and -19, and is located within the City of Fontana's Sphere of Influence. The project site has a General Plan land use designation of Open Space (OS), and the pre-zoning of these parcels are Open Space-Resource (OS-R) zoning district. The OS-R zoning district does not allow for logistics warehouse center uses. If the County chooses to proceed with granting approval of this project the following items should be addressed:

Section No. 30-532.7.d, Walls. A minimum ten (10) foot high wall shall be required adjacent to existing residential uses. A higher wall may be required for noise and/or screening purposes.

Section No. 30-532.7.e, Minimum Architecture Standard.

1) **Mass and Scale.**

- a) The mass and scale of the buildings shall respect the visual and physical relationship to the adjacent buildings and surrounding sensitive uses. Taller building elements shall be placed towards the center of the site, with lower elements adjacent to surrounding properties.
- b) Buildings shall be stepped back when adjacent to or in close proximity to sensitive uses (e.g. residential, schools, etc.).
- c) Vertical and horizontal offsets shall be provided to reduce the visual bulk of the building.

2) **Minimum Building Facades Standard**

- a) Building facades shall incorporate architectural elements such as windows, decorative trim (cornice or cap), pillars, roofline variations and wall plane breaks to minimize blank walls to create visual interest, and to reduce the opportunity for graffiti.
- b) All building elevations, whether front, side, or rear shall be architecturally detailed.

- 3) **Architectural Accents** (e.g., cornices, tiles, trim around windows, grooves in building faces, accent band details, bulkheads, etc.) shall be used to create variation along building facades. See Figure No. 1. And Figure No. 2.




Figure No. 1



Figure No. 2

Section No. 30-538.E. Parking Lot Screening.

1. Along any boundary between an industrial zoning district and abutting, residentially designated property, decorative screen walls shall be installed and dense vegetation planted. Trees with at least 24-inch boxes shall be planted at intervals of 30 feet or less, depending upon the species used, along the nonresidential side of the wall. The use of barbed wire, razor wire, electric fencing, or similar materials is prohibited when located along any boundary that abuts residentially designated property.
2. Parking areas and driveways adjacent to a public right-of-way, shall be screened from view by a landscape buffer with a minimum width of 15 feet or as required setbacks. Berming shall be provided, mounded to an average height of three feet above the curb height along public streets. Maximum slope of mounds shall be three to one. Trees and shrubs shall be planted in this area according to the standards contained in Article X.
3. A sight-line analysis shall be required with all development applications, and shall show that all loading areas, roll-up doors, storage items, equipment, and vehicles, are screened from the public view of adjoining parcels and public streets.
 - A sight-line analysis shall be identified on the site plan and cross section graphics demonstrating the line of sight from the right-of-way to the loading or storage areas at six feet above the right-of-way surface at three distinct points: The centerline of the right-of-way and the property lines on either side of the right-of-way. The graphics shall be to scale, fully dimensioned, and contain all building elevations, berms, walls, landscaping, setbacks, fences, and other structures as they are being proposed to be built.

Engineering Land Development and Traffic: please contact Kyle Scribner, Assistant Engineer, at 909-428-7627

The proposed project shall not impact intersections of City of Fontana negatively, especially Arrow/Almeria, Arrow/Tokay, and Arrow Citrus. Provide the City of Fontana information on their traffic circulation pattern.

If you have any questions or concerns regarding this letter, please call me at (909) 350-6681 or e-mail me at jdille@fontana.org.

Sincerely,

Jon S. Dille,
Associate Planner

Response to Comment Letter F – City of Fontana

Response to Comment F-1:

The commenter summarizes the proposed Project and indicates that the Project site is within the City of Fontana's Sphere of Influence and provides the City of Fontana's General Plan Land Use and Zoning designations for the Project site. The County will address the City of Fontana's design items as described in Response to Comment F-2 through Response to Comment F-3, below.

Response to Comment F-2:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. Because the Project site is in the County of San Bernardino and not in the City of Fontana, the Project is not subject to City of Fontana requirements. Nonetheless, landscaping, walls and fences would be provided on site as required for screening, privacy, and security as shown on Figure 7 – Proposed Landscape Plan, of the IS/MND. The existing block wall along the west and east side of the Project site will remain and then transition to the proposed 8-foot-high steel tube fence that will be constructed along portions of the west and east side and the entire length of south side of the Project site. (IS/MND, p. 3.) The Project site is situated within industrial uses and there are no sensitive uses adjacent to the Project site or in the surrounding area. The Project includes a new warehouse building with articulation to reduce mass and scale and aesthetically pleasing color pallet. As shown in Figure 5 – Proposed Site Plan and Figure 6 – Proposed Elevations of the IS/MND. The proposed building facades include, but are not limited to windows, decorative trim, and roofline variations to minimize blank wall to create visual interest and to reduce the opportunity for graffiti. Architectural accents are used to create a variation along the building's facade. As shown on Figure 5 – Proposed Site Plan, screened automobile and trailer parking will be provided on the site. Automobile parking is located at the eastern portion of the Project site and the trailer parking will be located on the western portion.

The City of Fontana does not raise an environmental issue related to the Project. No further response is required or necessary. No changes to the IS/MND are required.

Response to Comment F-3:

The commenter does not provide substantial evidence concerning the existence of a significant environmental impact. As part of the proposed Project, a Transportation Impact Analysis (TIA) and Vehicle Miles Traveled (VMT) screening Analysis, included in Appendix L of the IS/MND, was prepared. The results of the analysis concluded that the Project's trip generation is below the Countywide Guidelines of 100 peak hour trips and was exempted from a full TIA.

The City of Fontana does not raise an environmental issue related to the Project. No further response is required or necessary. No changes to the IS/MND are required.

Comment Letter G – Golden State Environmental Justice Alliance

Comment letter G commences on the next page.

Comment Letter
G



P.O. Box 79222 Corona, CA 92877

July 19, 2022

Steven Valdez, Senior Planner
County of San Bernardino
Land Use Services Department - Planning Division


Re: 15719 and 15755 Arrow Route Warehouse Project, SCH No. 2022030365 (the "Project")

Dear Mr. Valdez:

On behalf of the Golden State Environmental Justice Alliance ("GSEJA"), I am writing to you regarding the 15719 And 15755 Arrow Route Warehouse MND (SCH NO. 2022030365) (the "Project").

The Project's developer has addressed GSEJA's concerns about environmental mitigation. Therefore, GSEJA supports and withdraws its comment letter on the Project.

Sincerely,


Joe Bourgeois
Executive Director

G-1

Response to Comment Letter G – Golden State Environmental Justice Alliance

Response to Comment G-1:

Golden State Environmental Justice Alliance (GSEJA) acknowledges that their concerns about environmental mitigation, described in Comment Letter A above, have been addressed and therefore, GSEJA supports and withdraws their previous comment letter. No environmental issues were identified. No changes to the IS/MND are required.

Attachment A

Construction Schedule Calculations					
Phase	Default Phase Length	Construction Duration	%	Construction Duration	Revised Phase Length
Demolition	20	545	0.0367	303	11
Grading	30	545	0.0550	303	17
Construction	330	545	0.6055	303	183
Paving	20	545	0.0367	303	11
Architectural Coating	20	545	0.0367	303	11

Total Default Construction Duration		Revised Construction Duration
Start Date	3/30/2022	1/1/2022
End Date	9/26/2023	10/31/2022
Total Days	545	303

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

15755 Arrow Route Warehouse Project

San Bernardino-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	10.00	1000sqft	0.23	10,000.00	0
Unrefrigerated Warehouse-No Rail	199.76	1000sqft	4.59	199,759.00	0
Other Asphalt Surfaces	0.07	Acre	0.07	3,049.20	0
Other Non-Asphalt Surfaces	4.95	Acre	4.95	215,622.00	0
Parking Lot	158.00	Space	1.42	63,200.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	32
Climate Zone	10			Operational Year	2022
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	531.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

Project Characteristics - Consistent with IS/MND's model.

Land Use - See SWAPE comments on "Underestimated Land Use Size" and "Failure to Model All Proposed Land Uses"

Construction Phase - See SWAPE comment on "Unsubstantiated Changes to Individual Construction Phase Lengths"

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Trips and VMT - Consistent with IS/MND's model.

Grading - See SWAPE comment on "Unsubstantiated Reduction to Acres of Grading"

Architectural Coating - See SWAPE comment on "Unsubstantiated Reductions to Architectural Coating Emission Factors"

Vehicle Trips - See SWAPE comment on "Underestimated Operational Vehicle Trip Rates"

Energy Use - Consistent with IS/MND's model.

Water And Wastewater - Consistent with IS/MND's model.

Land Use Change -

Construction Off-road Equipment Mitigation - Consistent with IS/MND's model.

Energy Mitigation - See SWAPE comment on "Incorrect Application of Energy-Related Operational Mitigation Measure"

Water Mitigation - Consistent with IS/MND's model.

Waste Mitigation - Consistent with IS/MND's model.

Fleet Mix - See ISMND

Demolition - See SWAPE comment on "Failure to Substantiate Demolition"

Sequestration - See SWAPE comment on "Unsubstantiated Number of New Trees for Sequestration"

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	20.00	11.00

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

tblConstructionPhase	NumDays	30.00	17.00
tblConstructionPhase	NumDays	300.00	183.00
tblConstructionPhase	NumDays	20.00	11.00
tblConstructionPhase	NumDays	20.00	11.00
tblEnergyUse	LightingElect	0.00	0.35
tblEnergyUse	LightingElect	0.00	0.35
tblFleetMix	HHD	0.06	0.22
tblFleetMix	LDA	0.55	0.46
tblFleetMix	LDT1	0.04	0.03
tblFleetMix	LDT2	0.18	0.15
tblFleetMix	LHD1	0.02	0.00
tblFleetMix	LHD2	5.1010e-003	0.06
tblFleetMix	MCY	5.9030e-003	4.9600e-003
tblFleetMix	MDV	0.12	0.00
tblFleetMix	MH	9.4400e-004	7.9000e-004
tblFleetMix	MHD	0.02	0.07
tblFleetMix	OBUS	1.3570e-003	1.1400e-003
tblFleetMix	SBUS	8.0800e-004	6.8000e-004
tblFleetMix	UBUS	1.5650e-003	1.3200e-003
tblLandUse	LandUseSquareFeet	199,760.00	199,759.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	4.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	1.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	3.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	1.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

tblOffRoadEquipment	UsageHours	6.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblProjectCharacteristics	CO2IntensityFactor	702.44	531.44
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblVehicleTrips	CC_TL	8.40	55.00
tblVehicleTrips	CC_TTP	0.00	34.40
tblVehicleTrips	CNW_TTP	41.00	0.00
tblVehicleTrips	CW_TTP	59.00	65.60
tblVehicleTrips	DV_TP	5.00	0.00
tblVehicleTrips	PB_TP	3.00	0.00
tblVehicleTrips	PR_TP	92.00	100.00
tblVehicleTrips	ST_TR	2.46	0.00
tblVehicleTrips	ST_TR	1.68	1.83
tblVehicleTrips	SU_TR	1.05	0.00
tblVehicleTrips	SU_TR	1.68	1.83
tblVehicleTrips	WD_TR	11.03	0.00
tblVehicleTrips	WD_TR	1.68	1.83
tblWater	IndoorWaterUseRate	46,194,500.00	7,172,171.00
tblWater	OutdoorWaterUseRate	0.00	5,700.00

2.0 Emissions Summary

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

2.1 Overall Construction**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2022	1.5468	4.6874	5.3349	0.0118	0.3043	0.1854	0.4897	0.0755	0.1776	0.2531	0.0000	1,036.4407	1,036.4407	0.1512	0.0000	1,040.2210
Maximum	1.5468	4.6874	5.3349	0.0118	0.3043	0.1854	0.4897	0.0755	0.1776	0.2531	0.0000	1,036.4407	1,036.4407	0.1512	0.0000	1,040.2210

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2022	1.5468	4.6874	5.3349	0.0118	0.3043	0.1854	0.4897	0.0755	0.1776	0.2531	0.0000	1,036.4399	1,036.4399	0.1512	0.0000	1,040.2202
Maximum	1.5468	4.6874	5.3349	0.0118	0.3043	0.1854	0.4897	0.0755	0.1776	0.2531	0.0000	1,036.4399	1,036.4399	0.1512	0.0000	1,040.2202

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	1-1-2022	3-31-2022	1.4533	1.4533
2	4-1-2022	6-30-2022	1.6336	1.6336
3	7-1-2022	9-30-2022	1.6553	1.6553
		Highest	1.6553	1.6553

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.8778	4.0000e-005	4.7700e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005	0.0000	9.2500e-003	9.2500e-003	2.0000e-005	0.0000	9.8600e-003
Energy	2.3700e-003	0.0216	0.0181	1.3000e-004		1.6400e-003	1.6400e-003		1.6400e-003	1.6400e-003	0.0000	183.8633	183.8633	9.2000e-003	2.2400e-003	184.7612
Mobile	0.2680	4.9254	3.5359	0.0281	1.5759	0.0219	1.5978	0.4294	0.0208	0.4501	0.0000	2,650.2663	2,650.2663	0.1032	0.0000	2,652.8456
Waste						0.0000	0.0000		0.0000	0.0000	40.0034	0.0000	40.0034	2.3641	0.0000	99.1068
Water						0.0000	0.0000		0.0000	0.0000	2.8393	31.0234	33.8627	0.2933	7.2400e-003	43.3519
Total	1.1482	4.9470	3.5588	0.0282	1.5759	0.0236	1.5995	0.4294	0.0224	0.4518	42.8427	2,865.1622	2,908.0049	2.7698	9.4800e-003	2,980.0753

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

2.2 Overall Operational**Mitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	0.8778	4.0000e-005	4.7700e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005	0.0000	9.2500e-003	9.2500e-003	2.0000e-005	0.0000	9.8600e-003
Energy	2.3700e-003	0.0216	0.0181	1.3000e-004		1.6400e-003	1.6400e-003		1.6400e-003	1.6400e-003	0.0000	183.8633	183.8633	9.2000e-003	2.2400e-003	184.7612
Mobile	0.2680	4.9254	3.5359	0.0281	1.5759	0.0219	1.5978	0.4294	0.0208	0.4501	0.0000	2,650.2663	2,650.2663	0.1032	0.0000	2,652.8456
Waste						0.0000	0.0000		0.0000	0.0000	40.0034	0.0000	40.0034	2.3641	0.0000	99.1068
Water						0.0000	0.0000		0.0000	0.0000	2.8393	31.0234	33.8627	0.2933	7.2400e-003	43.3519
Total	1.1482	4.9470	3.5588	0.0282	1.5759	0.0236	1.5995	0.4294	0.0224	0.4518	42.8427	2,865.1622	2,908.0049	2.7698	9.4800e-003	2,980.0753

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail**Construction Phase**

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	1/1/2022	1/17/2022	5	11	
2	Grading	Grading	1/18/2022	2/9/2022	5	17	
3	Building Construction	Building Construction	2/10/2022	10/24/2022	5	183	
4	Paving	Paving	9/30/2022	10/14/2022	5	11	
5	Architectural Coating	Architectural Coating	10/15/2022	10/31/2022	5	11	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 59.5

Acres of Paving: 6.44

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 314,639; Non-Residential Outdoor: 104,880; Striped Parking Area: 16,912 (Architectural Coating – sqft)

OffRoad Equipment

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Demolition	Rubber Tired Loaders	1	8.00	203	0.36
Grading	Excavators	0	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rollers	1	8.00	80	0.38
Grading	Rubber Tired Dozers	0	8.00	247	0.40
Grading	Rubber Tired Loaders	1	8.00	203	0.36
Grading	Scrapers	3	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Building Construction	Aerial Lifts	6	8.00	63	0.31
Building Construction	Cement and Mortar Mixers	5	8.00	9	0.56
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Excavators	1	8.00	158	0.38
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	4	8.00	84	0.74
Building Construction	Pumps	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Building Construction	Welders	2	8.00	46	0.45
Paving	Pavers	1	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	8.00	78	0.48

Trips and VMT

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	7	18.00	2.00	121.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	7	18.00	2.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	26	205.00	81.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	5	13.00	2.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	41.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

3.2 Demolition - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0131	0.0000	0.0131	1.9800e-003	0.0000	1.9800e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0161	0.1581	0.1217	2.5000e-004		7.3900e-003	7.3900e-003		6.8700e-003	6.8700e-003	0.0000	21.7166	21.7166	6.2300e-003	0.0000	21.8723
Total	0.0161	0.1581	0.1217	2.5000e-004	0.0131	7.3900e-003	0.0204	1.9800e-003	6.8700e-003	8.8500e-003	0.0000	21.7166	21.7166	6.2300e-003	0.0000	21.8723

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.2 Demolition - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	3.5000e-004	0.0129	2.2000e-003	5.0000e-005	1.0400e-003	3.0000e-005	1.0700e-003	2.9000e-004	3.0000e-005	3.2000e-004	0.0000	4.4289	4.4289	2.5000e-004	0.0000	4.4350
Vendor	3.0000e-005	1.0100e-003	2.0000e-004	0.0000	7.0000e-005	0.0000	7.0000e-005	2.0000e-005	0.0000	2.0000e-005	0.0000	0.2771	0.2771	2.0000e-005	0.0000	0.2775
Worker	4.3000e-004	3.1000e-004	3.2300e-003	1.0000e-005	1.0900e-003	1.0000e-005	1.0900e-003	2.9000e-004	1.0000e-005	2.9000e-004	0.0000	0.8683	0.8683	2.0000e-005	0.0000	0.8689
Total	8.1000e-004	0.0143	5.6300e-003	6.0000e-005	2.2000e-003	4.0000e-005	2.2300e-003	6.0000e-004	4.0000e-005	6.3000e-004	0.0000	5.5743	5.5743	2.9000e-004	0.0000	5.5815

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0131	0.0000	0.0131	1.9800e-003	0.0000	1.9800e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0161	0.1581	0.1217	2.5000e-004		7.3900e-003	7.3900e-003		6.8700e-003	6.8700e-003	0.0000	21.7166	21.7166	6.2300e-003	0.0000	21.8723
Total	0.0161	0.1581	0.1217	2.5000e-004	0.0131	7.3900e-003	0.0204	1.9800e-003	6.8700e-003	8.8500e-003	0.0000	21.7166	21.7166	6.2300e-003	0.0000	21.8723

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.2 Demolition - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	3.5000e-004	0.0129	2.2000e-003	5.0000e-005	1.0400e-003	3.0000e-005	1.0700e-003	2.9000e-004	3.0000e-005	3.2000e-004	0.0000	4.4289	4.4289	2.5000e-004	0.0000	4.4350
Vendor	3.0000e-005	1.0100e-003	2.0000e-004	0.0000	7.0000e-005	0.0000	7.0000e-005	2.0000e-005	0.0000	2.0000e-005	0.0000	0.2771	0.2771	2.0000e-005	0.0000	0.2775
Worker	4.3000e-004	3.1000e-004	3.2300e-003	1.0000e-005	1.0900e-003	1.0000e-005	1.0900e-003	2.9000e-004	1.0000e-005	2.9000e-004	0.0000	0.8683	0.8683	2.0000e-005	0.0000	0.8689
Total	8.1000e-004	0.0143	5.6300e-003	6.0000e-005	2.2000e-003	4.0000e-005	2.2300e-003	6.0000e-004	4.0000e-005	6.3000e-004	0.0000	5.5743	5.5743	2.9000e-004	0.0000	5.5815

3.3 Grading - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0316	0.0000	0.0316	3.4100e-003	0.0000	3.4100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0297	0.3274	0.2251	5.5000e-004		0.0128	0.0128		0.0118	0.0118	0.0000	47.9102	47.9102	0.0155	0.0000	48.2976
Total	0.0297	0.3274	0.2251	5.5000e-004	0.0316	0.0128	0.0444	3.4100e-003	0.0118	0.0152	0.0000	47.9102	47.9102	0.0155	0.0000	48.2976

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.3 Grading - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	4.0000e-005	1.5700e-003	3.1000e-004	0.0000	1.1000e-004	0.0000	1.1000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.4282	0.4282	3.0000e-005	0.0000	0.4289
Worker	6.6000e-004	4.8000e-004	5.0000e-003	1.0000e-005	1.6800e-003	1.0000e-005	1.6900e-003	4.5000e-004	1.0000e-005	4.6000e-004	0.0000	1.3420	1.3420	3.0000e-005	0.0000	1.3429
Total	7.0000e-004	2.0500e-003	5.3100e-003	1.0000e-005	1.7900e-003	1.0000e-005	1.8000e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.7702	1.7702	6.0000e-005	0.0000	1.7718

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0316	0.0000	0.0316	3.4100e-003	0.0000	3.4100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0297	0.3274	0.2251	5.5000e-004		0.0128	0.0128		0.0118	0.0118	0.0000	47.9101	47.9101	0.0155	0.0000	48.2975
Total	0.0297	0.3274	0.2251	5.5000e-004	0.0316	0.0128	0.0444	3.4100e-003	0.0118	0.0152	0.0000	47.9101	47.9101	0.0155	0.0000	48.2975

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.3 Grading - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	4.0000e-005	1.5700e-003	3.1000e-004	0.0000	1.1000e-004	0.0000	1.1000e-004	3.0000e-005	0.0000	3.0000e-005	0.0000	0.4282	0.4282	3.0000e-005	0.0000	0.4289
Worker	6.6000e-004	4.8000e-004	5.0000e-003	1.0000e-005	1.6800e-003	1.0000e-005	1.6900e-003	4.5000e-004	1.0000e-005	4.6000e-004	0.0000	1.3420	1.3420	3.0000e-005	0.0000	1.3429
Total	7.0000e-004	2.0500e-003	5.3100e-003	1.0000e-005	1.7900e-003	1.0000e-005	1.8000e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.7702	1.7702	6.0000e-005	0.0000	1.7718

3.4 Building Construction - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.3794	3.3821	4.1409	7.0000e-003		0.1596	0.1596		0.1538	0.1538	0.0000	594.7550	594.7550	0.1096	0.0000	597.4943
Total	0.3794	3.3821	4.1409	7.0000e-003		0.1596	0.1596		0.1538	0.1538	0.0000	594.7550	594.7550	0.1096	0.0000	597.4943

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.4 Building Construction - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0183	0.6829	0.1358	1.9500e-003	0.0467	1.0400e-003	0.0478	0.0135	1.0000e-003	0.0145	0.0000	186.6916	186.6916	0.0123	0.0000	186.9978
Worker	0.0807	0.0587	0.6129	1.8200e-003	0.2057	1.3000e-003	0.2070	0.0546	1.2000e-003	0.0558	0.0000	164.5247	164.5247	4.2900e-003	0.0000	164.6318
Total	0.0990	0.7416	0.7488	3.7700e-003	0.2524	2.3400e-003	0.2547	0.0681	2.2000e-003	0.0703	0.0000	351.2162	351.2162	0.0165	0.0000	351.6296

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.3794	3.3821	4.1409	7.0000e-003		0.1596	0.1596		0.1538	0.1538	0.0000	594.7543	594.7543	0.1096	0.0000	597.4935
Total	0.3794	3.3821	4.1409	7.0000e-003		0.1596	0.1596		0.1538	0.1538	0.0000	594.7543	594.7543	0.1096	0.0000	597.4935

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.4 Building Construction - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0183	0.6829	0.1358	1.9500e-003	0.0467	1.0400e-003	0.0478	0.0135	1.0000e-003	0.0145	0.0000	186.6916	186.6916	0.0123	0.0000	186.9978
Worker	0.0807	0.0587	0.6129	1.8200e-003	0.2057	1.3000e-003	0.2070	0.0546	1.2000e-003	0.0558	0.0000	164.5247	164.5247	4.2900e-003	0.0000	164.6318
Total	0.0990	0.7416	0.7488	3.7700e-003	0.2524	2.3400e-003	0.2547	0.0681	2.2000e-003	0.0703	0.0000	351.2162	351.2162	0.0165	0.0000	351.6296

3.5 Paving - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	4.9300e-003	0.0496	0.0643	1.0000e-004		2.5800e-003	2.5800e-003		2.3700e-003	2.3700e-003	0.0000	8.7436	8.7436	2.8300e-003	0.0000	8.8143
Paving	1.9500e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	6.8800e-003	0.0496	0.0643	1.0000e-004		2.5800e-003	2.5800e-003		2.3700e-003	2.3700e-003	0.0000	8.7436	8.7436	2.8300e-003	0.0000	8.8143

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.5 Paving - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	3.0000e-005	1.0100e-003	2.0000e-004	0.0000	7.0000e-005	0.0000	7.0000e-005	2.0000e-005	0.0000	2.0000e-005	0.0000	0.2771	0.2771	2.0000e-005	0.0000	0.2775
Worker	3.1000e-004	2.2000e-004	2.3400e-003	1.0000e-005	7.8000e-004	0.0000	7.9000e-004	2.1000e-004	0.0000	2.1000e-004	0.0000	0.6271	0.6271	2.0000e-005	0.0000	0.6275
Total	3.4000e-004	1.2300e-003	2.5400e-003	1.0000e-005	8.5000e-004	0.0000	8.6000e-004	2.3000e-004	0.0000	2.3000e-004	0.0000	0.9042	0.9042	4.0000e-005	0.0000	0.9051

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	4.9300e-003	0.0496	0.0643	1.0000e-004		2.5700e-003	2.5700e-003		2.3700e-003	2.3700e-003	0.0000	8.7436	8.7436	2.8300e-003	0.0000	8.8143
Paving	1.9500e-003					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	6.8800e-003	0.0496	0.0643	1.0000e-004		2.5700e-003	2.5700e-003		2.3700e-003	2.3700e-003	0.0000	8.7436	8.7436	2.8300e-003	0.0000	8.8143

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.5 Paving - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	3.0000e-005	1.0100e-003	2.0000e-004	0.0000	7.0000e-005	0.0000	7.0000e-005	2.0000e-005	0.0000	2.0000e-005	0.0000	0.2771	0.2771	2.0000e-005	0.0000	0.2775
Worker	3.1000e-004	2.2000e-004	2.3400e-003	1.0000e-005	7.8000e-004	0.0000	7.9000e-004	2.1000e-004	0.0000	2.1000e-004	0.0000	0.6271	0.6271	2.0000e-005	0.0000	0.6275
Total	3.4000e-004	1.2300e-003	2.5400e-003	1.0000e-005	8.5000e-004	0.0000	8.6000e-004	2.3000e-004	0.0000	2.3000e-004	0.0000	0.9042	0.9042	4.0000e-005	0.0000	0.9051

3.6 Architectural Coating - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	1.0114					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.5000e-003	0.0103	0.0133	2.0000e-005		6.0000e-004	6.0000e-004		6.0000e-004	6.0000e-004	0.0000	1.8724	1.8724	1.2000e-004	0.0000	1.8754
Total	1.0129	0.0103	0.0133	2.0000e-005		6.0000e-004	6.0000e-004		6.0000e-004	6.0000e-004	0.0000	1.8724	1.8724	1.2000e-004	0.0000	1.8754

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.6 Architectural Coating - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.7000e-004	7.1000e-004	7.3700e-003	2.0000e-005	2.4700e-003	2.0000e-005	2.4900e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.9779	1.9779	5.0000e-005	0.0000	1.9792
Total	9.7000e-004	7.1000e-004	7.3700e-003	2.0000e-005	2.4700e-003	2.0000e-005	2.4900e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.9779	1.9779	5.0000e-005	0.0000	1.9792

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	1.0114					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	1.5000e-003	0.0103	0.0133	2.0000e-005		6.0000e-004	6.0000e-004		6.0000e-004	6.0000e-004	0.0000	1.8724	1.8724	1.2000e-004	0.0000	1.8754
Total	1.0129	0.0103	0.0133	2.0000e-005		6.0000e-004	6.0000e-004		6.0000e-004	6.0000e-004	0.0000	1.8724	1.8724	1.2000e-004	0.0000	1.8754

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

3.6 Architectural Coating - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.7000e-004	7.1000e-004	7.3700e-003	2.0000e-005	2.4700e-003	2.0000e-005	2.4900e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.9779	1.9779	5.0000e-005	0.0000	1.9792
Total	9.7000e-004	7.1000e-004	7.3700e-003	2.0000e-005	2.4700e-003	2.0000e-005	2.4900e-003	6.6000e-004	1.0000e-005	6.7000e-004	0.0000	1.9779	1.9779	5.0000e-005	0.0000	1.9792

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.2680	4.9254	3.5359	0.0281	1.5759	0.0219	1.5978	0.4294	0.0208	0.4501	0.0000	2,650.266 3	2,650.266 3	0.1032	0.0000	2,652.845 6
Unmitigated	0.2680	4.9254	3.5359	0.0281	1.5759	0.0219	1.5978	0.4294	0.0208	0.4501	0.0000	2,650.266 3	2,650.266 3	0.1032	0.0000	2,652.845 6

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
General Office Building	0.00	0.00	0.00		
Other Asphalt Surfaces	0.00	0.00	0.00		
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Unrefrigerated Warehouse-No Rail	365.56	365.56	365.56	3,966,589	3,966,589
Total	365.56	365.56	365.56	3,966,589	3,966,589

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
Other Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Unrefrigerated Warehouse-No Rail	16.60	55.00	6.90	65.60	34.40	0.00	100	0	0

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
General Office Building	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Other Asphalt Surfaces	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Other Non-Asphalt Surfaces	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Parking Lot	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Unrefrigerated Warehouse-No Rail	0.464940	0.030600	0.151550	0.000000	0.000000	0.058310	0.069970	0.215740	0.001140	0.001320	0.004960	0.000680	0.000790

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	160.3720	160.3720	8.7500e-003	1.8100e-003	161.1303
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	160.3720	160.3720	8.7500e-003	1.8100e-003	161.1303
NaturalGas Mitigated	2.3700e-003	0.0216	0.0181	1.3000e-004		1.6400e-003	1.6400e-003		1.6400e-003	1.6400e-003	0.0000	23.4913	23.4913	4.5000e-004	4.3000e-004	23.6309
NaturalGas Unmitigated	2.3700e-003	0.0216	0.0181	1.3000e-004		1.6400e-003	1.6400e-003		1.6400e-003	1.6400e-003	0.0000	23.4913	23.4913	4.5000e-004	4.3000e-004	23.6309

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
General Office Building	34700	1.9000e-004	1.7000e-003	1.4300e-003	1.0000e-005		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004	0.0000	1.8517	1.8517	4.0000e-005	3.0000e-005	1.8627
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	405511	2.1900e-003	0.0199	0.0167	1.2000e-004		1.5100e-003	1.5100e-003		1.5100e-003	1.5100e-003	0.0000	21.6396	21.6396	4.1000e-004	4.0000e-004	21.7682
Total		2.3800e-003	0.0216	0.0181	1.3000e-004		1.6400e-003	1.6400e-003		1.6400e-003	1.6400e-003	0.0000	23.4913	23.4913	4.5000e-004	4.3000e-004	23.6309

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
General Office Building	34700	1.9000e-004	1.7000e-003	1.4300e-003	1.0000e-005		1.3000e-004	1.3000e-004		1.3000e-004	1.3000e-004	0.0000	1.8517	1.8517	4.0000e-005	3.0000e-005	1.8627
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	405511	2.1900e-003	0.0199	0.0167	1.2000e-004		1.5100e-003	1.5100e-003		1.5100e-003	1.5100e-003	0.0000	21.6396	21.6396	4.1000e-004	4.0000e-004	21.7682
Total		2.3800e-003	0.0216	0.0181	1.3000e-004		1.6400e-003	1.6400e-003		1.6400e-003	1.6400e-003	0.0000	23.4913	23.4913	4.5000e-004	4.3000e-004	23.6309

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

5.3 Energy by Land Use - Electricity**Unmitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
General Office Building	95200	22.9486	1.2500e-003	2.6000e-004	23.0572
Other Asphalt Surfaces	1067.22	0.2573	1.0000e-005	0.0000	0.2585
Other Non-Asphalt Surfaces	75467.7	18.1920	9.9000e-004	2.1000e-004	18.2781
Parking Lot	22120	5.3322	2.9000e-004	6.0000e-005	5.3574
Unrefrigerated Warehouse-No Rail	471431	113.6419	6.2000e-003	1.2800e-003	114.1792
Total		160.3720	8.7400e-003	1.8100e-003	161.1303

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

5.3 Energy by Land Use - Electricity**Mitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
General Office Building	95200	22.9486	1.2500e-003	2.6000e-004	23.0572
Other Asphalt Surfaces	1067.22	0.2573	1.0000e-005	0.0000	0.2585
Other Non-Asphalt Surfaces	75467.7	18.1920	9.9000e-004	2.1000e-004	18.2781
Parking Lot	22120	5.3322	2.9000e-004	6.0000e-005	5.3574
Unrefrigerated Warehouse-No Rail	471431	113.6419	6.2000e-003	1.2800e-003	114.1792
Total		160.3720	8.7400e-003	1.8100e-003	161.1303

6.0 Area Detail**6.1 Mitigation Measures Area**

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	0.8778	4.0000e-005	4.7700e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005	0.0000	9.2500e-003	9.2500e-003	2.0000e-005	0.0000	9.8600e-003
Unmitigated	0.8778	4.0000e-005	4.7700e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005	0.0000	9.2500e-003	9.2500e-003	2.0000e-005	0.0000	9.8600e-003

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.1011					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.7762					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	4.4000e-004	4.0000e-005	4.7700e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005	0.0000	9.2500e-003	9.2500e-003	2.0000e-005	0.0000	9.8600e-003
Total	0.8778	4.0000e-005	4.7700e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005	0.0000	9.2500e-003	9.2500e-003	2.0000e-005	0.0000	9.8600e-003

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.1011					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	0.7762					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Landscaping	4.4000e-004	4.0000e-005	4.7700e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005	0.0000	9.2500e-003	9.2500e-003	2.0000e-005	0.0000	9.8600e-003
Total	0.8778	4.0000e-005	4.7700e-003	0.0000		2.0000e-005	2.0000e-005		2.0000e-005	2.0000e-005	0.0000	9.2500e-003	9.2500e-003	2.0000e-005	0.0000	9.8600e-003

7.0 Water Detail**7.1 Mitigation Measures Water**

Apply Water Conservation Strategy

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	33.8627	0.2933	7.2400e-003	43.3519
Unmitigated	33.8627	0.2933	7.2400e-003	43.3519

7.2 Water by Land Use

Unmitigated

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
General Office Building	1.77734 / 1.08934	9.0600	0.0584	1.4600e-003	10.9555
Other Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	7.17217 / 0.0057	24.8027	0.2349	5.7700e-003	32.3963
Total		33.8627	0.2933	7.2300e-003	43.3519

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

7.2 Water by Land Use**Mitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
General Office Building	1.77734 / 1.08934	9.0600	0.0584	1.4600e-003	10.9555
Other Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0 / 0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	7.17217 / 0.0057	24.8027	0.2349	5.7700e-003	32.3963
Total		33.8627	0.2933	7.2300e-003	43.3519

8.0 Waste Detail**8.1 Mitigation Measures Waste**

Institute Recycling and Composting Services

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	40.0034	2.3641	0.0000	99.1068
Unmitigated	40.0034	2.3641	0.0000	99.1068

8.2 Waste by Land Use**Unmitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
General Office Building	9.3	1.8878	0.1116	0.0000	4.6770
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	187.77	38.1156	2.2526	0.0000	94.4298
Total		40.0034	2.3641	0.0000	99.1068

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

8.2 Waste by Land Use**Mitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
General Office Building	9.3	1.8878	0.1116	0.0000	4.6770
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	187.77	38.1156	2.2526	0.0000	94.4298
Total		40.0034	2.3641	0.0000	99.1068

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment**Fire Pumps and Emergency Generators**

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Annual

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

15755 Arrow Route Warehouse Project

San Bernardino-South Coast County, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	10.00	1000sqft	0.23	10,000.00	0
Unrefrigerated Warehouse-No Rail	199.76	1000sqft	4.59	199,759.00	0
Other Asphalt Surfaces	0.07	Acre	0.07	3,049.20	0
Other Non-Asphalt Surfaces	4.95	Acre	4.95	215,622.00	0
Parking Lot	158.00	Space	1.42	63,200.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	32
Climate Zone	10			Operational Year	2022
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	531.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

Project Characteristics - Consistent with IS/MND's model.

Land Use - See SWAPE comments on "Underestimated Land Use Size" and "Failure to Model All Proposed Land Uses"

Construction Phase - See SWAPE comment on "Unsubstantiated Changes to Individual Construction Phase Lengths"

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Trips and VMT - Consistent with IS/MND's model.

Grading - See SWAPE comment on "Unsubstantiated Reduction to Acres of Grading"

Architectural Coating - See SWAPE comment on "Unsubstantiated Reductions to Architectural Coating Emission Factors"

Vehicle Trips - See SWAPE comment on "Underestimated Operational Vehicle Trip Rates"

Energy Use - Consistent with IS/MND's model.

Water And Wastewater - Consistent with IS/MND's model.

Land Use Change -

Construction Off-road Equipment Mitigation - Consistent with IS/MND's model.

Energy Mitigation - See SWAPE comment on "Incorrect Application of Energy-Related Operational Mitigation Measure"

Water Mitigation - Consistent with IS/MND's model.

Waste Mitigation - Consistent with IS/MND's model.

Fleet Mix - See ISMND

Demolition - See SWAPE comment on "Failure to Substantiate Demolition"

Sequestration - See SWAPE comment on "Unsubstantiated Number of New Trees for Sequestration"

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	20.00	11.00

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

tblConstructionPhase	NumDays	30.00	17.00
tblConstructionPhase	NumDays	300.00	183.00
tblConstructionPhase	NumDays	20.00	11.00
tblConstructionPhase	NumDays	20.00	11.00
tblEnergyUse	LightingElect	0.00	0.35
tblEnergyUse	LightingElect	0.00	0.35
tblFleetMix	HHD	0.06	0.22
tblFleetMix	LDA	0.55	0.46
tblFleetMix	LDT1	0.04	0.03
tblFleetMix	LDT2	0.18	0.15
tblFleetMix	LHD1	0.02	0.00
tblFleetMix	LHD2	5.1010e-003	0.06
tblFleetMix	MCY	5.9030e-003	4.9600e-003
tblFleetMix	MDV	0.12	0.00
tblFleetMix	MH	9.4400e-004	7.9000e-004
tblFleetMix	MHD	0.02	0.07
tblFleetMix	OBUS	1.3570e-003	1.1400e-003
tblFleetMix	SBUS	8.0800e-004	6.8000e-004
tblFleetMix	UBUS	1.5650e-003	1.3200e-003
tblLandUse	LandUseSquareFeet	199,760.00	199,759.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	4.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	1.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	3.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	1.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

tblOffRoadEquipment	UsageHours	6.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblProjectCharacteristics	CO2IntensityFactor	702.44	531.44
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblVehicleTrips	CC_TL	8.40	55.00
tblVehicleTrips	CC_TTP	0.00	34.40
tblVehicleTrips	CNW_TTP	41.00	0.00
tblVehicleTrips	CW_TTP	59.00	65.60
tblVehicleTrips	DV_TP	5.00	0.00
tblVehicleTrips	PB_TP	3.00	0.00
tblVehicleTrips	PR_TP	92.00	100.00
tblVehicleTrips	ST_TR	2.46	0.00
tblVehicleTrips	ST_TR	1.68	1.83
tblVehicleTrips	SU_TR	1.05	0.00
tblVehicleTrips	SU_TR	1.68	1.83
tblVehicleTrips	WD_TR	11.03	0.00
tblVehicleTrips	WD_TR	1.68	1.83
tblWater	IndoorWaterUseRate	46,194,500.00	7,172,171.00
tblWater	OutdoorWaterUseRate	0.00	5,700.00

2.0 Emissions Summary

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2022	189.6773	54.1960	66.6357	0.1399	3.9258	2.2395	5.4329	0.8786	2.1362	2.9355	0.0000	13,559.67 25	13,559.67 25	2.0918	0.0000	13,611.96 64
Maximum	189.6773	54.1960	66.6357	0.1399	3.9258	2.2395	5.4329	0.8786	2.1362	2.9355	0.0000	13,559.67 25	13,559.67 25	2.0918	0.0000	13,611.96 64

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2022	189.6773	54.1960	66.6357	0.1399	3.9258	2.2395	5.4329	0.8786	2.1362	2.9355	0.0000	13,559.67 25	13,559.67 25	2.0918	0.0000	13,611.96 64
Maximum	189.6773	54.1960	66.6357	0.1399	3.9258	2.2395	5.4329	0.8786	2.1362	2.9355	0.0000	13,559.67 25	13,559.67 25	2.0918	0.0000	13,611.96 64

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870
Energy	0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6000e-003	142.7322
Mobile	1.5568	26.1169	21.4981	0.1591	8.8167	0.1203	8.9370	2.3978	0.1141	2.5119		16,545.0570	16,545.0570	0.6222		16,560.6117
Total	6.3807	26.2355	21.6355	0.1598	8.8167	0.1294	8.9462	2.3978	0.1232	2.5210		16,687.0277	16,687.0277	0.6251	2.6000e-003	16,703.4308

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870
Energy	0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6000e-003	142.7322
Mobile	1.5568	26.1169	21.4981	0.1591	8.8167	0.1203	8.9370	2.3978	0.1141	2.5119		16,545.0570	16,545.0570	0.6222		16,560.6117
Total	6.3807	26.2355	21.6355	0.1598	8.8167	0.1294	8.9462	2.3978	0.1232	2.5210		16,687.0277	16,687.0277	0.6251	2.6000e-003	16,703.4308

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	1/1/2022	1/17/2022	5	11	
2	Grading	Grading	1/18/2022	2/9/2022	5	17	
3	Building Construction	Building Construction	2/10/2022	10/24/2022	5	183	
4	Paving	Paving	9/30/2022	10/14/2022	5	11	
5	Architectural Coating	Architectural Coating	10/15/2022	10/31/2022	5	11	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 59.5

Acres of Paving: 6.44

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 314,639; Non-Residential Outdoor: 104,880; Striped Parking Area: 16,912 (Architectural Coating – sqft)

OffRoad Equipment

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Demolition	Rubber Tired Loaders	1	8.00	203	0.36
Grading	Excavators	0	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rollers	1	8.00	80	0.38
Grading	Rubber Tired Dozers	0	8.00	247	0.40
Grading	Rubber Tired Loaders	1	8.00	203	0.36
Grading	Scrapers	3	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Building Construction	Aerial Lifts	6	8.00	63	0.31
Building Construction	Cement and Mortar Mixers	5	8.00	9	0.56
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Excavators	1	8.00	158	0.38
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	4	8.00	84	0.74
Building Construction	Pumps	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Building Construction	Welders	2	8.00	46	0.45
Paving	Pavers	1	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	8.00	78	0.48

Trips and VMT

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	7	18.00	2.00	121.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	7	18.00	2.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	26	205.00	81.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	5	13.00	2.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	41.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

3.2 Demolition - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.3733	0.0000	2.3733	0.3594	0.0000	0.3594			0.0000			0.0000
Off-Road	2.9305	28.7444	22.1253	0.0451		1.3441	1.3441		1.2486	1.2486		4,352.4455	4,352.4455	1.2483		4,383.6534
Total	2.9305	28.7444	22.1253	0.0451	2.3733	1.3441	3.7175	0.3594	1.2486	1.6080		4,352.4455	4,352.4455	1.2483		4,383.6534

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.2 Demolition - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0618	2.3012	0.3768	8.4500e-003	0.1925	5.8800e-003	0.1984	0.0528	5.6300e-003	0.0584		897.6232	897.6232	0.0475		898.8106
Vendor	4.8200e-003	0.1829	0.0336	5.4000e-004	0.0128	2.8000e-004	0.0131	3.6900e-003	2.7000e-004	3.9500e-003		56.4615	56.4615	3.4700e-003		56.5483
Worker	0.0854	0.0508	0.6846	1.9100e-003	0.2012	1.2500e-003	0.2025	0.0534	1.1500e-003	0.0545		189.8284	189.8284	5.0300e-003		189.9541
Total	0.1520	2.5349	1.0949	0.0109	0.4065	7.4100e-003	0.4139	0.1098	7.0500e-003	0.1169		1,143.9131	1,143.9131	0.0560		1,145.3131

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.3733	0.0000	2.3733	0.3594	0.0000	0.3594			0.0000			0.0000
Off-Road	2.9305	28.7444	22.1253	0.0451		1.3441	1.3441		1.2486	1.2486	0.0000	4,352.4455	4,352.4455	1.2483		4,383.6534
Total	2.9305	28.7444	22.1253	0.0451	2.3733	1.3441	3.7175	0.3594	1.2486	1.6080	0.0000	4,352.4455	4,352.4455	1.2483		4,383.6534

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.2 Demolition - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0618	2.3012	0.3768	8.4500e-003	0.1925	5.8800e-003	0.1984	0.0528	5.6300e-003	0.0584		897.6232	897.6232	0.0475		898.8106
Vendor	4.8200e-003	0.1829	0.0336	5.4000e-004	0.0128	2.8000e-004	0.0131	3.6900e-003	2.7000e-004	3.9500e-003		56.4615	56.4615	3.4700e-003		56.5483
Worker	0.0854	0.0508	0.6846	1.9100e-003	0.2012	1.2500e-003	0.2025	0.0534	1.1500e-003	0.0545		189.8284	189.8284	5.0300e-003		189.9541
Total	0.1520	2.5349	1.0949	0.0109	0.4065	7.4100e-003	0.4139	0.1098	7.0500e-003	0.1169		1,143.9131	1,143.9131	0.0560		1,145.3131

3.3 Grading - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.7118	0.0000	3.7118	0.4008	0.0000	0.4008			0.0000			0.0000
Off-Road	3.4951	38.5146	26.4787	0.0642		1.5056	1.5056		1.3852	1.3852		6,213.1677	6,213.1677	2.0095		6,263.4043
Total	3.4951	38.5146	26.4787	0.0642	3.7118	1.5056	5.2174	0.4008	1.3852	1.7860		6,213.1677	6,213.1677	2.0095		6,263.4043

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.3 Grading - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.8200e-003	0.1829	0.0336	5.4000e-004	0.0128	2.8000e-004	0.0131	3.6900e-003	2.7000e-004	3.9500e-003		56.4615	56.4615	3.4700e-003		56.5483
Worker	0.0854	0.0508	0.6846	1.9100e-003	0.2012	1.2500e-003	0.2025	0.0534	1.1500e-003	0.0545		189.8284	189.8284	5.0300e-003		189.9541
Total	0.0902	0.2338	0.7181	2.4500e-003	0.2140	1.5300e-003	0.2155	0.0571	1.4200e-003	0.0585		246.2900	246.2900	8.5000e-003		246.5025

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.7118	0.0000	3.7118	0.4008	0.0000	0.4008			0.0000			0.0000
Off-Road	3.4951	38.5146	26.4787	0.0642		1.5056	1.5056		1.3852	1.3852	0.0000	6,213.1677	6,213.1677	2.0095		6,263.4043
Total	3.4951	38.5146	26.4787	0.0642	3.7118	1.5056	5.2174	0.4008	1.3852	1.7860	0.0000	6,213.1677	6,213.1677	2.0095		6,263.4043

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.3 Grading - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.8200e-003	0.1829	0.0336	5.4000e-004	0.0128	2.8000e-004	0.0131	3.6900e-003	2.7000e-004	3.9500e-003		56.4615	56.4615	3.4700e-003		56.5483
Worker	0.0854	0.0508	0.6846	1.9100e-003	0.2012	1.2500e-003	0.2025	0.0534	1.1500e-003	0.0545		189.8284	189.8284	5.0300e-003		189.9541
Total	0.0902	0.2338	0.7181	2.4500e-003	0.2140	1.5300e-003	0.2155	0.0571	1.4200e-003	0.0585		246.2900	246.2900	8.5000e-003		246.5025

3.4 Building Construction - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	4.1459	36.9631	45.2560	0.0765		1.7447	1.7447		1.6805	1.6805		7,165.0839	7,165.0839	1.3200		7,198.0839
Total	4.1459	36.9631	45.2560	0.0765		1.7447	1.7447		1.6805	1.6805		7,165.0839	7,165.0839	1.3200		7,198.0839

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.4 Building Construction - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1953	7.4084	1.3590	0.0217	0.5188	0.0113	0.5300	0.1494	0.0108	0.1601		2,286.691 4	2,286.691 4	0.1406		2,290.207 3
Worker	0.9727	0.5789	7.7963	0.0217	2.2914	0.0142	2.3056	0.6077	0.0131	0.6208		2,161.935 0	2,161.935 0	0.0573		2,163.366 4
Total	1.1680	7.9873	9.1552	0.0434	2.8102	0.0255	2.8357	0.7571	0.0239	0.7809		4,448.626 4	4,448.626 4	0.1979		4,453.573 7

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	4.1459	36.9631	45.2560	0.0765		1.7447	1.7447		1.6805	1.6805	0.0000	7,165.083 9	7,165.083 9	1.3200		7,198.083 9
Total	4.1459	36.9631	45.2560	0.0765		1.7447	1.7447		1.6805	1.6805	0.0000	7,165.083 9	7,165.083 9	1.3200		7,198.083 9

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.4 Building Construction - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.1953	7.4084	1.3590	0.0217	0.5188	0.0113	0.5300	0.1494	0.0108	0.1601		2,286.691 4	2,286.691 4	0.1406		2,290.207 3
Worker	0.9727	0.5789	7.7963	0.0217	2.2914	0.0142	2.3056	0.6077	0.0131	0.6208		2,161.935 0	2,161.935 0	0.0573		2,163.366 4
Total	1.1680	7.9873	9.1552	0.0434	2.8102	0.0255	2.8357	0.7571	0.0239	0.7809		4,448.626 4	4,448.626 4	0.1979		4,453.573 7

3.5 Paving - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.8959	9.0260	11.6966	0.0181		0.4682	0.4682		0.4307	0.4307		1,752.402 4	1,752.402 4	0.5668		1,766.571 4
Paving	0.3549					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.2508	9.0260	11.6966	0.0181		0.4682	0.4682		0.4307	0.4307		1,752.402 4	1,752.402 4	0.5668		1,766.571 4

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.5 Paving - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.8200e-003	0.1829	0.0336	5.4000e-004	0.0128	2.8000e-004	0.0131	3.6900e-003	2.7000e-004	3.9500e-003		56.4615	56.4615	3.4700e-003		56.5483
Worker	0.0617	0.0367	0.4944	1.3800e-003	0.1453	9.0000e-004	0.1462	0.0385	8.3000e-004	0.0394		137.0983	137.0983	3.6300e-003		137.1891
Total	0.0665	0.2196	0.5280	1.9200e-003	0.1581	1.1800e-003	0.1593	0.0422	1.1000e-003	0.0433		193.5598	193.5598	7.1000e-003		193.7374

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.8959	9.0260	11.6966	0.0181		0.4682	0.4682		0.4307	0.4307	0.0000	1,752.4024	1,752.4024	0.5668		1,766.5714
Paving	0.3549					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.2508	9.0260	11.6966	0.0181		0.4682	0.4682		0.4307	0.4307	0.0000	1,752.4024	1,752.4024	0.5668		1,766.5714

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.5 Paving - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	4.8200e-003	0.1829	0.0336	5.4000e-004	0.0128	2.8000e-004	0.0131	3.6900e-003	2.7000e-004	3.9500e-003		56.4615	56.4615	3.4700e-003		56.5483
Worker	0.0617	0.0367	0.4944	1.3800e-003	0.1453	9.0000e-004	0.1462	0.0385	8.3000e-004	0.0394		137.0983	137.0983	3.6300e-003		137.1891
Total	0.0665	0.2196	0.5280	1.9200e-003	0.1581	1.1800e-003	0.1593	0.0422	1.1000e-003	0.0433		193.5598	193.5598	7.1000e-003		193.7374

3.6 Architectural Coating - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	183.8962					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2727	1.8780	2.4181	3.9600e-003		0.1090	0.1090		0.1090	0.1090		375.2641	375.2641	0.0244		375.8749
Total	184.1689	1.8780	2.4181	3.9600e-003		0.1090	0.1090		0.1090	0.1090		375.2641	375.2641	0.0244		375.8749

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.6 Architectural Coating - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1945	0.1158	1.5593	4.3400e-003	0.4583	2.8500e-003	0.4611	0.1215	2.6200e-003	0.1242		432.3870	432.3870	0.0115		432.6733
Total	0.1945	0.1158	1.5593	4.3400e-003	0.4583	2.8500e-003	0.4611	0.1215	2.6200e-003	0.1242		432.3870	432.3870	0.0115		432.6733

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	183.8962					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2727	1.8780	2.4181	3.9600e-003		0.1090	0.1090		0.1090	0.1090	0.0000	375.2641	375.2641	0.0244		375.8749
Total	184.1689	1.8780	2.4181	3.9600e-003		0.1090	0.1090		0.1090	0.1090	0.0000	375.2641	375.2641	0.0244		375.8749

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

3.6 Architectural Coating - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1945	0.1158	1.5593	4.3400e-003	0.4583	2.8500e-003	0.4611	0.1215	2.6200e-003	0.1242		432.3870	432.3870	0.0115		432.6733
Total	0.1945	0.1158	1.5593	4.3400e-003	0.4583	2.8500e-003	0.4611	0.1215	2.6200e-003	0.1242		432.3870	432.3870	0.0115		432.6733

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	1.5568	26.1169	21.4981	0.1591	8.8167	0.1203	8.9370	2.3978	0.1141	2.5119		16,545.0570	16,545.0570	0.6222		16,560.6117
Unmitigated	1.5568	26.1169	21.4981	0.1591	8.8167	0.1203	8.9370	2.3978	0.1141	2.5119		16,545.0570	16,545.0570	0.6222		16,560.6117

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
General Office Building	0.00	0.00	0.00		
Other Asphalt Surfaces	0.00	0.00	0.00		
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Unrefrigerated Warehouse-No Rail	365.56	365.56	365.56	3,966,589	3,966,589
Total	365.56	365.56	365.56	3,966,589	3,966,589

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
Other Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Unrefrigerated Warehouse-No Rail	16.60	55.00	6.90	65.60	34.40	0.00	100	0	0

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
General Office Building	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Other Asphalt Surfaces	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Other Non-Asphalt Surfaces	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Parking Lot	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Unrefrigerated Warehouse-No Rail	0.464940	0.030600	0.151550	0.000000	0.000000	0.058310	0.069970	0.215740	0.001140	0.001320	0.004960	0.000680	0.000790

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6000e-003	142.7322
NaturalGas Unmitigated	0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6000e-003	142.7322

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
General Office Building	95.0685	1.0300e-003	9.3200e-003	7.8300e-003	6.0000e-005		7.1000e-004	7.1000e-004		7.1000e-004	7.1000e-004		11.1845	11.1845	2.1000e-004	2.1000e-004	11.2510
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	1110.99	0.0120	0.1089	0.0915	6.5000e-004		8.2800e-003	8.2800e-003		8.2800e-003	8.2800e-003		130.7045	130.7045	2.5100e-003	2.4000e-003	131.4812
Total		0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6100e-003	142.7322

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
General Office Building	0.0950685	1.0300e-003	9.3200e-003	7.8300e-003	6.0000e-005		7.1000e-004	7.1000e-004		7.1000e-004	7.1000e-004		11.1845	11.1845	2.1000e-004	2.1000e-004	11.2510
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	1.11099	0.0120	0.1089	0.0915	6.5000e-004		8.2800e-003	8.2800e-003		8.2800e-003	8.2800e-003		130.7045	130.7045	2.5100e-003	2.4000e-003	131.4812
Total		0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6100e-003	142.7322

6.0 Area Detail**6.1 Mitigation Measures Area**

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870
Unmitigated	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.5542					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	4.2531					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	3.5500e-003	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870
Total	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.5542					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	4.2531					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	3.5500e-003	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870
Total	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870

7.0 Water Detail**7.1 Mitigation Measures Water**

Apply Water Conservation Strategy

8.0 Waste Detail**8.1 Mitigation Measures Waste**

Institute Recycling and Composting Services

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Summer

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

15755 Arrow Route Warehouse Project

San Bernardino-South Coast County, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	10.00	1000sqft	0.23	10,000.00	0
Unrefrigerated Warehouse-No Rail	199.76	1000sqft	4.59	199,759.00	0
Other Asphalt Surfaces	0.07	Acre	0.07	3,049.20	0
Other Non-Asphalt Surfaces	4.95	Acre	4.95	215,622.00	0
Parking Lot	158.00	Space	1.42	63,200.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	32
Climate Zone	10			Operational Year	2022
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	531.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

Project Characteristics - Consistent with IS/MND's model.

Land Use - See SWAPE comments on "Underestimated Land Use Size" and "Failure to Model All Proposed Land Uses"

Construction Phase - See SWAPE comment on "Unsubstantiated Changes to Individual Construction Phase Lengths"

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Off-road Equipment - Consistent with IS/MND's model.

Trips and VMT - Consistent with IS/MND's model.

Grading - See SWAPE comment on "Unsubstantiated Reduction to Acres of Grading"

Architectural Coating - See SWAPE comment on "Unsubstantiated Reductions to Architectural Coating Emission Factors"

Vehicle Trips - See SWAPE comment on "Underestimated Operational Vehicle Trip Rates"

Energy Use - Consistent with IS/MND's model.

Water And Wastewater - Consistent with IS/MND's model.

Land Use Change -

Construction Off-road Equipment Mitigation - Consistent with IS/MND's model.

Energy Mitigation - See SWAPE comment on "Incorrect Application of Energy-Related Operational Mitigation Measure"

Water Mitigation - Consistent with IS/MND's model.

Waste Mitigation - Consistent with IS/MND's model.

Fleet Mix - See ISMND

Demolition - See SWAPE comment on "Failure to Substantiate Demolition"

Sequestration - See SWAPE comment on "Unsubstantiated Number of New Trees for Sequestration"

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	20.00	11.00

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

tblConstructionPhase	NumDays	30.00	17.00
tblConstructionPhase	NumDays	300.00	183.00
tblConstructionPhase	NumDays	20.00	11.00
tblConstructionPhase	NumDays	20.00	11.00
tblEnergyUse	LightingElect	0.00	0.35
tblEnergyUse	LightingElect	0.00	0.35
tblFleetMix	HHD	0.06	0.22
tblFleetMix	LDA	0.55	0.46
tblFleetMix	LDT1	0.04	0.03
tblFleetMix	LDT2	0.18	0.15
tblFleetMix	LHD1	0.02	0.00
tblFleetMix	LHD2	5.1010e-003	0.06
tblFleetMix	MCY	5.9030e-003	4.9600e-003
tblFleetMix	MDV	0.12	0.00
tblFleetMix	MH	9.4400e-004	7.9000e-004
tblFleetMix	MHD	0.02	0.07
tblFleetMix	OBUS	1.3570e-003	1.1400e-003
tblFleetMix	SBUS	8.0800e-004	6.8000e-004
tblFleetMix	UBUS	1.5650e-003	1.3200e-003
tblLandUse	LandUseSquareFeet	199,760.00	199,759.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	4.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	1.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	3.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	2.00	1.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	1.00	2.00

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

tblOffRoadEquipment	UsageHours	6.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblProjectCharacteristics	CO2IntensityFactor	702.44	531.44
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblTripsAndVMT	VendorTripNumber	0.00	2.00
tblVehicleTrips	CC_TL	8.40	55.00
tblVehicleTrips	CC_TTP	0.00	34.40
tblVehicleTrips	CNW_TTP	41.00	0.00
tblVehicleTrips	CW_TTP	59.00	65.60
tblVehicleTrips	DV_TP	5.00	0.00
tblVehicleTrips	PB_TP	3.00	0.00
tblVehicleTrips	PR_TP	92.00	100.00
tblVehicleTrips	ST_TR	2.46	0.00
tblVehicleTrips	ST_TR	1.68	1.83
tblVehicleTrips	SU_TR	1.05	0.00
tblVehicleTrips	SU_TR	1.68	1.83
tblVehicleTrips	WD_TR	11.03	0.00
tblVehicleTrips	WD_TR	1.68	1.83
tblWater	IndoorWaterUseRate	46,194,500.00	7,172,171.00
tblWater	OutdoorWaterUseRate	0.00	5,700.00

2.0 Emissions Summary

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2022	189.6949	54.1384	65.3770	0.1366	3.9258	2.2399	5.4329	0.8786	2.1365	2.9358	0.0000	13,231.51 14	13,231.51 14	2.1002	0.0000	13,284.01 61
Maximum	189.6949	54.1384	65.3770	0.1366	3.9258	2.2399	5.4329	0.8786	2.1365	2.9358	0.0000	13,231.51 14	13,231.51 14	2.1002	0.0000	13,284.01 61

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2022	189.6949	54.1384	65.3770	0.1366	3.9258	2.2399	5.4329	0.8786	2.1365	2.9358	0.0000	13,231.51 14	13,231.51 14	2.1002	0.0000	13,284.01 61
Maximum	189.6949	54.1384	65.3770	0.1366	3.9258	2.2399	5.4329	0.8786	2.1365	2.9358	0.0000	13,231.51 14	13,231.51 14	2.1002	0.0000	13,284.01 61

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870
Energy	0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6000e-003	142.7322
Mobile	1.4854	26.5693	18.9881	0.1524	8.8167	0.1209	8.9377	2.3978	0.1147	2.5125		15,876.30 13	15,876.30 13	0.6393		15,892.28 26
Total	6.3093	26.6879	19.1255	0.1531	8.8167	0.1301	8.9468	2.3978	0.1238	2.5216		16,018.27 19	16,018.27 19	0.6422	2.6000e-003	16,035.10 17

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870
Energy	0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6000e-003	142.7322
Mobile	1.4854	26.5693	18.9881	0.1524	8.8167	0.1209	8.9377	2.3978	0.1147	2.5125		15,876.30 13	15,876.30 13	0.6393		15,892.28 26
Total	6.3093	26.6879	19.1255	0.1531	8.8167	0.1301	8.9468	2.3978	0.1238	2.5216		16,018.27 19	16,018.27 19	0.6422	2.6000e-003	16,035.10 17

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	1/1/2022	1/17/2022	5	11	
2	Grading	Grading	1/18/2022	2/9/2022	5	17	
3	Building Construction	Building Construction	2/10/2022	10/24/2022	5	183	
4	Paving	Paving	9/30/2022	10/14/2022	5	11	
5	Architectural Coating	Architectural Coating	10/15/2022	10/31/2022	5	11	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 59.5

Acres of Paving: 6.44

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 314,639; Non-Residential Outdoor: 104,880; Striped Parking Area: 16,912 (Architectural Coating – sqft)

OffRoad Equipment

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Demolition	Rubber Tired Loaders	1	8.00	203	0.36
Grading	Excavators	0	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rollers	1	8.00	80	0.38
Grading	Rubber Tired Dozers	0	8.00	247	0.40
Grading	Rubber Tired Loaders	1	8.00	203	0.36
Grading	Scrapers	3	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	1	8.00	97	0.37
Building Construction	Aerial Lifts	6	8.00	63	0.31
Building Construction	Cement and Mortar Mixers	5	8.00	9	0.56
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Excavators	1	8.00	158	0.38
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	4	8.00	84	0.74
Building Construction	Pumps	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Building Construction	Welders	2	8.00	46	0.45
Paving	Pavers	1	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	8.00	78	0.48

Trips and VMT

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	7	18.00	2.00	121.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	7	18.00	2.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	26	205.00	81.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	5	13.00	2.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	41.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Water Exposed Area

3.2 Demolition - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.3733	0.0000	2.3733	0.3594	0.0000	0.3594			0.0000			0.0000
Off-Road	2.9305	28.7444	22.1253	0.0451		1.3441	1.3441		1.2486	1.2486		4,352.4455	4,352.4455	1.2483		4,383.6534
Total	2.9305	28.7444	22.1253	0.0451	2.3733	1.3441	3.7175	0.3594	1.2486	1.6080		4,352.4455	4,352.4455	1.2483		4,383.6534

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.2 Demolition - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0646	2.3052	0.4295	8.2200e-003	0.1925	5.9700e-003	0.1985	0.0528	5.7100e-003	0.0585		873.8471	873.8471	0.0516		875.1372
Vendor	5.1200e-003	0.1808	0.0394	5.1000e-004	0.0128	2.9000e-004	0.0131	3.6900e-003	2.7000e-004	3.9600e-003		54.2513	54.2513	3.8500e-003		54.3476
Worker	0.0858	0.0534	0.5606	1.7100e-003	0.2012	1.2500e-003	0.2025	0.0534	1.1500e-003	0.0545		170.3063	170.3063	4.4100e-003		170.4166
Total	0.1556	2.5394	1.0294	0.0104	0.4065	7.5100e-003	0.4140	0.1098	7.1300e-003	0.1170		1,098.4047	1,098.4047	0.0599		1,099.9014

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					2.3733	0.0000	2.3733	0.3594	0.0000	0.3594			0.0000			0.0000
Off-Road	2.9305	28.7444	22.1253	0.0451		1.3441	1.3441		1.2486	1.2486	0.0000	4,352.4455	4,352.4455	1.2483		4,383.6534
Total	2.9305	28.7444	22.1253	0.0451	2.3733	1.3441	3.7175	0.3594	1.2486	1.6080	0.0000	4,352.4455	4,352.4455	1.2483		4,383.6534

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.2 Demolition - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0646	2.3052	0.4295	8.2200e-003	0.1925	5.9700e-003	0.1985	0.0528	5.7100e-003	0.0585		873.8471	873.8471	0.0516		875.1372
Vendor	5.1200e-003	0.1808	0.0394	5.1000e-004	0.0128	2.9000e-004	0.0131	3.6900e-003	2.7000e-004	3.9600e-003		54.2513	54.2513	3.8500e-003		54.3476
Worker	0.0858	0.0534	0.5606	1.7100e-003	0.2012	1.2500e-003	0.2025	0.0534	1.1500e-003	0.0545		170.3063	170.3063	4.4100e-003		170.4166
Total	0.1556	2.5394	1.0294	0.0104	0.4065	7.5100e-003	0.4140	0.1098	7.1300e-003	0.1170		1,098.4047	1,098.4047	0.0599		1,099.9014

3.3 Grading - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.7118	0.0000	3.7118	0.4008	0.0000	0.4008			0.0000			0.0000
Off-Road	3.4951	38.5146	26.4787	0.0642		1.5056	1.5056		1.3852	1.3852		6,213.1677	6,213.1677	2.0095		6,263.4043
Total	3.4951	38.5146	26.4787	0.0642	3.7118	1.5056	5.2174	0.4008	1.3852	1.7860		6,213.1677	6,213.1677	2.0095		6,263.4043

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.3 Grading - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.1200e-003	0.1808	0.0394	5.1000e-004	0.0128	2.9000e-004	0.0131	3.6900e-003	2.7000e-004	3.9600e-003		54.2513	54.2513	3.8500e-003		54.3476
Worker	0.0858	0.0534	0.5606	1.7100e-003	0.2012	1.2500e-003	0.2025	0.0534	1.1500e-003	0.0545		170.3063	170.3063	4.4100e-003		170.4166
Total	0.0909	0.2342	0.6000	2.2200e-003	0.2140	1.5400e-003	0.2156	0.0571	1.4200e-003	0.0585		224.5575	224.5575	8.2600e-003		224.7642

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.7118	0.0000	3.7118	0.4008	0.0000	0.4008			0.0000			0.0000
Off-Road	3.4951	38.5146	26.4787	0.0642		1.5056	1.5056		1.3852	1.3852	0.0000	6,213.1677	6,213.1677	2.0095		6,263.4043
Total	3.4951	38.5146	26.4787	0.0642	3.7118	1.5056	5.2174	0.4008	1.3852	1.7860	0.0000	6,213.1677	6,213.1677	2.0095		6,263.4043

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.3 Grading - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.1200e-003	0.1808	0.0394	5.1000e-004	0.0128	2.9000e-004	0.0131	3.6900e-003	2.7000e-004	3.9600e-003		54.2513	54.2513	3.8500e-003		54.3476
Worker	0.0858	0.0534	0.5606	1.7100e-003	0.2012	1.2500e-003	0.2025	0.0534	1.1500e-003	0.0545		170.3063	170.3063	4.4100e-003		170.4166
Total	0.0909	0.2342	0.6000	2.2200e-003	0.2140	1.5400e-003	0.2156	0.0571	1.4200e-003	0.0585		224.5575	224.5575	8.2600e-003		224.7642

3.4 Building Construction - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	4.1459	36.9631	45.2560	0.0765		1.7447	1.7447		1.6805	1.6805		7,165.0839	7,165.0839	1.3200		7,198.0839
Total	4.1459	36.9631	45.2560	0.0765		1.7447	1.7447		1.6805	1.6805		7,165.0839	7,165.0839	1.3200		7,198.0839

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.4 Building Construction - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2074	7.3213	1.5961	0.0208	0.5188	0.0116	0.5304	0.1494	0.0111	0.1605		2,197.1756	2,197.1756	0.1561		2,201.0785
Worker	0.9774	0.6086	6.3841	0.0195	2.2914	0.0142	2.3056	0.6077	0.0131	0.6208		1,939.5993	1,939.5993	0.0503		1,940.8559
Total	1.1847	7.9299	7.9802	0.0403	2.8102	0.0258	2.8360	0.7571	0.0242	0.7812		4,136.7749	4,136.7749	0.2064		4,141.9345

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	4.1459	36.9631	45.2560	0.0765		1.7447	1.7447		1.6805	1.6805	0.0000	7,165.0839	7,165.0839	1.3200		7,198.0839
Total	4.1459	36.9631	45.2560	0.0765		1.7447	1.7447		1.6805	1.6805	0.0000	7,165.0839	7,165.0839	1.3200		7,198.0839

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.4 Building Construction - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.2074	7.3213	1.5961	0.0208	0.5188	0.0116	0.5304	0.1494	0.0111	0.1605		2,197.1756	2,197.1756	0.1561		2,201.0785
Worker	0.9774	0.6086	6.3841	0.0195	2.2914	0.0142	2.3056	0.6077	0.0131	0.6208		1,939.5993	1,939.5993	0.0503		1,940.8559
Total	1.1847	7.9299	7.9802	0.0403	2.8102	0.0258	2.8360	0.7571	0.0242	0.7812		4,136.7749	4,136.7749	0.2064		4,141.9345

3.5 Paving - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.8959	9.0260	11.6966	0.0181		0.4682	0.4682		0.4307	0.4307		1,752.4024	1,752.4024	0.5668		1,766.5714
Paving	0.3549					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.2508	9.0260	11.6966	0.0181		0.4682	0.4682		0.4307	0.4307		1,752.4024	1,752.4024	0.5668		1,766.5714

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.5 Paving - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.1200e-003	0.1808	0.0394	5.1000e-004	0.0128	2.9000e-004	0.0131	3.6900e-003	2.7000e-004	3.9600e-003		54.2513	54.2513	3.8500e-003		54.3476
Worker	0.0620	0.0386	0.4048	1.2300e-003	0.1453	9.0000e-004	0.1462	0.0385	8.3000e-004	0.0394		122.9990	122.9990	3.1900e-003		123.0787
Total	0.0671	0.2194	0.4443	1.7400e-003	0.1581	1.1900e-003	0.1593	0.0422	1.1000e-003	0.0433		177.2502	177.2502	7.0400e-003		177.4263

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.8959	9.0260	11.6966	0.0181		0.4682	0.4682		0.4307	0.4307	0.0000	1,752.4024	1,752.4024	0.5668		1,766.5714
Paving	0.3549					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.2508	9.0260	11.6966	0.0181		0.4682	0.4682		0.4307	0.4307	0.0000	1,752.4024	1,752.4024	0.5668		1,766.5714

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.5 Paving - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	5.1200e-003	0.1808	0.0394	5.1000e-004	0.0128	2.9000e-004	0.0131	3.6900e-003	2.7000e-004	3.9600e-003		54.2513	54.2513	3.8500e-003		54.3476
Worker	0.0620	0.0386	0.4048	1.2300e-003	0.1453	9.0000e-004	0.1462	0.0385	8.3000e-004	0.0394		122.9990	122.9990	3.1900e-003		123.0787
Total	0.0671	0.2194	0.4443	1.7400e-003	0.1581	1.1900e-003	0.1593	0.0422	1.1000e-003	0.0433		177.2502	177.2502	7.0400e-003		177.4263

3.6 Architectural Coating - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	183.8962					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2727	1.8780	2.4181	3.9600e-003		0.1090	0.1090		0.1090	0.1090		375.2641	375.2641	0.0244		375.8749
Total	184.1689	1.8780	2.4181	3.9600e-003		0.1090	0.1090		0.1090	0.1090		375.2641	375.2641	0.0244		375.8749

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.6 Architectural Coating - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1955	0.1217	1.2768	3.8900e-003	0.4583	2.8500e-003	0.4611	0.1215	2.6200e-003	0.1242		387.9199	387.9199	0.0101		388.1712
Total	0.1955	0.1217	1.2768	3.8900e-003	0.4583	2.8500e-003	0.4611	0.1215	2.6200e-003	0.1242		387.9199	387.9199	0.0101		388.1712

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	183.8962					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.2727	1.8780	2.4181	3.9600e-003		0.1090	0.1090		0.1090	0.1090	0.0000	375.2641	375.2641	0.0244		375.8749
Total	184.1689	1.8780	2.4181	3.9600e-003		0.1090	0.1090		0.1090	0.1090	0.0000	375.2641	375.2641	0.0244		375.8749

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

3.6 Architectural Coating - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.1955	0.1217	1.2768	3.8900e-003	0.4583	2.8500e-003	0.4611	0.1215	2.6200e-003	0.1242		387.9199	387.9199	0.0101		388.1712
Total	0.1955	0.1217	1.2768	3.8900e-003	0.4583	2.8500e-003	0.4611	0.1215	2.6200e-003	0.1242		387.9199	387.9199	0.0101		388.1712

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	1.4854	26.5693	18.9881	0.1524	8.8167	0.1209	8.9377	2.3978	0.1147	2.5125		15,876.30 13	15,876.30 13	0.6393		15,892.28 26
Unmitigated	1.4854	26.5693	18.9881	0.1524	8.8167	0.1209	8.9377	2.3978	0.1147	2.5125		15,876.30 13	15,876.30 13	0.6393		15,892.28 26

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
General Office Building	0.00	0.00	0.00		
Other Asphalt Surfaces	0.00	0.00	0.00		
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Parking Lot	0.00	0.00	0.00		
Unrefrigerated Warehouse-No Rail	365.56	365.56	365.56	3,966,589	3,966,589
Total	365.56	365.56	365.56	3,966,589	3,966,589

4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
Other Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Parking Lot	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Unrefrigerated Warehouse-No Rail	16.60	55.00	6.90	65.60	34.40	0.00	100	0	0

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
General Office Building	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Other Asphalt Surfaces	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Other Non-Asphalt Surfaces	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Parking Lot	0.553113	0.036408	0.180286	0.116335	0.016165	0.005101	0.018218	0.063797	0.001357	0.001565	0.005903	0.000808	0.000944
Unrefrigerated Warehouse-No Rail	0.464940	0.030600	0.151550	0.000000	0.000000	0.058310	0.069970	0.215740	0.001140	0.001320	0.004960	0.000680	0.000790

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6000e-003	142.7322
NaturalGas Unmitigated	0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6000e-003	142.7322

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
General Office Building	95.0685	1.0300e-003	9.3200e-003	7.8300e-003	6.0000e-005		7.1000e-004	7.1000e-004		7.1000e-004	7.1000e-004		11.1845	11.1845	2.1000e-004	2.1000e-004	11.2510
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	1110.99	0.0120	0.1089	0.0915	6.5000e-004		8.2800e-003	8.2800e-003		8.2800e-003	8.2800e-003		130.7045	130.7045	2.5100e-003	2.4000e-003	131.4812
Total		0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6100e-003	142.7322

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
General Office Building	0.0950685	1.0300e-003	9.3200e-003	7.8300e-003	6.0000e-005		7.1000e-004	7.1000e-004		7.1000e-004	7.1000e-004		11.1845	11.1845	2.1000e-004	2.1000e-004	11.2510
Other Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Unrefrigerated Warehouse-No Rail	1.11099	0.0120	0.1089	0.0915	6.5000e-004		8.2800e-003	8.2800e-003		8.2800e-003	8.2800e-003		130.7045	130.7045	2.5100e-003	2.4000e-003	131.4812
Total		0.0130	0.1182	0.0993	7.1000e-004		8.9900e-003	8.9900e-003		8.9900e-003	8.9900e-003		141.8891	141.8891	2.7200e-003	2.6100e-003	142.7322

6.0 Area Detail**6.1 Mitigation Measures Area**

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870
Unmitigated	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.5542					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	4.2531					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	3.5500e-003	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870
Total	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.5542					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	4.2531					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	3.5500e-003	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870
Total	4.8108	3.5000e-004	0.0381	0.0000		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		0.0816	0.0816	2.2000e-004		0.0870

7.0 Water Detail**7.1 Mitigation Measures Water**

Apply Water Conservation Strategy

8.0 Waste Detail**8.1 Mitigation Measures Waste**

Institute Recycling and Composting Services

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

15755 Arrow Route Warehouse Project - San Bernardino-South Coast County, Winter

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

		Construction	
2022		Total	
Annual Emissions (tons/year)	0.1906	Total DPM (lbs)	316.4482192
Daily Emissions (lbs/day)	1.044383562	Total DPM (g)	143540.9122
Construction Duration (days)	303	Emission Rate (g/s)	0.005483014
Total DPM (lbs)	316.4482192	Release Height (meters)	3
Total DPM (g)	143540.9122	Total Acreage	9.23
Start Date	1/1/2022	Max Horizontal (meters)	273.32
End Date	10/31/2022	Min Horizontal (meters)	136.66
Construction Days	303	Initial Vertical Dimension (meters)	1.5
		Setting	Urban
		Population	208,393
		Start Date	1/1/2022
		End Date	10/31/2022
		Total Construction Days	303
		Total Years of Construction	0.83
		Total Years of Operation	29.17

Start date and time 04/05/22 14:06:08

AERSCREEN 21112

Arrow Route Boulevard -15755 Arrow Route Warehouse Project -

Arrow Route Boulevard -15755 Arrow Route Warehouse Project -

----- DATA ENTRY VALIDATION -----

METRIC

ENGLISH

** AREADATA ** -----

Emission Rate:	0.548E-02 g/s	0.435E-01 lb/hr
Area Height:	3.00 meters	9.84 feet
Area Source Length:	273.32 meters	896.72 feet
Area Source Width:	136.66 meters	448.36 feet
Vertical Dimension:	1.50 meters	4.92 feet
Model Mode:	URBAN	
Population:	208393	
Dist to Ambient Air:	1.0 meters	3. feet

** BUILDING DATA **

No Building Downwash Parameters

** TERRAIN DATA **

No Terrain Elevations

Source Base Elevation: 0.0 meters 0.0 feet

Probe distance: 5000. meters 16404. feet

No flagpole receptors

No discrete receptors used

** FUMIGATION DATA **

No fumigation requested

** METEOROLOGY DATA **

Min/Max Temperature: 250.0 / 310.0 K -9.7 / 98.3 Deg F

Minimum Wind Speed: 0.5 m/s

Anemometer Height: 10.000 meters

Dominant Surface Profile: Urban

Dominant Climate Type: Average Moisture

Surface friction velocity (u^*): not adjusted

DEBUG OPTION ON

AERSCREEN output file:

2022.04.05_ArrowRouteBoulevard_AERSCREEN_Construction.out

*** AERSCREEN Run is Ready to Begin

No terrain used, AERMAP will not be run

SURFACE CHARACTERISTICS & MAKEMET

Obtaining surface characteristics...

Using AERMET seasonal surface characteristics for Urban with Average Moisture

Season	Albedo	Bo	zo
Winter	0.35	1.50	1.000
Spring	0.14	1.00	1.000
Summer	0.16	2.00	1.000
Autumn	0.18	2.00	1.000

Creating met files aerscreen_01_01.sfc & aerscreen_01_01.pfl

Creating met files aerscreen_02_01.sfc & aerscreen_02_01.pfl

Creating met files aerscreen_03_01.sfc & aerscreen_03_01.pfl

Creating met files aerscreen_04_01.sfc & aerscreen_04_01.pfl

Buildings and/or terrain present or rectangular area source, skipping probe

FLOWSECTOR started 04/05/22 14:17:09

Running AERMOD

Processing Winter

Processing surface roughness sector 1

Processing wind flow sector 1

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 0

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 2

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 5

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 3

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 10

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 4

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 15

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 5

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 20

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 6

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 25

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 7

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Winter sector 30

***** WARNING MESSAGES *****

*** NONE ***

Running AERMOD

Processing Spring

Processing surface roughness sector 1

Processing wind flow sector 1

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 0

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 2

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 5

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 3

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 10

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 4

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 15

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 5

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 20

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 6

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 25

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 7

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Spring sector 30

***** WARNING MESSAGES *****

*** NONE ***

Running AERMOD

Processing Summer

Processing surface roughness sector 1

Processing wind flow sector 1

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 0

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 2

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 5

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 3

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 10

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 4

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 15

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 5

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 20

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 6

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 25

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 7

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Summer sector 30

***** WARNING MESSAGES *****

*** NONE ***

Running AERMOD

Processing Autumn

Processing surface roughness sector 1

Processing wind flow sector 1

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 0

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 2

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 5

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 3

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 10

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 4

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 15

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 5

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 20

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 6

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 25

***** WARNING MESSAGES *****

*** NONE ***

Processing wind flow sector 7

AERMOD Finishes Successfully for FLOWSECTOR stage 2 Autumn sector 30

***** WARNING MESSAGES *****

*** NONE ***

FLOWSECTOR ended 04/05/22 14:17:35

REFINE started 04/05/22 14:17:35

AERMOD Finishes Successfully for REFINE stage 3 Winter sector 0

***** WARNING MESSAGES *****

*** NONE ***

REFINE ended 04/05/22 14:17:38

AERSCREEN Finished Successfully

With no errors or warnings

Check log file for details

Ending date and time 04/05/22 14:17:42

Concentration	Distance	Elevation	Diag	Season/Month	Zo sector	Date	H0	U*	W*	DT/DZ	ZICNV
ZIMCH M-O LEN	Z0 BOWEN	ALBEDO	REF WS	HT REF TA	HT						
0.43086E+01	1.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.46115E+01	25.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.48819E+01	50.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.51158E+01	75.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.53227E+01	100.00	0.00	5.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.55077E+01	125.00	0.00	5.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
* 0.55963E+01	138.00	0.00	5.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.54858E+01	150.00	0.00	25.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.38503E+01	175.00	0.00	20.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.30662E+01	200.00	0.00	20.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.26258E+01	225.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.23036E+01	250.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.20438E+01	275.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.18305E+01	300.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.16530E+01	325.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.15028E+01	350.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.13755E+01	375.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.12646E+01	400.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.11687E+01	425.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.10844E+01	450.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.10110E+01	475.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.94473E+00	500.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.88594E+00	525.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.83352E+00	550.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.78575E+00	575.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0
1.000 1.50 0.35	0.50	10.0	310.0	2.0							
0.74284E+00	600.00	0.00	0.0	Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999. 21. 6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.70412E+00			625.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.66845E+00			650.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.63549E+00			675.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.60539E+00			700.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.57780E+00			725.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.55243E+00			750.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.52902E+00			775.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.50710E+00			800.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.48667E+00			825.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.46757E+00			850.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.44971E+00			875.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.43304E+00			900.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.41745E+00			925.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.40284E+00			950.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.38914E+00			975.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.37619E+00			1000.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.36388E+00			1025.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.35226E+00			1050.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.34129E+00			1075.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.33092E+00			1100.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.32109E+00			1125.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.31177E+00			1150.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.30293E+00			1175.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.29445E+00			1200.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.28638E+00			1225.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.27869E+00			1250.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.27137E+00			1275.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.26437E+00			1300.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.25769E+00			1325.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.25126E+00			1350.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.24507E+00			1375.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.23915E+00			1400.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.23348E+00			1425.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.22803E+00			1450.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.22281E+00			1475.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.21781E+00			1500.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.21300E+00			1525.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.20836E+00			1550.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.20388E+00			1575.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.19958E+00			1600.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.19545E+00			1625.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.19146E+00			1650.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.18761E+00			1675.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.18389E+00			1700.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.18031E+00			1725.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.17684E+00			1750.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.17349E+00			1775.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.17025E+00			1800.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.16711E+00			1825.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.16406E+00			1850.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.16110E+00			1875.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.15824E+00			1900.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.15546E+00			1925.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.15277E+00			1950.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.15016E+00			1975.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.14761E+00			2000.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.14513E+00			2025.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.14273E+00			2050.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.14039E+00			2075.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.13812E+00			2100.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.13592E+00			2125.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.13377E+00			2150.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.13168E+00			2175.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.12965E+00			2200.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.12768E+00			2225.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.12576E+00			2250.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.12388E+00			2275.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.12206E+00			2300.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.12028E+00			2325.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.11854E+00			2350.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.11685E+00			2375.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.11520E+00			2400.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.11359E+00			2425.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.11202E+00			2450.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.11049E+00			2475.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10899E+00			2500.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10753E+00			2525.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10709E+00			2550.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10567E+00			2575.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10428E+00			2600.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.10292E+00			2625.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.10159E+00			2650.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.10029E+00			2675.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.99026E-01			2700.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.97784E-01			2725.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.96569E-01			2750.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.95380E-01			2775.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.94216E-01			2800.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.93077E-01			2825.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.91961E-01			2850.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.90868E-01			2875.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.89797E-01			2900.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.88748E-01			2925.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.87720E-01			2950.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.86713E-01			2975.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.85725E-01			3000.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.84757E-01			3025.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.83808E-01			3050.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.82876E-01			3075.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.81963E-01			3100.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.81067E-01			3125.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.80187E-01			3150.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.79324E-01			3175.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.78478E-01			3200.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.77646E-01			3225.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.76830E-01			3250.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.76028E-01			3275.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.75241E-01			3300.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.74468E-01			3325.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.73708E-01			3350.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.72962E-01			3375.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.72229E-01			3400.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.71508E-01			3425.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.70800E-01			3450.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.70104E-01			3475.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.69420E-01			3500.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.68747E-01			3525.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.68085E-01			3550.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.67435E-01			3575.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.66795E-01			3600.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.66165E-01			3625.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.65546E-01			3650.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.64936E-01			3675.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.64337E-01			3700.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.63747E-01			3725.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.63166E-01			3750.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.62594E-01			3775.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.62031E-01			3800.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.61477E-01			3825.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.60932E-01			3849.99	0.00	15.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.60395E-01			3875.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.59866E-01			3900.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.59344E-01			3925.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.58831E-01			3950.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0										
0.58325E-01			3975.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21.	6.0

1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.57827E-01			4000.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.57336E-01			4025.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.56853E-01			4050.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.56376E-01			4075.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.55906E-01			4100.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.55443E-01			4125.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.54987E-01			4149.99	0.00	20.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.54537E-01			4175.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.54093E-01			4200.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.53656E-01			4225.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.53225E-01			4250.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.52799E-01			4275.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.52380E-01			4300.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.51966E-01			4325.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.51558E-01			4350.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.51155E-01			4375.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.50758E-01			4400.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.50366E-01			4425.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.49979E-01			4450.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.49598E-01			4475.00	0.00	10.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.49221E-01			4500.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.48850E-01			4525.00	0.00	5.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.48483E-01			4550.00	0.00	15.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.48121E-01			4575.00	0.00	20.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.47763E-01			4600.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.47410E-01			4625.00	0.00	0.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0
1.000	1.50	0.35	0.50	10.0	310.0	2.0									
0.47062E-01			4650.00	0.00	20.0		Winter	0-360	10011001	-1.30	0.043	-9.000	0.020	-999.	21. 6.0



Technical Consultation, Data Analysis and
Litigation Support for the Environment

2656 29th Street, Suite 201
Santa Monica, CA 90405

Matt Hagemann, P.G., C.Hg.
(949) 887-9013
mhagemann@swape.com

Matthew F. Hagemann, P.G., C.Hg., QSD, QSP

**Geologic and Hydrogeologic Characterization
Investigation and Remediation Strategies
Litigation Support and Testifying Expert
Industrial Stormwater Compliance
CEQA Review**

Education:

M.S. Degree, Geology, California State University Los Angeles, Los Angeles, CA, 1984.

B.A. Degree, Geology, Humboldt State University, Arcata, CA, 1982.

Professional Certifications:

California Professional Geologist

California Certified Hydrogeologist

Qualified SWPPP Developer and Practitioner

Professional Experience:

Matt has 30 years of experience in environmental policy, contaminant assessment and remediation, stormwater compliance, and CEQA review. He spent nine years with the U.S. EPA in the RCRA and Superfund programs and served as EPA's Senior Science Policy Advisor in the Western Regional Office where he identified emerging threats to groundwater from perchlorate and MTBE. While with EPA, Matt also served as a Senior Hydrogeologist in the oversight of the assessment of seven major military facilities undergoing base closure. He led numerous enforcement actions under provisions of the Resource Conservation and Recovery Act (RCRA) and directed efforts to improve hydrogeologic characterization and water quality monitoring. For the past 15 years, as a founding partner with SWAPE, Matt has developed extensive client relationships and has managed complex projects that include consultation as an expert witness and a regulatory specialist, and a manager of projects ranging from industrial stormwater compliance to CEQA review of impacts from hazardous waste, air quality and greenhouse gas emissions.

Positions Matt has held include:

- Founding Partner, Soil/Water/Air Protection Enterprise (SWAPE) (2003 – present);
- Geology Instructor, Golden West College, 2010 – 2014, 2017;
- Senior Environmental Analyst, Komex H₂O Science, Inc. (2000 -- 2003);

- Executive Director, Orange Coast Watch (2001 – 2004);
- Senior Science Policy Advisor and Hydrogeologist, U.S. Environmental Protection Agency (1989–1998);
- Hydrogeologist, National Park Service, Water Resources Division (1998 – 2000);
- Adjunct Faculty Member, San Francisco State University, Department of Geosciences (1993 – 1998);
- Instructor, College of Marin, Department of Science (1990 – 1995);
- Geologist, U.S. Forest Service (1986 – 1998); and
- Geologist, Dames & Moore (1984 – 1986).

Senior Regulatory and Litigation Support Analyst:

With SWAPE, Matt’s responsibilities have included:

- Lead analyst and testifying expert in the review of over 300 environmental impact reports and negative declarations since 2003 under CEQA that identify significant issues with regard to hazardous waste, water resources, water quality, air quality, greenhouse gas emissions, and geologic hazards. Make recommendations for additional mitigation measures to lead agencies at the local and county level to include additional characterization of health risks and implementation of protective measures to reduce worker exposure to hazards from toxins and Valley Fever.
- Stormwater analysis, sampling and best management practice evaluation at more than 100 industrial facilities.
- Expert witness on numerous cases including, for example, perfluorooctanoic acid (PFOA) contamination of groundwater, MTBE litigation, air toxins at hazards at a school, CERCLA compliance in assessment and remediation, and industrial stormwater contamination.
- Technical assistance and litigation support for vapor intrusion concerns.
- Lead analyst and testifying expert in the review of environmental issues in license applications for large solar power plants before the California Energy Commission.
- Manager of a project to evaluate numerous formerly used military sites in the western U.S.
- Manager of a comprehensive evaluation of potential sources of perchlorate contamination in Southern California drinking water wells.
- Manager and designated expert for litigation support under provisions of Proposition 65 in the review of releases of gasoline to sources drinking water at major refineries and hundreds of gas stations throughout California.

With Komex H2O Science Inc., Matt’s duties included the following:

- Senior author of a report on the extent of perchlorate contamination that was used in testimony by the former U.S. EPA Administrator and General Counsel.
- Senior researcher in the development of a comprehensive, electronically interactive chronology of MTBE use, research, and regulation.
- Senior researcher in the development of a comprehensive, electronically interactive chronology of perchlorate use, research, and regulation.
- Senior researcher in a study that estimates nationwide costs for MTBE remediation and drinking water treatment, results of which were published in newspapers nationwide and in testimony against provisions of an energy bill that would limit liability for oil companies.
- Research to support litigation to restore drinking water supplies that have been contaminated by MTBE in California and New York.

- Expert witness testimony in a case of oil production-related contamination in Mississippi.
- Lead author for a multi-volume remedial investigation report for an operating school in Los Angeles that met strict regulatory requirements and rigorous deadlines.
- Development of strategic approaches for cleanup of contaminated sites in consultation with clients and regulators.

Executive Director:

As Executive Director with Orange Coast Watch, Matt led efforts to restore water quality at Orange County beaches from multiple sources of contamination including urban runoff and the discharge of wastewater. In reporting to a Board of Directors that included representatives from leading Orange County universities and businesses, Matt prepared issue papers in the areas of treatment and disinfection of wastewater and control of the discharge of grease to sewer systems. Matt actively participated in the development of countywide water quality permits for the control of urban runoff and permits for the discharge of wastewater. Matt worked with other nonprofits to protect and restore water quality, including Surfrider, Natural Resources Defense Council and Orange County CoastKeeper as well as with business institutions including the Orange County Business Council.

Hydrogeology:

As a Senior Hydrogeologist with the U.S. Environmental Protection Agency, Matt led investigations to characterize and cleanup closing military bases, including Mare Island Naval Shipyard, Hunters Point Naval Shipyard, Treasure Island Naval Station, Alameda Naval Station, Moffett Field, Mather Army Airfield, and Sacramento Army Depot. Specific activities were as follows:

- Led efforts to model groundwater flow and contaminant transport, ensured adequacy of monitoring networks, and assessed cleanup alternatives for contaminated sediment, soil, and groundwater.
- Initiated a regional program for evaluation of groundwater sampling practices and laboratory analysis at military bases.
- Identified emerging issues, wrote technical guidance, and assisted in policy and regulation development through work on four national U.S. EPA workgroups, including the Superfund Groundwater Technical Forum and the Federal Facilities Forum.

At the request of the State of Hawaii, Matt developed a methodology to determine the vulnerability of groundwater to contamination on the islands of Maui and Oahu. He used analytical models and a GIS to show zones of vulnerability, and the results were adopted and published by the State of Hawaii and County of Maui.

As a hydrogeologist with the EPA Groundwater Protection Section, Matt worked with provisions of the Safe Drinking Water Act and NEPA to prevent drinking water contamination. Specific activities included the following:

- Received an EPA Bronze Medal for his contribution to the development of national guidance for the protection of drinking water.
- Managed the Sole Source Aquifer Program and protected the drinking water of two communities through designation under the Safe Drinking Water Act. He prepared geologic reports, conducted

public hearings, and responded to public comments from residents who were very concerned about the impact of designation.

- Reviewed a number of Environmental Impact Statements for planned major developments, including large hazardous and solid waste disposal facilities, mine reclamation, and water transfer.

Matt served as a hydrogeologist with the RCRA Hazardous Waste program. Duties were as follows:

- Supervised the hydrogeologic investigation of hazardous waste sites to determine compliance with Subtitle C requirements.
- Reviewed and wrote "part B" permits for the disposal of hazardous waste.
- Conducted RCRA Corrective Action investigations of waste sites and led inspections that formed the basis for significant enforcement actions that were developed in close coordination with U.S. EPA legal counsel.
- Wrote contract specifications and supervised contractor's investigations of waste sites.

With the National Park Service, Matt directed service-wide investigations of contaminant sources to prevent degradation of water quality, including the following tasks:

- Applied pertinent laws and regulations including CERCLA, RCRA, NEPA, NRDA, and the Clean Water Act to control military, mining, and landfill contaminants.
- Conducted watershed-scale investigations of contaminants at parks, including Yellowstone and Olympic National Park.
- Identified high-levels of perchlorate in soil adjacent to a national park in New Mexico and advised park superintendent on appropriate response actions under CERCLA.
- Served as a Park Service representative on the Interagency Perchlorate Steering Committee, a national workgroup.
- Developed a program to conduct environmental compliance audits of all National Parks while serving on a national workgroup.
- Co-authored two papers on the potential for water contamination from the operation of personal watercraft and snowmobiles, these papers serving as the basis for the development of nation-wide policy on the use of these vehicles in National Parks.
- Contributed to the Federal Multi-Agency Source Water Agreement under the Clean Water Action Plan.

Policy:

Served senior management as the Senior Science Policy Advisor with the U.S. Environmental Protection Agency, Region 9.

Activities included the following:

- Advised the Regional Administrator and senior management on emerging issues such as the potential for the gasoline additive MTBE and ammonium perchlorate to contaminate drinking water supplies.
- Shaped EPA's national response to these threats by serving on workgroups and by contributing to guidance, including the Office of Research and Development publication, *Oxygenates in Water: Critical Information and Research Needs*.
- Improved the technical training of EPA's scientific and engineering staff.
- Earned an EPA Bronze Medal for representing the region's 300 scientists and engineers in negotiations with the Administrator and senior management to better integrate scientific

principles into the policy-making process.

- Established national protocol for the peer review of scientific documents.

Geology:

With the U.S. Forest Service, Matt led investigations to determine hillslope stability of areas proposed for timber harvest in the central Oregon Coast Range. Specific activities were as follows:

- Mapped geology in the field, and used aerial photographic interpretation and mathematical models to determine slope stability.
- Coordinated his research with community members who were concerned with natural resource protection.
- Characterized the geology of an aquifer that serves as the sole source of drinking water for the city of Medford, Oregon.

As a consultant with Dames and Moore, Matt led geologic investigations of two contaminated sites (later listed on the Superfund NPL) in the Portland, Oregon, area and a large hazardous waste site in eastern Oregon. Duties included the following:

- Supervised year-long effort for soil and groundwater sampling.
- Conducted aquifer tests.
- Investigated active faults beneath sites proposed for hazardous waste disposal.

Teaching:

From 1990 to 1998, Matt taught at least one course per semester at the community college and university levels:

- At San Francisco State University, held an adjunct faculty position and taught courses in environmental geology, oceanography (lab and lecture), hydrogeology, and groundwater contamination.
- Served as a committee member for graduate and undergraduate students.
- Taught courses in environmental geology and oceanography at the College of Marin.

Matt is currently a part time geology instructor at Golden West College in Huntington Beach, California where he taught from 2010 to 2014 and in 2017.

Invited Testimony, Reports, Papers and Presentations:

Hagemann, M.F., 2008. Disclosure of Hazardous Waste Issues under CEQA. Presentation to the Public Environmental Law Conference, Eugene, Oregon.

Hagemann, M.F., 2008. Disclosure of Hazardous Waste Issues under CEQA. Invited presentation to U.S. EPA Region 9, San Francisco, California.

Hagemann, M.F., 2005. Use of Electronic Databases in Environmental Regulation, Policy Making and Public Participation. Brownfields 2005, Denver, Colorado.

Hagemann, M.F., 2004. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in Nevada and the Southwestern U.S. Presentation to a meeting of the American Groundwater Trust, Las Vegas, NV (served on conference organizing committee).

Hagemann, M.F., 2004. Invited testimony to a California Senate committee hearing on air toxins at schools in Southern California, Los Angeles.

Brown, A., Farrow, J., Gray, A. and **Hagemann, M.**, 2004. An Estimate of Costs to Address MTBE Releases from Underground Storage Tanks and the Resulting Impact to Drinking Water Wells. Presentation to the Ground Water and Environmental Law Conference, National Groundwater Association.

Hagemann, M.F., 2004. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in Arizona and the Southwestern U.S. Presentation to a meeting of the American Groundwater Trust, Phoenix, AZ (served on conference organizing committee).

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in the Southwestern U.S. Invited presentation to a special committee meeting of the National Academy of Sciences, Irvine, CA.

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River. Invited presentation to a tribal EPA meeting, Pechanga, CA.

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River. Invited presentation to a meeting of tribal representatives, Parker, AZ.

Hagemann, M.F., 2003. Impact of Perchlorate on the Colorado River and Associated Drinking Water Supplies. Invited presentation to the Inter-Tribal Meeting, Torres Martinez Tribe.

Hagemann, M.F., 2003. The Emergence of Perchlorate as a Widespread Drinking Water Contaminant. Invited presentation to the U.S. EPA Region 9.

Hagemann, M.F., 2003. A Deductive Approach to the Assessment of Perchlorate Contamination. Invited presentation to the California Assembly Natural Resources Committee.

Hagemann, M.F., 2003. Perchlorate: A Cold War Legacy in Drinking Water. Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. From Tank to Tap: A Chronology of MTBE in Groundwater. Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. A Chronology of MTBE in Groundwater and an Estimate of Costs to Address Impacts to Groundwater. Presentation to the annual meeting of the Society of Environmental Journalists.

Hagemann, M.F., 2002. An Estimate of the Cost to Address MTBE Contamination in Groundwater (and Who Will Pay). Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. An Estimate of Costs to Address MTBE Releases from Underground Storage Tanks and the Resulting Impact to Drinking Water Wells. Presentation to a meeting of the U.S. EPA and State Underground Storage Tank Program managers.

Hagemann, M.F., 2001. From Tank to Tap: A Chronology of MTBE in Groundwater. Unpublished report.

Hagemann, M.F., 2001. Estimated Cleanup Cost for MTBE in Groundwater Used as Drinking Water. Unpublished report.

Hagemann, M.F., 2001. Estimated Costs to Address MTBE Releases from Leaking Underground Storage Tanks. Unpublished report.

Hagemann, M.F., and VanMouwerik, M., 1999. Potential Water Quality Concerns Related to Snowmobile Usage. Water Resources Division, National Park Service, Technical Report.

VanMouwerik, M. and **Hagemann, M.F.** 1999, Water Quality Concerns Related to Personal Watercraft Usage. Water Resources Division, National Park Service, Technical Report.

Hagemann, M.F., 1999, Is Dilution the Solution to Pollution in National Parks? The George Wright Society Biannual Meeting, Asheville, North Carolina.

Hagemann, M.F., 1997, The Potential for MTBE to Contaminate Groundwater. U.S. EPA Superfund Groundwater Technical Forum Annual Meeting, Las Vegas, Nevada.

Hagemann, M.F., and Gill, M., 1996, Impediments to Intrinsic Remediation, Moffett Field Naval Air Station, Conference on Intrinsic Remediation of Chlorinated Hydrocarbons, Salt Lake City.

Hagemann, M.F., Fukunaga, G.L., 1996, The Vulnerability of Groundwater to Anthropogenic Contaminants on the Island of Maui, Hawaii. Hawaii Water Works Association Annual Meeting, Maui, October 1996.

Hagemann, M. F., Fukunaga, G. L., 1996, Ranking Groundwater Vulnerability in Central Oahu, Hawaii. Proceedings, Geographic Information Systems in Environmental Resources Management, Air and Waste Management Association Publication VIP-61.

Hagemann, M.F., 1994. Groundwater Characterization and Cleanup at Closing Military Bases in California. Proceedings, California Groundwater Resources Association Meeting.

Hagemann, M.F. and Sabol, M.A., 1993. Role of the U.S. EPA in the High Plains States Groundwater Recharge Demonstration Program. Proceedings, Sixth Biennial Symposium on the Artificial Recharge of Groundwater.

Hagemann, M.F., 1993. U.S. EPA Policy on the Technical Impracticability of the Cleanup of DNAPL-contaminated Groundwater. California Groundwater Resources Association Meeting.

Hagemann, M.F., 1992. Dense Nonaqueous Phase Liquid Contamination of Groundwater: An Ounce of Prevention... Proceedings, Association of Engineering Geologists Annual Meeting, v. 35.

Other Experience:

Selected as subject matter expert for the California Professional Geologist licensing examinations, 2009-2011.



Technical Consultation, Data Analysis and
Litigation Support for the Environment

SOIL WATER AIR PROTECTION ENTERPRISE

2656 29th Street, Suite 201
Santa Monica, California 90405
Attn: Paul Rosenfeld, Ph.D.
Mobil: (310) 795-2335
Office: (310) 452-5555
Fax: (310) 452-5550

Email: prosenfeld@swape.com

Paul Rosenfeld, Ph.D.

Principal Environmental Chemist

Chemical Fate and Transport & Air Dispersion Modeling

Risk Assessment & Remediation Specialist

Education

Ph.D. Soil Chemistry, University of Washington, 1999. Dissertation on volatile organic compound filtration.

M.S. Environmental Science, U.C. Berkeley, 1995. Thesis on organic waste economics.

B.A. Environmental Studies, U.C. Santa Barbara, 1991. Thesis on wastewater treatment.

Professional Experience

Dr. Rosenfeld has over 25 years' experience conducting environmental investigations and risk assessments for evaluating impacts to human health, property, and ecological receptors. His expertise focuses on the fate and transport of environmental contaminants, human health risk, exposure assessment, and ecological restoration. Dr. Rosenfeld has evaluated and modeled emissions from oil spills, landfills, boilers and incinerators, process stacks, storage tanks, confined animal feeding operations, industrial, military and agricultural sources, unconventional oil drilling operations, and locomotive and construction engines. His project experience ranges from monitoring and modeling of pollution sources to evaluating impacts of pollution on workers at industrial facilities and residents in surrounding communities. Dr. Rosenfeld has also successfully modeled exposure to contaminants distributed by water systems and via vapor intrusion.

Dr. Rosenfeld has investigated and designed remediation programs and risk assessments for contaminated sites containing lead, heavy metals, mold, bacteria, particulate matter, petroleum hydrocarbons, chlorinated solvents, pesticides, radioactive waste, dioxins and furans, semi- and volatile organic compounds, PCBs, PAHs, creosote, perchlorate, asbestos, per- and poly-fluoroalkyl substances (PFOA/PFOS), unusual polymers, fuel oxygenates (MTBE), among other pollutants. Dr. Rosenfeld also has experience evaluating greenhouse gas emissions from various projects and is an expert on the assessment of odors from industrial and agricultural sites, as well as the evaluation of odor nuisance impacts and technologies for abatement of odorous emissions. As a principal scientist at SWAPE, Dr. Rosenfeld directs air dispersion modeling and exposure assessments. He has served as an expert witness and testified about pollution sources causing nuisance and/or personal injury at sites and has testified as an expert witness on numerous cases involving exposure to soil, water and air contaminants from industrial, railroad, agricultural, and military sources.

Professional History:

Soil Water Air Protection Enterprise (SWAPE); 2003 to present; Principal and Founding Partner
UCLA School of Public Health; 2007 to 2011; Lecturer (Assistant Researcher)
UCLA School of Public Health; 2003 to 2006; Adjunct Professor
UCLA Environmental Science and Engineering Program; 2002-2004; Doctoral Intern Coordinator
UCLA Institute of the Environment, 2001-2002; Research Associate
Komex H₂O Science, 2001 to 2003; Senior Remediation Scientist
National Groundwater Association, 2002-2004; Lecturer
San Diego State University, 1999-2001; Adjunct Professor
Anteon Corp., San Diego, 2000-2001; Remediation Project Manager
Ogden (now Amec), San Diego, 2000-2000; Remediation Project Manager
Bechtel, San Diego, California, 1999 – 2000; Risk Assessor
King County, Seattle, 1996 – 1999; Scientist
James River Corp., Washington, 1995-96; Scientist
Big Creek Lumber, Davenport, California, 1995; Scientist
Plumas Corp., California and USFS, Tahoe 1993-1995; Scientist
Peace Corps and World Wildlife Fund, St. Kitts, West Indies, 1991-1993; Scientist

Publications:

Remy, L.L., Clay T., Byers, V., **Rosenfeld P. E.** (2019) Hospital, Health, and Community Burden After Oil Refinery Fires, Richmond, California 2007 and 2012. *Environmental Health*. 18:48

Simons, R.A., Seo, Y. **Rosenfeld, P.**, (2015) Modeling the Effect of Refinery Emission On Residential Property Value. *Journal of Real Estate Research*. 27(3):321-342

Chen, J. A, Zapata A. R., Sutherland A. J., Molmen, D.R., Chow, B. S., Wu, L. E., **Rosenfeld, P. E.**, Hesse, R. C., (2012) Sulfur Dioxide and Volatile Organic Compound Exposure To A Community In Texas City Texas Evaluated Using Aermid and Empirical Data. *American Journal of Environmental Science*, 8(6), 622-632.

Rosenfeld, P.E. & Feng, L. (2011). *The Risks of Hazardous Waste*. Amsterdam: Elsevier Publishing.

Cheremisinoff, N.P., & **Rosenfeld, P.E.** (2011). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Agrochemical Industry*, Amsterdam: Elsevier Publishing.

Gonzalez, J., Feng, L., Sutherland, A., Waller, C., Sok, H., Hesse, R., **Rosenfeld, P.** (2010). PCBs and Dioxins/Furans in Attic Dust Collected Near Former PCB Production and Secondary Copper Facilities in Sauget, IL. *Procedia Environmental Sciences*. 113–125.

Feng, L., Wu, C., Tam, L., Sutherland, A.J., Clark, J.J., **Rosenfeld, P.E.** (2010). Dioxin and Furan Blood Lipid and Attic Dust Concentrations in Populations Living Near Four Wood Treatment Facilities in the United States. *Journal of Environmental Health*. 73(6), 34-46.

Cheremisinoff, N.P., & **Rosenfeld, P.E.** (2010). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Wood and Paper Industries*. Amsterdam: Elsevier Publishing.

Cheremisinoff, N.P., & **Rosenfeld, P.E.** (2009). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Petroleum Industry*. Amsterdam: Elsevier Publishing.

Wu, C., Tam, L., Clark, J., **Rosenfeld, P.** (2009). Dioxin and furan blood lipid concentrations in populations living near four wood treatment facilities in the United States. *WIT Transactions on Ecology and the Environment, Air Pollution*, 123 (17), 319-327.

Tam L. K., Wu C. D., Clark J. J. and **Rosenfeld, P.E.** (2008). A Statistical Analysis Of Attic Dust And Blood Lipid Concentrations Of Tetrachloro-p-Dibenzodioxin (TCDD) Toxicity Equivalency Quotients (TEQ) In Two Populations Near Wood Treatment Facilities. *Organohalogen Compounds*, 70, 002252-002255.

Tam L. K., Wu C. D., Clark J. J. and **Rosenfeld, P.E.** (2008). Methods For Collect Samples For Assessing Dioxins And Other Environmental Contaminants In Attic Dust: A Review. *Organohalogen Compounds*, 70, 000527-000530.

Hensley, A.R. A. Scott, J. J. J. Clark, **Rosenfeld, P.E.** (2007). Attic Dust and Human Blood Samples Collected near a Former Wood Treatment Facility. *Environmental Research*. 105, 194-197.

Rosenfeld, P.E., J. J. J. Clark, A. R. Hensley, M. Suffet. (2007). The Use of an Odor Wheel Classification for Evaluation of Human Health Risk Criteria for Compost Facilities. *Water Science & Technology* 55(5), 345-357.

Rosenfeld, P. E., M. Suffet. (2007). The Anatomy Of Odour Wheels For Odours Of Drinking Water, Wastewater, Compost And The Urban Environment. *Water Science & Technology* 55(5), 335-344.

Sullivan, P. J. Clark, J.J.J., Agardy, F. J., **Rosenfeld, P.E.** (2007). *Toxic Legacy, Synthetic Toxins in the Food, Water, and Air in American Cities*. Boston Massachusetts: Elsevier Publishing

Rosenfeld, P.E., and Suffet I.H. (2004). Control of Compost Odor Using High Carbon Wood Ash. *Water Science and Technology*. 49(9),171-178.

Rosenfeld P. E., J.J. Clark, I.H. (Mel) Suffet (2004). The Value of An Odor-Quality-Wheel Classification Scheme For The Urban Environment. *Water Environment Federation's Technical Exhibition and Conference (WEFTEC) 2004*. New Orleans, October 2-6, 2004.

Rosenfeld, P.E., and Suffet, I.H. (2004). Understanding Odorants Associated With Compost, Biomass Facilities, and the Land Application of Biosolids. *Water Science and Technology*. 49(9), 193-199.

Rosenfeld, P.E., and Suffet I.H. (2004). Control of Compost Odor Using High Carbon Wood Ash, *Water Science and Technology*, 49(9), 171-178.

Rosenfeld, P. E., Grey, M. A., Sellev, P. (2004). Measurement of Biosolids Odor and Odorant Emissions from Windrows, Static Pile and Biofilter. *Water Environment Research*. 76(4), 310-315.

Rosenfeld, P.E., Grey, M and Suffet, M. (2002). Compost Demonstration Project, Sacramento California Using High-Carbon Wood Ash to Control Odor at a Green Materials Composting Facility. *Integrated Waste Management Board Public Affairs Office*, Publications Clearinghouse (MS-6), Sacramento, CA Publication #442-02-008.

Rosenfeld, P.E., and C.L. Henry. (2001). Characterization of odor emissions from three different biosolids. *Water Soil and Air Pollution*. 127(1-4), 173-191.

Rosenfeld, P.E., and Henry C. L., (2000). Wood ash control of odor emissions from biosolids application. *Journal of Environmental Quality*. 29, 1662-1668.

Rosenfeld, P.E., C.L. Henry and D. Bennett. (2001). Wastewater dewatering polymer affect on biosolids odor emissions and microbial activity. *Water Environment Research*. 73(4), 363-367.

Rosenfeld, P.E., and C.L. Henry. (2001). Activated Carbon and Wood Ash Sorption of Wastewater, Compost, and Biosolids Odorants. *Water Environment Research*, 73, 388-393.

Rosenfeld, P.E., and Henry C. L., (2001). High carbon wood ash effect on biosolids microbial activity and odor. *Water Environment Research*. 131(1-4), 247-262.

Chollack, T. and **P. Rosenfeld**. (1998). Compost Amendment Handbook For Landscaping. Prepared for and distributed by the City of Redmond, Washington State.

Rosenfeld, P. E. (1992). The Mount Liamuiga Crater Trail. *Heritage Magazine of St. Kitts*, 3(2).

Rosenfeld, P. E. (1993). High School Biogas Project to Prevent Deforestation On St. Kitts. *Biomass Users Network*, 7(1).

Rosenfeld, P. E. (1998). Characterization, Quantification, and Control of Odor Emissions From Biosolids Application To Forest Soil. Doctoral Thesis. University of Washington College of Forest Resources.

Rosenfeld, P. E. (1994). Potential Utilization of Small Diameter Trees on Sierra County Public Land. Masters thesis reprinted by the Sierra County Economic Council. Sierra County, California.

Rosenfeld, P. E. (1991). How to Build a Small Rural Anaerobic Digester & Uses Of Biogas In The First And Third World. Bachelors Thesis. University of California.

Presentations:

Rosenfeld, P.E., "The science for Perfluorinated Chemicals (PFAS): What makes remediation so hard?" Law Seminars International, (May 9-10, 2018) 800 Fifth Avenue, Suite 101 Seattle, WA.

Rosenfeld, P.E., Sutherland, A; Hesse, R.; Zapata, A. (October 3-6, 2013). Air dispersion modeling of volatile organic emissions from multiple natural gas wells in Decatur, TX. *44th Western Regional Meeting, American Chemical Society*. Lecture conducted from Santa Clara, CA.

Sok, H.L.; Waller, C.C.; Feng, L.; Gonzalez, J.; Sutherland, A.J.; Wisdom-Stack, T.; Sahai, R.K.; Hesse, R.C.; **Rosenfeld, P.E.** (June 20-23, 2010). Atrazine: A Persistent Pesticide in Urban Drinking Water. *Urban Environmental Pollution*. Lecture conducted from Boston, MA.

Feng, L.; Gonzalez, J.; Sok, H.L.; Sutherland, A.J.; Waller, C.C.; Wisdom-Stack, T.; Sahai, R.K.; La, M.; Hesse, R.C.; **Rosenfeld, P.E.** (June 20-23, 2010). Bringing Environmental Justice to East St. Louis, Illinois. *Urban Environmental Pollution*. Lecture conducted from Boston, MA.

Rosenfeld, P.E. (April 19-23, 2009). Perfluorooctanoic Acid (PFOA) and Perfluorooctane Sulfonate (PFOS) Contamination in Drinking Water From the Use of Aqueous Film Forming Foams (AFFF) at Airports in the United States. *2009 Ground Water Summit and 2009 Ground Water Protection Council Spring Meeting*, Lecture conducted from Tuscon, AZ.

Rosenfeld, P.E. (April 19-23, 2009). Cost to Filter Atrazine Contamination from Drinking Water in the United States” Contamination in Drinking Water From the Use of Aqueous Film Forming Foams (AFFF) at Airports in the United States. *2009 Ground Water Summit and 2009 Ground Water Protection Council Spring Meeting*. Lecture conducted from Tuscon, AZ.

Wu, C., Tam, L., Clark, J., **Rosenfeld, P.** (20-22 July, 2009). Dioxin and furan blood lipid concentrations in populations living near four wood treatment facilities in the United States. Brebbia, C.A. and Popov, V., eds., *Air Pollution XVII: Proceedings of the Seventeenth International Conference on Modeling, Monitoring and Management of Air Pollution*. Lecture conducted from Tallinn, Estonia.

Rosenfeld, P. E. (October 15-18, 2007). Moss Point Community Exposure To Contaminants From A Releasing Facility. *The 23rd Annual International Conferences on Soils Sediment and Water*. Platform lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld, P. E. (October 15-18, 2007). The Repeated Trespass of Tritium-Contaminated Water Into A Surrounding Community Form Repeated Waste Spills From A Nuclear Power Plant. *The 23rd Annual International*

Conferences on Soils Sediment and Water. Platform lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld, P. E. (October 15-18, 2007). Somerville Community Exposure To Contaminants From Wood Treatment Facility Emissions. The 23rd *Annual International Conferences on Soils Sediment and Water*. Lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld P. E. (March 2007). Production, Chemical Properties, Toxicology, & Treatment Case Studies of 1,2,3-Trichloropropane (TCP). *The Association for Environmental Health and Sciences (AEHS) Annual Meeting*. Lecture conducted from San Diego, CA.

Rosenfeld P. E. (March 2007). Blood and Attic Sampling for Dioxin/Furan, PAH, and Metal Exposure in Florala, Alabama. *The AEHS Annual Meeting*. Lecture conducted from San Diego, CA.

Hensley A.R., Scott, A., **Rosenfeld P.E.**, Clark, J.J.J. (August 21 – 25, 2006). Dioxin Containing Attic Dust And Human Blood Samples Collected Near A Former Wood Treatment Facility. *The 26th International Symposium on Halogenated Persistent Organic Pollutants – DIOXIN2006*. Lecture conducted from Radisson SAS Scandinavia Hotel in Oslo Norway.

Hensley A.R., Scott, A., **Rosenfeld P.E.**, Clark, J.J.J. (November 4-8, 2006). Dioxin Containing Attic Dust And Human Blood Samples Collected Near A Former Wood Treatment Facility. *APHA 134 Annual Meeting & Exposition*. Lecture conducted from Boston Massachusetts.

Paul Rosenfeld Ph.D. (October 24-25, 2005). Fate, Transport and Persistence of PFOA and Related Chemicals. Mealey's C8/PFOA. *Science, Risk & Litigation Conference*. Lecture conducted from The Rittenhouse Hotel, Philadelphia, PA.

Paul Rosenfeld Ph.D. (September 19, 2005). Brominated Flame Retardants in Groundwater: Pathways to Human Ingestion, *Toxicology and Remediation PEMA Emerging Contaminant Conference*. Lecture conducted from Hilton Hotel, Irvine California.

Paul Rosenfeld Ph.D. (September 19, 2005). Fate, Transport, Toxicity, And Persistence of 1,2,3-TCP. *PEMA Emerging Contaminant Conference*. Lecture conducted from Hilton Hotel in Irvine, California.

Paul Rosenfeld Ph.D. (September 26-27, 2005). Fate, Transport and Persistence of PDBEs. *Mealey's Groundwater Conference*. Lecture conducted from Ritz Carlton Hotel, Marina Del Ray, California.

Paul Rosenfeld Ph.D. (June 7-8, 2005). Fate, Transport and Persistence of PFOA and Related Chemicals. *International Society of Environmental Forensics: Focus On Emerging Contaminants*. Lecture conducted from Sheraton Oceanfront Hotel, Virginia Beach, Virginia.

Paul Rosenfeld Ph.D. (July 21-22, 2005). Fate Transport, Persistence and Toxicology of PFOA and Related Perfluorochemicals. *2005 National Groundwater Association Ground Water And Environmental Law Conference*. Lecture conducted from Wyndham Baltimore Inner Harbor, Baltimore Maryland.

Paul Rosenfeld Ph.D. (July 21-22, 2005). Brominated Flame Retardants in Groundwater: Pathways to Human Ingestion, Toxicology and Remediation. *2005 National Groundwater Association Ground Water and Environmental Law Conference*. Lecture conducted from Wyndham Baltimore Inner Harbor, Baltimore Maryland.

Paul Rosenfeld, Ph.D. and James Clark Ph.D. and Rob Hesse R.G. (May 5-6, 2004). Tert-butyl Alcohol Liability and Toxicology, A National Problem and Unquantified Liability. *National Groundwater Association. Environmental Law Conference*. Lecture conducted from Congress Plaza Hotel, Chicago Illinois.

Paul Rosenfeld, Ph.D. (March 2004). Perchlorate Toxicology. *Meeting of the American Groundwater Trust*. Lecture conducted from Phoenix Arizona.

Hagemann, M.F., **Paul Rosenfeld, Ph.D.** and Rob Hesse (2004). Perchlorate Contamination of the Colorado River. *Meeting of tribal representatives*. Lecture conducted from Parker, AZ.

Paul Rosenfeld, Ph.D. (April 7, 2004). A National Damage Assessment Model For PCE and Dry Cleaners. *Drycleaner Symposium. California Ground Water Association*. Lecture conducted from Radison Hotel, Sacramento, California.

Rosenfeld, P. E., Grey, M., (June 2003) Two stage biofilter for biosolids composting odor control. *Seventh International In Situ And On Site Bioremediation Symposium Battelle Conference* Orlando, FL.

Paul Rosenfeld, Ph.D. and James Clark Ph.D. (February 20-21, 2003) Understanding Historical Use, Chemical Properties, Toxicity and Regulatory Guidance of 1,4 Dioxane. *National Groundwater Association. Southwest Focus Conference. Water Supply and Emerging Contaminants..* Lecture conducted from Hyatt Regency Phoenix Arizona.

Paul Rosenfeld, Ph.D. (February 6-7, 2003). Underground Storage Tank Litigation and Remediation. *California CUPA Forum*. Lecture conducted from Marriott Hotel, Anaheim California.

Paul Rosenfeld, Ph.D. (October 23, 2002) Underground Storage Tank Litigation and Remediation. *EPA Underground Storage Tank Roundtable*. Lecture conducted from Sacramento California.

Rosenfeld, P.E. and Suffet, M. (October 7- 10, 2002). Understanding Odor from Compost, *Wastewater and Industrial Processes. Sixth Annual Symposium On Off Flavors in the Aquatic Environment. International Water Association*. Lecture conducted from Barcelona Spain.

Rosenfeld, P.E. and Suffet, M. (October 7- 10, 2002). Using High Carbon Wood Ash to Control Compost Odor. *Sixth Annual Symposium On Off Flavors in the Aquatic Environment. International Water Association*. Lecture conducted from Barcelona Spain.

Rosenfeld, P.E. and Grey, M. A. (September 22-24, 2002). Biocycle Composting For Coastal Sage Restoration. *Northwest Biosolids Management Association*. Lecture conducted from Vancouver Washington..

Rosenfeld, P.E. and Grey, M. A. (November 11-14, 2002). Using High-Carbon Wood Ash to Control Odor at a Green Materials Composting Facility. *Soil Science Society Annual Conference*. Lecture conducted from Indianapolis, Maryland.

Rosenfeld. P.E. (September 16, 2000). Two stage biofilter for biosolids composting odor control. *Water Environment Federation*. Lecture conducted from Anaheim California.

Rosenfeld. P.E. (October 16, 2000). Wood ash and biofilter control of compost odor. *Biofest*. Lecture conducted from Ocean Shores, California.

Rosenfeld, P.E. (2000). Bioremediation Using Organic Soil Amendments. *California Resource Recovery Association*. Lecture conducted from Sacramento California.

Rosenfeld, P.E., C.L. Henry, R. Harrison. (1998). Oat and Grass Seed Germination and Nitrogen and Sulfur Emissions Following Biosolids Incorporation With High-Carbon Wood-Ash. *Water Environment Federation 12th Annual Residuals and Biosolids Management Conference Proceedings*. Lecture conducted from Bellevue Washington.

Rosenfeld, P.E., and C.L. Henry. (1999). An evaluation of ash incorporation with biosolids for odor reduction. *Soil Science Society of America*. Lecture conducted from Salt Lake City Utah.

Rosenfeld, P.E., C.L. Henry, R. Harrison. (1998). Comparison of Microbial Activity and Odor Emissions from Three Different Biosolids Applied to Forest Soil. *Brown and Caldwell*. Lecture conducted from Seattle Washington.

Rosenfeld, P.E., C.L. Henry. (1998). Characterization, Quantification, and Control of Odor Emissions from Biosolids Application To Forest Soil. *Biofest*. Lecture conducted from Lake Chelan, Washington.

Rosenfeld, P.E., C.L. Henry, R. Harrison. (1998). Oat and Grass Seed Germination and Nitrogen and Sulfur Emissions Following Biosolids Incorporation With High-Carbon Wood-Ash. Water Environment Federation 12th Annual Residuals and Biosolids Management Conference Proceedings. Lecture conducted from Bellevue Washington.

Rosenfeld, P.E., C.L. Henry, R. B. Harrison, and R. Dills. (1997). Comparison of Odor Emissions From Three Different Biosolids Applied to Forest Soil. *Soil Science Society of America*. Lecture conducted from Anaheim California.

Teaching Experience:

UCLA Department of Environmental Health (Summer 2003 through 20010) Taught Environmental Health Science 100 to students, including undergrad, medical doctors, public health professionals and nurses. Course focused on the health effects of environmental contaminants.

National Ground Water Association, Successful Remediation Technologies. Custom Course in Sante Fe, New Mexico. May 21, 2002. Focused on fate and transport of fuel contaminants associated with underground storage tanks.

National Ground Water Association; Successful Remediation Technologies Course in Chicago Illinois. April 1, 2002. Focused on fate and transport of contaminants associated with Superfund and RCRA sites.

California Integrated Waste Management Board, April and May, 2001. Alternative Landfill Caps Seminar in San Diego, Ventura, and San Francisco. Focused on both prescriptive and innovative landfill cover design.

UCLA Department of Environmental Engineering, February 5, 2002. Seminar on Successful Remediation Technologies focusing on Groundwater Remediation.

University Of Washington, Soil Science Program, Teaching Assistant for several courses including: Soil Chemistry, Organic Soil Amendments, and Soil Stability.

U.C. Berkeley, Environmental Science Program Teaching Assistant for Environmental Science 10.

Academic Grants Awarded:

California Integrated Waste Management Board. \$41,000 grant awarded to UCLA Institute of the Environment. Goal: To investigate effect of high carbon wood ash on volatile organic emissions from compost. 2001.

Synagro Technologies, Corona California: \$10,000 grant awarded to San Diego State University. Goal: investigate effect of biosolids for restoration and remediation of degraded coastal sage soils. 2000.

King County, Department of Research and Technology, Washington State. \$100,000 grant awarded to University of Washington: Goal: To investigate odor emissions from biosolids application and the effect of polymers and ash on VOC emissions. 1998.

Northwest Biosolids Management Association, Washington State. \$20,000 grant awarded to investigate effect of polymers and ash on VOC emissions from biosolids. 1997.

James River Corporation, Oregon: \$10,000 grant was awarded to investigate the success of genetically engineered Poplar trees with resistance to round-up. 1996.

United State Forest Service, Tahoe National Forest: \$15,000 grant was awarded to investigating fire ecology of the Tahoe National Forest. 1995.

Kellogg Foundation, Washington D.C. \$500 grant was awarded to construct a large anaerobic digester on St. Kitts in West Indies. 1993

Deposition and/or Trial Testimony:

In the Circuit Court Of The Twentieth Judicial Circuit, St Clair County, Illinois
Martha Custer et al., Plaintiff vs. Cerro Flow Products, Inc., Defendants
Case No.: No. 0i9-L-2295
Rosenfeld Deposition, 5-14-2021
Trial, October 8-4-2021

In the Circuit Court of Cook County Illinois
Joseph Rafferty, Plaintiff vs. Consolidated Rail Corporation and National Railroad Passenger Corporation
d/b/a AMTRAK,
Case No.: No. 18-L-6845
Rosenfeld Deposition, 6-28-2021

In the United States District Court For the Northern District of Illinois
Theresa Romcoe, Plaintiff vs. Northeast Illinois Regional Commuter Railroad Corporation d/b/a METRA
Rail, Defendants
Case No.: No. 17-cv-8517
Rosenfeld Deposition, 5-25-2021

In the Superior Court of the State of Arizona In and For the Cuntly of Maricopa
Mary Tryon et al., Plaintiff vs. The City of Pheonix v. Cox Cactus Farm, L.L.C., Utah Shelter Systems, Inc.
Case Number CV20127-094749
Rosenfeld Deposition: 5-7-2021

In the United States District Court for the Eastern District of Texas Beaumont Division
Robinson, Jeremy et al *Plaintiffs*, vs. CNA Insurance Company et al.
Case Number 1:17-cv-000508
Rosenfeld Deposition: 3-25-2021

In the Superior Court of the State of California, County of San Bernardino
Gary Garner, Personal Representative for the Estate of Melvin Garner vs. BNSF Railway Company.
Case No. 1720288
Rosenfeld Deposition 2-23-2021

In the Superior Court of the State of California, County of Los Angeles, Spring Street Courthouse
Benny M Rodriguez vs. Union Pacific Railroad, A Corporation, et al.
Case No. 18STCV01162
Rosenfeld Deposition 12-23-2020

In the Circuit Court of Jackson County, Missouri
Karen Cornwell, *Plaintiff*, vs. Marathon Petroleum, LP, *Defendant*.
Case No.: 1716-CV10006
Rosenfeld Deposition. 8-30-2019

In the United States District Court For The District of New Jersey
Duarte et al, *Plaintiffs*, vs. United States Metals Refining Company et. al. *Defendant*.
Case No.: 2:17-cv-01624-ES-SCM
Rosenfeld Deposition. 6-7-2019

In the United States District Court of Southern District of Texas Galveston Division
M/T Carla Maersk, *Plaintiffs*, vs. Conti 168., Schiffahrts-GMBH & Co. Bulker KG MS “Conti Perdido”
Defendant.
Case No.: 3:15-CV-00106 consolidated with 3:15-CV-00237
Rosenfeld Deposition. 5-9-2019

In The Superior Court of the State of California In And For The County Of Los Angeles – Santa Monica
Carole-Taddeo-Bates et al., vs. Ifran Khan et al., Defendants
Case No.: No. BC615636
Rosenfeld Deposition, 1-26-2019

In The Superior Court of the State of California In And For The County Of Los Angeles – Santa Monica
The San Gabriel Valley Council of Governments et al. vs El Adobe Apts. Inc. et al., Defendants
Case No.: No. BC646857
Rosenfeld Deposition, 10-6-2018; Trial 3-7-19

In United States District Court For The District of Colorado
Bells et al. Plaintiff vs. The 3M Company et al., Defendants
Case No.: 1:16-cv-02531-RBJ
Rosenfeld Deposition, 3-15-2018 and 4-3-2018

In The District Court Of Regan County, Texas, 112th Judicial District
Phillip Bales et al., Plaintiff vs. Dow Agrosiences, LLC, et al., Defendants
Cause No.: 1923
Rosenfeld Deposition, 11-17-2017

In The Superior Court of the State of California In And For The County Of Contra Costa
Simons et al., Plaintiffs vs. Chevron Corporation, et al., Defendants
Cause No C12-01481
Rosenfeld Deposition, 11-20-2017

In The Circuit Court Of The Twentieth Judicial Circuit, St Clair County, Illinois
Martha Custer et al., Plaintiff vs. Cerro Flow Products, Inc., Defendants
Case No.: No. 0i9-L-2295
Rosenfeld Deposition, 8-23-2017

In United States District Court For The Southern District of Mississippi
Guy Manuel vs. The BP Exploration et al., Defendants
Case: No 1:19-cv-00315-RHW
Rosenfeld Deposition, 4-22-2020

In The Superior Court of the State of California, For The County of Los Angeles
Warrn Gilbert and Penny Gilber, Plaintiff vs. BMW of North America LLC
Case No.: LC102019 (c/w BC582154)
Rosenfeld Deposition, 8-16-2017, Trail 8-28-2018

In the Northern District Court of Mississippi, Greenville Division
Brenda J. Cooper, et al., *Plaintiffs*, vs. Meritor Inc., et al., *Defendants*
Case Number: 4:16-cv-52-DMB-JVM
Rosenfeld Deposition: July 2017

In The Superior Court of the State of Washington, County of Snohomish
Michael Davis and Julie Davis et al., Plaintiff vs. Cedar Grove Composting Inc., Defendants
Case No.: No. 13-2-03987-5
Rosenfeld Deposition, February 2017
Trial, March 2017

In The Superior Court of the State of California, County of Alameda
Charles Spain., Plaintiff vs. Thermo Fisher Scientific, et al., Defendants
Case No.: RG14711115
Rosenfeld Deposition, September 2015

In The Iowa District Court In And For Poweshiek County
Russell D. Winburn, et al., Plaintiffs vs. Doug Hoksbergen, et al., Defendants
Case No.: LALA002187
Rosenfeld Deposition, August 2015

In The Circuit Court of Ohio County, West Virginia
Robert Andrews, et al. v. Antero, et al.
Civil Action NO. 14-C-30000
Rosenfeld Deposition, June 2015

In The Iowa District Court For Muscatine County
Laurie Freeman et. al. Plaintiffs vs. Grain Processing Corporation, Defendant
Case No 4980
Rosenfeld Deposition: May 2015

In the Circuit Court of the 17th Judicial Circuit, in and For Broward County, Florida
Walter Hinton, et. al. Plaintiff, vs. City of Fort Lauderdale, Florida, a Municipality, Defendant.
Case Number CACE07030358 (26)
Rosenfeld Deposition: December 2014

In the County Court of Dallas County Texas
Lisa Parr et al, *Plaintiff*, vs. Aruba et al, *Defendant*.
Case Number cc-11-01650-E
Rosenfeld Deposition: March and September 2013
Rosenfeld Trial: April 2014

In the Court of Common Pleas of Tuscarawas County Ohio
John Michael Abicht, et al., *Plaintiffs*, vs. Republic Services, Inc., et al., *Defendants*
Case Number: 2008 CT 10 0741 (Cons. w/ 2009 CV 10 0987)
Rosenfeld Deposition: October 2012

In the United States District Court for the Middle District of Alabama, Northern Division
James K. Benefield, et al., *Plaintiffs*, vs. International Paper Company, *Defendant*.
Civil Action Number 2:09-cv-232-WHA-TFM
Rosenfeld Deposition: July 2010, June 2011

In the Circuit Court of Jefferson County Alabama
Jaeanette Moss Anthony, et al., *Plaintiffs*, vs. Drummond Company Inc., et al., *Defendants*
Civil Action No. CV 2008-2076
Rosenfeld Deposition: September 2010

In the United States District Court, Western District Lafayette Division
Ackle et al., *Plaintiffs*, vs. Citgo Petroleum Corporation, et al., *Defendants*.
Case Number 2:07CV1052
Rosenfeld Deposition: July 2009

Attachment B

EXHIBIT A



Technical Consultation, Data Analysis and
Litigation Support for the Environment

2656 29th Street, Suite 201
Santa Monica, CA 90405

Matt Hagemann, P.G, C.Hg.
(949) 887-9013
mhagemann@swape.com

Paul E. Rosenfeld, PhD
(310) 795-2335
prosenfeld@swape.com

March 8, 2021

Mitchell M. Tsai
155 South El Molino, Suite 104
Pasadena, CA 91101

Subject: Local Hire Requirements and Considerations for Greenhouse Gas Modeling

Dear Mr. Tsai,

Soil Water Air Protection Enterprise ("SWAPE") is pleased to provide the following draft technical report explaining the significance of worker trips required for construction of land use development projects with respect to the estimation of greenhouse gas ("GHG") emissions. The report will also discuss the potential for local hire requirements to reduce the length of worker trips, and consequently, reduced or mitigate the potential GHG impacts.

Worker Trips and Greenhouse Gas Calculations

The California Emissions Estimator Model ("CalEEMod") is a "statewide land use emissions computer model designed to provide a uniform platform for government agencies, land use planners, and environmental professionals to quantify potential criteria pollutant and greenhouse gas (GHG) emissions associated with both construction and operations from a variety of land use projects."¹ CalEEMod quantifies construction-related emissions associated with land use projects resulting from off-road construction equipment; on-road mobile equipment associated with workers, vendors, and hauling; fugitive dust associated with grading, demolition, truck loading, and on-road vehicles traveling along paved and unpaved roads; and architectural coating activities; and paving.²

The number, length, and vehicle class of worker trips are utilized by CalEEMod to calculate emissions associated with the on-road vehicle trips required to transport workers to and from the Project site during construction.³

¹ "California Emissions Estimator Model." CAPCOA, 2017, available at: <http://www.aqmd.gov/caleemod/home>.

² "California Emissions Estimator Model." CAPCOA, 2017, available at: <http://www.aqmd.gov/caleemod/home>.

³ "CalEEMod User's Guide." CAPCOA, November 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/01_user-39-s-guide2016-3-2_15november2017.pdf?sfvrsn=4, p. 34.

Specifically, the number and length of vehicle trips is utilized to estimate the vehicle miles travelled (“VMT”) associated with construction. Then, utilizing vehicle-class specific EMFAC 2014 emission factors, CalEEMod calculates the vehicle exhaust, evaporative, and dust emissions resulting from construction-related VMT, including personal vehicles for worker commuting.⁴

Specifically, in order to calculate VMT, CalEEMod multiplies the average daily trip rate by the average overall trip length (see excerpt below):

$$\text{VMT}_d = \sum (\text{Average Daily Trip Rate}_i * \text{Average Overall Trip Length}_i) _n$$

Where:

n = Number of land uses being modeled.”⁵

Furthermore, to calculate the on-road emissions associated with worker trips, CalEEMod utilizes the following equation (see excerpt below):

$$\text{Emissions}_{\text{pollutant}} = \text{VMT} * \text{EF}_{\text{running,pollutant}}$$

Where:

$\text{Emissions}_{\text{pollutant}}$ = emissions from vehicle running for each pollutant

VMT = vehicle miles traveled

$\text{EF}_{\text{running,pollutant}}$ = emission factor for running emissions.”⁶

Thus, there is a direct relationship between trip length and VMT, as well as a direct relationship between VMT and vehicle running emissions. In other words, when the trip length is increased, the VMT and vehicle running emissions increase as a result. Thus, vehicle running emissions can be reduced by decreasing the average overall trip length, by way of a local hire requirement or otherwise.

Default Worker Trip Parameters and Potential Local Hire Requirements

As previously discussed, the number, length, and vehicle class of worker trips are utilized by CalEEMod to calculate emissions associated with the on-road vehicle trips required to transport workers to and from the Project site during construction.⁷ In order to understand how local hire requirements and associated worker trip length reductions impact GHG emissions calculations, it is important to consider the CalEEMod default worker trip parameters. CalEEMod provides recommended default values based on site-specific information, such as land use type, meteorological data, total lot acreage, project type and typical equipment associated with project type. If more specific project information is known, the user can change the default values and input project-specific values, but the California Environmental Quality Act (“CEQA”) requires that such changes be justified by substantial evidence.⁸ The default number of construction-related worker trips is calculated by multiplying the

⁴ “Appendix A Calculation Details for CalEEMod.” CAPCOA, October 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6, p. 14-15.

⁵ “Appendix A Calculation Details for CalEEMod.” CAPCOA, October 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6, p. 23.

⁶ “Appendix A Calculation Details for CalEEMod.” CAPCOA, October 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6, p. 15.

⁷ “CalEEMod User’s Guide.” CAPCOA, November 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/01_user-39-s-guide2016-3-2_15november2017.pdf?sfvrsn=4, p. 34.

⁸ CalEEMod User Guide, available at: <http://www.caleemod.com/>, p. 1, 9.

number of pieces of equipment for all phases by 1.25, with the exception of worker trips required for the building construction and architectural coating phases.⁹ Furthermore, the worker trip vehicle class is a 50/25/25 percent mix of light duty autos, light duty truck class 1 and light duty truck class 2, respectively.”¹⁰ Finally, the default worker trip length is consistent with the length of the operational home-to-work vehicle trips.¹¹ The operational home-to-work vehicle trip lengths are:

“[B]ased on the location and urbanization selected on the project characteristic screen. These values were supplied by the air districts or use a default average for the state. Each district (or county) also assigns trip lengths for urban and rural settings” (emphasis added).¹²

Thus, the default worker trip length is based on the location and urbanization level selected by the User when modeling emissions. The below table shows the CalEEMod default rural and urban worker trip lengths by air basin (see excerpt below and Attachment A).¹³

Worker Trip Length by Air Basin		
Air Basin	Rural (miles)	Urban (miles)
Great Basin Valleys	16.8	10.8
Lake County	16.8	10.8
Lake Tahoe	16.8	10.8
Mojave Desert	16.8	10.8
Mountain Counties	16.8	10.8
North Central Coast	17.1	12.3
North Coast	16.8	10.8
Northeast Plateau	16.8	10.8
Sacramento Valley	16.8	10.8
Salton Sea	14.6	11
San Diego	16.8	10.8
San Francisco Bay Area	10.8	10.8
San Joaquin Valley	16.8	10.8
South Central Coast	16.8	10.8
South Coast	19.8	14.7
Average	16.47	11.17
Minimum	10.80	10.80
Maximum	19.80	14.70
Range	9.00	3.90

⁹ “CalEEMod User’s Guide.” CAPCOA, November 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/01_user-39-s-guide2016-3-2_15november2017.pdf?sfvrsn=4, p. 34.

¹⁰ “Appendix A Calculation Details for CalEEMod.” CAPCOA, October 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6, p. 15.

¹¹ “Appendix A Calculation Details for CalEEMod.” CAPCOA, October 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6, p. 14.

¹² “Appendix A Calculation Details for CalEEMod.” CAPCOA, October 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6, p. 21.

¹³ “Appendix D Default Data Tables.” CAPCOA, October 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/05_appendix-d2016-3-2.pdf?sfvrsn=4, p. D-84 – D-86.

As demonstrated above, default rural worker trip lengths for air basins in California vary from 10.8- to 19.8- miles, with an average of 16.47 miles. Furthermore, default urban worker trip lengths vary from 10.8- to 14.7- miles, with an average of 11.17 miles. Thus, while default worker trip lengths vary by location, default urban worker trip lengths tend to be shorter in length. Based on these trends evident in the CalEEMod default worker trip lengths, we can reasonably assume that the efficacy of a local hire requirement is especially dependent upon the urbanization of the project site, as well as the project location.

Practical Application of a Local Hire Requirement and Associated Impact

To provide an example of the potential impact of a local hire provision on construction-related GHG emissions, we estimated the significance of a local hire provision for the Village South Specific Plan (“Project”) located in the City of Claremont (“City”). The Project proposed to construct 1,000 residential units, 100,000-SF of retail space, 45,000-SF of office space, as well as a 50-room hotel, on the 24-acre site. The Project location is classified as Urban and lies within the Los Angeles-South Coast County. As a result, the Project has a default worker trip length of 14.7 miles.¹⁴ In an effort to evaluate the potential for a local hire provision to reduce the Project’s construction-related GHG emissions, we prepared an updated model, reducing all worker trip lengths to 10 miles (see Attachment B). Our analysis estimates that if a local hire provision with a 10-mile radius were to be implemented, the GHG emissions associated with Project construction would decrease by approximately 17% (see table below and Attachment C).

Local Hire Provision Net Change	
Without Local Hire Provision	
Total Construction GHG Emissions (MT CO ₂ e)	3,623
Amortized Construction GHG Emissions (MT CO ₂ e/year)	120.77
With Local Hire Provision	
Total Construction GHG Emissions (MT CO ₂ e)	3,024
Amortized Construction GHG Emissions (MT CO ₂ e/year)	100.80
% Decrease in Construction-related GHG Emissions	17%

As demonstrated above, by implementing a local hire provision requiring 10 mile worker trip lengths, the Project could reduce potential GHG emissions associated with construction worker trips. More broadly, any local hire requirement that results in a decreased worker trip length from the default value has the potential to result in a reduction of construction-related GHG emissions, though the significance of the reduction would vary based on the location and urbanization level of the project site.

This serves as an example of the potential impacts of local hire requirements on estimated project-level GHG emissions, though it does not indicate that local hire requirements would result in reduced construction-related GHG emission for all projects. As previously described, the significance of a local hire requirement depends on the worker trip length enforced and the default worker trip length for the project’s urbanization level and location.

¹⁴ “Appendix D Default Data Tables.” CAPCOA, October 2017, available at: http://www.aqmd.gov/docs/default-source/caleemod/05_appendix-d2016-3-2.pdf?sfvrsn=4, p. D-85.

Disclaimer

SWAPE has received limited discovery. Additional information may become available in the future; thus, we retain the right to revise or amend this report when additional information becomes available. Our professional services have been performed using that degree of care and skill ordinarily exercised, under similar circumstances, by reputable environmental consultants practicing in this or similar localities at the time of service. No other warranty, expressed or implied, is made as to the scope of work, work methodologies and protocols, site conditions, analytical testing results, and findings presented. This report reflects efforts which were limited to information that was reasonably accessible at the time of the work, and may contain informational gaps, inconsistencies, or otherwise be incomplete due to the unavailability or uncertainty of information obtained or provided by third parties.

Sincerely,

A handwritten signature in blue ink, appearing to read "Matt Hagemann".

Matt Hagemann, P.G., C.Hg.

A handwritten signature in blue ink, appearing to read "Paul Rosenfeld".

Paul E. Rosenfeld, Ph.D.

Location Type	Location Name	Rural H-W (miles)	Urban H-W (miles)
Air Basin	Great Basin	16.8	10.8
Air Basin	Lake County	16.8	10.8
Air Basin	Lake Tahoe	16.8	10.8
Air Basin	Mojave Desert	16.8	10.8
Air Basin	Mountain	16.8	10.8
Air Basin	North Central	17.1	12.3
Air Basin	North Coast	16.8	10.8
Air Basin	Northeast	16.8	10.8
Air Basin	Sacramento	16.8	10.8
Air Basin	Salton Sea	14.6	11
Air Basin	San Diego	16.8	10.8
Air Basin	San Francisco	10.8	10.8
Air Basin	San Joaquin	16.8	10.8
Air Basin	South Central	16.8	10.8
Air Basin	South Coast	19.8	14.7
Air District	Amador County	16.8	10.8
Air District	Antelope Valley	16.8	10.8
Air District	Bay Area AQMD	10.8	10.8
Air District	Butte County	12.54	12.54
Air District	Calaveras	16.8	10.8
Air District	Colusa County	16.8	10.8
Air District	El Dorado	16.8	10.8
Air District	Feather River	16.8	10.8
Air District	Glenn County	16.8	10.8
Air District	Great Basin	16.8	10.8
Air District	Imperial County	10.2	7.3
Air District	Kern County	16.8	10.8
Air District	Lake County	16.8	10.8
Air District	Lassen County	16.8	10.8
Air District	Mariposa	16.8	10.8
Air District	Mendocino	16.8	10.8
Air District	Modoc County	16.8	10.8
Air District	Mojave Desert	16.8	10.8
Air District	Monterey Bay	16.8	10.8
Air District	North Coast	16.8	10.8
Air District	Northern Sierra	16.8	10.8
Air District	Northern	16.8	10.8
Air District	Placer County	16.8	10.8
Air District	Sacramento	15	10

Air District	San Diego	16.8	10.8
Air District	San Joaquin	16.8	10.8
Air District	San Luis Obispo	13	13
Air District	Santa Barbara	8.3	8.3
Air District	Shasta County	16.8	10.8
Air District	Siskiyou County	16.8	10.8
Air District	South Coast	19.8	14.7
Air District	Tehama County	16.8	10.8
Air District	Tuolumne	16.8	10.8
Air District	Ventura County	16.8	10.8
Air District	Yolo/Solano	15	10
County	Alameda	10.8	10.8
County	Alpine	16.8	10.8
County	Amador	16.8	10.8
County	Butte	12.54	12.54
County	Calaveras	16.8	10.8
County	Colusa	16.8	10.8
County	Contra Costa	10.8	10.8
County	Del Norte	16.8	10.8
County	El Dorado-Lake	16.8	10.8
County	El Dorado-	16.8	10.8
County	Fresno	16.8	10.8
County	Glenn	16.8	10.8
County	Humboldt	16.8	10.8
County	Imperial	10.2	7.3
County	Inyo	16.8	10.8
County	Kern-Mojave	16.8	10.8
County	Kern-San	16.8	10.8
County	Kings	16.8	10.8
County	Lake	16.8	10.8
County	Lassen	16.8	10.8
County	Los Angeles-	16.8	10.8
County	Los Angeles-	19.8	14.7
County	Madera	16.8	10.8
County	Marin	10.8	10.8
County	Mariposa	16.8	10.8
County	Mendocino-	16.8	10.8
County	Mendocino-	16.8	10.8
County	Mendocino-	16.8	10.8
County	Mendocino-	16.8	10.8
County	Merced	16.8	10.8
County	Modoc	16.8	10.8
County	Mono	16.8	10.8
County	Monterey	16.8	10.8
County	Napa	10.8	10.8

County	Nevada	16.8	10.8
County	Orange	19.8	14.7
County	Placer-Lake	16.8	10.8
County	Placer-Mountain	16.8	10.8
County	Placer-	16.8	10.8
County	Plumas	16.8	10.8
County	Riverside-	16.8	10.8
County	Riverside-	19.8	14.7
County	Riverside-Salton	14.6	11
County	Riverside-South	19.8	14.7
County	Sacramento	15	10
County	San Benito	16.8	10.8
County	San Bernardino-	16.8	10.8
County	San Bernardino-	19.8	14.7
County	San Diego	16.8	10.8
County	San Francisco	10.8	10.8
County	San Joaquin	16.8	10.8
County	San Luis Obispo	13	13
County	San Mateo	10.8	10.8
County	Santa Barbara-	8.3	8.3
County	Santa Barbara-	8.3	8.3
County	Santa Clara	10.8	10.8
County	Santa Cruz	16.8	10.8
County	Shasta	16.8	10.8
County	Sierra	16.8	10.8
County	Siskiyou	16.8	10.8
County	Solano-	15	10
County	Solano-San	16.8	10.8
County	Sonoma-North	16.8	10.8
County	Sonoma-San	10.8	10.8
County	Stanislaus	16.8	10.8
County	Sutter	16.8	10.8
County	Tehama	16.8	10.8
County	Trinity	16.8	10.8
County	Tulare	16.8	10.8
County	Tuolumne	16.8	10.8
County	Ventura	16.8	10.8
County	Yolo	15	10
County	Yuba	16.8	10.8
Statewide	Statewide	16.8	10.8

Worker Trip Length by Air Basin		
Air Basin	Rural (miles)	Urban (miles)
Great Basin Valleys	16.8	10.8
Lake County	16.8	10.8
Lake Tahoe	16.8	10.8
Mojave Desert	16.8	10.8
Mountain Counties	16.8	10.8
North Central Coast	17.1	12.3
North Coast	16.8	10.8
Northeast Plateau	16.8	10.8
Sacramento Valley	16.8	10.8
Salton Sea	14.6	11
San Diego	16.8	10.8
San Francisco Bay Area	10.8	10.8
San Joaquin Valley	16.8	10.8
South Central Coast	16.8	10.8
South Coast	19.8	14.7
Average	16.47	11.17
Minimum	10.80	10.80
Maximum	19.80	14.70
Range	9.00	3.90

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	9			Operational Year	2028
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82
tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

2.1 Overall Construction**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2021	0.1713	1.8242	1.1662	2.4000e-003	0.4169	0.0817	0.4986	0.1795	0.0754	0.2549	0.0000	213.1969	213.1969	0.0601	0.0000	214.6993
2022	0.6904	4.1142	6.1625	0.0189	1.3058	0.1201	1.4259	0.3460	0.1128	0.4588	0.0000	1,721.6826	1,721.6826	0.1294	0.0000	1,724.9187
2023	0.6148	3.3649	5.6747	0.0178	1.1963	0.0996	1.2959	0.3203	0.0935	0.4138	0.0000	1,627.5295	1,627.5295	0.1185	0.0000	1,630.4925
2024	4.1619	0.1335	0.2810	5.9000e-004	0.0325	6.4700e-003	0.0390	8.6300e-003	6.0400e-003	0.0147	0.0000	52.9078	52.9078	8.0200e-003	0.0000	53.1082
Maximum	4.1619	4.1142	6.1625	0.0189	1.3058	0.1201	1.4259	0.3460	0.1128	0.4588	0.0000	1,721.6826	1,721.6826	0.1294	0.0000	1,724.9187

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

2.1 Overall Construction**Mitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2021	0.1713	1.8242	1.1662	2.4000e-003	0.4169	0.0817	0.4986	0.1795	0.0754	0.2549	0.0000	213.1967	213.1967	0.0601	0.0000	214.6991
2022	0.6904	4.1142	6.1625	0.0189	1.3058	0.1201	1.4259	0.3460	0.1128	0.4588	0.0000	1,721.6823	1,721.6823	0.1294	0.0000	1,724.9183
2023	0.6148	3.3648	5.6747	0.0178	1.1963	0.0996	1.2959	0.3203	0.0935	0.4138	0.0000	1,627.5291	1,627.5291	0.1185	0.0000	1,630.4921
2024	4.1619	0.1335	0.2810	5.9000e-004	0.0325	6.4700e-003	0.0390	8.6300e-003	6.0400e-003	0.0147	0.0000	52.9077	52.9077	8.0200e-003	0.0000	53.1082
Maximum	4.1619	4.1142	6.1625	0.0189	1.3058	0.1201	1.4259	0.3460	0.1128	0.4588	0.0000	1,721.6823	1,721.6823	0.1294	0.0000	1,724.9183

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	9-1-2021	11-30-2021	1.4103	1.4103
2	12-1-2021	2-28-2022	1.3613	1.3613
3	3-1-2022	5-31-2022	1.1985	1.1985
4	6-1-2022	8-31-2022	1.1921	1.1921
5	9-1-2022	11-30-2022	1.1918	1.1918
6	12-1-2022	2-28-2023	1.0774	1.0774
7	3-1-2023	5-31-2023	1.0320	1.0320
8	6-1-2023	8-31-2023	1.0260	1.0260

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

9	9-1-2023	11-30-2023	1.0265	1.0265
10	12-1-2023	2-29-2024	2.8857	2.8857
11	3-1-2024	5-31-2024	1.6207	1.6207
		Highest	2.8857	2.8857

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835
Energy	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	3,896.0732	3,896.0732	0.1303	0.0468	3,913.2833
Mobile	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162
Waste						0.0000	0.0000		0.0000	0.0000	207.8079	0.0000	207.8079	12.2811	0.0000	514.8354
Water						0.0000	0.0000		0.0000	0.0000	29.1632	556.6420	585.8052	3.0183	0.0755	683.7567
Total	6.8692	9.5223	30.3407	0.0914	7.7979	0.2260	8.0240	2.0895	0.2219	2.3114	236.9712	12,294.1807	12,531.1519	15.7904	0.1260	12,963.4751

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

2.2 Overall Operational**Mitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835
Energy	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	3,896.0732	3,896.0732	0.1303	0.0468	3,913.2833
Mobile	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162
Waste						0.0000	0.0000		0.0000	0.0000	207.8079	0.0000	207.8079	12.2811	0.0000	514.8354
Water						0.0000	0.0000		0.0000	0.0000	29.1632	556.6420	585.8052	3.0183	0.0755	683.7567
Total	6.8692	9.5223	30.3407	0.0914	7.7979	0.2260	8.0240	2.0895	0.2219	2.3114	236.9712	12,294.1807	12,531.1519	15.7904	0.1260	12,963.4751

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail**Construction Phase**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0496	0.0000	0.0496	7.5100e-003	0.0000	7.5100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0475	0.4716	0.3235	5.8000e-004		0.0233	0.0233		0.0216	0.0216	0.0000	51.0012	51.0012	0.0144	0.0000	51.3601
Total	0.0475	0.4716	0.3235	5.8000e-004	0.0496	0.0233	0.0729	7.5100e-003	0.0216	0.0291	0.0000	51.0012	51.0012	0.0144	0.0000	51.3601

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.2 Demolition - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.9300e-003	0.0634	0.0148	1.8000e-004	3.9400e-003	1.9000e-004	4.1300e-003	1.0800e-003	1.8000e-004	1.2600e-003	0.0000	17.4566	17.4566	1.2100e-003	0.0000	17.4869
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.7000e-004	7.5000e-004	8.5100e-003	2.0000e-005	2.4700e-003	2.0000e-005	2.4900e-003	6.5000e-004	2.0000e-005	6.7000e-004	0.0000	2.2251	2.2251	7.0000e-005	0.0000	2.2267
Total	2.9000e-003	0.0641	0.0233	2.0000e-004	6.4100e-003	2.1000e-004	6.6200e-003	1.7300e-003	2.0000e-004	1.9300e-003	0.0000	19.6816	19.6816	1.2800e-003	0.0000	19.7136

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0496	0.0000	0.0496	7.5100e-003	0.0000	7.5100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0475	0.4716	0.3235	5.8000e-004		0.0233	0.0233		0.0216	0.0216	0.0000	51.0011	51.0011	0.0144	0.0000	51.3600
Total	0.0475	0.4716	0.3235	5.8000e-004	0.0496	0.0233	0.0729	7.5100e-003	0.0216	0.0291	0.0000	51.0011	51.0011	0.0144	0.0000	51.3600

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.2 Demolition - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.9300e-003	0.0634	0.0148	1.8000e-004	3.9400e-003	1.9000e-004	4.1300e-003	1.0800e-003	1.8000e-004	1.2600e-003	0.0000	17.4566	17.4566	1.2100e-003	0.0000	17.4869
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.7000e-004	7.5000e-004	8.5100e-003	2.0000e-005	2.4700e-003	2.0000e-005	2.4900e-003	6.5000e-004	2.0000e-005	6.7000e-004	0.0000	2.2251	2.2251	7.0000e-005	0.0000	2.2267
Total	2.9000e-003	0.0641	0.0233	2.0000e-004	6.4100e-003	2.1000e-004	6.6200e-003	1.7300e-003	2.0000e-004	1.9300e-003	0.0000	19.6816	19.6816	1.2800e-003	0.0000	19.7136

3.3 Site Preparation - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1807	0.0000	0.1807	0.0993	0.0000	0.0993	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0389	0.4050	0.2115	3.8000e-004		0.0204	0.0204		0.0188	0.0188	0.0000	33.4357	33.4357	0.0108	0.0000	33.7061
Total	0.0389	0.4050	0.2115	3.8000e-004	0.1807	0.0204	0.2011	0.0993	0.0188	0.1181	0.0000	33.4357	33.4357	0.0108	0.0000	33.7061

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.3 Site Preparation - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.7000e-004	6.0000e-004	6.8100e-003	2.0000e-005	1.9700e-003	2.0000e-005	1.9900e-003	5.2000e-004	1.0000e-005	5.4000e-004	0.0000	1.7801	1.7801	5.0000e-005	0.0000	1.7814
Total	7.7000e-004	6.0000e-004	6.8100e-003	2.0000e-005	1.9700e-003	2.0000e-005	1.9900e-003	5.2000e-004	1.0000e-005	5.4000e-004	0.0000	1.7801	1.7801	5.0000e-005	0.0000	1.7814

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1807	0.0000	0.1807	0.0993	0.0000	0.0993	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0389	0.4050	0.2115	3.8000e-004		0.0204	0.0204		0.0188	0.0188	0.0000	33.4357	33.4357	0.0108	0.0000	33.7060
Total	0.0389	0.4050	0.2115	3.8000e-004	0.1807	0.0204	0.2011	0.0993	0.0188	0.1181	0.0000	33.4357	33.4357	0.0108	0.0000	33.7060

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.3 Site Preparation - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.7000e-004	6.0000e-004	6.8100e-003	2.0000e-005	1.9700e-003	2.0000e-005	1.9900e-003	5.2000e-004	1.0000e-005	5.4000e-004	0.0000	1.7801	1.7801	5.0000e-005	0.0000	1.7814
Total	7.7000e-004	6.0000e-004	6.8100e-003	2.0000e-005	1.9700e-003	2.0000e-005	1.9900e-003	5.2000e-004	1.0000e-005	5.4000e-004	0.0000	1.7801	1.7801	5.0000e-005	0.0000	1.7814

3.4 Grading - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1741	0.0000	0.1741	0.0693	0.0000	0.0693	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0796	0.8816	0.5867	1.1800e-003		0.0377	0.0377		0.0347	0.0347	0.0000	103.5405	103.5405	0.0335	0.0000	104.3776
Total	0.0796	0.8816	0.5867	1.1800e-003	0.1741	0.0377	0.2118	0.0693	0.0347	0.1040	0.0000	103.5405	103.5405	0.0335	0.0000	104.3776

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.6400e-003	1.2700e-003	0.0144	4.0000e-005	4.1600e-003	3.0000e-005	4.2000e-003	1.1100e-003	3.0000e-005	1.1400e-003	0.0000	3.7579	3.7579	1.1000e-004	0.0000	3.7607
Total	1.6400e-003	1.2700e-003	0.0144	4.0000e-005	4.1600e-003	3.0000e-005	4.2000e-003	1.1100e-003	3.0000e-005	1.1400e-003	0.0000	3.7579	3.7579	1.1000e-004	0.0000	3.7607

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1741	0.0000	0.1741	0.0693	0.0000	0.0693	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0796	0.8816	0.5867	1.1800e-003		0.0377	0.0377		0.0347	0.0347	0.0000	103.5403	103.5403	0.0335	0.0000	104.3775
Total	0.0796	0.8816	0.5867	1.1800e-003	0.1741	0.0377	0.2118	0.0693	0.0347	0.1040	0.0000	103.5403	103.5403	0.0335	0.0000	104.3775

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.6400e-003	1.2700e-003	0.0144	4.0000e-005	4.1600e-003	3.0000e-005	4.2000e-003	1.1100e-003	3.0000e-005	1.1400e-003	0.0000	3.7579	3.7579	1.1000e-004	0.0000	3.7607
Total	1.6400e-003	1.2700e-003	0.0144	4.0000e-005	4.1600e-003	3.0000e-005	4.2000e-003	1.1100e-003	3.0000e-005	1.1400e-003	0.0000	3.7579	3.7579	1.1000e-004	0.0000	3.7607

3.4 Grading - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0807	0.0000	0.0807	0.0180	0.0000	0.0180	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0127	0.1360	0.1017	2.2000e-004		5.7200e-003	5.7200e-003		5.2600e-003	5.2600e-003	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414
Total	0.0127	0.1360	0.1017	2.2000e-004	0.0807	5.7200e-003	0.0865	0.0180	5.2600e-003	0.0233	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.8000e-004	2.1000e-004	2.4400e-003	1.0000e-005	7.7000e-004	1.0000e-005	7.7000e-004	2.0000e-004	1.0000e-005	2.1000e-004	0.0000	0.6679	0.6679	2.0000e-005	0.0000	0.6684
Total	2.8000e-004	2.1000e-004	2.4400e-003	1.0000e-005	7.7000e-004	1.0000e-005	7.7000e-004	2.0000e-004	1.0000e-005	2.1000e-004	0.0000	0.6679	0.6679	2.0000e-005	0.0000	0.6684

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0807	0.0000	0.0807	0.0180	0.0000	0.0180	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0127	0.1360	0.1017	2.2000e-004		5.7200e-003	5.7200e-003		5.2600e-003	5.2600e-003	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414
Total	0.0127	0.1360	0.1017	2.2000e-004	0.0807	5.7200e-003	0.0865	0.0180	5.2600e-003	0.0233	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.8000e-004	2.1000e-004	2.4400e-003	1.0000e-005	7.7000e-004	1.0000e-005	7.7000e-004	2.0000e-004	1.0000e-005	2.1000e-004	0.0000	0.6679	0.6679	2.0000e-005	0.0000	0.6684
Total	2.8000e-004	2.1000e-004	2.4400e-003	1.0000e-005	7.7000e-004	1.0000e-005	7.7000e-004	2.0000e-004	1.0000e-005	2.1000e-004	0.0000	0.6679	0.6679	2.0000e-005	0.0000	0.6684

3.5 Building Construction - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1324	293.1324	0.0702	0.0000	294.8881
Total	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1324	293.1324	0.0702	0.0000	294.8881

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.5 Building Construction - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0527	1.6961	0.4580	4.5500e-003	0.1140	3.1800e-003	0.1171	0.0329	3.0400e-003	0.0359	0.0000	441.9835	441.9835	0.0264	0.0000	442.6435
Worker	0.4088	0.3066	3.5305	0.0107	1.1103	8.8700e-003	1.1192	0.2949	8.1700e-003	0.3031	0.0000	966.8117	966.8117	0.0266	0.0000	967.4773
Total	0.4616	2.0027	3.9885	0.0152	1.2243	0.0121	1.2363	0.3278	0.0112	0.3390	0.0000	1,408.7952	1,408.7952	0.0530	0.0000	1,410.1208

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1321	293.1321	0.0702	0.0000	294.8877
Total	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1321	293.1321	0.0702	0.0000	294.8877

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.5 Building Construction - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0527	1.6961	0.4580	4.5500e-003	0.1140	3.1800e-003	0.1171	0.0329	3.0400e-003	0.0359	0.0000	441.9835	441.9835	0.0264	0.0000	442.6435
Worker	0.4088	0.3066	3.5305	0.0107	1.1103	8.8700e-003	1.1192	0.2949	8.1700e-003	0.3031	0.0000	966.8117	966.8117	0.0266	0.0000	967.4773
Total	0.4616	2.0027	3.9885	0.0152	1.2243	0.0121	1.2363	0.3278	0.0112	0.3390	0.0000	1,408.7952	1,408.7952	0.0530	0.0000	1,410.1208

3.5 Building Construction - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2789	286.2789	0.0681	0.0000	287.9814
Total	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2789	286.2789	0.0681	0.0000	287.9814

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.5 Building Construction - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0382	1.2511	0.4011	4.3000e-003	0.1113	1.4600e-003	0.1127	0.0321	1.4000e-003	0.0335	0.0000	417.9930	417.9930	0.0228	0.0000	418.5624
Worker	0.3753	0.2708	3.1696	0.0101	1.0840	8.4100e-003	1.0924	0.2879	7.7400e-003	0.2957	0.0000	909.3439	909.3439	0.0234	0.0000	909.9291
Total	0.4135	1.5218	3.5707	0.0144	1.1953	9.8700e-003	1.2051	0.3200	9.1400e-003	0.3292	0.0000	1,327.3369	1,327.3369	0.0462	0.0000	1,328.4916

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2785	286.2785	0.0681	0.0000	287.9811
Total	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2785	286.2785	0.0681	0.0000	287.9811

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.5 Building Construction - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0382	1.2511	0.4011	4.3000e-003	0.1113	1.4600e-003	0.1127	0.0321	1.4000e-003	0.0335	0.0000	417.9930	417.9930	0.0228	0.0000	418.5624
Worker	0.3753	0.2708	3.1696	0.0101	1.0840	8.4100e-003	1.0924	0.2879	7.7400e-003	0.2957	0.0000	909.3439	909.3439	0.0234	0.0000	909.9291
Total	0.4135	1.5218	3.5707	0.0144	1.1953	9.8700e-003	1.2051	0.3200	9.1400e-003	0.3292	0.0000	1,327.3369	1,327.3369	0.0462	0.0000	1,328.4916

3.6 Paving - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.6 Paving - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.7000e-004	2.7000e-004	3.1200e-003	1.0000e-005	1.0700e-003	1.0000e-005	1.0800e-003	2.8000e-004	1.0000e-005	2.9000e-004	0.0000	0.8963	0.8963	2.0000e-005	0.0000	0.8968
Total	3.7000e-004	2.7000e-004	3.1200e-003	1.0000e-005	1.0700e-003	1.0000e-005	1.0800e-003	2.8000e-004	1.0000e-005	2.9000e-004	0.0000	0.8963	0.8963	2.0000e-005	0.0000	0.8968

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.6 Paving - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.7000e-004	2.7000e-004	3.1200e-003	1.0000e-005	1.0700e-003	1.0000e-005	1.0800e-003	2.8000e-004	1.0000e-005	2.9000e-004	0.0000	0.8963	0.8963	2.0000e-005	0.0000	0.8968
Total	3.7000e-004	2.7000e-004	3.1200e-003	1.0000e-005	1.0700e-003	1.0000e-005	1.0800e-003	2.8000e-004	1.0000e-005	2.9000e-004	0.0000	0.8963	0.8963	2.0000e-005	0.0000	0.8968

3.6 Paving - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.6 Paving - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.9000e-004	4.1000e-004	4.9200e-003	2.0000e-005	1.8100e-003	1.0000e-005	1.8200e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.4697	1.4697	4.0000e-005	0.0000	1.4706
Total	5.9000e-004	4.1000e-004	4.9200e-003	2.0000e-005	1.8100e-003	1.0000e-005	1.8200e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.4697	1.4697	4.0000e-005	0.0000	1.4706

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.6 Paving - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.9000e-004	4.1000e-004	4.9200e-003	2.0000e-005	1.8100e-003	1.0000e-005	1.8200e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.4697	1.4697	4.0000e-005	0.0000	1.4706
Total	5.9000e-004	4.1000e-004	4.9200e-003	2.0000e-005	1.8100e-003	1.0000e-005	1.8200e-003	4.8000e-004	1.0000e-005	4.9000e-004	0.0000	1.4697	1.4697	4.0000e-005	0.0000	1.4706

3.7 Architectural Coating - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	4.1372					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.1600e-003	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745
Total	4.1404	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.7 Architectural Coating - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0101	6.9900e-003	0.0835	2.8000e-004	0.0307	2.3000e-004	0.0309	8.1500e-003	2.2000e-004	8.3700e-003	0.0000	24.9407	24.9407	6.1000e-004	0.0000	24.9558
Total	0.0101	6.9900e-003	0.0835	2.8000e-004	0.0307	2.3000e-004	0.0309	8.1500e-003	2.2000e-004	8.3700e-003	0.0000	24.9407	24.9407	6.1000e-004	0.0000	24.9558

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	4.1372					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.1600e-003	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745
Total	4.1404	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.7 Architectural Coating - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0101	6.9900e-003	0.0835	2.8000e-004	0.0307	2.3000e-004	0.0309	8.1500e-003	2.2000e-004	8.3700e-003	0.0000	24.9407	24.9407	6.1000e-004	0.0000	24.9558
Total	0.0101	6.9900e-003	0.0835	2.8000e-004	0.0307	2.3000e-004	0.0309	8.1500e-003	2.2000e-004	8.3700e-003	0.0000	24.9407	24.9407	6.1000e-004	0.0000	24.9558

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162
Unmitigated	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	2,512.6465	2,512.6465	0.1037	0.0215	2,521.6356
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	2,512.6465	2,512.6465	0.1037	0.0215	2,521.6356
NaturalGas Mitigated	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4267	1,383.4267	0.0265	0.0254	1,391.6478
NaturalGas Unmitigated	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4267	1,383.4267	0.0265	0.0254	1,391.6478

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Low Rise	408494	2.2000e-003	0.0188	8.0100e-003	1.2000e-004		1.5200e-003	1.5200e-003		1.5200e-003	1.5200e-003	0.0000	21.7988	21.7988	4.2000e-004	4.0000e-004	21.9284
Apartments Mid Rise	1.30613e+007	0.0704	0.6018	0.2561	3.8400e-003		0.0487	0.0487		0.0487	0.0487	0.0000	696.9989	696.9989	0.0134	0.0128	701.1408
General Office Building	468450	2.5300e-003	0.0230	0.0193	1.4000e-004		1.7500e-003	1.7500e-003		1.7500e-003	1.7500e-003	0.0000	24.9983	24.9983	4.8000e-004	4.6000e-004	25.1468
High Turnover (Sit Down Restaurant)	8.30736e+006	0.0448	0.4072	0.3421	2.4400e-003		0.0310	0.0310		0.0310	0.0310	0.0000	443.3124	443.3124	8.5000e-003	8.1300e-003	445.9468
Hotel	1.74095e+006	9.3900e-003	0.0853	0.0717	5.1000e-004		6.4900e-003	6.4900e-003		6.4900e-003	6.4900e-003	0.0000	92.9036	92.9036	1.7800e-003	1.7000e-003	93.4557
Quality Restaurant	1.84608e+006	9.9500e-003	0.0905	0.0760	5.4000e-004		6.8800e-003	6.8800e-003		6.8800e-003	6.8800e-003	0.0000	98.5139	98.5139	1.8900e-003	1.8100e-003	99.0993
Regional Shopping Center	91840	5.0000e-004	4.5000e-003	3.7800e-003	3.0000e-005		3.4000e-004	3.4000e-004		3.4000e-004	3.4000e-004	0.0000	4.9009	4.9009	9.0000e-005	9.0000e-005	4.9301
Total		0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4268	1,383.4268	0.0265	0.0254	1,391.6478

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Low Rise	408494	2.2000e-003	0.0188	8.0100e-003	1.2000e-004		1.5200e-003	1.5200e-003		1.5200e-003	1.5200e-003	0.0000	21.7988	21.7988	4.2000e-004	4.0000e-004	21.9284
Apartments Mid Rise	1.30613e+007	0.0704	0.6018	0.2561	3.8400e-003		0.0487	0.0487		0.0487	0.0487	0.0000	696.9989	696.9989	0.0134	0.0128	701.1408
General Office Building	468450	2.5300e-003	0.0230	0.0193	1.4000e-004		1.7500e-003	1.7500e-003		1.7500e-003	1.7500e-003	0.0000	24.9983	24.9983	4.8000e-004	4.6000e-004	25.1468
High Turnover (Sit Down Restaurant)	8.30736e+006	0.0448	0.4072	0.3421	2.4400e-003		0.0310	0.0310		0.0310	0.0310	0.0000	443.3124	443.3124	8.5000e-003	8.1300e-003	445.9468
Hotel	1.74095e+006	9.3900e-003	0.0853	0.0717	5.1000e-004		6.4900e-003	6.4900e-003		6.4900e-003	6.4900e-003	0.0000	92.9036	92.9036	1.7800e-003	1.7000e-003	93.4557
Quality Restaurant	1.84608e+006	9.9500e-003	0.0905	0.0760	5.4000e-004		6.8800e-003	6.8800e-003		6.8800e-003	6.8800e-003	0.0000	98.5139	98.5139	1.8900e-003	1.8100e-003	99.0993
Regional Shopping Center	91840	5.0000e-004	4.5000e-003	3.7800e-003	3.0000e-005		3.4000e-004	3.4000e-004		3.4000e-004	3.4000e-004	0.0000	4.9009	4.9009	9.0000e-005	9.0000e-005	4.9301
Total		0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4268	1,383.4268	0.0265	0.0254	1,391.6478

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.3 Energy by Land Use - Electricity**Unmitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Low Rise	106010	33.7770	1.3900e-003	2.9000e-004	33.8978
Apartments Mid Rise	3.94697e+006	1,257.5879	0.0519	0.0107	1,262.0869
General Office Building	584550	186.2502	7.6900e-003	1.5900e-003	186.9165
High Turnover (Sit Down Restaurant)	1.58904e+006	506.3022	0.0209	4.3200e-003	508.1135
Hotel	550308	175.3399	7.2400e-003	1.5000e-003	175.9672
Quality Restaurant	353120	112.5116	4.6500e-003	9.6000e-004	112.9141
Regional Shopping Center	756000	240.8778	9.9400e-003	2.0600e-003	241.7395
Total		2,512.6465	0.1037	0.0215	2,521.6356

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.3 Energy by Land Use - Electricity**Mitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Low Rise	106010	33.7770	1.3900e-003	2.9000e-004	33.8978
Apartments Mid Rise	3.94697e+006	1,257.5879	0.0519	0.0107	1,262.0869
General Office Building	584550	186.2502	7.6900e-003	1.5900e-003	186.9165
High Turnover (Sit Down Restaurant)	1.58904e+006	506.3022	0.0209	4.3200e-003	508.1135
Hotel	550308	175.3399	7.2400e-003	1.5000e-003	175.9672
Quality Restaurant	353120	112.5116	4.6500e-003	9.6000e-004	112.9141
Regional Shopping Center	756000	240.8778	9.9400e-003	2.0600e-003	241.7395
Total		2,512.6465	0.1037	0.0215	2,521.6356

6.0 Area Detail**6.1 Mitigation Measures Area**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835
Unmitigated	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.4137					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	4.3998					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0206	0.1763	0.0750	1.1200e-003		0.0143	0.0143		0.0143	0.0143	0.0000	204.1166	204.1166	3.9100e-003	3.7400e-003	205.3295
Landscaping	0.3096	0.1187	10.3054	5.4000e-004		0.0572	0.0572		0.0572	0.0572	0.0000	16.8504	16.8504	0.0161	0.0000	17.2540
Total	5.1437	0.2950	10.3804	1.6600e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.4137					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	4.3998					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0206	0.1763	0.0750	1.1200e-003		0.0143	0.0143		0.0143	0.0143	0.0000	204.1166	204.1166	3.9100e-003	3.7400e-003	205.3295
Landscaping	0.3096	0.1187	10.3054	5.4000e-004		0.0572	0.0572		0.0572	0.0572	0.0000	16.8504	16.8504	0.0161	0.0000	17.2540
Total	5.1437	0.2950	10.3804	1.6600e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835

7.0 Water Detail**7.1 Mitigation Measures Water**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	585.8052	3.0183	0.0755	683.7567
Unmitigated	585.8052	3.0183	0.0755	683.7567

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

7.2 Water by Land Use**Unmitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Low Rise	1.62885 / 1.02688	10.9095	0.0535	1.3400e-003	12.6471
Apartments Mid Rise	63.5252 / 40.0485	425.4719	2.0867	0.0523	493.2363
General Office Building	7.99802 / 4.90201	53.0719	0.2627	6.5900e-003	61.6019
High Turnover (Sit Down Restaurant)	10.9272 / 0.697482	51.2702	0.3580	8.8200e-003	62.8482
Hotel	1.26834 / 0.140927	6.1633	0.0416	1.0300e-003	7.5079
Quality Restaurant	2.42827 / 0.154996	11.3934	0.0796	1.9600e-003	13.9663
Regional Shopping Center	4.14806 / 2.54236	27.5250	0.1363	3.4200e-003	31.9490
Total		585.8052	3.0183	0.0755	683.7567

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

7.2 Water by Land Use**Mitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Low Rise	1.62885 / 1.02688	10.9095	0.0535	1.3400e-003	12.6471
Apartments Mid Rise	63.5252 / 40.0485	425.4719	2.0867	0.0523	493.2363
General Office Building	7.99802 / 4.90201	53.0719	0.2627	6.5900e-003	61.6019
High Turnover (Sit Down Restaurant)	10.9272 / 0.697482	51.2702	0.3580	8.8200e-003	62.8482
Hotel	1.26834 / 0.140927	6.1633	0.0416	1.0300e-003	7.5079
Quality Restaurant	2.42827 / 0.154996	11.3934	0.0796	1.9600e-003	13.9663
Regional Shopping Center	4.14806 / 2.54236	27.5250	0.1363	3.4200e-003	31.9490
Total		585.8052	3.0183	0.0755	683.7567

8.0 Waste Detail**8.1 Mitigation Measures Waste**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	207.8079	12.2811	0.0000	514.8354
Unmitigated	207.8079	12.2811	0.0000	514.8354

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

8.2 Waste by Land Use**Unmitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Low Rise	11.5	2.3344	0.1380	0.0000	5.7834
Apartments Mid Rise	448.5	91.0415	5.3804	0.0000	225.5513
General Office Building	41.85	8.4952	0.5021	0.0000	21.0464
High Turnover (Sit Down Restaurant)	428.4	86.9613	5.1393	0.0000	215.4430
Hotel	27.38	5.5579	0.3285	0.0000	13.7694
Quality Restaurant	7.3	1.4818	0.0876	0.0000	3.6712
Regional Shopping Center	58.8	11.9359	0.7054	0.0000	29.5706
Total		207.8079	12.2811	0.0000	514.8354

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

8.2 Waste by Land Use**Mitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Low Rise	11.5	2.3344	0.1380	0.0000	5.7834
Apartments Mid Rise	448.5	91.0415	5.3804	0.0000	225.5513
General Office Building	41.85	8.4952	0.5021	0.0000	21.0464
High Turnover (Sit Down Restaurant)	428.4	86.9613	5.1393	0.0000	215.4430
Hotel	27.38	5.5579	0.3285	0.0000	13.7694
Quality Restaurant	7.3	1.4818	0.0876	0.0000	3.6712
Regional Shopping Center	58.8	11.9359	0.7054	0.0000	29.5706
Total		207.8079	12.2811	0.0000	514.8354

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment**Fire Pumps and Emergency Generators**

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	9			Operational Year	2028
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82
tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2769	46.4588	31.6840	0.0643	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	6,234.797 4	6,234.797 4	1.9495	0.0000	6,283.535 2
2022	5.3304	38.8967	49.5629	0.1517	9.8688	1.6366	10.7727	3.6558	1.5057	5.1615	0.0000	15,251.56 74	15,251.56 74	1.9503	0.0000	15,278.52 88
2023	4.8957	26.3317	46.7567	0.1472	9.8688	0.7794	10.6482	2.6381	0.7322	3.3702	0.0000	14,807.52 69	14,807.52 69	1.0250	0.0000	14,833.15 21
2024	237.1630	9.5575	15.1043	0.0244	1.7884	0.4698	1.8628	0.4743	0.4322	0.5476	0.0000	2,361.398 9	2,361.398 9	0.7177	0.0000	2,379.342 1
Maximum	237.1630	46.4588	49.5629	0.1517	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	15,251.56 74	15,251.56 74	1.9503	0.0000	15,278.52 88

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

2.1 Overall Construction (Maximum Daily Emission)**Mitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2769	46.4588	31.6840	0.0643	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	6,234.7974	6,234.7974	1.9495	0.0000	6,283.5352
2022	5.3304	38.8967	49.5629	0.1517	9.8688	1.6366	10.7727	3.6558	1.5057	5.1615	0.0000	15,251.5674	15,251.5674	1.9503	0.0000	15,278.5288
2023	4.8957	26.3317	46.7567	0.1472	9.8688	0.7794	10.6482	2.6381	0.7322	3.3702	0.0000	14,807.5269	14,807.5269	1.0250	0.0000	14,833.1520
2024	237.1630	9.5575	15.1043	0.0244	1.7884	0.4698	1.8628	0.4743	0.4322	0.5476	0.0000	2,361.3989	2,361.3989	0.7177	0.0000	2,379.3421
Maximum	237.1630	46.4588	49.5629	0.1517	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	15,251.5674	15,251.5674	1.9503	0.0000	15,278.5288

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08
Total	41.1168	67.2262	207.5497	0.6278	45.9592	2.4626	48.4217	12.2950	2.4385	14.7336	0.0000	76,811.18 16	76,811.18 16	2.8282	0.4832	77,025.87 86

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08
Total	41.1168	67.2262	207.5497	0.6278	45.9592	2.4626	48.4217	12.2950	2.4385	14.7336	0.0000	76,811.18 16	76,811.18 16	2.8282	0.4832	77,025.87 86

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411		3,747.9449	3,747.9449	1.0549		3,774.3174
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419		3,747.9449	3,747.9449	1.0549		3,774.3174

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.2 Demolition - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1273	4.0952	0.9602	0.0119	0.2669	0.0126	0.2795	0.0732	0.0120	0.0852		1,292.241 3	1,292.241 3	0.0877		1,294.433 7
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0643	0.0442	0.6042	1.7100e-003	0.1677	1.3500e-003	0.1690	0.0445	1.2500e-003	0.0457		170.8155	170.8155	5.0300e-003		170.9413
Total	0.1916	4.1394	1.5644	0.0136	0.4346	0.0139	0.4485	0.1176	0.0133	0.1309		1,463.056 8	1,463.056 8	0.0927		1,465.375 0

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.2 Demolition - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1273	4.0952	0.9602	0.0119	0.2669	0.0126	0.2795	0.0732	0.0120	0.0852		1,292.241 3	1,292.241 3	0.0877		1,294.433 7
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0643	0.0442	0.6042	1.7100e-003	0.1677	1.3500e-003	0.1690	0.0445	1.2500e-003	0.0457		170.8155	170.8155	5.0300e-003		170.9413
Total	0.1916	4.1394	1.5644	0.0136	0.4346	0.0139	0.4485	0.1176	0.0133	0.1309		1,463.056 8	1,463.056 8	0.0927		1,465.375 0

3.3 Site Preparation - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809		3,685.656 9	3,685.656 9	1.1920		3,715.457 3
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116		3,685.656 9	3,685.656 9	1.1920		3,715.457 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.3 Site Preparation - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0772	0.0530	0.7250	2.0600e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		204.9786	204.9786	6.0400e-003		205.1296
Total	0.0772	0.0530	0.7250	2.0600e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		204.9786	204.9786	6.0400e-003		205.1296

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.3 Site Preparation - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0772	0.0530	0.7250	2.0600e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		204.9786	204.9786	6.0400e-003		205.1296
Total	0.0772	0.0530	0.7250	2.0600e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		204.9786	204.9786	6.0400e-003		205.1296

3.4 Grading - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265		6,007.0434	6,007.0434	1.9428		6,055,6134
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230		6,007.0434	6,007.0434	1.9428		6,055,6134

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.4 Grading - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0857	0.0589	0.8056	2.2900e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		227.7540	227.7540	6.7100e-003		227.9217
Total	0.0857	0.0589	0.8056	2.2900e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		227.7540	227.7540	6.7100e-003		227.9217

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265	0.0000	6,007.0434	6,007.0434	1.9428		6,055,6134
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230	0.0000	6,007.0434	6,007.0434	1.9428		6,055,6134

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.4 Grading - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0857	0.0589	0.8056	2.2900e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		227.7540	227.7540	6.7100e-003		227.9217
Total	0.0857	0.0589	0.8056	2.2900e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		227.7540	227.7540	6.7100e-003		227.9217

3.4 Grading - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041		6,011.4105	6,011.4105	1.9442		6,060.0158
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006		6,011.4105	6,011.4105	1.9442		6,060.0158

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.4 Grading - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0803	0.0532	0.7432	2.2100e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		219.7425	219.7425	6.0600e-003		219.8941
Total	0.0803	0.0532	0.7432	2.2100e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		219.7425	219.7425	6.0600e-003		219.8941

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.4 Grading - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0803	0.0532	0.7432	2.2100e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		219.7425	219.7425	6.0600e-003		219.8941
Total	0.0803	0.0532	0.7432	2.2100e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		219.7425	219.7425	6.0600e-003		219.8941

3.5 Building Construction - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.5 Building Construction - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4079	13.2032	3.4341	0.0364	0.9155	0.0248	0.9404	0.2636	0.0237	0.2873		3,896.548 2	3,896.548 2	0.2236		3,902.138 4
Worker	3.2162	2.1318	29.7654	0.0883	8.9533	0.0701	9.0234	2.3745	0.0646	2.4390		8,800.685 7	8,800.685 7	0.2429		8,806.758 2
Total	3.6242	15.3350	33.1995	0.1247	9.8688	0.0949	9.9637	2.6381	0.0883	2.7263		12,697.23 39	12,697.23 39	0.4665		12,708.89 66

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.5 Building Construction - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4079	13.2032	3.4341	0.0364	0.9155	0.0248	0.9404	0.2636	0.0237	0.2873		3,896.548 2	3,896.548 2	0.2236		3,902.138 4
Worker	3.2162	2.1318	29.7654	0.0883	8.9533	0.0701	9.0234	2.3745	0.0646	2.4390		8,800.685 7	8,800.685 7	0.2429		8,806.758 2
Total	3.6242	15.3350	33.1995	0.1247	9.8688	0.0949	9.9637	2.6381	0.0883	2.7263		12,697.23 39	12,697.23 39	0.4665		12,708.89 66

3.5 Building Construction - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.5 Building Construction - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3027	10.0181	3.1014	0.0352	0.9156	0.0116	0.9271	0.2636	0.0111	0.2747		3,773.876 2	3,773.876 2	0.1982		3,778.830 0
Worker	3.0203	1.9287	27.4113	0.0851	8.9533	0.0681	9.0214	2.3745	0.0627	2.4372		8,478.440 8	8,478.440 8	0.2190		8,483.916 0
Total	3.3229	11.9468	30.5127	0.1203	9.8688	0.0797	9.9485	2.6381	0.0738	2.7118		12,252.31 70	12,252.31 70	0.4172		12,262.74 60

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.209 9	2,555.209 9	0.6079		2,570.406 1

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.5 Building Construction - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3027	10.0181	3.1014	0.0352	0.9156	0.0116	0.9271	0.2636	0.0111	0.2747		3,773.876 2	3,773.876 2	0.1982		3,778.830 0
Worker	3.0203	1.9287	27.4113	0.0851	8.9533	0.0681	9.0214	2.3745	0.0627	2.4372		8,478.440 8	8,478.440 8	0.2190		8,483.916 0
Total	3.3229	11.9468	30.5127	0.1203	9.8688	0.0797	9.9485	2.6381	0.0738	2.7118		12,252.31 70	12,252.31 70	0.4172		12,262.74 60

3.6 Paving - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.6 Paving - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0566	0.0361	0.5133	1.5900e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		158.7723	158.7723	4.1000e-003		158.8748
Total	0.0566	0.0361	0.5133	1.5900e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		158.7723	158.7723	4.1000e-003		158.8748

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.6 Paving - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0566	0.0361	0.5133	1.5900e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		158.7723	158.7723	4.1000e-003		158.8748
Total	0.0566	0.0361	0.5133	1.5900e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		158.7723	158.7723	4.1000e-003		158.8748

3.6 Paving - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.6 Paving - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0535	0.0329	0.4785	1.5400e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		153.8517	153.8517	3.7600e-003		153.9458
Total	0.0535	0.0329	0.4785	1.5400e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		153.8517	153.8517	3.7600e-003		153.9458

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.547 2	2,207.547 2	0.7140		2,225.396 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.6 Paving - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0535	0.0329	0.4785	1.5400e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		153.8517	153.8517	3.7600e-003		153.9458
Total	0.0535	0.0329	0.4785	1.5400e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		153.8517	153.8517	3.7600e-003		153.9458

3.7 Architectural Coating - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.7 Architectural Coating - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.5707	0.3513	5.1044	0.0165	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,641.085 2	1,641.085 2	0.0401		1,642.088 6
Total	0.5707	0.3513	5.1044	0.0165	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,641.085 2	1,641.085 2	0.0401		1,642.088 6

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.7 Architectural Coating - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.5707	0.3513	5.1044	0.0165	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,641.085 2	1,641.085 2	0.0401		1,642.088 6
Total	0.5707	0.3513	5.1044	0.0165	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,641.085 2	1,641.085 2	0.0401		1,642.088 6

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08
Unmitigated	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4,075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2,817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
NaturalGas Unmitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1119.16	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35784.3	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1283.42	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22759.9	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4769.72	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5057.75	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	251.616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1.11916	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35.7843	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1.28342	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22.7599	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4.76972	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5.05775	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	0.251616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

6.0 Area Detail**6.1 Mitigation Measures Area**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Unmitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

7.0 Water Detail**7.1 Mitigation Measures Water****8.0 Waste Detail****8.1 Mitigation Measures Waste****9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	9			Operational Year	2028
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82
tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2865	46.4651	31.6150	0.0642	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	6,221.4937	6,221.4937	1.9491	0.0000	6,270.2214
2022	5.7218	38.9024	47.3319	0.1455	9.8688	1.6366	10.7736	3.6558	1.5057	5.1615	0.0000	14,630.3099	14,630.3099	1.9499	0.0000	14,657.2663
2023	5.2705	26.4914	44.5936	0.1413	9.8688	0.7800	10.6488	2.6381	0.7328	3.3708	0.0000	14,210.3424	14,210.3424	1.0230	0.0000	14,235.9160
2024	237.2328	9.5610	15.0611	0.0243	1.7884	0.4698	1.8628	0.4743	0.4322	0.5476	0.0000	2,352.4178	2,352.4178	0.7175	0.0000	2,370.3550
Maximum	237.2328	46.4651	47.3319	0.1455	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	14,630.3099	14,630.3099	1.9499	0.0000	14,657.2663

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

2.1 Overall Construction (Maximum Daily Emission)**Mitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2865	46.4651	31.6150	0.0642	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	6,221.4937	6,221.4937	1.9491	0.0000	6,270.2214
2022	5.7218	38.9024	47.3319	0.1455	9.8688	1.6366	10.7736	3.6558	1.5057	5.1615	0.0000	14,630.3099	14,630.3099	1.9499	0.0000	14,657.2663
2023	5.2705	26.4914	44.5936	0.1413	9.8688	0.7800	10.6488	2.6381	0.7328	3.3708	0.0000	14,210.3424	14,210.3424	1.0230	0.0000	14,235.9160
2024	237.2328	9.5610	15.0611	0.0243	1.7884	0.4698	1.8628	0.4743	0.4322	0.5476	0.0000	2,352.4178	2,352.4178	0.7175	0.0000	2,370.3550
Maximum	237.2328	46.4651	47.3319	0.1455	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	14,630.3099	14,630.3099	1.9499	0.0000	14,657.2663

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.80 05	47,917.80 05	2.1953		47,972.68 39
Total	40.7912	67.7872	202.7424	0.6043	45.9592	2.4640	48.4231	12.2950	2.4399	14.7349	0.0000	74,422.37 87	74,422.37 87	2.8429	0.4832	74,637.44 17

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.80 05	47,917.80 05	2.1953		47,972.68 39
Total	40.7912	67.7872	202.7424	0.6043	45.9592	2.4640	48.4231	12.2950	2.4399	14.7349	0.0000	74,422.37 87	74,422.37 87	2.8429	0.4832	74,637.44 17

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411		3,747.9449	3,747.9449	1.0549		3,774.3174
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419		3,747.9449	3,747.9449	1.0549		3,774.3174

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.2 Demolition - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1304	4.1454	1.0182	0.0117	0.2669	0.0128	0.2797	0.0732	0.0122	0.0854		1,269.8555	1,269.8555	0.0908		1,272.1252
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0715	0.0489	0.5524	1.6100e-003	0.1677	1.3500e-003	0.1690	0.0445	1.2500e-003	0.0457		160.8377	160.8377	4.7300e-003		160.9560
Total	0.2019	4.1943	1.5706	0.0133	0.4346	0.0141	0.4487	0.1176	0.0135	0.1311		1,430.6932	1,430.6932	0.0955		1,433.0812

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411	0.0000	3,747.9449	3,747.9449	1.0549		3,774.3174
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419	0.0000	3,747.9449	3,747.9449	1.0549		3,774.3174

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.2 Demolition - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1304	4.1454	1.0182	0.0117	0.2669	0.0128	0.2797	0.0732	0.0122	0.0854		1,269.855 5	1,269.855 5	0.0908		1,272.125 2
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0715	0.0489	0.5524	1.6100e-003	0.1677	1.3500e-003	0.1690	0.0445	1.2500e-003	0.0457		160.8377	160.8377	4.7300e-003		160.9560
Total	0.2019	4.1943	1.5706	0.0133	0.4346	0.0141	0.4487	0.1176	0.0135	0.1311		1,430.693 2	1,430.693 2	0.0955		1,433.081 2

3.3 Site Preparation - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809		3,685.656 9	3,685.656 9	1.1920		3,715.457 3
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116		3,685.656 9	3,685.656 9	1.1920		3,715.457 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.3 Site Preparation - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0858	0.0587	0.6629	1.9400e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		193.0052	193.0052	5.6800e-003		193.1472
Total	0.0858	0.0587	0.6629	1.9400e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		193.0052	193.0052	5.6800e-003		193.1472

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.3 Site Preparation - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0858	0.0587	0.6629	1.9400e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		193.0052	193.0052	5.6800e-003		193.1472
Total	0.0858	0.0587	0.6629	1.9400e-003	0.2012	1.6300e-003	0.2028	0.0534	1.5000e-003	0.0549		193.0052	193.0052	5.6800e-003		193.1472

3.4 Grading - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265		6,007.0434	6,007.0434	1.9428		6,055,6134
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230		6,007.0434	6,007.0434	1.9428		6,055,6134

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.4 Grading - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0954	0.0652	0.7365	2.1500e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		214.4502	214.4502	6.3100e-003		214.6080
Total	0.0954	0.0652	0.7365	2.1500e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		214.4502	214.4502	6.3100e-003		214.6080

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265	0.0000	6,007.0434	6,007.0434	1.9428		6,055,6134
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230	0.0000	6,007.0434	6,007.0434	1.9428		6,055,6134

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.4 Grading - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0954	0.0652	0.7365	2.1500e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		214.4502	214.4502	6.3100e-003		214.6080
Total	0.0954	0.0652	0.7365	2.1500e-003	0.2236	1.8100e-003	0.2254	0.0593	1.6600e-003	0.0610		214.4502	214.4502	6.3100e-003		214.6080

3.4 Grading - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041		6,011.4105	6,011.4105	1.9442		6,060.0158
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006		6,011.4105	6,011.4105	1.9442		6,060.0158

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.4 Grading - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0896	0.0589	0.6784	2.0800e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		206.9139	206.9139	5.7000e-003		207.0563
Total	0.0896	0.0589	0.6784	2.0800e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		206.9139	206.9139	5.7000e-003		207.0563

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.4 Grading - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0896	0.0589	0.6784	2.0800e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		206.9139	206.9139	5.7000e-003		207.0563
Total	0.0896	0.0589	0.6784	2.0800e-003	0.2236	1.7500e-003	0.2253	0.0593	1.6100e-003	0.0609		206.9139	206.9139	5.7000e-003		207.0563

3.5 Building Construction - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.5 Building Construction - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4284	13.1673	3.8005	0.0354	0.9155	0.0256	0.9412	0.2636	0.0245	0.2881		3,789.075 0	3,789.075 0	0.2381		3,795.028 3
Worker	3.5872	2.3593	27.1680	0.0832	8.9533	0.0701	9.0234	2.3745	0.0646	2.4390		8,286.901 3	8,286.901 3	0.2282		8,292.605 8
Total	4.0156	15.5266	30.9685	0.1186	9.8688	0.0957	9.9645	2.6381	0.0891	2.7271		12,075.97 63	12,075.97 63	0.4663		12,087.63 41

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.5 Building Construction - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4284	13.1673	3.8005	0.0354	0.9155	0.0256	0.9412	0.2636	0.0245	0.2881		3,789.0750	3,789.0750	0.2381		3,795.0283
Worker	3.5872	2.3593	27.1680	0.0832	8.9533	0.0701	9.0234	2.3745	0.0646	2.4390		8,286.9013	8,286.9013	0.2282		8,292.6058
Total	4.0156	15.5266	30.9685	0.1186	9.8688	0.0957	9.9645	2.6381	0.0891	2.7271		12,075.9763	12,075.9763	0.4663		12,087.6341

3.5 Building Construction - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.2099	2,555.2099	0.6079		2,570.4061
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.2099	2,555.2099	0.6079		2,570.4061

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.5 Building Construction - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3183	9.9726	3.3771	0.0343	0.9156	0.0122	0.9277	0.2636	0.0116	0.2752		3,671.4007	3,671.4007	0.2096		3,676.6417
Worker	3.3795	2.1338	24.9725	0.0801	8.9533	0.0681	9.0214	2.3745	0.0627	2.4372		7,983.7318	7,983.7318	0.2055		7,988.8683
Total	3.6978	12.1065	28.3496	0.1144	9.8688	0.0803	9.9491	2.6381	0.0743	2.7124		11,655.1325	11,655.1325	0.4151		11,665.5099

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.2099	2,555.2099	0.6079		2,570.4061
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.2099	2,555.2099	0.6079		2,570.4061

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.5 Building Construction - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3183	9.9726	3.3771	0.0343	0.9156	0.0122	0.9277	0.2636	0.0116	0.2752		3,671.400 7	3,671.400 7	0.2096		3,676.641 7
Worker	3.3795	2.1338	24.9725	0.0801	8.9533	0.0681	9.0214	2.3745	0.0627	2.4372		7,983.731 8	7,983.731 8	0.2055		7,988.868 3
Total	3.6978	12.1065	28.3496	0.1144	9.8688	0.0803	9.9491	2.6381	0.0743	2.7124		11,655.13 25	11,655.13 25	0.4151		11,665.50 99

3.6 Paving - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.6 Paving - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0633	0.0400	0.4677	1.5000e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		149.5081	149.5081	3.8500e-003		149.6043
Total	0.0633	0.0400	0.4677	1.5000e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		149.5081	149.5081	3.8500e-003		149.6043

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.6 Paving - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0633	0.0400	0.4677	1.5000e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		149.5081	149.5081	3.8500e-003		149.6043
Total	0.0633	0.0400	0.4677	1.5000e-003	0.1677	1.2800e-003	0.1689	0.0445	1.1700e-003	0.0456		149.5081	149.5081	3.8500e-003		149.6043

3.6 Paving - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.6 Paving - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0601	0.0364	0.4354	1.4500e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		144.8706	144.8706	3.5300e-003		144.9587
Total	0.0601	0.0364	0.4354	1.4500e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		144.8706	144.8706	3.5300e-003		144.9587

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.5472	2,207.5472	0.7140		2,225.3963
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.5472	2,207.5472	0.7140		2,225.3963

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.6 Paving - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0601	0.0364	0.4354	1.4500e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		144.8706	144.8706	3.5300e-003		144.9587
Total	0.0601	0.0364	0.4354	1.4500e-003	0.1677	1.2600e-003	0.1689	0.0445	1.1600e-003	0.0456		144.8706	144.8706	3.5300e-003		144.9587

3.7 Architectural Coating - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.7 Architectural Coating - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.6406	0.3886	4.6439	0.0155	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,545.286 0	1,545.286 0	0.0376		1,546.226 2
Total	0.6406	0.3886	4.6439	0.0155	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,545.286 0	1,545.286 0	0.0376		1,546.226 2

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.7 Architectural Coating - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.6406	0.3886	4.6439	0.0155	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,545.286 0	1,545.286 0	0.0376		1,546.226 2
Total	0.6406	0.3886	4.6439	0.0155	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,545.286 0	1,545.286 0	0.0376		1,546.226 2

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.8005	47,917.8005	2.1953		47,972.6839
Unmitigated	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.8005	47,917.8005	2.1953		47,972.6839

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4,075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2,817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
NaturalGas Unmitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1119.16	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35784.3	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1283.42	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22759.9	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4769.72	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5057.75	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	251.616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1.11916	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35.7843	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1.28342	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22.7599	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4.76972	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5.05775	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	0.251616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

6.0 Area Detail**6.1 Mitigation Measures Area**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Unmitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

7.0 Water Detail**7.1 Mitigation Measures Water****8.0 Waste Detail****8.1 Mitigation Measures Waste****9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	9			Operational Year	2028
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Trips and VMT - Local hire provision

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27
tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

2.1 Overall Construction**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2021	0.1704	1.8234	1.1577	2.3800e-003	0.4141	0.0817	0.4958	0.1788	0.0754	0.2542	0.0000	210.7654	210.7654	0.0600	0.0000	212.2661
2022	0.5865	4.0240	5.1546	0.0155	0.9509	0.1175	1.0683	0.2518	0.1103	0.3621	0.0000	1,418.6554	1,418.6554	0.1215	0.0000	1,421.6925
2023	0.5190	3.2850	4.7678	0.0147	0.8497	0.0971	0.9468	0.2283	0.0912	0.3195	0.0000	1,342.4412	1,342.4412	0.1115	0.0000	1,345.2291
2024	4.1592	0.1313	0.2557	5.0000e-004	0.0221	6.3900e-003	0.0285	5.8700e-003	5.9700e-003	0.0118	0.0000	44.6355	44.6355	7.8300e-003	0.0000	44.8311
Maximum	4.1592	4.0240	5.1546	0.0155	0.9509	0.1175	1.0683	0.2518	0.1103	0.3621	0.0000	1,418.6554	1,418.6554	0.1215	0.0000	1,421.6925

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

2.1 Overall Construction**Mitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2021	0.1704	1.8234	1.1577	2.3800e-003	0.4141	0.0817	0.4958	0.1788	0.0754	0.2542	0.0000	210.7651	210.7651	0.0600	0.0000	212.2658
2022	0.5865	4.0240	5.1546	0.0155	0.9509	0.1175	1.0683	0.2518	0.1103	0.3621	0.0000	1,418.6550	1,418.6550	0.1215	0.0000	1,421.6921
2023	0.5190	3.2850	4.7678	0.0147	0.8497	0.0971	0.9468	0.2283	0.0912	0.3195	0.0000	1,342.4409	1,342.4409	0.1115	0.0000	1,345.2287
2024	4.1592	0.1313	0.2557	5.0000e-004	0.0221	6.3900e-003	0.0285	5.8700e-003	5.9700e-003	0.0118	0.0000	44.6354	44.6354	7.8300e-003	0.0000	44.8311
Maximum	4.1592	4.0240	5.1546	0.0155	0.9509	0.1175	1.0683	0.2518	0.1103	0.3621	0.0000	1,418.6550	1,418.6550	0.1215	0.0000	1,421.6921

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
1	9-1-2021	11-30-2021	1.4091	1.4091
2	12-1-2021	2-28-2022	1.3329	1.3329
3	3-1-2022	5-31-2022	1.1499	1.1499
4	6-1-2022	8-31-2022	1.1457	1.1457
5	9-1-2022	11-30-2022	1.1415	1.1415
6	12-1-2022	2-28-2023	1.0278	1.0278
7	3-1-2023	5-31-2023	0.9868	0.9868
8	6-1-2023	8-31-2023	0.9831	0.9831

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

9	9-1-2023	11-30-2023	0.9798	0.9798
10	12-1-2023	2-29-2024	2.8757	2.8757
11	3-1-2024	5-31-2024	1.6188	1.6188
		Highest	2.8757	2.8757

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835
Energy	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	3,896.0732	3,896.0732	0.1303	0.0468	3,913.2833
Mobile	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162
Waste						0.0000	0.0000		0.0000	0.0000	207.8079	0.0000	207.8079	12.2811	0.0000	514.8354
Water						0.0000	0.0000		0.0000	0.0000	29.1632	556.6420	585.8052	3.0183	0.0755	683.7567
Total	6.8692	9.5223	30.3407	0.0914	7.7979	0.2260	8.0240	2.0895	0.2219	2.3114	236.9712	12,294.1807	12,531.1519	15.7904	0.1260	12,963.4751

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

2.2 Overall Operational**Mitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835
Energy	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	3,896.0732	3,896.0732	0.1303	0.0468	3,913.2833
Mobile	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162
Waste						0.0000	0.0000		0.0000	0.0000	207.8079	0.0000	207.8079	12.2811	0.0000	514.8354
Water						0.0000	0.0000		0.0000	0.0000	29.1632	556.6420	585.8052	3.0183	0.0755	683.7567
Total	6.8692	9.5223	30.3407	0.0914	7.7979	0.2260	8.0240	2.0895	0.2219	2.3114	236.9712	12,294.1807	12,531.1519	15.7904	0.1260	12,963.4751

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail**Construction Phase**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0496	0.0000	0.0496	7.5100e-003	0.0000	7.5100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0475	0.4716	0.3235	5.8000e-004		0.0233	0.0233		0.0216	0.0216	0.0000	51.0012	51.0012	0.0144	0.0000	51.3601
Total	0.0475	0.4716	0.3235	5.8000e-004	0.0496	0.0233	0.0729	7.5100e-003	0.0216	0.0291	0.0000	51.0012	51.0012	0.0144	0.0000	51.3601

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.2 Demolition - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.9300e-003	0.0634	0.0148	1.8000e-004	3.9400e-003	1.9000e-004	4.1300e-003	1.0800e-003	1.8000e-004	1.2600e-003	0.0000	17.4566	17.4566	1.2100e-003	0.0000	17.4869
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.2000e-004	5.3000e-004	6.0900e-003	2.0000e-005	1.6800e-003	1.0000e-005	1.6900e-003	4.5000e-004	1.0000e-005	4.6000e-004	0.0000	1.5281	1.5281	5.0000e-005	0.0000	1.5293
Total	2.6500e-003	0.0639	0.0209	2.0000e-004	5.6200e-003	2.0000e-004	5.8200e-003	1.5300e-003	1.9000e-004	1.7200e-003	0.0000	18.9847	18.9847	1.2600e-003	0.0000	19.0161

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0496	0.0000	0.0496	7.5100e-003	0.0000	7.5100e-003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0475	0.4716	0.3235	5.8000e-004		0.0233	0.0233		0.0216	0.0216	0.0000	51.0011	51.0011	0.0144	0.0000	51.3600
Total	0.0475	0.4716	0.3235	5.8000e-004	0.0496	0.0233	0.0729	7.5100e-003	0.0216	0.0291	0.0000	51.0011	51.0011	0.0144	0.0000	51.3600

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.2 Demolition - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	1.9300e-003	0.0634	0.0148	1.8000e-004	3.9400e-003	1.9000e-004	4.1300e-003	1.0800e-003	1.8000e-004	1.2600e-003	0.0000	17.4566	17.4566	1.2100e-003	0.0000	17.4869
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.2000e-004	5.3000e-004	6.0900e-003	2.0000e-005	1.6800e-003	1.0000e-005	1.6900e-003	4.5000e-004	1.0000e-005	4.6000e-004	0.0000	1.5281	1.5281	5.0000e-005	0.0000	1.5293
Total	2.6500e-003	0.0639	0.0209	2.0000e-004	5.6200e-003	2.0000e-004	5.8200e-003	1.5300e-003	1.9000e-004	1.7200e-003	0.0000	18.9847	18.9847	1.2600e-003	0.0000	19.0161

3.3 Site Preparation - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1807	0.0000	0.1807	0.0993	0.0000	0.0993	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0389	0.4050	0.2115	3.8000e-004		0.0204	0.0204		0.0188	0.0188	0.0000	33.4357	33.4357	0.0108	0.0000	33.7061
Total	0.0389	0.4050	0.2115	3.8000e-004	0.1807	0.0204	0.2011	0.0993	0.0188	0.1181	0.0000	33.4357	33.4357	0.0108	0.0000	33.7061

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.3 Site Preparation - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.8000e-004	4.3000e-004	4.8700e-003	1.0000e-005	1.3400e-003	1.0000e-005	1.3500e-003	3.6000e-004	1.0000e-005	3.7000e-004	0.0000	1.2225	1.2225	4.0000e-005	0.0000	1.2234
Total	5.8000e-004	4.3000e-004	4.8700e-003	1.0000e-005	1.3400e-003	1.0000e-005	1.3500e-003	3.6000e-004	1.0000e-005	3.7000e-004	0.0000	1.2225	1.2225	4.0000e-005	0.0000	1.2234

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1807	0.0000	0.1807	0.0993	0.0000	0.0993	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0389	0.4050	0.2115	3.8000e-004		0.0204	0.0204		0.0188	0.0188	0.0000	33.4357	33.4357	0.0108	0.0000	33.7060
Total	0.0389	0.4050	0.2115	3.8000e-004	0.1807	0.0204	0.2011	0.0993	0.0188	0.1181	0.0000	33.4357	33.4357	0.0108	0.0000	33.7060

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.3 Site Preparation - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.8000e-004	4.3000e-004	4.8700e-003	1.0000e-005	1.3400e-003	1.0000e-005	1.3500e-003	3.6000e-004	1.0000e-005	3.7000e-004	0.0000	1.2225	1.2225	4.0000e-005	0.0000	1.2234
Total	5.8000e-004	4.3000e-004	4.8700e-003	1.0000e-005	1.3400e-003	1.0000e-005	1.3500e-003	3.6000e-004	1.0000e-005	3.7000e-004	0.0000	1.2225	1.2225	4.0000e-005	0.0000	1.2234

3.4 Grading - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1741	0.0000	0.1741	0.0693	0.0000	0.0693	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0796	0.8816	0.5867	1.1800e-003		0.0377	0.0377		0.0347	0.0347	0.0000	103.5405	103.5405	0.0335	0.0000	104.3776
Total	0.0796	0.8816	0.5867	1.1800e-003	0.1741	0.0377	0.2118	0.0693	0.0347	0.1040	0.0000	103.5405	103.5405	0.0335	0.0000	104.3776

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.2200e-003	9.0000e-004	0.0103	3.0000e-005	2.8300e-003	2.0000e-005	2.8600e-003	7.5000e-004	2.0000e-005	7.8000e-004	0.0000	2.5808	2.5808	8.0000e-005	0.0000	2.5828
Total	1.2200e-003	9.0000e-004	0.0103	3.0000e-005	2.8300e-003	2.0000e-005	2.8600e-003	7.5000e-004	2.0000e-005	7.8000e-004	0.0000	2.5808	2.5808	8.0000e-005	0.0000	2.5828

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1741	0.0000	0.1741	0.0693	0.0000	0.0693	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0796	0.8816	0.5867	1.1800e-003		0.0377	0.0377		0.0347	0.0347	0.0000	103.5403	103.5403	0.0335	0.0000	104.3775
Total	0.0796	0.8816	0.5867	1.1800e-003	0.1741	0.0377	0.2118	0.0693	0.0347	0.1040	0.0000	103.5403	103.5403	0.0335	0.0000	104.3775

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.2200e-003	9.0000e-004	0.0103	3.0000e-005	2.8300e-003	2.0000e-005	2.8600e-003	7.5000e-004	2.0000e-005	7.8000e-004	0.0000	2.5808	2.5808	8.0000e-005	0.0000	2.5828
Total	1.2200e-003	9.0000e-004	0.0103	3.0000e-005	2.8300e-003	2.0000e-005	2.8600e-003	7.5000e-004	2.0000e-005	7.8000e-004	0.0000	2.5808	2.5808	8.0000e-005	0.0000	2.5828

3.4 Grading - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0807	0.0000	0.0807	0.0180	0.0000	0.0180	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0127	0.1360	0.1017	2.2000e-004		5.7200e-003	5.7200e-003		5.2600e-003	5.2600e-003	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414
Total	0.0127	0.1360	0.1017	2.2000e-004	0.0807	5.7200e-003	0.0865	0.0180	5.2600e-003	0.0233	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.1000e-004	1.5000e-004	1.7400e-003	1.0000e-005	5.2000e-004	0.0000	5.3000e-004	1.4000e-004	0.0000	1.4000e-004	0.0000	0.4587	0.4587	1.0000e-005	0.0000	0.4590
Total	2.1000e-004	1.5000e-004	1.7400e-003	1.0000e-005	5.2000e-004	0.0000	5.3000e-004	1.4000e-004	0.0000	1.4000e-004	0.0000	0.4587	0.4587	1.0000e-005	0.0000	0.4590

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0807	0.0000	0.0807	0.0180	0.0000	0.0180	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0127	0.1360	0.1017	2.2000e-004		5.7200e-003	5.7200e-003		5.2600e-003	5.2600e-003	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414
Total	0.0127	0.1360	0.1017	2.2000e-004	0.0807	5.7200e-003	0.0865	0.0180	5.2600e-003	0.0233	0.0000	19.0871	19.0871	6.1700e-003	0.0000	19.2414

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.1000e-004	1.5000e-004	1.7400e-003	1.0000e-005	5.2000e-004	0.0000	5.3000e-004	1.4000e-004	0.0000	1.4000e-004	0.0000	0.4587	0.4587	1.0000e-005	0.0000	0.4590
Total	2.1000e-004	1.5000e-004	1.7400e-003	1.0000e-005	5.2000e-004	0.0000	5.3000e-004	1.4000e-004	0.0000	1.4000e-004	0.0000	0.4587	0.4587	1.0000e-005	0.0000	0.4590

3.5 Building Construction - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1324	293.1324	0.0702	0.0000	294.8881
Total	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1324	293.1324	0.0702	0.0000	294.8881

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.5 Building Construction - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0527	1.6961	0.4580	4.5500e-003	0.1140	3.1800e-003	0.1171	0.0329	3.0400e-003	0.0359	0.0000	441.9835	441.9835	0.0264	0.0000	442.6435
Worker	0.3051	0.2164	2.5233	7.3500e-003	0.7557	6.2300e-003	0.7619	0.2007	5.7400e-003	0.2065	0.0000	663.9936	663.9936	0.0187	0.0000	664.4604
Total	0.3578	1.9125	2.9812	0.0119	0.8696	9.4100e-003	0.8790	0.2336	8.7800e-003	0.2424	0.0000	1,105.9771	1,105.9771	0.0451	0.0000	1,107.1039

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1321	293.1321	0.0702	0.0000	294.8877
Total	0.2158	1.9754	2.0700	3.4100e-003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1321	293.1321	0.0702	0.0000	294.8877

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.5 Building Construction - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0527	1.6961	0.4580	4.5500e-003	0.1140	3.1800e-003	0.1171	0.0329	3.0400e-003	0.0359	0.0000	441.9835	441.9835	0.0264	0.0000	442.6435
Worker	0.3051	0.2164	2.5233	7.3500e-003	0.7557	6.2300e-003	0.7619	0.2007	5.7400e-003	0.2065	0.0000	663.9936	663.9936	0.0187	0.0000	664.4604
Total	0.3578	1.9125	2.9812	0.0119	0.8696	9.4100e-003	0.8790	0.2336	8.7800e-003	0.2424	0.0000	1,105.9771	1,105.9771	0.0451	0.0000	1,107.1039

3.5 Building Construction - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2789	286.2789	0.0681	0.0000	287.9814
Total	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2789	286.2789	0.0681	0.0000	287.9814

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.5 Building Construction - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0382	1.2511	0.4011	4.3000e-003	0.1113	1.4600e-003	0.1127	0.0321	1.4000e-003	0.0335	0.0000	417.9930	417.9930	0.0228	0.0000	418.5624
Worker	0.2795	0.1910	2.2635	6.9100e-003	0.7377	5.9100e-003	0.7436	0.1960	5.4500e-003	0.2014	0.0000	624.5363	624.5363	0.0164	0.0000	624.9466
Total	0.3177	1.4420	2.6646	0.0112	0.8490	7.3700e-003	0.8564	0.2281	6.8500e-003	0.2349	0.0000	1,042.5294	1,042.5294	0.0392	0.0000	1,043.5090

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2785	286.2785	0.0681	0.0000	287.9811
Total	0.1942	1.7765	2.0061	3.3300e-003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2785	286.2785	0.0681	0.0000	287.9811

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.5 Building Construction - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0382	1.2511	0.4011	4.3000e-003	0.1113	1.4600e-003	0.1127	0.0321	1.4000e-003	0.0335	0.0000	417.9930	417.9930	0.0228	0.0000	418.5624
Worker	0.2795	0.1910	2.2635	6.9100e-003	0.7377	5.9100e-003	0.7436	0.1960	5.4500e-003	0.2014	0.0000	624.5363	624.5363	0.0164	0.0000	624.9466
Total	0.3177	1.4420	2.6646	0.0112	0.8490	7.3700e-003	0.8564	0.2281	6.8500e-003	0.2349	0.0000	1,042.5294	1,042.5294	0.0392	0.0000	1,043.5090

3.6 Paving - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.6 Paving - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.8000e-004	1.9000e-004	2.2300e-003	1.0000e-005	7.3000e-004	1.0000e-005	7.3000e-004	1.9000e-004	1.0000e-005	2.0000e-004	0.0000	0.6156	0.6156	2.0000e-005	0.0000	0.6160
Total	2.8000e-004	1.9000e-004	2.2300e-003	1.0000e-005	7.3000e-004	1.0000e-005	7.3000e-004	1.9000e-004	1.0000e-005	2.0000e-004	0.0000	0.6156	0.6156	2.0000e-005	0.0000	0.6160

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	6.7100e-003	0.0663	0.0948	1.5000e-004		3.3200e-003	3.3200e-003		3.0500e-003	3.0500e-003	0.0000	13.0175	13.0175	4.2100e-003	0.0000	13.1227

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.6 Paving - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.8000e-004	1.9000e-004	2.2300e-003	1.0000e-005	7.3000e-004	1.0000e-005	7.3000e-004	1.9000e-004	1.0000e-005	2.0000e-004	0.0000	0.6156	0.6156	2.0000e-005	0.0000	0.6160
Total	2.8000e-004	1.9000e-004	2.2300e-003	1.0000e-005	7.3000e-004	1.0000e-005	7.3000e-004	1.9000e-004	1.0000e-005	2.0000e-004	0.0000	0.6156	0.6156	2.0000e-005	0.0000	0.6160

3.6 Paving - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.6 Paving - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.4000e-004	2.9000e-004	3.5100e-003	1.0000e-005	1.2300e-003	1.0000e-005	1.2400e-003	3.3000e-004	1.0000e-005	3.4000e-004	0.0000	1.0094	1.0094	3.0000e-005	0.0000	1.0100
Total	4.4000e-004	2.9000e-004	3.5100e-003	1.0000e-005	1.2300e-003	1.0000e-005	1.2400e-003	3.3000e-004	1.0000e-005	3.4000e-004	0.0000	1.0094	1.0094	3.0000e-005	0.0000	1.0100

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0109	0.1048	0.1609	2.5000e-004		5.1500e-003	5.1500e-003		4.7400e-003	4.7400e-003	0.0000	22.0292	22.0292	7.1200e-003	0.0000	22.2073

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.6 Paving - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.4000e-004	2.9000e-004	3.5100e-003	1.0000e-005	1.2300e-003	1.0000e-005	1.2400e-003	3.3000e-004	1.0000e-005	3.4000e-004	0.0000	1.0094	1.0094	3.0000e-005	0.0000	1.0100
Total	4.4000e-004	2.9000e-004	3.5100e-003	1.0000e-005	1.2300e-003	1.0000e-005	1.2400e-003	3.3000e-004	1.0000e-005	3.4000e-004	0.0000	1.0094	1.0094	3.0000e-005	0.0000	1.0100

3.7 Architectural Coating - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	4.1372					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.1600e-003	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745
Total	4.1404	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.7 Architectural Coating - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.4800e-003	4.9300e-003	0.0596	1.9000e-004	0.0209	1.6000e-004	0.0211	5.5500e-003	1.5000e-004	5.7000e-003	0.0000	17.1287	17.1287	4.3000e-004	0.0000	17.1394
Total	7.4800e-003	4.9300e-003	0.0596	1.9000e-004	0.0209	1.6000e-004	0.0211	5.5500e-003	1.5000e-004	5.7000e-003	0.0000	17.1287	17.1287	4.3000e-004	0.0000	17.1394

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Archit. Coating	4.1372					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.1600e-003	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745
Total	4.1404	0.0213	0.0317	5.0000e-005		1.0700e-003	1.0700e-003		1.0700e-003	1.0700e-003	0.0000	4.4682	4.4682	2.5000e-004	0.0000	4.4745

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.7 Architectural Coating - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.4800e-003	4.9300e-003	0.0596	1.9000e-004	0.0209	1.6000e-004	0.0211	5.5500e-003	1.5000e-004	5.7000e-003	0.0000	17.1287	17.1287	4.3000e-004	0.0000	17.1394
Total	7.4800e-003	4.9300e-003	0.0596	1.9000e-004	0.0209	1.6000e-004	0.0211	5.5500e-003	1.5000e-004	5.7000e-003	0.0000	17.1287	17.1287	4.3000e-004	0.0000	17.1394

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162
Unmitigated	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.4986	7,620.4986	0.3407	0.0000	7,629.0162

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	2,512.6465	2,512.6465	0.1037	0.0215	2,521.6356
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	2,512.6465	2,512.6465	0.1037	0.0215	2,521.6356
NaturalGas Mitigated	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4267	1,383.4267	0.0265	0.0254	1,391.6478
NaturalGas Unmitigated	0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4267	1,383.4267	0.0265	0.0254	1,391.6478

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Low Rise	408494	2.2000e-003	0.0188	8.0100e-003	1.2000e-004		1.5200e-003	1.5200e-003		1.5200e-003	1.5200e-003	0.0000	21.7988	21.7988	4.2000e-004	4.0000e-004	21.9284
Apartments Mid Rise	1.30613e+007	0.0704	0.6018	0.2561	3.8400e-003		0.0487	0.0487		0.0487	0.0487	0.0000	696.9989	696.9989	0.0134	0.0128	701.1408
General Office Building	468450	2.5300e-003	0.0230	0.0193	1.4000e-004		1.7500e-003	1.7500e-003		1.7500e-003	1.7500e-003	0.0000	24.9983	24.9983	4.8000e-004	4.6000e-004	25.1468
High Turnover (Sit Down Restaurant)	8.30736e+006	0.0448	0.4072	0.3421	2.4400e-003		0.0310	0.0310		0.0310	0.0310	0.0000	443.3124	443.3124	8.5000e-003	8.1300e-003	445.9468
Hotel	1.74095e+006	9.3900e-003	0.0853	0.0717	5.1000e-004		6.4900e-003	6.4900e-003		6.4900e-003	6.4900e-003	0.0000	92.9036	92.9036	1.7800e-003	1.7000e-003	93.4557
Quality Restaurant	1.84608e+006	9.9500e-003	0.0905	0.0760	5.4000e-004		6.8800e-003	6.8800e-003		6.8800e-003	6.8800e-003	0.0000	98.5139	98.5139	1.8900e-003	1.8100e-003	99.0993
Regional Shopping Center	91840	5.0000e-004	4.5000e-003	3.7800e-003	3.0000e-005		3.4000e-004	3.4000e-004		3.4000e-004	3.4000e-004	0.0000	4.9009	4.9009	9.0000e-005	9.0000e-005	4.9301
Total		0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4268	1,383.4268	0.0265	0.0254	1,391.6478

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Low Rise	408494	2.2000e-003	0.0188	8.0100e-003	1.2000e-004		1.5200e-003	1.5200e-003		1.5200e-003	1.5200e-003	0.0000	21.7988	21.7988	4.2000e-004	4.0000e-004	21.9284
Apartments Mid Rise	1.30613e+007	0.0704	0.6018	0.2561	3.8400e-003		0.0487	0.0487		0.0487	0.0487	0.0000	696.9989	696.9989	0.0134	0.0128	701.1408
General Office Building	468450	2.5300e-003	0.0230	0.0193	1.4000e-004		1.7500e-003	1.7500e-003		1.7500e-003	1.7500e-003	0.0000	24.9983	24.9983	4.8000e-004	4.6000e-004	25.1468
High Turnover (Sit Down Restaurant)	8.30736e+006	0.0448	0.4072	0.3421	2.4400e-003		0.0310	0.0310		0.0310	0.0310	0.0000	443.3124	443.3124	8.5000e-003	8.1300e-003	445.9468
Hotel	1.74095e+006	9.3900e-003	0.0853	0.0717	5.1000e-004		6.4900e-003	6.4900e-003		6.4900e-003	6.4900e-003	0.0000	92.9036	92.9036	1.7800e-003	1.7000e-003	93.4557
Quality Restaurant	1.84608e+006	9.9500e-003	0.0905	0.0760	5.4000e-004		6.8800e-003	6.8800e-003		6.8800e-003	6.8800e-003	0.0000	98.5139	98.5139	1.8900e-003	1.8100e-003	99.0993
Regional Shopping Center	91840	5.0000e-004	4.5000e-003	3.7800e-003	3.0000e-005		3.4000e-004	3.4000e-004		3.4000e-004	3.4000e-004	0.0000	4.9009	4.9009	9.0000e-005	9.0000e-005	4.9301
Total		0.1398	1.2312	0.7770	7.6200e-003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.4268	1,383.4268	0.0265	0.0254	1,391.6478

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.3 Energy by Land Use - Electricity**Unmitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Low Rise	106010	33.7770	1.3900e-003	2.9000e-004	33.8978
Apartments Mid Rise	3.94697e+006	1,257.5879	0.0519	0.0107	1,262.0869
General Office Building	584550	186.2502	7.6900e-003	1.5900e-003	186.9165
High Turnover (Sit Down Restaurant)	1.58904e+006	506.3022	0.0209	4.3200e-003	508.1135
Hotel	550308	175.3399	7.2400e-003	1.5000e-003	175.9672
Quality Restaurant	353120	112.5116	4.6500e-003	9.6000e-004	112.9141
Regional Shopping Center	756000	240.8778	9.9400e-003	2.0600e-003	241.7395
Total		2,512.6465	0.1037	0.0215	2,521.6356

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.3 Energy by Land Use - Electricity**Mitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Low Rise	106010	33.7770	1.3900e-003	2.9000e-004	33.8978
Apartments Mid Rise	3.94697e+006	1,257.5879	0.0519	0.0107	1,262.0869
General Office Building	584550	186.2502	7.6900e-003	1.5900e-003	186.9165
High Turnover (Sit Down Restaurant)	1.58904e+006	506.3022	0.0209	4.3200e-003	508.1135
Hotel	550308	175.3399	7.2400e-003	1.5000e-003	175.9672
Quality Restaurant	353120	112.5116	4.6500e-003	9.6000e-004	112.9141
Regional Shopping Center	756000	240.8778	9.9400e-003	2.0600e-003	241.7395
Total		2,512.6465	0.1037	0.0215	2,521.6356

6.0 Area Detail**6.1 Mitigation Measures Area**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835
Unmitigated	5.1437	0.2950	10.3804	1.6700e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.4137					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	4.3998					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0206	0.1763	0.0750	1.1200e-003		0.0143	0.0143		0.0143	0.0143	0.0000	204.1166	204.1166	3.9100e-003	3.7400e-003	205.3295
Landscaping	0.3096	0.1187	10.3054	5.4000e-004		0.0572	0.0572		0.0572	0.0572	0.0000	16.8504	16.8504	0.0161	0.0000	17.2540
Total	5.1437	0.2950	10.3804	1.6600e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	0.4137					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	4.3998					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0206	0.1763	0.0750	1.1200e-003		0.0143	0.0143		0.0143	0.0143	0.0000	204.1166	204.1166	3.9100e-003	3.7400e-003	205.3295
Landscaping	0.3096	0.1187	10.3054	5.4000e-004		0.0572	0.0572		0.0572	0.0572	0.0000	16.8504	16.8504	0.0161	0.0000	17.2540
Total	5.1437	0.2950	10.3804	1.6600e-003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e-003	222.5835

7.0 Water Detail**7.1 Mitigation Measures Water**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	585.8052	3.0183	0.0755	683.7567
Unmitigated	585.8052	3.0183	0.0755	683.7567

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

7.2 Water by Land Use**Unmitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Low Rise	1.62885 / 1.02688	10.9095	0.0535	1.3400e-003	12.6471
Apartments Mid Rise	63.5252 / 40.0485	425.4719	2.0867	0.0523	493.2363
General Office Building	7.99802 / 4.90201	53.0719	0.2627	6.5900e-003	61.6019
High Turnover (Sit Down Restaurant)	10.9272 / 0.697482	51.2702	0.3580	8.8200e-003	62.8482
Hotel	1.26834 / 0.140927	6.1633	0.0416	1.0300e-003	7.5079
Quality Restaurant	2.42827 / 0.154996	11.3934	0.0796	1.9600e-003	13.9663
Regional Shopping Center	4.14806 / 2.54236	27.5250	0.1363	3.4200e-003	31.9490
Total		585.8052	3.0183	0.0755	683.7567

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

7.2 Water by Land Use**Mitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Low Rise	1.62885 / 1.02688	10.9095	0.0535	1.3400e-003	12.6471
Apartments Mid Rise	63.5252 / 40.0485	425.4719	2.0867	0.0523	493.2363
General Office Building	7.99802 / 4.90201	53.0719	0.2627	6.5900e-003	61.6019
High Turnover (Sit Down Restaurant)	10.9272 / 0.697482	51.2702	0.3580	8.8200e-003	62.8482
Hotel	1.26834 / 0.140927	6.1633	0.0416	1.0300e-003	7.5079
Quality Restaurant	2.42827 / 0.154996	11.3934	0.0796	1.9600e-003	13.9663
Regional Shopping Center	4.14806 / 2.54236	27.5250	0.1363	3.4200e-003	31.9490
Total		585.8052	3.0183	0.0755	683.7567

8.0 Waste Detail**8.1 Mitigation Measures Waste**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	207.8079	12.2811	0.0000	514.8354
Unmitigated	207.8079	12.2811	0.0000	514.8354

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

8.2 Waste by Land Use**Unmitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Low Rise	11.5	2.3344	0.1380	0.0000	5.7834
Apartments Mid Rise	448.5	91.0415	5.3804	0.0000	225.5513
General Office Building	41.85	8.4952	0.5021	0.0000	21.0464
High Turnover (Sit Down Restaurant)	428.4	86.9613	5.1393	0.0000	215.4430
Hotel	27.38	5.5579	0.3285	0.0000	13.7694
Quality Restaurant	7.3	1.4818	0.0876	0.0000	3.6712
Regional Shopping Center	58.8	11.9359	0.7054	0.0000	29.5706
Total		207.8079	12.2811	0.0000	514.8354

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

8.2 Waste by Land Use**Mitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Low Rise	11.5	2.3344	0.1380	0.0000	5.7834
Apartments Mid Rise	448.5	91.0415	5.3804	0.0000	225.5513
General Office Building	41.85	8.4952	0.5021	0.0000	21.0464
High Turnover (Sit Down Restaurant)	428.4	86.9613	5.1393	0.0000	215.4430
Hotel	27.38	5.5579	0.3285	0.0000	13.7694
Quality Restaurant	7.3	1.4818	0.0876	0.0000	3.6712
Regional Shopping Center	58.8	11.9359	0.7054	0.0000	29.5706
Total		207.8079	12.2811	0.0000	514.8354

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment**Fire Pumps and Emergency Generators**

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	9			Operational Year	2028
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Trips and VMT - Local hire provision

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27
tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2561	46.4415	31.4494	0.0636	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	6,163.4166	6,163.4166	1.9475	0.0000	6,212.1039
2022	4.5441	38.8811	40.8776	0.1240	8.8255	1.6361	10.4616	3.6369	1.5052	5.1421	0.0000	12,493.4403	12,493.4403	1.9485	0.0000	12,518.5707
2023	4.1534	25.7658	38.7457	0.1206	7.0088	0.7592	7.7679	1.8799	0.7136	2.5935	0.0000	12,150.4890	12,150.4890	0.9589	0.0000	12,174.4615
2024	237.0219	9.5478	14.9642	0.0239	1.2171	0.4694	1.2875	0.3229	0.4319	0.4621	0.0000	2,313.1808	2,313.1808	0.7166	0.0000	2,331.0956
Maximum	237.0219	46.4415	40.8776	0.1240	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	12,493.4403	12,493.4403	1.9485	0.0000	12,518.5707

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

2.1 Overall Construction (Maximum Daily Emission)**Mitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2561	46.4415	31.4494	0.0636	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	6,163.4166	6,163.4166	1.9475	0.0000	6,212.1039
2022	4.5441	38.8811	40.8776	0.1240	8.8255	1.6361	10.4616	3.6369	1.5052	5.1421	0.0000	12,493.4403	12,493.4403	1.9485	0.0000	12,518.5707
2023	4.1534	25.7658	38.7457	0.1206	7.0088	0.7592	7.7679	1.8799	0.7136	2.5935	0.0000	12,150.4890	12,150.4890	0.9589	0.0000	12,174.4615
2024	237.0219	9.5478	14.9642	0.0239	1.2171	0.4694	1.2875	0.3229	0.4319	0.4621	0.0000	2,313.1808	2,313.1808	0.7166	0.0000	2,331.0955
Maximum	237.0219	46.4415	40.8776	0.1240	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	12,493.4403	12,493.4403	1.9485	0.0000	12,518.5707

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08
Total	41.1168	67.2262	207.5497	0.6278	45.9592	2.4626	48.4217	12.2950	2.4385	14.7336	0.0000	76,811.18 16	76,811.18 16	2.8282	0.4832	77,025.87 86

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08
Total	41.1168	67.2262	207.5497	0.6278	45.9592	2.4626	48.4217	12.2950	2.4385	14.7336	0.0000	76,811.18 16	76,811.18 16	2.8282	0.4832	77,025.87 86

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411		3,747.9449	3,747.9449	1.0549		3,774.3174
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419		3,747.9449	3,747.9449	1.0549		3,774.3174

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.2 Demolition - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1273	4.0952	0.9602	0.0119	0.2669	0.0126	0.2795	0.0732	0.0120	0.0852		1,292.241 3	1,292.241 3	0.0877		1,294.433 7
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0487	0.0313	0.4282	1.1800e-003	0.1141	9.5000e-004	0.1151	0.0303	8.8000e-004	0.0311		117.2799	117.2799	3.5200e-003		117.3678
Total	0.1760	4.1265	1.3884	0.0131	0.3810	0.0135	0.3946	0.1034	0.0129	0.1163		1,409.521 2	1,409.521 2	0.0912		1,411.801 5

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.2 Demolition - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1273	4.0952	0.9602	0.0119	0.2669	0.0126	0.2795	0.0732	0.0120	0.0852		1,292.241 3	1,292.241 3	0.0877		1,294.433 7
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0487	0.0313	0.4282	1.1800e-003	0.1141	9.5000e-004	0.1151	0.0303	8.8000e-004	0.0311		117.2799	117.2799	3.5200e-003		117.3678
Total	0.1760	4.1265	1.3884	0.0131	0.3810	0.0135	0.3946	0.1034	0.0129	0.1163		1,409.521 2	1,409.521 2	0.0912		1,411.801 5

3.3 Site Preparation - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809		3,685.656 9	3,685.656 9	1.1920		3,715.457 3
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116		3,685.656 9	3,685.656 9	1.1920		3,715.457 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.3 Site Preparation - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0584	0.0375	0.5139	1.4100e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		140.7359	140.7359	4.2200e-003		140.8414
Total	0.0584	0.0375	0.5139	1.4100e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		140.7359	140.7359	4.2200e-003		140.8414

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.3 Site Preparation - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0584	0.0375	0.5139	1.4100e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		140.7359	140.7359	4.2200e-003		140.8414
Total	0.0584	0.0375	0.5139	1.4100e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		140.7359	140.7359	4.2200e-003		140.8414

3.4 Grading - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265		6,007.0434	6,007.0434	1.9428		6,055,6134
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230		6,007.0434	6,007.0434	1.9428		6,055,6134

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.4 Grading - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0649	0.0417	0.5710	1.5700e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		156.3732	156.3732	4.6900e-003		156.4904
Total	0.0649	0.0417	0.5710	1.5700e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		156.3732	156.3732	4.6900e-003		156.4904

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265	0.0000	6,007.0434	6,007.0434	1.9428		6,055,6134
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230	0.0000	6,007.0434	6,007.0434	1.9428		6,055,6134

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.4 Grading - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0649	0.0417	0.5710	1.5700e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		156.3732	156.3732	4.6900e-003		156.4904
Total	0.0649	0.0417	0.5710	1.5700e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		156.3732	156.3732	4.6900e-003		156.4904

3.4 Grading - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041		6,011.4105	6,011.4105	1.9442		6,060.0158
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006		6,011.4105	6,011.4105	1.9442		6,060.0158

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.4 Grading - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0607	0.0376	0.5263	1.5100e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		150.8754	150.8754	4.2400e-003		150.9813
Total	0.0607	0.0376	0.5263	1.5100e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		150.8754	150.8754	4.2400e-003		150.9813

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.4 Grading - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0607	0.0376	0.5263	1.5100e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		150.8754	150.8754	4.2400e-003		150.9813
Total	0.0607	0.0376	0.5263	1.5100e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		150.8754	150.8754	4.2400e-003		150.9813

3.5 Building Construction - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.5 Building Construction - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4079	13.2032	3.4341	0.0364	0.9155	0.0248	0.9404	0.2636	0.0237	0.2873		3,896.548 2	3,896.548 2	0.2236		3,902.138 4
Worker	2.4299	1.5074	21.0801	0.0607	6.0932	0.0493	6.1425	1.6163	0.0454	1.6617		6,042.558 5	6,042.558 5	0.1697		6,046.800 0
Total	2.8378	14.7106	24.5142	0.0971	7.0087	0.0741	7.0828	1.8799	0.0691	1.9490		9,939.106 7	9,939.106 7	0.3933		9,948.938 4

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.5 Building Construction - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4079	13.2032	3.4341	0.0364	0.9155	0.0248	0.9404	0.2636	0.0237	0.2873		3,896.548 2	3,896.548 2	0.2236		3,902.138 4
Worker	2.4299	1.5074	21.0801	0.0607	6.0932	0.0493	6.1425	1.6163	0.0454	1.6617		6,042.558 5	6,042.558 5	0.1697		6,046.800 0
Total	2.8378	14.7106	24.5142	0.0971	7.0087	0.0741	7.0828	1.8799	0.0691	1.9490		9,939.106 7	9,939.106 7	0.3933		9,948.938 4

3.5 Building Construction - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.5 Building Construction - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3027	10.0181	3.1014	0.0352	0.9156	0.0116	0.9271	0.2636	0.0111	0.2747		3,773.876 2	3,773.876 2	0.1982		3,778.830 0
Worker	2.2780	1.3628	19.4002	0.0584	6.0932	0.0479	6.1411	1.6163	0.0441	1.6604		5,821.402 8	5,821.402 8	0.1529		5,825.225 4
Total	2.5807	11.3809	22.5017	0.0936	7.0088	0.0595	7.0682	1.8799	0.0552	1.9350		9,595.279 0	9,595.279 0	0.3511		9,604.055 4

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.209 9	2,555.209 9	0.6079		2,570.406 1

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.5 Building Construction - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3027	10.0181	3.1014	0.0352	0.9156	0.0116	0.9271	0.2636	0.0111	0.2747		3,773.876 2	3,773.876 2	0.1982		3,778.830 0
Worker	2.2780	1.3628	19.4002	0.0584	6.0932	0.0479	6.1411	1.6163	0.0441	1.6604		5,821.402 8	5,821.402 8	0.1529		5,825.225 4
Total	2.5807	11.3809	22.5017	0.0936	7.0088	0.0595	7.0682	1.8799	0.0552	1.9350		9,595.279 0	9,595.279 0	0.3511		9,604.055 4

3.6 Paving - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.6 Paving - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0427	0.0255	0.3633	1.0900e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		109.0150	109.0150	2.8600e-003		109.0866
Total	0.0427	0.0255	0.3633	1.0900e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		109.0150	109.0150	2.8600e-003		109.0866

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.6 Paving - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0427	0.0255	0.3633	1.0900e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		109.0150	109.0150	2.8600e-003		109.0866
Total	0.0427	0.0255	0.3633	1.0900e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		109.0150	109.0150	2.8600e-003		109.0866

3.6 Paving - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.6 Paving - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0403	0.0233	0.3384	1.0600e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		105.6336	105.6336	2.6300e-003		105.6992
Total	0.0403	0.0233	0.3384	1.0600e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		105.6336	105.6336	2.6300e-003		105.6992

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.547 2	2,207.547 2	0.7140		2,225.396 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.6 Paving - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0403	0.0233	0.3384	1.0600e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		105.6336	105.6336	2.6300e-003		105.6992
Total	0.0403	0.0233	0.3384	1.0600e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		105.6336	105.6336	2.6300e-003		105.6992

3.7 Architectural Coating - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.7 Architectural Coating - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.4296	0.2481	3.6098	0.0113	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,126.7583	1,126.7583	0.0280		1,127.4583
Total	0.4296	0.2481	3.6098	0.0113	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,126.7583	1,126.7583	0.0280		1,127.4583

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

3.7 Architectural Coating - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.4296	0.2481	3.6098	0.0113	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,126.7583	1,126.7583	0.0280		1,127.4583
Total	0.4296	0.2481	3.6098	0.0113	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,126.7583	1,126.7583	0.0280		1,127.4583

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08
Unmitigated	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
NaturalGas Unmitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1119.16	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35784.3	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1283.42	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22759.9	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4769.72	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5057.75	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	251.616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1.11916	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35.7843	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1.28342	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22.7599	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4.76972	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5.05775	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	0.251616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

6.0 Area Detail**6.1 Mitigation Measures Area**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Unmitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

7.0 Water Detail**7.1 Mitigation Measures Water****8.0 Waste Detail****8.1 Mitigation Measures Waste****9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Summer

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	9			Operational Year	2028
Utility Company	Southern California Edison				
CO2 Intensity (lb/MW hr)	702.44	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Trips and VMT - Local hire provision

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27
tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

2.1 Overall Construction (Maximum Daily Emission)**Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2621	46.4460	31.4068	0.0635	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	6,154.3377	6,154.3377	1.9472	0.0000	6,203.0186
2022	4.7966	38.8851	39.6338	0.1195	8.8255	1.6361	10.4616	3.6369	1.5052	5.1421	0.0000	12,035.3440	12,035.3440	1.9482	0.0000	12,060.6013
2023	4.3939	25.8648	37.5031	0.1162	7.0088	0.7598	7.7685	1.8799	0.7142	2.5940	0.0000	11,710.4080	11,710.4080	0.9617	0.0000	11,734.4497
2024	237.0656	9.5503	14.9372	0.0238	1.2171	0.4694	1.2875	0.3229	0.4319	0.4621	0.0000	2,307.0517	2,307.0517	0.7164	0.0000	2,324.9627
Maximum	237.0656	46.4460	39.6338	0.1195	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	12,035.3440	12,035.3440	1.9482	0.0000	12,060.6013

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

2.1 Overall Construction (Maximum Daily Emission)**Mitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day										lb/day					
2021	4.2621	46.4460	31.4068	0.0635	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	6,154.3377	6,154.3377	1.9472	0.0000	6,203.0186
2022	4.7966	38.8851	39.6338	0.1195	8.8255	1.6361	10.4616	3.6369	1.5052	5.1421	0.0000	12,035.3440	12,035.3440	1.9482	0.0000	12,060.6013
2023	4.3939	25.8648	37.5031	0.1162	7.0088	0.7598	7.7685	1.8799	0.7142	2.5940	0.0000	11,710.4080	11,710.4080	0.9617	0.0000	11,734.4497
2024	237.0656	9.5503	14.9372	0.0238	1.2171	0.4694	1.2875	0.3229	0.4319	0.4621	0.0000	2,307.0517	2,307.0517	0.7164	0.0000	2,324.9627
Maximum	237.0656	46.4460	39.6338	0.1195	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	12,035.3440	12,035.3440	1.9482	0.0000	12,060.6013

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.80 05	47,917.80 05	2.1953		47,972.68 39
Total	40.7912	67.7872	202.7424	0.6043	45.9592	2.4640	48.4231	12.2950	2.4399	14.7349	0.0000	74,422.37 87	74,422.37 87	2.8429	0.4832	74,637.44 17

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.80 05	47,917.80 05	2.1953		47,972.68 39
Total	40.7912	67.7872	202.7424	0.6043	45.9592	2.4640	48.4231	12.2950	2.4399	14.7349	0.0000	74,422.37 87	74,422.37 87	2.8429	0.4832	74,637.44 17

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411		3,747.9449	3,747.9449	1.0549		3,774.3174
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419		3,747.9449	3,747.9449	1.0549		3,774.3174

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.2 Demolition - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1304	4.1454	1.0182	0.0117	0.2669	0.0128	0.2797	0.0732	0.0122	0.0854		1,269.855 5	1,269.855 5	0.0908		1,272.125 2
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0532	0.0346	0.3963	1.1100e-003	0.1141	9.5000e-004	0.1151	0.0303	8.8000e-004	0.0311		110.4707	110.4707	3.3300e-003		110.5539
Total	0.1835	4.1800	1.4144	0.0128	0.3810	0.0137	0.3948	0.1034	0.0131	0.1165		1,380.326 2	1,380.326 2	0.0941		1,382.679 1

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.2 Demolition - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.1304	4.1454	1.0182	0.0117	0.2669	0.0128	0.2797	0.0732	0.0122	0.0854		1,269.855 5	1,269.855 5	0.0908		1,272.125 2
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0532	0.0346	0.3963	1.1100e-003	0.1141	9.5000e-004	0.1151	0.0303	8.8000e-004	0.0311		110.4707	110.4707	3.3300e-003		110.5539
Total	0.1835	4.1800	1.4144	0.0128	0.3810	0.0137	0.3948	0.1034	0.0131	0.1165		1,380.326 2	1,380.326 2	0.0941		1,382.679 1

3.3 Site Preparation - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809		3,685.656 9	3,685.656 9	1.1920		3,715.457 3
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116		3,685.656 9	3,685.656 9	1.1920		3,715.457 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.3 Site Preparation - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0638	0.0415	0.4755	1.3300e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		132.5649	132.5649	3.9900e-003		132.6646
Total	0.0638	0.0415	0.4755	1.3300e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		132.5649	132.5649	3.9900e-003		132.6646

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116	0.0000	3,685.6569	3,685.6569	1.1920		3,715.4573

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.3 Site Preparation - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0638	0.0415	0.4755	1.3300e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		132.5649	132.5649	3.9900e-003		132.6646
Total	0.0638	0.0415	0.4755	1.3300e-003	0.1369	1.1400e-003	0.1381	0.0363	1.0500e-003	0.0374		132.5649	132.5649	3.9900e-003		132.6646

3.4 Grading - 2021**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265		6,007.0434	6,007.0434	1.9428		6,055,6134
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230		6,007.0434	6,007.0434	1.9428		6,055,6134

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.4 Grading - 2021**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0709	0.0462	0.5284	1.4800e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		147.2943	147.2943	4.4300e-003		147.4051
Total	0.0709	0.0462	0.5284	1.4800e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		147.2943	147.2943	4.4300e-003		147.4051

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265	0.0000	6,007.0434	6,007.0434	1.9428		6,055,6134
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230	0.0000	6,007.0434	6,007.0434	1.9428		6,055,6134

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.4 Grading - 2021**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0709	0.0462	0.5284	1.4800e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		147.2943	147.2943	4.4300e-003		147.4051
Total	0.0709	0.0462	0.5284	1.4800e-003	0.1521	1.2700e-003	0.1534	0.0404	1.1700e-003	0.0415		147.2943	147.2943	4.4300e-003		147.4051

3.4 Grading - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041		6,011.4105	6,011.4105	1.9442		6,060.0158
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006		6,011.4105	6,011.4105	1.9442		6,060.0158

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.4 Grading - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0665	0.0416	0.4861	1.4300e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		142.1207	142.1207	4.0000e-003		142.2207
Total	0.0665	0.0416	0.4861	1.4300e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		142.1207	142.1207	4.0000e-003		142.2207

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006	0.0000	6,011.4105	6,011.4105	1.9442		6,060.0158

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.4 Grading - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0665	0.0416	0.4861	1.4300e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		142.1207	142.1207	4.0000e-003		142.2207
Total	0.0665	0.0416	0.4861	1.4300e-003	0.1521	1.2300e-003	0.1534	0.0404	1.1300e-003	0.0415		142.1207	142.1207	4.0000e-003		142.2207

3.5 Building Construction - 2022**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.3336	2,554.3336	0.6120		2,569.6322

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.5 Building Construction - 2022**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4284	13.1673	3.8005	0.0354	0.9155	0.0256	0.9412	0.2636	0.0245	0.2881		3,789.075 0	3,789.075 0	0.2381		3,795.028 3
Worker	2.6620	1.6677	19.4699	0.0571	6.0932	0.0493	6.1425	1.6163	0.0454	1.6617		5,691.935 4	5,691.935 4	0.1602		5,695.940 8
Total	3.0904	14.8350	23.2704	0.0926	7.0087	0.0749	7.0836	1.8799	0.0699	1.9498		9,481.010 4	9,481.010 4	0.3984		9,490.969 1

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.5 Building Construction - 2022**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4284	13.1673	3.8005	0.0354	0.9155	0.0256	0.9412	0.2636	0.0245	0.2881		3,789.075 0	3,789.075 0	0.2381		3,795.028 3
Worker	2.6620	1.6677	19.4699	0.0571	6.0932	0.0493	6.1425	1.6163	0.0454	1.6617		5,691.935 4	5,691.935 4	0.1602		5,695.940 8
Total	3.0904	14.8350	23.2704	0.0926	7.0087	0.0749	7.0836	1.8799	0.0699	1.9498		9,481.010 4	9,481.010 4	0.3984		9,490.969 1

3.5 Building Construction - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.5 Building Construction - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3183	9.9726	3.3771	0.0343	0.9156	0.0122	0.9277	0.2636	0.0116	0.2752		3,671.4007	3,671.4007	0.2096		3,676.6417
Worker	2.5029	1.5073	17.8820	0.0550	6.0932	0.0479	6.1411	1.6163	0.0441	1.6604		5,483.7974	5,483.7974	0.1442		5,487.4020
Total	2.8211	11.4799	21.2591	0.0893	7.0088	0.0601	7.0688	1.8799	0.0557	1.9356		9,155.1981	9,155.1981	0.3538		9,164.0437

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.2099	2,555.2099	0.6079		2,570.4061
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.2099	2,555.2099	0.6079		2,570.4061

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.5 Building Construction - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3183	9.9726	3.3771	0.0343	0.9156	0.0122	0.9277	0.2636	0.0116	0.2752		3,671.4007	3,671.4007	0.2096		3,676.6417
Worker	2.5029	1.5073	17.8820	0.0550	6.0932	0.0479	6.1411	1.6163	0.0441	1.6604		5,483.7974	5,483.7974	0.1442		5,487.4020
Total	2.8211	11.4799	21.2591	0.0893	7.0088	0.0601	7.0688	1.8799	0.0557	1.9356		9,155.1981	9,155.1981	0.3538		9,164.0437

3.6 Paving - 2023**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.5841	2,207.5841	0.7140		2,225.4336

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.6 Paving - 2023**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0469	0.0282	0.3349	1.0300e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		102.6928	102.6928	2.7000e-003		102.7603
Total	0.0469	0.0282	0.3349	1.0300e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		102.6928	102.6928	2.7000e-003		102.7603

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.5841	2,207.5841	0.7140		2,225.4336

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.6 Paving - 2023**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0469	0.0282	0.3349	1.0300e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		102.6928	102.6928	2.7000e-003		102.7603
Total	0.0469	0.0282	0.3349	1.0300e-003	0.1141	9.0000e-004	0.1150	0.0303	8.3000e-004	0.0311		102.6928	102.6928	2.7000e-003		102.7603

3.6 Paving - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.6 Paving - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0444	0.0257	0.3114	1.0000e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		99.5045	99.5045	2.4700e-003		99.5663
Total	0.0444	0.0257	0.3114	1.0000e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		99.5045	99.5045	2.4700e-003		99.5663

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.5472	2,207.5472	0.7140		2,225.3963
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.5472	2,207.5472	0.7140		2,225.3963

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.6 Paving - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0444	0.0257	0.3114	1.0000e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		99.5045	99.5045	2.4700e-003		99.5663
Total	0.0444	0.0257	0.3114	1.0000e-003	0.1141	8.8000e-004	0.1150	0.0303	8.1000e-004	0.0311		99.5045	99.5045	2.4700e-003		99.5663

3.7 Architectural Coating - 2024**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.7 Architectural Coating - 2024**Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.4734	0.2743	3.3220	0.0107	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,061.3818	1,061.3818	0.0264		1,062.0410
Total	0.4734	0.2743	3.3220	0.0107	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,061.3818	1,061.3818	0.0264		1,062.0410

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e-003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.7 Architectural Coating - 2024**Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.4734	0.2743	3.3220	0.0107	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,061.3818	1,061.3818	0.0264		1,062.0410
Total	0.4734	0.2743	3.3220	0.0107	1.2171	9.4300e-003	1.2266	0.3229	8.6800e-003	0.3315		1,061.3818	1,061.3818	0.0264		1,062.0410

4.0 Operational Detail - Mobile**4.1 Mitigation Measures Mobile**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.80 05	47,917.80 05	2.1953		47,972.68 39
Unmitigated	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.80 05	47,917.80 05	2.1953		47,972.68 39

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
NaturalGas Unmitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1119.16	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35784.3	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1283.42	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22759.9	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4769.72	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5057.75	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	251.616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Low Rise	1.11916	0.0121	0.1031	0.0439	6.6000e-004		8.3400e-003	8.3400e-003		8.3400e-003	8.3400e-003		131.6662	131.6662	2.5200e-003	2.4100e-003	132.4486
Apartments Mid Rise	35.7843	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.9164	4,209.9164	0.0807	0.0772	4,234.9339
General Office Building	1.28342	0.0138	0.1258	0.1057	7.5000e-004		9.5600e-003	9.5600e-003		9.5600e-003	9.5600e-003		150.9911	150.9911	2.8900e-003	2.7700e-003	151.8884
High Turnover (Sit Down Restaurant)	22.7599	0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.6342	2,677.6342	0.0513	0.0491	2,693.5460
Hotel	4.76972	0.0514	0.4676	0.3928	2.8100e-003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5.05775	0.0545	0.4959	0.4165	2.9800e-003		0.0377	0.0377		0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center	0.251616	2.7100e-003	0.0247	0.0207	1.5000e-004		1.8700e-003	1.8700e-003		1.8700e-003	1.8700e-003		29.6019	29.6019	5.7000e-004	5.4000e-004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.9832	8,355.9832	0.1602	0.1532	8,405.6387

6.0 Area Detail**6.1 Mitigation Measures Area**

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192
Unmitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.0000	18,000.0000	0.3450	0.3300	18,106.9650
Landscaping	2.4766	0.9496	82.4430	4.3600e-003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.5950	18,148.5950	0.4874	0.3300	18,259.1192

7.0 Water Detail**7.1 Mitigation Measures Water****8.0 Waste Detail****8.1 Mitigation Measures Waste****9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

User Defined Equipment

Equipment Type	Number
----------------	--------

11.0 Vegetation

Attachment C

Local Hire Provision Net Change	
Without Local Hire Provision	
Total Construction GHG Emissions (MT CO2e)	3,623
Amortized (MT CO2e/year)	120.77
With Local Hire Provision	
Total Construction GHG Emissions (MT CO2e)	3,024
Amortized (MT CO2e/year)	100.80
% Decrease in Construction-related GHG Emissions	17%

EXHIBIT B



Paul Rosenfeld, Ph.D.

Principal Environmental Chemist

Chemical Fate and Transport & Air Dispersion Modeling

Risk Assessment & Remediation Specialist

Education

Ph.D. Soil Chemistry, University of Washington, 1999. Dissertation on volatile organic compound filtration.

M.S. Environmental Science, U.C. Berkeley, 1995. Thesis on organic waste economics.

B.A. Environmental Studies, U.C. Santa Barbara, 1991. Thesis on wastewater treatment.

Professional Experience

Dr. Rosenfeld has over 25 years' experience conducting environmental investigations and risk assessments for evaluating impacts to human health, property, and ecological receptors. His expertise focuses on the fate and transport of environmental contaminants, human health risk, exposure assessment, and ecological restoration. Dr. Rosenfeld has evaluated and modeled emissions from unconventional oil drilling operations, oil spills, landfills, boilers and incinerators, process stacks, storage tanks, confined animal feeding operations, and many other industrial and agricultural sources. His project experience ranges from monitoring and modeling of pollution sources to evaluating impacts of pollution on workers at industrial facilities and residents in surrounding communities.

Dr. Rosenfeld has investigated and designed remediation programs and risk assessments for contaminated sites containing lead, heavy metals, mold, bacteria, particulate matter, petroleum hydrocarbons, chlorinated solvents, pesticides, radioactive waste, dioxins and furans, semi- and volatile organic compounds, PCBs, PAHs, perchlorate, asbestos, per- and poly-fluoroalkyl substances (PFOA/PFOS), unusual polymers, fuel oxygenates (MTBE), among other pollutants. Dr. Rosenfeld also has experience evaluating greenhouse gas emissions from various projects and is an expert on the assessment of odors from industrial and agricultural sites, as well as the evaluation of odor nuisance impacts and technologies for abatement of odorous emissions. As a principal scientist at SWAPE, Dr. Rosenfeld directs air dispersion modeling and exposure assessments. He has served as an expert witness and testified about pollution sources causing nuisance and/or personal injury at dozens of sites and has testified as an expert witness on more than ten cases involving exposure to air contaminants from industrial sources.

Professional History:

Soil Water Air Protection Enterprise (SWAPE); 2003 to present; Principal and Founding Partner
UCLA School of Public Health; 2007 to 2011; Lecturer (Assistant Researcher)
UCLA School of Public Health; 2003 to 2006; Adjunct Professor
UCLA Environmental Science and Engineering Program; 2002-2004; Doctoral Intern Coordinator
UCLA Institute of the Environment, 2001-2002; Research Associate
Komex H₂O Science, 2001 to 2003; Senior Remediation Scientist
National Groundwater Association, 2002-2004; Lecturer
San Diego State University, 1999-2001; Adjunct Professor
Anteon Corp., San Diego, 2000-2001; Remediation Project Manager
Ogden (now Amec), San Diego, 2000-2000; Remediation Project Manager
Bechtel, San Diego, California, 1999 – 2000; Risk Assessor
King County, Seattle, 1996 – 1999; Scientist
James River Corp., Washington, 1995-96; Scientist
Big Creek Lumber, Davenport, California, 1995; Scientist
Plumas Corp., California and USFS, Tahoe 1993-1995; Scientist
Peace Corps and World Wildlife Fund, St. Kitts, West Indies, 1991-1993; Scientist

Publications:

Remy, L.L., Clay T., Byers, V., **Rosenfeld P. E.** (2019) Hospital, Health, and Community Burden After Oil Refinery Fires, Richmond, California 2007 and 2012. *Environmental Health*. 18:48

Simons, R.A., Seo, Y. **Rosenfeld, P.**, (2015) Modeling the Effect of Refinery Emission On Residential Property Value. *Journal of Real Estate Research*. 27(3):321-342

Chen, J. A, Zapata A. R., Sutherland A. J., Molmen, D.R., Chow, B. S., Wu, L. E., **Rosenfeld, P. E.**, Hesse, R. C., (2012) Sulfur Dioxide and Volatile Organic Compound Exposure To A Community In Texas City Texas Evaluated Using Aermol and Empirical Data. *American Journal of Environmental Science*, 8(6), 622-632.

Rosenfeld, P.E. & Feng, L. (2011). *The Risks of Hazardous Waste*. Amsterdam: Elsevier Publishing.

Cheremisinoff, N.P., & **Rosenfeld, P.E.** (2011). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Agrochemical Industry*, Amsterdam: Elsevier Publishing.

Gonzalez, J., Feng, L., Sutherland, A., Waller, C., Sok, H., Hesse, R., **Rosenfeld, P.** (2010). PCBs and Dioxins/Furans in Attic Dust Collected Near Former PCB Production and Secondary Copper Facilities in Sauget, IL. *Procedia Environmental Sciences*. 113–125.

Feng, L., Wu, C., Tam, L., Sutherland, A.J., Clark, J.J., **Rosenfeld, P.E.** (2010). Dioxin and Furan Blood Lipid and Attic Dust Concentrations in Populations Living Near Four Wood Treatment Facilities in the United States. *Journal of Environmental Health*. 73(6), 34-46.

Cheremisinoff, N.P., & **Rosenfeld, P.E.** (2010). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Wood and Paper Industries*. Amsterdam: Elsevier Publishing.

Cheremisinoff, N.P., & **Rosenfeld, P.E.** (2009). *Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Petroleum Industry*. Amsterdam: Elsevier Publishing.

Wu, C., Tam, L., Clark, J., **Rosenfeld, P.** (2009). Dioxin and furan blood lipid concentrations in populations living near four wood treatment facilities in the United States. *WIT Transactions on Ecology and the Environment, Air Pollution*, 123 (17), 319-327.

Tam L. K., Wu C. D., Clark J. J. and **Rosenfeld, P.E.** (2008). A Statistical Analysis Of Attic Dust And Blood Lipid Concentrations Of Tetrachloro-p-Dibenzodioxin (TCDD) Toxicity Equivalency Quotients (TEQ) In Two Populations Near Wood Treatment Facilities. *Organohalogen Compounds*, 70, 002252-002255.

Tam L. K., Wu C. D., Clark J. J. and **Rosenfeld, P.E.** (2008). Methods For Collect Samples For Assessing Dioxins And Other Environmental Contaminants In Attic Dust: A Review. *Organohalogen Compounds*, 70, 000527-000530.

Hensley, A.R. A. Scott, J. J. J. Clark, **Rosenfeld, P.E.** (2007). Attic Dust and Human Blood Samples Collected near a Former Wood Treatment Facility. *Environmental Research*. 105, 194-197.

Rosenfeld, P.E., J. J. J. Clark, A. R. Hensley, M. Suffet. (2007). The Use of an Odor Wheel Classification for Evaluation of Human Health Risk Criteria for Compost Facilities. *Water Science & Technology* 55(5), 345-357.

Rosenfeld, P. E., M. Suffet. (2007). The Anatomy Of Odour Wheels For Odours Of Drinking Water, Wastewater, Compost And The Urban Environment. *Water Science & Technology* 55(5), 335-344.

Sullivan, P. J. Clark, J.J.J., Agardy, F. J., **Rosenfeld, P.E.** (2007). *Toxic Legacy, Synthetic Toxins in the Food, Water, and Air in American Cities*. Boston Massachusetts: Elsevier Publishing

Rosenfeld, P.E., and Suffet I.H. (2004). Control of Compost Odor Using High Carbon Wood Ash. *Water Science and Technology*. 49(9),171-178.

Rosenfeld P. E., J.J. Clark, I.H. (Mel) Suffet (2004). The Value of An Odor-Quality-Wheel Classification Scheme For The Urban Environment. *Water Environment Federation's Technical Exhibition and Conference (WEFTEC) 2004*. New Orleans, October 2-6, 2004.

Rosenfeld, P.E., and Suffet, I.H. (2004). Understanding Odorants Associated With Compost, Biomass Facilities, and the Land Application of Biosolids. *Water Science and Technology*. 49(9), 193-199.

Rosenfeld, P.E., and Suffet I.H. (2004). Control of Compost Odor Using High Carbon Wood Ash, *Water Science and Technology*, 49(9), 171-178.

Rosenfeld, P. E., Grey, M. A., Sellev, P. (2004). Measurement of Biosolids Odor and Odorant Emissions from Windrows, Static Pile and Biofilter. *Water Environment Research*. 76(4), 310-315.

Rosenfeld, P.E., Grey, M and Suffet, M. (2002). Compost Demonstration Project, Sacramento California Using High-Carbon Wood Ash to Control Odor at a Green Materials Composting Facility. *Integrated Waste Management Board Public Affairs Office*, Publications Clearinghouse (MS-6), Sacramento, CA Publication #442-02-008.

Rosenfeld, P.E., and C.L. Henry. (2001). Characterization of odor emissions from three different biosolids. *Water Soil and Air Pollution*. 127(1-4), 173-191.

Rosenfeld, P.E., and Henry C. L., (2000). Wood ash control of odor emissions from biosolids application. *Journal of Environmental Quality*. 29, 1662-1668.

Rosenfeld, P.E., C.L. Henry and D. Bennett. (2001). Wastewater dewatering polymer affect on biosolids odor emissions and microbial activity. *Water Environment Research*. 73(4), 363-367.

Rosenfeld, P.E., and C.L. Henry. (2001). Activated Carbon and Wood Ash Sorption of Wastewater, Compost, and Biosolids Odorants. *Water Environment Research*, 73, 388-393.

Rosenfeld, P.E., and Henry C. L., (2001). High carbon wood ash effect on biosolids microbial activity and odor. *Water Environment Research*. 131(1-4), 247-262.

Chollack, T. and **P. Rosenfeld**. (1998). Compost Amendment Handbook For Landscaping. Prepared for and distributed by the City of Redmond, Washington State.

Rosenfeld, P. E. (1992). The Mount Liamuiga Crater Trail. *Heritage Magazine of St. Kitts*, 3(2).

Rosenfeld, P. E. (1993). High School Biogas Project to Prevent Deforestation On St. Kitts. *Biomass Users Network*, 7(1).

Rosenfeld, P. E. (1998). Characterization, Quantification, and Control of Odor Emissions From Biosolids Application To Forest Soil. Doctoral Thesis. University of Washington College of Forest Resources.

Rosenfeld, P. E. (1994). Potential Utilization of Small Diameter Trees on Sierra County Public Land. Masters thesis reprinted by the Sierra County Economic Council. Sierra County, California.

Rosenfeld, P. E. (1991). How to Build a Small Rural Anaerobic Digester & Uses Of Biogas In The First And Third World. Bachelors Thesis. University of California.

Presentations:

Rosenfeld, P.E., Sutherland, A; Hesse, R.; Zapata, A. (October 3-6, 2013). Air dispersion modeling of volatile organic emissions from multiple natural gas wells in Decatur, TX. *44th Western Regional Meeting, American Chemical Society*. Lecture conducted from Santa Clara, CA.

Sok, H.L.; Waller, C.C.; Feng, L.; Gonzalez, J.; Sutherland, A.J.; Wisdom-Stack, T.; Sahai, R.K.; Hesse, R.C.; **Rosenfeld, P.E.** (June 20-23, 2010). Atrazine: A Persistent Pesticide in Urban Drinking Water. *Urban Environmental Pollution*. Lecture conducted from Boston, MA.

Feng, L.; Gonzalez, J.; Sok, H.L.; Sutherland, A.J.; Waller, C.C.; Wisdom-Stack, T.; Sahai, R.K.; La, M.; Hesse, R.C.; **Rosenfeld, P.E.** (June 20-23, 2010). Bringing Environmental Justice to East St. Louis, Illinois. *Urban Environmental Pollution*. Lecture conducted from Boston, MA.

Rosenfeld, P.E. (April 19-23, 2009). Perfluorooctanoic Acid (PFOA) and Perfluorooctane Sulfonate (PFOS) Contamination in Drinking Water From the Use of Aqueous Film Forming Foams (AFFF) at Airports in the United States. *2009 Ground Water Summit and 2009 Ground Water Protection Council Spring Meeting*, Lecture conducted from Tuscon, AZ.

Rosenfeld, P.E. (April 19-23, 2009). Cost to Filter Atrazine Contamination from Drinking Water in the United States" Contamination in Drinking Water From the Use of Aqueous Film Forming Foams (AFFF) at Airports in the United States. *2009 Ground Water Summit and 2009 Ground Water Protection Council Spring Meeting*. Lecture conducted from Tuscon, AZ.

Wu, C., Tam, L., Clark, J., **Rosenfeld, P.** (20-22 July, 2009). Dioxin and furan blood lipid concentrations in populations living near four wood treatment facilities in the United States. Brebbia, C.A. and Popov, V., eds., *Air Pollution XVII: Proceedings of the Seventeenth International Conference on Modeling, Monitoring and Management of Air Pollution*. Lecture conducted from Tallinn, Estonia.

Rosenfeld, P. E. (October 15-18, 2007). Moss Point Community Exposure To Contaminants From A Releasing Facility. *The 23rd Annual International Conferences on Soils Sediment and Water*. Platform lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld, P. E. (October 15-18, 2007). The Repeated Trespass of Tritium-Contaminated Water Into A Surrounding Community Form Repeated Waste Spills From A Nuclear Power Plant. *The 23rd Annual International Conferences on Soils Sediment and Water*. Platform lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld, P. E. (October 15-18, 2007). Somerville Community Exposure To Contaminants From Wood Treatment Facility Emissions. The 23rd Annual International Conferences on Soils Sediment and Water. Lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld P. E. (March 2007). Production, Chemical Properties, Toxicology, & Treatment Case Studies of 1,2,3-Trichloropropane (TCP). *The Association for Environmental Health and Sciences (AEHS) Annual Meeting*. Lecture conducted from San Diego, CA.

Rosenfeld P. E. (March 2007). Blood and Attic Sampling for Dioxin/Furan, PAH, and Metal Exposure in Florala, Alabama. *The AEHS Annual Meeting*. Lecture conducted from San Diego, CA.

Hensley A.R., Scott, A., **Rosenfeld P.E.**, Clark, J.J.J. (August 21 – 25, 2006). Dioxin Containing Attic Dust And Human Blood Samples Collected Near A Former Wood Treatment Facility. *The 26th International Symposium on Halogenated Persistent Organic Pollutants – DIOXIN2006*. Lecture conducted from Radisson SAS Scandinavia Hotel in Oslo Norway.

Hensley A.R., Scott, A., **Rosenfeld P.E.**, Clark, J.J.J. (November 4-8, 2006). Dioxin Containing Attic Dust And Human Blood Samples Collected Near A Former Wood Treatment Facility. *APHA 134 Annual Meeting & Exposition*. Lecture conducted from Boston Massachusetts.

Paul Rosenfeld Ph.D. (October 24-25, 2005). Fate, Transport and Persistence of PFOA and Related Chemicals. Mealey's C8/PFOA. *Science, Risk & Litigation Conference*. Lecture conducted from The Rittenhouse Hotel, Philadelphia, PA.

Paul Rosenfeld Ph.D. (September 19, 2005). Brominated Flame Retardants in Groundwater: Pathways to Human Ingestion, *Toxicology and Remediation PEMA Emerging Contaminant Conference*. Lecture conducted from Hilton Hotel, Irvine California.

Paul Rosenfeld Ph.D. (September 19, 2005). Fate, Transport, Toxicity, And Persistence of 1,2,3-TCP. *PEMA Emerging Contaminant Conference*. Lecture conducted from Hilton Hotel in Irvine, California.

Paul Rosenfeld Ph.D. (September 26-27, 2005). Fate, Transport and Persistence of PDBEs. *Mealey's Groundwater Conference*. Lecture conducted from Ritz Carlton Hotel, Marina Del Ray, California.

Paul Rosenfeld Ph.D. (June 7-8, 2005). Fate, Transport and Persistence of PFOA and Related Chemicals. *International Society of Environmental Forensics: Focus On Emerging Contaminants*. Lecture conducted from Sheraton Oceanfront Hotel, Virginia Beach, Virginia.

Paul Rosenfeld Ph.D. (July 21-22, 2005). Fate Transport, Persistence and Toxicology of PFOA and Related Perfluorochemicals. *2005 National Groundwater Association Ground Water And Environmental Law Conference*. Lecture conducted from Wyndham Baltimore Inner Harbor, Baltimore Maryland.

Paul Rosenfeld Ph.D. (July 21-22, 2005). Brominated Flame Retardants in Groundwater: Pathways to Human Ingestion, Toxicology and Remediation. *2005 National Groundwater Association Ground Water and Environmental Law Conference*. Lecture conducted from Wyndham Baltimore Inner Harbor, Baltimore Maryland.

Paul Rosenfeld, Ph.D. and James Clark Ph.D. and Rob Hesse R.G. (May 5-6, 2004). Tert-butyl Alcohol Liability and Toxicology, A National Problem and Unquantified Liability. *National Groundwater Association. Environmental Law Conference*. Lecture conducted from Congress Plaza Hotel, Chicago Illinois.

Paul Rosenfeld, Ph.D. (March 2004). Perchlorate Toxicology. *Meeting of the American Groundwater Trust*. Lecture conducted from Phoenix Arizona.

Hagemann, M.F., **Paul Rosenfeld, Ph.D.** and Rob Hesse (2004). Perchlorate Contamination of the Colorado River. *Meeting of tribal representatives*. Lecture conducted from Parker, AZ.

Paul Rosenfeld, Ph.D. (April 7, 2004). A National Damage Assessment Model For PCE and Dry Cleaners. *Drycleaner Symposium. California Ground Water Association*. Lecture conducted from Radison Hotel, Sacramento, California.

Rosenfeld, P. E., Grey, M., (June 2003) Two stage biofilter for biosolids composting odor control. *Seventh International In Situ And On Site Bioremediation Symposium Battelle Conference* Orlando, FL.

Paul Rosenfeld, Ph.D. and James Clark Ph.D. (February 20-21, 2003) Understanding Historical Use, Chemical Properties, Toxicity and Regulatory Guidance of 1,4 Dioxane. *National Groundwater Association. Southwest Focus Conference. Water Supply and Emerging Contaminants..* Lecture conducted from Hyatt Regency Phoenix Arizona.

Paul Rosenfeld, Ph.D. (February 6-7, 2003). Underground Storage Tank Litigation and Remediation. *California CUPA Forum*. Lecture conducted from Marriott Hotel, Anaheim California.

Paul Rosenfeld, Ph.D. (October 23, 2002) Underground Storage Tank Litigation and Remediation. *EPA Underground Storage Tank Roundtable*. Lecture conducted from Sacramento California.

Rosenfeld, P.E. and Suffet, M. (October 7- 10, 2002). Understanding Odor from Compost, *Wastewater and Industrial Processes. Sixth Annual Symposium On Off Flavors in the Aquatic Environment. International Water Association*. Lecture conducted from Barcelona Spain.

Rosenfeld, P.E. and Suffet, M. (October 7- 10, 2002). Using High Carbon Wood Ash to Control Compost Odor. *Sixth Annual Symposium On Off Flavors in the Aquatic Environment. International Water Association*. Lecture conducted from Barcelona Spain.

Rosenfeld, P.E. and Grey, M. A. (September 22-24, 2002). Biocycle Composting For Coastal Sage Restoration. *Northwest Biosolids Management Association*. Lecture conducted from Vancouver Washington..

Rosenfeld, P.E. and Grey, M. A. (November 11-14, 2002). Using High-Carbon Wood Ash to Control Odor at a Green Materials Composting Facility. *Soil Science Society Annual Conference*. Lecture conducted from Indianapolis, Maryland.

Rosenfeld. P.E. (September 16, 2000). Two stage biofilter for biosolids composting odor control. *Water Environment Federation*. Lecture conducted from Anaheim California.

Rosenfeld. P.E. (October 16, 2000). Wood ash and biofilter control of compost odor. *Biofest*. Lecture conducted from Ocean Shores, California.

Rosenfeld, P.E. (2000). Bioremediation Using Organic Soil Amendments. *California Resource Recovery Association*. Lecture conducted from Sacramento California.

Rosenfeld, P.E., C.L. Henry, R. Harrison. (1998). Oat and Grass Seed Germination and Nitrogen and Sulfur Emissions Following Biosolids Incorporation With High-Carbon Wood-Ash. *Water Environment Federation 12th Annual Residuals and Biosolids Management Conference Proceedings*. Lecture conducted from Bellevue Washington.

Rosenfeld, P.E., and C.L. Henry. (1999). An evaluation of ash incorporation with biosolids for odor reduction. *Soil Science Society of America*. Lecture conducted from Salt Lake City Utah.

Rosenfeld, P.E., C.L. Henry, R. Harrison. (1998). Comparison of Microbial Activity and Odor Emissions from Three Different Biosolids Applied to Forest Soil. *Brown and Caldwell*. Lecture conducted from Seattle Washington.

Rosenfeld, P.E., C.L. Henry. (1998). Characterization, Quantification, and Control of Odor Emissions from Biosolids Application To Forest Soil. *Biofest*. Lecture conducted from Lake Chelan, Washington.

Rosenfeld, P.E., C.L. Henry, R. Harrison. (1998). Oat and Grass Seed Germination and Nitrogen and Sulfur Emissions Following Biosolids Incorporation With High-Carbon Wood-Ash. Water Environment Federation 12th Annual Residuals and Biosolids Management Conference Proceedings. Lecture conducted from Bellevue Washington.

Rosenfeld, P.E., C.L. Henry, R. B. Harrison, and R. Dills. (1997). Comparison of Odor Emissions From Three Different Biosolids Applied to Forest Soil. *Soil Science Society of America*. Lecture conducted from Anaheim California.

Teaching Experience:

UCLA Department of Environmental Health (Summer 2003 through 20010) Taught Environmental Health Science 100 to students, including undergrad, medical doctors, public health professionals and nurses. Course focused on the health effects of environmental contaminants.

National Ground Water Association, Successful Remediation Technologies. Custom Course in Sante Fe, New Mexico. May 21, 2002. Focused on fate and transport of fuel contaminants associated with underground storage tanks.

National Ground Water Association; Successful Remediation Technologies Course in Chicago Illinois. April 1, 2002. Focused on fate and transport of contaminants associated with Superfund and RCRA sites.

California Integrated Waste Management Board, April and May, 2001. Alternative Landfill Caps Seminar in San Diego, Ventura, and San Francisco. Focused on both prescriptive and innovative landfill cover design.

UCLA Department of Environmental Engineering, February 5, 2002. Seminar on Successful Remediation Technologies focusing on Groundwater Remediation.

University Of Washington, Soil Science Program, Teaching Assistant for several courses including: Soil Chemistry, Organic Soil Amendments, and Soil Stability.

U.C. Berkeley, Environmental Science Program Teaching Assistant for Environmental Science 10.

Academic Grants Awarded:

California Integrated Waste Management Board. \$41,000 grant awarded to UCLA Institute of the Environment. Goal: To investigate effect of high carbon wood ash on volatile organic emissions from compost. 2001.

Synagro Technologies, Corona California: \$10,000 grant awarded to San Diego State University. Goal: investigate effect of biosolids for restoration and remediation of degraded coastal sage soils. 2000.

King County, Department of Research and Technology, Washington State. \$100,000 grant awarded to University of Washington: Goal: To investigate odor emissions from biosolids application and the effect of polymers and ash on VOC emissions. 1998.

Northwest Biosolids Management Association, Washington State. \$20,000 grant awarded to investigate effect of polymers and ash on VOC emissions from biosolids. 1997.

James River Corporation, Oregon: \$10,000 grant was awarded to investigate the success of genetically engineered Poplar trees with resistance to round-up. 1996.

United State Forest Service, Tahoe National Forest: \$15,000 grant was awarded to investigating fire ecology of the Tahoe National Forest. 1995.

Kellogg Foundation, Washington D.C. \$500 grant was awarded to construct a large anaerobic digester on St. Kitts in West Indies. 1993

Deposition and/or Trial Testimony:

In the United States District Court For The District of New Jersey

Duarte et al, *Plaintiffs*, vs. United States Metals Refining Company et. al. *Defendant*.

Case No.: 2:17-cv-01624-ES-SCM

Rosenfeld Deposition. 6-7-2019

In the United States District Court of Southern District of Texas Galveston Division

M/T Carla Maersk, *Plaintiffs*, vs. Conti 168., Schiffahrts-GMBH & Co. Bulker KG MS “Conti Perdido”
Defendant.

Case No.: 3:15-CV-00106 consolidated with 3:15-CV-00237

Rosenfeld Deposition. 5-9-2019

In The Superior Court of the State of California In And For The County Of Los Angeles – Santa Monica

Carole-Taddeo-Bates et al., vs. Ifran Khan et al., Defendants

Case No.: No. BC615636

Rosenfeld Deposition, 1-26-2019

In The Superior Court of the State of California In And For The County Of Los Angeles – Santa Monica

The San Gabriel Valley Council of Governments et al. vs El Adobe Apts. Inc. et al., Defendants

Case No.: No. BC646857

Rosenfeld Deposition, 10-6-2018; Trial 3-7-19

In United States District Court For The District of Colorado

Bells et al. Plaintiff vs. The 3M Company et al., Defendants

Case: No 1:16-cv-02531-RBJ

Rosenfeld Deposition, 3-15-2018 and 4-3-2018

In The District Court Of Regan County, Texas, 112th Judicial District

Phillip Bales et al., Plaintiff vs. Dow Agrosiences, LLC, et al., Defendants

Cause No 1923

Rosenfeld Deposition, 11-17-2017

In The Superior Court of the State of California In And For The County Of Contra Costa

Simons et al., Plaintiffs vs. Chevron Corporation, et al., Defendants

Cause No C12-01481

Rosenfeld Deposition, 11-20-2017

In The Circuit Court Of The Twentieth Judicial Circuit, St Clair County, Illinois

Martha Custer et al., Plaintiff vs. Cerro Flow Products, Inc., Defendants

Case No.: No. 0i9-L-2295

Rosenfeld Deposition, 8-23-2017

In The Superior Court of the State of California, For The County of Los Angeles

Warrn Gilbert and Penny Gilber, Plaintiff vs. BMW of North America LLC

Case No.: LC102019 (c/w BC582154)

Rosenfeld Deposition, 8-16-2017, Trail 8-28-2018

In the Northern District Court of Mississippi, Greenville Division

Brenda J. Cooper, et al., *Plaintiffs*, vs. Meritor Inc., et al., *Defendants*

Case Number: 4:16-cv-52-DMB-JVM

Rosenfeld Deposition: July 2017

In The Superior Court of the State of Washington, County of Snohomish
Michael Davis and Julie Davis et al., Plaintiff vs. Cedar Grove Composting Inc., Defendants
Case No.: No. 13-2-03987-5
Rosenfeld Deposition, February 2017
Trial, March 2017

In The Superior Court of the State of California, County of Alameda
Charles Spain., Plaintiff vs. Thermo Fisher Scientific, et al., Defendants
Case No.: RG14711115
Rosenfeld Deposition, September 2015

In The Iowa District Court In And For Poweshiek County
Russell D. Winburn, et al., Plaintiffs vs. Doug Hoksbergen, et al., Defendants
Case No.: LALA002187
Rosenfeld Deposition, August 2015

In The Iowa District Court For Wapello County
Jerry Dovico, et al., Plaintiffs vs. Valley View Sine LLC, et al., Defendants
Law No.: LALA105144 - Division A
Rosenfeld Deposition, August 2015

In The Iowa District Court For Wapello County
Doug Pauls, et al., et al., Plaintiffs vs. Richard Warren, et al., Defendants
Law No.: LALA105144 - Division A
Rosenfeld Deposition, August 2015

In The Circuit Court of Ohio County, West Virginia
Robert Andrews, et al. v. Antero, et al.
Civil Action NO. 14-C-30000
Rosenfeld Deposition, June 2015

In The Third Judicial District County of Dona Ana, New Mexico
Betty Gonzalez, et al. Plaintiffs vs. Del Oro Dairy, Del Oro Real Estate LLC, Jerry Settles and Deward
DeRuyter, Defendants
Rosenfeld Deposition: July 2015

In The Iowa District Court For Muscatine County
Laurie Freeman et. al. Plaintiffs vs. Grain Processing Corporation, Defendant
Case No 4980
Rosenfeld Deposition: May 2015

In the Circuit Court of the 17th Judicial Circuit, in and For Broward County, Florida
Walter Hinton, et. al. Plaintiff, vs. City of Fort Lauderdale, Florida, a Municipality, Defendant.
Case Number CACE07030358 (26)
Rosenfeld Deposition: December 2014

In the United States District Court Western District of Oklahoma
Tommy McCarty, et al., Plaintiffs, v. Oklahoma City Landfill, LLC d/b/a Southeast Oklahoma City
Landfill, et al. Defendants.
Case No. 5:12-cv-01152-C
Rosenfeld Deposition: July 2014

In the County Court of Dallas County Texas

Lisa Parr et al, *Plaintiff*, vs. Aruba et al, *Defendant*.

Case Number cc-11-01650-E

Rosenfeld Deposition: March and September 2013

Rosenfeld Trial: April 2014

In the Court of Common Pleas of Tuscarawas County Ohio

John Michael Abicht, et al., *Plaintiffs*, vs. Republic Services, Inc., et al., *Defendants*

Case Number: 2008 CT 10 0741 (Cons. w/ 2009 CV 10 0987)

Rosenfeld Deposition: October 2012

In the United States District Court of Southern District of Texas Galveston Division

Kyle Cannon, Eugene Donovan, Genaro Ramirez, Carol Sassler, and Harvey Walton, each Individually and on behalf of those similarly situated, *Plaintiffs*, vs. BP Products North America, Inc., *Defendant*.

Case 3:10-cv-00622

Rosenfeld Deposition: February 2012

Rosenfeld Trial: April 2013

In the Circuit Court of Baltimore County Maryland

Philip E. Cvach, II et al., *Plaintiffs* vs. Two Farms, Inc. d/b/a Royal Farms, Defendants

Case Number: 03-C-12-012487 OT

Rosenfeld Deposition: September 2013

EXHIBIT C



Technical Consultation, Data Analysis and
Litigation Support for the Environment

1640 5th St., Suite 204 Santa
Santa Monica, California 90401
Tel: (949) 887-9013
Email: mhagemann@swape.com

Matthew F. Hagemann, P.G., C.Hg., QSD, QSP

**Geologic and Hydrogeologic Characterization
Industrial Stormwater Compliance
Investigation and Remediation Strategies
Litigation Support and Testifying Expert
CEQA Review**

Education:

M.S. Degree, Geology, California State University Los Angeles, Los Angeles, CA, 1984.

B.A. Degree, Geology, Humboldt State University, Arcata, CA, 1982.

Professional Certifications:

California Professional Geologist

California Certified Hydrogeologist

Qualified SWPPP Developer and Practitioner

Professional Experience:

Matt has 25 years of experience in environmental policy, assessment and remediation. He spent nine years with the U.S. EPA in the RCRA and Superfund programs and served as EPA's Senior Science Policy Advisor in the Western Regional Office where he identified emerging threats to groundwater from perchlorate and MTBE. While with EPA, Matt also served as a Senior Hydrogeologist in the oversight of the assessment of seven major military facilities undergoing base closure. He led numerous enforcement actions under provisions of the Resource Conservation and Recovery Act (RCRA) while also working with permit holders to improve hydrogeologic characterization and water quality monitoring.

Matt has worked closely with U.S. EPA legal counsel and the technical staff of several states in the application and enforcement of RCRA, Safe Drinking Water Act and Clean Water Act regulations. Matt has trained the technical staff in the States of California, Hawaii, Nevada, Arizona and the Territory of Guam in the conduct of investigations, groundwater fundamentals, and sampling techniques.

Positions Matt has held include:

- Founding Partner, Soil/Water/Air Protection Enterprise (SWAPE) (2003 – present);
- Geology Instructor, Golden West College, 2010 – 2014;
- Senior Environmental Analyst, Komex H2O Science, Inc. (2000 -- 2003);

- Executive Director, Orange Coast Watch (2001 – 2004);
- Senior Science Policy Advisor and Hydrogeologist, U.S. Environmental Protection Agency (1989–1998);
- Hydrogeologist, National Park Service, Water Resources Division (1998 – 2000);
- Adjunct Faculty Member, San Francisco State University, Department of Geosciences (1993 – 1998);
- Instructor, College of Marin, Department of Science (1990 – 1995);
- Geologist, U.S. Forest Service (1986 – 1998); and
- Geologist, Dames & Moore (1984 – 1986).

Senior Regulatory and Litigation Support Analyst:

With SWAPE, Matt’s responsibilities have included:

- Lead analyst and testifying expert in the review of over 100 environmental impact reports since 2003 under CEQA that identify significant issues with regard to hazardous waste, water resources, water quality, air quality, Valley Fever, greenhouse gas emissions, and geologic hazards. Make recommendations for additional mitigation measures to lead agencies at the local and county level to include additional characterization of health risks and implementation of protective measures to reduce worker exposure to hazards from toxins and Valley Fever.
- Stormwater analysis, sampling and best management practice evaluation at industrial facilities.
- Manager of a project to provide technical assistance to a community adjacent to a former Naval shipyard under a grant from the U.S. EPA.
- Technical assistance and litigation support for vapor intrusion concerns.
- Lead analyst and testifying expert in the review of environmental issues in license applications for large solar power plants before the California Energy Commission.
- Manager of a project to evaluate numerous formerly used military sites in the western U.S.
- Manager of a comprehensive evaluation of potential sources of perchlorate contamination in Southern California drinking water wells.
- Manager and designated expert for litigation support under provisions of Proposition 65 in the review of releases of gasoline to sources drinking water at major refineries and hundreds of gas stations throughout California.
- Expert witness on two cases involving MTBE litigation.
- Expert witness and litigation support on the impact of air toxins and hazards at a school.
- Expert witness in litigation at a former plywood plant.

With Komex H2O Science Inc., Matt’s duties included the following:

- Senior author of a report on the extent of perchlorate contamination that was used in testimony by the former U.S. EPA Administrator and General Counsel.
- Senior researcher in the development of a comprehensive, electronically interactive chronology of MTBE use, research, and regulation.
- Senior researcher in the development of a comprehensive, electronically interactive chronology of perchlorate use, research, and regulation.
- Senior researcher in a study that estimates nationwide costs for MTBE remediation and drinking water treatment, results of which were published in newspapers nationwide and in testimony against provisions of an energy bill that would limit liability for oil companies.
- Research to support litigation to restore drinking water supplies that have been contaminated by MTBE in California and New York.

- Expert witness testimony in a case of oil production-related contamination in Mississippi.
- Lead author for a multi-volume remedial investigation report for an operating school in Los Angeles that met strict regulatory requirements and rigorous deadlines.

- Development of strategic approaches for cleanup of contaminated sites in consultation with clients and regulators.

Executive Director:

As Executive Director with Orange Coast Watch, Matt led efforts to restore water quality at Orange County beaches from multiple sources of contamination including urban runoff and the discharge of wastewater. In reporting to a Board of Directors that included representatives from leading Orange County universities and businesses, Matt prepared issue papers in the areas of treatment and disinfection of wastewater and control of the discharge of grease to sewer systems. Matt actively participated in the development of countywide water quality permits for the control of urban runoff and permits for the discharge of wastewater. Matt worked with other nonprofits to protect and restore water quality, including Surfrider, Natural Resources Defense Council and Orange County CoastKeeper as well as with business institutions including the Orange County Business Council.

Hydrogeology:

As a Senior Hydrogeologist with the U.S. Environmental Protection Agency, Matt led investigations to characterize and cleanup closing military bases, including Mare Island Naval Shipyard, Hunters Point Naval Shipyard, Treasure Island Naval Station, Alameda Naval Station, Moffett Field, Mather Army Airfield, and Sacramento Army Depot. Specific activities were as follows:

- Led efforts to model groundwater flow and contaminant transport, ensured adequacy of monitoring networks, and assessed cleanup alternatives for contaminated sediment, soil, and groundwater.
- Initiated a regional program for evaluation of groundwater sampling practices and laboratory analysis at military bases.
- Identified emerging issues, wrote technical guidance, and assisted in policy and regulation development through work on four national U.S. EPA workgroups, including the Superfund Groundwater Technical Forum and the Federal Facilities Forum.

At the request of the State of Hawaii, Matt developed a methodology to determine the vulnerability of groundwater to contamination on the islands of Maui and Oahu. He used analytical models and a GIS to show zones of vulnerability, and the results were adopted and published by the State of Hawaii and County of Maui.

As a hydrogeologist with the EPA Groundwater Protection Section, Matt worked with provisions of the Safe Drinking Water Act and NEPA to prevent drinking water contamination. Specific activities included the following:

- Received an EPA Bronze Medal for his contribution to the development of national guidance for the protection of drinking water.
- Managed the Sole Source Aquifer Program and protected the drinking water of two communities through designation under the Safe Drinking Water Act. He prepared geologic reports, conducted public hearings, and responded to public comments from residents who were very concerned about the impact of designation.

- Reviewed a number of Environmental Impact Statements for planned major developments, including large hazardous and solid waste disposal facilities, mine reclamation, and water transfer.

Matt served as a hydrogeologist with the RCRA Hazardous Waste program. Duties were as follows:

- Supervised the hydrogeologic investigation of hazardous waste sites to determine compliance with Subtitle C requirements.
- Reviewed and wrote "part B" permits for the disposal of hazardous waste.
- Conducted RCRA Corrective Action investigations of waste sites and led inspections that formed the basis for significant enforcement actions that were developed in close coordination with U.S. EPA legal counsel.
- Wrote contract specifications and supervised contractor's investigations of waste sites.

With the National Park Service, Matt directed service-wide investigations of contaminant sources to prevent degradation of water quality, including the following tasks:

- Applied pertinent laws and regulations including CERCLA, RCRA, NEPA, NRDA, and the Clean Water Act to control military, mining, and landfill contaminants.
- Conducted watershed-scale investigations of contaminants at parks, including Yellowstone and Olympic National Park.
- Identified high-levels of perchlorate in soil adjacent to a national park in New Mexico and advised park superintendent on appropriate response actions under CERCLA.
- Served as a Park Service representative on the Interagency Perchlorate Steering Committee, a national workgroup.
- Developed a program to conduct environmental compliance audits of all National Parks while serving on a national workgroup.
- Co-authored two papers on the potential for water contamination from the operation of personal watercraft and snowmobiles, these papers serving as the basis for the development of nation-wide policy on the use of these vehicles in National Parks.
- Contributed to the Federal Multi-Agency Source Water Agreement under the Clean Water Action Plan.

Policy:

Served senior management as the Senior Science Policy Advisor with the U.S. Environmental Protection Agency, Region 9. Activities included the following:

- Advised the Regional Administrator and senior management on emerging issues such as the potential for the gasoline additive MTBE and ammonium perchlorate to contaminate drinking water supplies.
- Shaped EPA's national response to these threats by serving on workgroups and by contributing to guidance, including the Office of Research and Development publication, *Oxygenates in Water: Critical Information and Research Needs*.
- Improved the technical training of EPA's scientific and engineering staff.
- Earned an EPA Bronze Medal for representing the region's 300 scientists and engineers in negotiations with the Administrator and senior management to better integrate scientific principles into the policy-making process.
- Established national protocol for the peer review of scientific documents.

Geology:

With the U.S. Forest Service, Matt led investigations to determine hillslope stability of areas proposed for timber harvest in the central Oregon Coast Range. Specific activities were as follows:

- Mapped geology in the field, and used aerial photographic interpretation and mathematical models to determine slope stability.
- Coordinated his research with community members who were concerned with natural resource protection.
- Characterized the geology of an aquifer that serves as the sole source of drinking water for the city of Medford, Oregon.

As a consultant with Dames and Moore, Matt led geologic investigations of two contaminated sites (later listed on the Superfund NPL) in the Portland, Oregon, area and a large hazardous waste site in eastern Oregon. Duties included the following:

- Supervised year-long effort for soil and groundwater sampling.
- Conducted aquifer tests.
- Investigated active faults beneath sites proposed for hazardous waste disposal.

Teaching:

From 1990 to 1998, Matt taught at least one course per semester at the community college and university levels:

- At San Francisco State University, held an adjunct faculty position and taught courses in environmental geology, oceanography (lab and lecture), hydrogeology, and groundwater contamination.
- Served as a committee member for graduate and undergraduate students.
- Taught courses in environmental geology and oceanography at the College of Marin.

Matt taught physical geology (lecture and lab and introductory geology at Golden West College in Huntington Beach, California from 2010 to 2014.

Invited Testimony, Reports, Papers and Presentations:

Hagemann, M.F., 2008. Disclosure of Hazardous Waste Issues under CEQA. Presentation to the Public Environmental Law Conference, Eugene, Oregon.

Hagemann, M.F., 2008. Disclosure of Hazardous Waste Issues under CEQA. Invited presentation to U.S. EPA Region 9, San Francisco, California.

Hagemann, M.F., 2005. Use of Electronic Databases in Environmental Regulation, Policy Making and Public Participation. Brownfields 2005, Denver, Colorado.

Hagemann, M.F., 2004. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in Nevada and the Southwestern U.S. Presentation to a meeting of the American Groundwater Trust, Las Vegas, NV (served on conference organizing committee).

Hagemann, M.F., 2004. Invited testimony to a California Senate committee hearing on air toxins at schools in Southern California, Los Angeles.

Brown, A., Farrow, J., Gray, A. and **Hagemann, M.**, 2004. An Estimate of Costs to Address MTBE Releases from Underground Storage Tanks and the Resulting Impact to Drinking Water Wells. Presentation to the Ground Water and Environmental Law Conference, National Groundwater Association.

Hagemann, M.F., 2004. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in Arizona and the Southwestern U.S. Presentation to a meeting of the American Groundwater Trust, Phoenix, AZ (served on conference organizing committee).

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in the Southwestern U.S. Invited presentation to a special committee meeting of the National Academy of Sciences, Irvine, CA.

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River. Invited presentation to a tribal EPA meeting, Pechanga, CA.

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River. Invited presentation to a meeting of tribal representatives, Parker, AZ.

Hagemann, M.F., 2003. Impact of Perchlorate on the Colorado River and Associated Drinking Water Supplies. Invited presentation to the Inter-Tribal Meeting, Torres Martinez Tribe.

Hagemann, M.F., 2003. The Emergence of Perchlorate as a Widespread Drinking Water Contaminant. Invited presentation to the U.S. EPA Region 9.

Hagemann, M.F., 2003. A Deductive Approach to the Assessment of Perchlorate Contamination. Invited presentation to the California Assembly Natural Resources Committee.

Hagemann, M.F., 2003. Perchlorate: A Cold War Legacy in Drinking Water. Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. From Tank to Tap: A Chronology of MTBE in Groundwater. Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. A Chronology of MTBE in Groundwater and an Estimate of Costs to Address Impacts to Groundwater. Presentation to the annual meeting of the Society of Environmental Journalists.

Hagemann, M.F., 2002. An Estimate of the Cost to Address MTBE Contamination in Groundwater (and Who Will Pay). Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. An Estimate of Costs to Address MTBE Releases from Underground Storage Tanks and the Resulting Impact to Drinking Water Wells. Presentation to a meeting of the U.S. EPA and State Underground Storage Tank Program managers.

Hagemann, M.F., 2001. From Tank to Tap: A Chronology of MTBE in Groundwater. Unpublished report.

Hagemann, M.F., 2001. Estimated Cleanup Cost for MTBE in Groundwater Used as Drinking Water. Unpublished report.

Hagemann, M.F., 2001. Estimated Costs to Address MTBE Releases from Leaking Underground Storage Tanks. Unpublished report.

Hagemann, M.F., and VanMouwerik, M., 1999. Potential Water Quality Concerns Related to Snowmobile Usage. Water Resources Division, National Park Service, Technical Report.

VanMouwerik, M. and **Hagemann, M.F.** 1999, Water Quality Concerns Related to Personal Watercraft Usage. Water Resources Division, National Park Service, Technical Report.

Hagemann, M.F., 1999, Is Dilution the Solution to Pollution in National Parks? The George Wright Society Biannual Meeting, Asheville, North Carolina.

Hagemann, M.F., 1997, The Potential for MTBE to Contaminate Groundwater. U.S. EPA Superfund Groundwater Technical Forum Annual Meeting, Las Vegas, Nevada.

Hagemann, M.F., and Gill, M., 1996, Impediments to Intrinsic Remediation, Moffett Field Naval Air Station, Conference on Intrinsic Remediation of Chlorinated Hydrocarbons, Salt Lake City.

Hagemann, M.F., Fukunaga, G.L., 1996, The Vulnerability of Groundwater to Anthropogenic Contaminants on the Island of Maui, Hawaii. Hawaii Water Works Association Annual Meeting, Maui, October 1996.

Hagemann, M. F., Fukanaga, G. L., 1996, Ranking Groundwater Vulnerability in Central Oahu, Hawaii. Proceedings, Geographic Information Systems in Environmental Resources Management, Air and Waste Management Association Publication VIP-61.

Hagemann, M.F., 1994. Groundwater Characterization and Cleanup at Closing Military Bases in California. Proceedings, California Groundwater Resources Association Meeting.

Hagemann, M.F. and Sabol, M.A., 1993. Role of the U.S. EPA in the High Plains States Groundwater Recharge Demonstration Program. Proceedings, Sixth Biennial Symposium on the Artificial Recharge of Groundwater.

Hagemann, M.F., 1993. U.S. EPA Policy on the Technical Impracticability of the Cleanup of DNAPL-contaminated Groundwater. California Groundwater Resources Association Meeting.

Hagemann, M.F., 1992. Dense Nonaqueous Phase Liquid Contamination of Groundwater: An Ounce of Prevention... Proceedings, Association of Engineering Geologists Annual Meeting, v. 35.

Other Experience:

Selected as subject matter expert for the California Professional Geologist licensing examination, 2009-2011.

Attachment C



Memorandum

To: Steven Valdez, Senior Planner, County of San Bernardino

From: Eliza Laws, Senior Environmental Analyst
Monica Tobias, Associate Environmental Analyst

Date: April 29, 2022

Re: 15719 and 15755 Arrow Route Warehouse Project (CUP No. 2020-00235) – Consistency with Environmental Justice Policies

This memorandum details the consistency of the 15719 and 15755 Arrow Route Warehouse Project (CUP No. 2020-00235) (hereinafter referred to as the Project) with the Environmental Justice Policies contained within the Hazards Element of the *San Bernardino Countywide Plan* (CWP).¹ This discussion references the Draft Initial Study/Mitigated Negative Declaration (Draft IS/MND) that was prepared for the Project and publicly circulated from March 14, 2022, through April 18, 2022.

Environmental Justice Policy Consistency

Policy HZ-3.1 Health Risk Assessment

We require projects processed by the County to provide a health risk assessment when a project could potentially increase the incremental cancer risk by 10 in 1 million or more in unincorporated environmental justice focus areas, and we require such assessments to evaluate impacts of truck traffic from the project to freeways. We establish appropriate mitigation prior to the approval of new construction, rehabilitation, or expansion permits.

Project Consistency

The Project site is located within an environmental justice focus area as identified within the CWP. The Project's Draft IS/MND included an operational health risk assessment that evaluated potential diesel particulate matter (DPM) impacts of the Project on sensitive receptors with regard to cancer and non-cancer health risks. The non-cancer risks can be described as acute (short-term, generally 1-hour peak exposures) or chronic (long-term exposure). The results of the operational health risk analysis demonstrate that the Project would result in a Maximum Individual Cancer Risk from DPM of 1.10 in one million for residents and 0.20 in one million for students. (IS/MND, p. 28.) Impacts are considered significant if these values are above 10 in one million. The Project would result in a maximum chronic hazard index (used to evaluate non-cancer health risks) of 0.007, which is less than the significance threshold of 1.0. (IS/MND, p. 29.) As such, the Project would result in the potential for health risks that are well below established thresholds of significance and no mitigation is required. Because a health risk assessment was prepared and impacts are less than the thresholds of significance, the Project is consistent with this policy.

¹ County of San Bernardino, *County Wide Plan* (Adopted 2020), available at <https://countywideplan.com>

Policy HZ-3.6 Contaminated Waters and Soils

We advocate for and coordinate with local and regional agencies in efforts to remediate or treat contaminated surface water, groundwater, or soils in or affecting unincorporated environmental justice focus areas. We pursue grant funding and establish partnerships to implement the County's Site Remediation Program in unincorporated environmental justice focus areas, with particular emphasis in addressing the types of contamination identified in the Hazard Element tables.

Project Consistency

The Project's Draft IS/MND analyzed the Project site for potential hazards mentioned in Policy HZ-3.6. A Phase I Environmental Site Assessment was prepared by Terracon Consultants Inc. to characterize the potential hazards associated with the historical and current uses of the project site and surrounding areas. The Phase I ESA was prepared in accordance with the ASTM E 1527-13 Standard Practice for environmental site assessments (ESAs). A Limited Site Investigation (hereinafter LSI) was prepared to further evaluate the recognized environmental conditions (REC) identified in the Phase I ESA.

The ESA and LSI evaluated the presence of petroleum hydrocarbons, volatile organic compounds (VOCs), and metals commonly associated with the identified recognized environmental condition (REC) at concentrations above laboratory reporting limits in the on-site soil. Groundwater in the vicinity of the Project site was estimated to be at an approximate depth of 75 feet below ground surface (bgs). Based on the field observations and laboratory data results from the ESA, historical and/or current operations on the Project site have impacted surfaces and shallow soils; however, evidence of significant impairment were not identified in the areas accessible and investigated, and at the time the investigation was conducted. Moreover, concentrations of detected analytes were all below applicable residential and commercial screening levels and impacts related to release of hazardous material are low. (IS/MND, pp. 61-62.) Moreover, the Project would be required to adhere to local, state, and federal regulations that mandates soil identified for disposal or export. Because a Phase I ESA and LSI were prepared and no impacts to soils or groundwater were identified, the Project is consistent with Policy HZ-3.6.

Policy HZ-3.16 Notification

We notify the public through the County website, mail, and other means when applications are accepted for conditional use permits, changes in zoning, and Policy Plan amendments in or adjacent to environmental justice focus areas. We prepare public notices in the predominant language(s) spoken in the communities containing environmental justice focus areas.

Project Consistency

The proposed Project involves a conditional use permit; therefore, Policy HZ-3.16 is applicable to the Project. As part of the planning process, a Draft IS/MND was prepared to evaluate the potential environmental effects of the Project. The County provided notice of availability/intent to adopt an IS/MND of this document by mailing notices to properties surrounding the Project site, emailing notices to parties on the County's community stakeholder list, posting the notice at the County Clerk's office and with the California Environmental Quality Act (CEQA) *State Clearinghouse*, and by posting notices and the Draft IS/MND on the County's website. Members of the public and agencies were invited to comment on the Project and Draft IS/MND. Additionally, notices of a public hearing will similarly be mailed and posted prior to the public hearing. As such, the Project would be consistent with Policy HZ-3.16.

Policy HZ-3.17 Community Stakeholders

We identify and coordinate with key community stakeholders through advisory committees or other methods to increase public awareness and obtain timely community input concerning potential funding opportunities, conditional use permits, changes in zoning, and amendments to the Policy Plan in or adjacent to environmental justice focus areas.

Project Consistency

The proposed Project involves a conditional use permit; therefore, Policy HZ-3.17 is applicable to the Project. The County has not yet established formal advisory committees related to environmental justice but is exploring options to do so. However, the County has engaged with the public through the planning process pursuant to Policy HZ-3.16 Notification. Key community stakeholders on the County's list were provided email notification of the Project (as were surrounding property owners) and were invited to provide comments on the Project and the Draft IS/MND. Notices of a public hearing will similarly be mailed and posted prior to Project consideration. Through this public noticing, review and comment period, the Project would not conflict with Policy HZ-3.17.

Policy HZ-3.18 Application Requirements

In order for a Planning Project Application (excluding Minor Use Permits) to be deemed complete, we require applicants to indicate whether the project is within, adjacent to, or nearby an unincorporated environmental justice focus area and, if so, to:

- Document to the County's satisfaction how an applicant will address environmental justice concerns potentially created by the project; and
- Present a plan to conduct at least two public meetings for nearby residents, businesses, and property owners to obtain public input for applications involving a change in zoning or the Policy Plan. The County will require additional public outreach if the proposed project changes substantively in use, scale, or intensity from the proposed project presented at previous public outreach meeting(s).

Project Consistency

The Project site is located within an environmental justice focus area, as identified on Policy Map HZ-1, Environmental Justice and Legacy Communities of the CWP. As discussed throughout the Draft IS/MND, the Project would result in no impact, less than significant impacts or less than significant impacts with mitigation for all resource areas evaluated per Appendix G of the State CEQA Guidelines. As discussed in Project Consistency to Policy HZ-3.1 above, the Project would result in health risks that are substantially below thresholds of significance established by the South Coast Air Quality Management District (SCAQMD) (health risks are below 1.1 in one million, below the threshold of 10 in one million). Moreover, as further detailed in this memorandum, this Project is consistent with applicable Environmental Justice Policies. Thus, the Project would not result in significant impacts to disadvantaged communities within the vicinity of the Project site.

The Project site has been used for auto dismantling purposes for approximately 60 years and the surrounding area uses include manufacturing shops, auto dismantlers, and sand, gravel, and concrete operations. (IS/MND, pp. 5, 61.) Once implemented, the Project will improve the existing visual character of the area. The proposed Project would develop the site in accordance with the CWP standards, and construct a new aesthetically pleasing warehouse building, expand the existing site frontage of Arrow Route from 36-ft roadway to 40-ft, provide new curb and gutter, sidewalk, and add new landscaping onsite and on the southerly portion of Arrow Route for screening, privacy, and security. The Project lighting would be directed inward and downward and/or shielded to minimize the light spilling over to adjacent properties. The exterior façade would consist of non-reflective materials, such as concrete. In addition, the windows would be comprised of blue reflective glazing, which reduces glare over other transparent surfaces. (IS/MND, p. 17.) The noise that would result from the Project's construction and operational activities would not result in noise levels that would exceed County standards. (IS/MND, pp. 75-77.) Also, groundborne vibration impacts to surrounding land uses during construction and operation activities would not exceed groundborne vibration standards. (IS/MND, pp. 78-79.) Additionally, development of the proposed Project will maintain the existing drainage pattern by conveying runoff utilizing curb and gutter, onsite subsurface storm drains which ultimately flow to the existing West Fontana Channel. Coupled with the incorporation of required site design, source control and treatment

control best management practices to address storm water runoff generated onsite that are required by the Water Quality Management Plan and the latest regulations, the Project will not degrade water quality. (IS/MND, pp. 66-69.) Moreover, the development of the proposed use would also be within an established industrial area that is also designated for industrial uses per the CWP.

In summary, the Project would not conflict with Policy HZ-3.18 and would not result in significant environmental effects to surrounding disadvantaged communities.

EXHIBIT F

Withdrawn Comment Letters



P.O. Box 79222 Corona, CA 92877

July 19, 2022

Steven Valdez, Senior Planner
County of San Bernardino
Land Use Services Department - Planning Division


Re: 15719 and 15755 Arrow Route Warehouse Project, SCH No. 2022030365 (the "Project")

Dear Mr. Valdez:

On behalf of the Golden State Environmental Justice Alliance ("GSEJA"), I am writing to you regarding the 15719 And 15755 Arrow Route Warehouse MND (SCH NO. 2022030365) (the "Project").

The Project's developer has addressed GSEJA's concerns about environmental mitigation. Therefore, GSEJA supports and withdraws its comment letter on the Project.

Sincerely,


Joe Bourgeois
Executive Director

P: (626) 381-9248
F: (626) 389-5414
E: info@mitschtsailaw.com



139 South Hudson Avenue
Suite 200
Pasadena, California 91101

VIA E-MAIL

September 23, 2022

Steven Valdez, Senior Planner
County of San Bernardino
385 North Arrowhead Avenue, 1st Floor
San Bernardino, CA 92415
Em: steven.valdez@lus.sbcounty.gov

RE: County of San Bernardino's 15719 and 15755 Arrow Route Warehouse

Dear Steven Valdez,

On behalf of the Southwest Regional Council of Carpenters ("**Southwest Carpenters**" or "**SWRCC**"), my Office is submitting these comments on the 15719 and 15755 Arrow Route Warehouse ("**Project**") in the County of San Bernardino ("**County**").

The Southwest Carpenters would like to express their support for this Project and withdraw their April 18, 2022 comment letter. After further reviewing this Project, SWRCC believes that the Project will benefit the environment and the local economy by utilizing a local skilled and trained workforce, practicing protocols that will protect worker health and safety, and provide adequate environmental mitigation.

If the City has any questions or concerns, feel free to contact my Office.

Sincerely,



Mitchell M. Tsai
Attorneys for Southwest Regional
Council of Carpenters

EXHIBIT G

Mitigation Monitoring and Reporting Program

Mitigation Monitoring and Reporting Program

Initial Study PROJ-2020-00235

**WPT Arrow Boulevard, LP
APN: 0232-161-18 and 0232-161-19**

Lead Agency:

County of San Bernardino
Land Use Services Department
385 N. Arrowhead Avenue, 1st Floor
San Bernardino, CA 92415-0182

August 2022

1 MITIGATION MONITORING AND REPORTING PROGRAM

CEQA requires the adoption of feasible mitigation measures to reduce the severity and magnitude of significant environmental impacts associated with project development. CEQA also requires reporting on, and monitoring of, mitigation measures adopted as part of the environmental review process (Public Resources Code Section 21081.6). This mitigation monitoring and reporting program (MMRP) is designed to aid the County in its implementation and monitoring of measures adopted from the Project.

Pursuant to State *CEQA Guidelines* Section 15097, a written monitoring and reporting program has been compiled to verify implementation of adopted mitigation measures. “Monitoring” refers to the ongoing or periodic process of Project oversight provided by the “Responsible Party” listed in the following table. “Reporting” refers to written compliance review that will be presented to the decision-making body or authorized staff person identified in the table below. A report can be required at various stages throughout the Project implementation or upon completion of the mitigation measure. The following table provides the required information which includes identification of the potential impact, various mitigation measures, applicable implementation timing, agencies responsible for implementation, and the monitoring/reporting method for each mitigation measure identified.

The following list clarifies the meaning of each column in the following table:

Mitigation Measure	Those measures that will be implemented to minimize potential significant environmental impacts.
Monitoring/ Timing Frequency:	The phase of the project in which implementation and compliance will be monitored.
Action Indicating Compliance:	Identifies mechanism by which implementation will be verified.
Monitoring Party:	Entity responsible for monitoring implementation of the mitigation measure.
Date of Completion/ Notes	To be signed and dated by the County of San Bernardino – Land Use Services Department upon receipt of written verification of each mitigation measure.

Throughout the document references may be made to the “Project Applicant”, “Project “Project proponent”, and “Project developer”; these all refer to the party that is responsible for the Project at the time the specific event or requisite activity is taking place.

Regulatory Requirements

The Project is required to adhere to current regulatory requirements, since regulatory requirements are required by law, they are not considered to be mitigation measures. The following list includes, but is not limited to, regulatory requirements that the Project must implement:

- The Project shall comply with the South Coast Air Quality Management District (SCAQMD) Rule 403, "Fugitive Dust Requirements for Control of Fine Particulate Matter (PM10)," which requires implementation of feasible measures to reduce and control fugitive dust emissions, including, but not limited to: watering on site, using soil stabilizers, utilizing wheel washers for exiting vehicles, and reducing vehicle speeds.
- Construction equipment shall limit idling to five minutes or less per the California Code of Regulations (13 CCR § 2449(d)(3)).
- The Project shall comply with San Bernardino County Development Code Section 83.01.040 which limits truck idling times to five minutes on the site.
- The Project developer is required to obtain coverage under the statewide Construction General Permit (NPDES General Permit No. CAS000002, Waste Discharge Requirements, Order No. 2009-0009-DWQ, issued by the State Water Resources Control Board (SWRCB) which requires the preparation of a Storm Water Pollution Prevention Plan (SWPPP) to minimize sediment and other pollutants (e.g., oil from construction equipment, cleaning solvents, paint) in stormwater runoff that can occur during construction activities.
- The Project shall comply with the Migratory Bird Treaty Act (MBTA), regulated by California Department of Fish and Game Code sections (CDFG), which requires pre-construction surveys for nesting birds prior to initiating construction activities during nesting or breeding season (generally, September 1 to January 31). A qualified biologist shall conduct the pre-construction nesting bird survey no more than three days prior to initiating construction activities.
- The Project contractor is required to comply with asbestos National Emissions Standards for Hazardous Air Pollutants (NESHAP), and Cal-OSHA Asbestos in the Construction Industry Standard, 8 CCR 1529, which require all Regulated Asbestos-containing Materials (RACM) be removed prior to demolition. Also, any Category I and Category II non-friable asbestos containing materials that may become friable as a result of demolition work and that will be affected by the planned demolition, shall be removed prior to demolition.
- During demolition activities, the Project contractor is required to comply with Cal-OSHA 8 CCR 1532.1, Lead in the Construction Industry Standard which requires worker lead awareness training, provide a negative exposure assessment, and

- provide workers protection, including but not limited to, personal protective equipment (PPE).
- The Project shall comply with the 2019 CalGreen Code, which requires diversion of 65 percent of construction waste.

The Mitigation Monitoring and Reporting Program commences on the next page.

Table 1-A – Mitigation Monitoring and Reporting Program

Mitigation Measures	Implementation Timing	Action Indicating Compliance	Monitoring Party	Date of Completion/ Notes
Cultural Resources				
MM CR 1: In the event that cultural resources are discovered during any ground disturbing Project activities, all work in the immediate vicinity of the find (within a 60-foot buffer) shall cease and a qualified archaeologist meeting the Secretary of Interior standards shall be hired to assess the find. Work on the other portions of the project outside of the buffered area may continue during this assessment period. Additionally, the Gabrieleño Band of Mission Indians-Kizh Nation shall be contacted, as detailed within mitigation measure MM TCR-1 , regarding any pre-contact finds and be provided information after the archaeologist makes his/her initial assessment of the nature of the find, so as to provide Tribal input with regards to significance and treatment.	During ground disturbing activities, if cultural resources are discovered	Retention of qualified archaeologist and submission of monitoring and treatment plan, if applicable	County of San Bernardino	
MM TCR-1: Prior to the commencement of any ground disturbing activity at the Project site, the Project proponent/developer shall retain a Native American Monitor approved by the Gabrieleño Band of Mission Indians-Kizh Nation – the tribe that consulted on this Project pursuant to Assembly Bill AB52 (the “Tribe” or	Prior to any ground disturbing activity	Contract execution for Native American Monitor approved by the Gabrieleño Band of Mission Indians-Kizh Nation	County of San Bernardino	

Table 1-A – Mitigation Monitoring and Reporting Program

Mitigation Measures	Implementation Timing	Action Indicating Compliance	Monitoring Party	Date of Completion/ Notes
the “Consulting Tribe”). A copy of the executed contract shall be submitted to the County of San Bernardino Planning prior to the issuance of any permit necessary to commence a ground-disturbing activity. The Tribal monitor will only be present on-site during the construction phases that involve ground-disturbing activities. Ground disturbing activities are defined by the Tribe as activities that may include, but are not limited to, pavement removal, potholing or auguring, grubbing, tree removals, boring, grading, excavation, drilling, and trenching, within the project area. The Tribal Monitor will complete daily monitoring logs that will provide descriptions of the day’s activities, including construction activities, locations, soil, and any cultural materials identified. The on-site monitoring shall end when all ground-disturbing activities on the Project Site are completed, or when the Tribal Representatives and Tribal Monitor have indicated that all upcoming ground-disturbing activities at the Project Site have little to no potential for impacting Tribal Cultural Resources. Upon discovery of any Tribal Cultural Resources, construction activities shall cease in the immediate vicinity of the find (not less than the surrounding 100 feet) until the		Preparation of and adherence to a preservation plan or “treatment plan” if a historical resource” or “unique archaeological resource is discovered		

Table 1-A – Mitigation Monitoring and Reporting Program

Mitigation Measures	Implementation Timing	Action Indicating Compliance	Monitoring Party	Date of Completion/ Notes
find can be assessed. All Tribal Cultural Resources unearthed by project activities shall be evaluated by the qualified archaeologist and Tribal monitor approved by the Consulting Tribe. If the resources are Native American in origin, the Consulting Tribe will retain it/them in the form and/or manner the Tribe deems appropriate, for educational, cultural and/or historic purposes. If human remains and/or grave goods are discovered or recognized at the Project Site, all ground disturbance shall immediately cease, and the county coroner shall be notified per Public Resources Code Section 5097.98, and Health & Safety Code Section 7050.5. Human remains and grave/burial goods shall be treated alike per California Public Resources Code section 5097.98(d)(1) and (2). Work may continue on other parts of the Project Site while evaluation and, if necessary, mitigation takes place (CEQA Guidelines Section 15064.5[f]). If a non-Native American resource is determined by the qualified archaeologist to constitute a “historical resource” or “unique archaeological resource,” time allotment and funding sufficient to allow for implementation of avoidance measures, or appropriate mitigation, must be available. The treatment plan				

Table 1-A – Mitigation Monitoring and Reporting Program

Mitigation Measures	Implementation Timing	Action Indicating Compliance	Monitoring Party	Date of Completion/ Notes
<p>established for the resources shall be in accordance with CEQA Guidelines Section 15064.5(f) for historical resources and PRC Sections 21083.2(b) for unique archaeological resources.</p> <p>Preservation in place (i.e., avoidance) is the preferred manner of treatment. If preservation in place is not feasible, treatment may include implementation of archaeological data recovery excavations to remove the resource along with subsequent laboratory processing and analysis. Any historic archaeological material that is not Native American in origin shall be curated at a public, non-profit institution with a research interest in the materials, such as the Natural History Museum of Los Angeles County or the Fowler Museum, if such an institution agrees to accept the material. If no institution accepts the archaeological material, it shall be offered to a local school or historical society in the area for educational purposes.</p>				

Table 1-A – Mitigation Monitoring and Reporting Program

Mitigation Measures	Implementation Timing	Action Indicating Compliance	Monitoring Party	Date of Completion/ Notes
Geology and Soils				
See MM CR 1 , above.				
Tribal Cultural Resources				
See MM TCR-1 , above.				

EXHIBIT H

Findings

FINDINGS: CONDITIONAL USE PERMIT

The following are the required findings, per the San Bernardino County Development Code ("Development Code") Section 85.06.040 and supporting facts for the approval of a 209,759 square foot logistics warehouse with 10,000 square feet of office space and associated parking located at 15719 & 15755 Arrow Route. (Project: PROJ-2021-00235) (APN: 0232-161-18 & 19).

- 1. The site for the proposed use is adequate in terms of shape and size to accommodate the proposed use and all landscaping, loading areas, open spaces, setbacks, walls and fences, yards, and other required features pertaining to the application.**

All landscaping, setbacks, floor area ratio, parking and lot coverage meet or exceed the requirements of the Development Code for the proposed land use and the existing zoning as indicated in Table 2 of the Project's staff report. The proposed 209,759 square-foot logistics warehouse and associated improvements will meet all other Development Code requirements for the Regional Industrial (IR) Land Use Zoning District.

- 2. The site for the proposed use has adequate access, which means that the site design incorporates appropriate street and highway characteristics to serve the proposed use.**

The proposed Project provides for adequate site access off Arrow Route via required street and sidewalk improvements. The Project will be required, as part of its Conditions of Approval, to provide road dedication and improvements, which include curb and gutter, and sidewalks along the entire property frontage along Arrow Route.

- 3. The proposed use will not have a substantial adverse effect on abutting property or the allowed use of the abutting property, which means the use will not generate excessive noise, traffic, vibration, or other disturbance. In addition, the use will not substantially interfere with the present or future ability to use solar energy systems.**

An Initial Study (IS) was prepared for the proposed Project resulting in a proposed Mitigated Negative Declaration (MND). These documents are collectively referred to as the "IS/MND." The IS/MND analyzed potential impacts to surrounding properties and recommended mitigation measures to address any potentially significant impacts, including geological and tribal resources. These mitigation measures, which are incorporated into the Project's proposed Conditions of Approval, ensure that there will be no significant adverse impacts to abutting properties from the Project.

The Project will also comply with noise restrictions established by Development Code Section 83.01.080 during construction and operations. Construction will be temporary and will not involve blasting or produce noise and/or vibration that exceed Development Code requirements. Operation of the Project will generate noise at a level that is within County Development Code standards.

The use will not substantially interfere with the present or future ability to use solar energy systems.

4. The proposed use and manner of development are consistent with the goals, maps, policies, and standards of the Countywide Plan/Policy Plan and any applicable Community or Specific Plan.

The proposed use and manner of development are consistent with the goals, maps, policies, and standards of the Countywide Plan/Policy Plan. The proposed site plan, together with the provisions for its design and improvement are also consistent with the Countywide Plan/Policy Plan. The Project specifically implements the following goals:

Goal LU-1 Fiscally Sustainable Growth: *Growth and development that builds thriving communities, contributes to our Complete County, and is fiscally sustainable.*

Policy LU-1.2 Infill Development: *We prefer new development to take place on existing vacant and underutilized lots where public services and infrastructure are available.*

- Goal/Policy Implementation: The proposed Project is located on a lot that was previously developed but which was damaged and subsequently demolished. The redevelopment of the lot will be fiscally sustainable and occurs on an underutilized lot where infrastructure is available and again make use of the property. The Project is proposed within an existing industrial land use category and industrial zone.

Goal LU-2 Land Use Mix and Compatibility: *An arrangement of land uses that balances the lifestyle of existing residents, the needs of future generations, opportunities for commercial and industrial development, and the value of the natural environment.*

Policy LU-2.1 Compatibility with Existing Uses: *We require that new development is located, scaled, buffered, and designed to minimize negative impacts on existing conforming uses and adjacent neighborhoods.*

- Goal/Policy Implementation: The Project is located in a corridor with other compatible industrial uses within the Regional Industrial zone, which provides sites for heavy industrial uses that have the potential to generate severe negative impacts, incidental commercial uses, agricultural support services, salvage operations, and similar and compatible uses. Considering features of the site design, the arrangement of land uses within the vicinity, and data included in the supporting studies, the Project is compatible with the surrounding area.

Policy LU-2.4 Land Use Map consistency: *We consider proposed development that is consistent with the Land Use Map (i.e., it does not require a change in Land Use Category), to be generally compatible and consistent with surrounding land uses and a community's identity. Additional site, building, and landscape design treatment, per other policies in the Policy Plan and development standards in the Development Code, may be required to maximize compatibility with surrounding land uses and community identity.*

- Goal/Policy Implementation: The Project is consistent with the Land Use District Map and does not propose a land use amendment. The Project site plan indicates compliance with Development Code standards in terms of setbacks, parking, landscaping, walls, and fences.

Policy LU-2.6 Coordination with adjacent entities: *We require that new and amended development projects notify and coordinate with adjacent local, state and federal entities to maximize land use compatibility, inform future planning and implementation, and realize mutually beneficial outcomes.*

- Goal/Policy Implementation: The Project was sent to adjacent entities for coordination, including to the City of Fontana, and the local Tribe in compliance with AB-52 guidelines.

Policy LU-2.7 Countywide job-housing balance: *We prioritize growth that furthers a countywide balance of jobs and housing to reduce vehicle miles traveled, increase job opportunities and household income, and improve quality of life. We also strive for growth that furthers a balance of jobs and housing in the North Desert region and the Valley region.*

- Goal/Policy Implementation: The Project will add additional jobs to the region and furthers a countywide balance of jobs and housing to reduce vehicle miles traveled, increase job opportunities, and improve quality of life.

Policy LU-2.12 Office and industrial development in the Valley region: *We encourage office and industrial uses in the unincorporated Valley region in order to promote a countywide job-housing balance.*

- Goal/Policy Implementation: The Project is to add an industrial warehouse with ancillary office space in the unincorporated Valley region.

The Project will not conflict with any applicable adopted land use plan, policy, or regulation or an agency with jurisdiction over the Project and will implement the goals/policies described in the General Plan.

5. There is supporting infrastructure, existing or available, consistent with the intensity of the development, to accommodate the proposed project without significantly lowering service levels.

There is supporting infrastructure, existing or available, consistent with the intensity of the development to accommodate the proposed Project without significantly lowering service levels. The developer will be required to construct road improvements, as well as contribute to the Regional Transportation Mitigation Facilities Fee Plan and provide other needed improvements in the area.

6. The lawful conditions stated in the approval are deemed reasonable and necessary to protect the overall public health, safety, and general welfare.

The lawful conditions stated in the approval are deemed reasonable and necessary to protect the overall public health, safety and general welfare because the conditions of approval include measures to reduce biological, geological and tribal impacts and enforce performance standards of the County Development Code.

7. The design of the site has considered the potential for the use of solar energy systems and passive or natural heating and cooling opportunities.

The design of the Project site considered the potential for the use of solar energy systems and passive or natural heating and cooling opportunities, through the orientation and design with adequate building setbacks and the future ability to construct rooftop solar facilities. Although solar was not proposed, there is opportunities to place solar in the future.

ENVIRONMENTAL FINDINGS

The environmental findings, in accordance with Section 85.03.040 of the Development Code, are as follows:

Pursuant to provisions of the California Environmental Quality Act (CEQA) and the San Bernardino County Environmental Review guidelines, the above referenced Project has been determined to not have a significant adverse impact on the environment with the implementation of all the required mitigation measures. A Mitigated Negative Declaration (MND) will be adopted and a Notice of Determination (NOD) will be filed with the San Bernardino County Clerk's office. The MND for this Project reflects the County's independent judgment and was presented to the review authority, which reviewed and considered the information in the MND along with all public comments, responses to comments and errata before making a decision on the Project.



Memorandum

To: Steven Valdez, Senior Planner, County of San Bernardino

From: Eliza Laws, Senior Environmental Analyst
Monica Tobias, Associate Environmental Analyst

Date: April 29, 2022

Re: 15719 and 15755 Arrow Route Warehouse Project (CUP No. 2020-00235) – Consistency with Environmental Justice Policies

This memorandum details the consistency of the 15719 and 15755 Arrow Route Warehouse Project (CUP No. 2020-00235) (hereinafter referred to as the Project) with the Environmental Justice Policies contained within the Hazards Element of the *San Bernardino Countywide Plan* (CWP).¹ This discussion references the Draft Initial Study/Mitigated Negative Declaration (Draft IS/MND) that was prepared for the Project and publicly circulated from March 14, 2022, through April 18, 2022.

Environmental Justice Policy Consistency

Policy HZ-3.1 Health Risk Assessment

We require projects processed by the County to provide a health risk assessment when a project could potentially increase the incremental cancer risk by 10 in 1 million or more in unincorporated environmental justice focus areas, and we require such assessments to evaluate impacts of truck traffic from the project to freeways. We establish appropriate mitigation prior to the approval of new construction, rehabilitation, or expansion permits.

Project Consistency

The Project site is located within an environmental justice focus area as identified within the CWP. The Project's Draft IS/MND included an operational health risk assessment that evaluated potential diesel particulate matter (DPM) impacts of the Project on sensitive receptors with regard to cancer and non-cancer health risks. The non-cancer risks can be described as acute (short-term, generally 1-hour peak exposures) or chronic (long-term exposure). The results of the operational health risk analysis demonstrate that the Project would result in a Maximum Individual Cancer Risk from DPM of 1.10 in one million for residents and 0.20 in one million for students. (IS/MND, p. 28.) Impacts are considered significant if these values are above 10 in one million. The Project would result in a maximum chronic hazard index (used to evaluate non-cancer health risks) of 0.007, which is less than the significance threshold of 1.0. (IS/MND, p. 29.) As such, the Project would result in the potential for health risks that are well below established thresholds of significance and no mitigation is required. Because a health risk assessment was prepared and impacts are less than the thresholds of significance, the Project is consistent with this policy.

¹ County of San Bernardino, *County Wide Plan* (Adopted 2020), available at <https://countywideplan.com>

Policy HZ-3.6 Contaminated Waters and Soils

We advocate for and coordinate with local and regional agencies in efforts to remediate or treat contaminated surface water, groundwater, or soils in or affecting unincorporated environmental justice focus areas. We pursue grant funding and establish partnerships to implement the County's Site Remediation Program in unincorporated environmental justice focus areas, with particular emphasis in addressing the types of contamination identified in the Hazard Element tables.

Project Consistency

The Project's Draft IS/MND analyzed the Project site for potential hazards mentioned in Policy HZ-3.6. A Phase I Environmental Site Assessment was prepared by Terracon Consultants Inc. to characterize the potential hazards associated with the historical and current uses of the project site and surrounding areas. The Phase I ESA was prepared in accordance with the ASTM E 1527-13 Standard Practice for environmental site assessments (ESAs). A Limited Site Investigation (hereinafter LSI) was prepared to further evaluate the recognized environmental conditions (REC) identified in the Phase I ESA.

The ESA and LSI evaluated the presence of petroleum hydrocarbons, volatile organic compounds (VOCs), and metals commonly associated with the identified recognized environmental condition (REC) at concentrations above laboratory reporting limits in the on-site soil. Groundwater in the vicinity of the Project site was estimated to be at an approximate depth of 75 feet below ground surface (bgs). Based on the field observations and laboratory data results from the ESA, historical and/or current operations on the Project site have impacted surfaces and shallow soils; however, evidence of significant impairment were not identified in the areas accessible and investigated, and at the time the investigation was conducted. Moreover, concentrations of detected analytes were all below applicable residential and commercial screening levels and impacts related to release of hazardous material are low. (IS/MND, pp. 61-62.) Moreover, the Project would be required to adhere to local, state, and federal regulations that mandates soil identified for disposal or export. Because a Phase I ESA and LSI were prepared and no impacts to soils or groundwater were identified, the Project is consistent with Policy HZ-3.6.

Policy HZ-3.16 Notification

We notify the public through the County website, mail, and other means when applications are accepted for conditional use permits, changes in zoning, and Policy Plan amendments in or adjacent to environmental justice focus areas. We prepare public notices in the predominant language(s) spoken in the communities containing environmental justice focus areas.

Project Consistency

The proposed Project involves a conditional use permit; therefore, Policy HZ-3.16 is applicable to the Project. As part of the planning process, a Draft IS/MND was prepared to evaluate the potential environmental effects of the Project. The County provided notice of availability/intent to adopt an IS/MND of this document by mailing notices to properties surrounding the Project site, emailing notices to parties on the County's community stakeholder list, posting the notice at the County Clerk's office and with the California Environmental Quality Act (CEQA) *State Clearinghouse*, and by posting notices and the Draft IS/MND on the County's website. Members of the public and agencies were invited to comment on the Project and Draft IS/MND. Additionally, notices of a public hearing will similarly be mailed and posted prior to the public hearing. As such, the Project would be consistent with Policy HZ-3.16.

Policy HZ-3.17 Community Stakeholders

We identify and coordinate with key community stakeholders through advisory committees or other methods to increase public awareness and obtain timely community input concerning potential funding opportunities, conditional use permits, changes in zoning, and amendments to the Policy Plan in or adjacent to environmental justice focus areas.

Project Consistency

The proposed Project involves a conditional use permit; therefore, Policy HZ-3.17 is applicable to the Project. The County has not yet established formal advisory committees related to environmental justice but is exploring options to do so. However, the County has engaged with the public through the planning process pursuant to Policy HZ-3.16 Notification. Key community stakeholders on the County's list were provided email notification of the Project (as were surrounding property owners) and were invited to provide comments on the Project and the Draft IS/MND. Notices of a public hearing will similarly be mailed and posted prior to Project consideration. Through this public noticing, review and comment period, the Project would not conflict with Policy HZ-3.17.

Policy HZ-3.18 Application Requirements

In order for a Planning Project Application (excluding Minor Use Permits) to be deemed complete, we require applicants to indicate whether the project is within, adjacent to, or nearby an unincorporated environmental justice focus area and, if so, to:

- Document to the County's satisfaction how an applicant will address environmental justice concerns potentially created by the project; and
- Present a plan to conduct at least two public meetings for nearby residents, businesses, and property owners to obtain public input for applications involving a change in zoning or the Policy Plan. The County will require additional public outreach if the proposed project changes substantively in use, scale, or intensity from the proposed project presented at previous public outreach meeting(s).

Project Consistency

The Project site is located within an environmental justice focus area, as identified on Policy Map HZ-1, Environmental Justice and Legacy Communities of the CWP. As discussed throughout the Draft IS/MND, the Project would result in no impact, less than significant impacts or less than significant impacts with mitigation for all resource areas evaluated per Appendix G of the State CEQA Guidelines. As discussed in Project Consistency to Policy HZ-3.1 above, the Project would result in health risks that are substantially below thresholds of significance established by the South Coast Air Quality Management District (SCAQMD) (health risks are below 1.1 in one million, below the threshold of 10 in one million). Moreover, as further detailed in this memorandum, this Project is consistent with applicable Environmental Justice Policies. Thus, the Project would not result in significant impacts to disadvantaged communities within the vicinity of the Project site.


The Project site has been used for auto dismantling purposes for approximately 60 years and the surrounding area uses include manufacturing shops, auto dismantlers, and sand, gravel, and concrete operations. (IS/MND, pp. 5, 61.) Once implemented, the Project will improve the existing visual character of the area. The proposed Project would develop the site in accordance with the CWP standards, and construct a new aesthetically pleasing warehouse building, expand the existing site frontage of Arrow Route from 36-ft roadway to 40-ft, provide new curb and gutter, sidewalk, and add new landscaping onsite and on the southerly portion of Arrow Route for screening, privacy, and security. The Project lighting would be directed inward and downward and/or shielded to minimize the light spilling over to adjacent properties. The exterior façade would consist of non-reflective materials, such as concrete. In addition, the windows would be comprised of blue reflective glazing, which reduces glare over other transparent surfaces. (IS/MND, p. 17.) The noise that would result from the Project's construction and operational activities would not result in noise levels that would exceed County standards. (IS/MND, pp. 75-77.) Also, groundborne vibration impacts to surrounding land uses during construction and operation activities would not exceed groundborne vibration standards. (IS/MND, pp. 78-79.) Additionally, development of the proposed Project will maintain the existing drainage pattern by conveying runoff utilizing curb and gutter, onsite subsurface storm drains which ultimately flow to the existing West Fontana Channel. Coupled with the incorporation of required site design, source control and treatment

control best management practices to address storm water runoff generated onsite that are required by the Water Quality Management Plan and the latest regulations, the Project will not degrade water quality. (IS/MND, pp. 66-69.) Moreover, the development of the proposed use would also be within an established industrial area that is also designated for industrial uses per the CWP.

In summary, the Project would not conflict with Policy HZ-3.18 and would not result in significant environmental effects to surrounding disadvantaged communities.

EXHIBIT I


Site Plan



OVERALL SITE PLAN

scale: 1" = 30'-0"

SCALE: 1" = 30'-0"



SITE PLAN KEYNOTES

- HEAVY BROOM FINISH CONC. PAVEMENT.
- OUTDOOR EMPLOYEE PATIO.
- CONCRETE WALKWAY
- DRIVEWAY APRONS TO BE CONSTRUCTED PER "L" DRAWINGS.
- 5'-6"X5'-6"X4" MIN. THICK CONCRETE EXTERIOR LANDING PAD TYP. AT ALL EXTERIOR MAN DOORS TO LANDSCAPED AREAS. FINISH TO BE MEDIUM BROOM FINISH. SLOPE TO BE 1/4" : 12" MAX. PROVIDE WALK TO PUBLIC WAY OR DRIVE WAY W/ 1:20 MAX. AS REQ. BY CITY INSPECTOR.
- PROVIDE METAL, MANUAL OPERATED GATES W/ KNOX-PAD LOCK PER FIRE DEPARTMENT STANDARDS PER DRIVEWAY.
- EXTERIOR CONC. STAIR.
- LANDSCAPE. SEE "L" DWGS.
- 14'H CONCRETE TILT-UP SCREEN WALL.
- BIKE RACK.
- APPROXIMATE LOCATION OF TRANSFORMER.
- 8'H METAL SWING GATE.
- 8'H WROUGHT IRON FENCE.
- NOT USED.
- SITE LIGHT POLE.
- PROPOSED STREET LIGHT
- TRASH ENCLOSURE (16'X24'=384SF EACH) PER CITY STANDARD.
- PROPOSED FIRE HYDRANT
- HANDICAPPED PARKING STALL SIGN
- HANDICAPPED ENTRY SIGN
- PRE-CAST CONC. WHEEL STOP
- CONC. FILLED GUARD POST 6 DIA. U.N.O. 42" H.
- EXISTING WALL
- MONUMENT SIGN

SITE PLAN GENERAL NOTES

- THE SOILS REPORT PREPARED BY _____ SHOULD BE A PART OF THESE CONTRACT DOCUMENTS.
- IF SOILS ARE EXPANSIVE IN NATURE, USE STEEL REINFORCING FOR ALL SITE CONCRETE.
- ALL DIMENSIONS ARE TO THE FACE OF CONCRETE WALL, FACE OF CONCRETE CURB OR GRID LINE U.N.O.
- SEE "C" PLANS FOR ALL CONCRETE CURBS, GUTTERS AND SWALES. DETAILS ON SHEET AD-1 ARE MINIMUM STANDARDS.
- THE ENTIRE PROJECT SHALL BE PERMANENTLY MAINTAINED WITH AN AUTOMATIC IRRIGATION SYSTEM, PRIOR TO INSTALLATION & AT LEAST 60 DAYS BEFORE BLDG. COMPLETION.
- SEE "C" DRAWINGS FOR POINT OF CONNECTIONS TO OFF-SITE UTILITIES. CONTRACTOR SHALL VERIFY ACTUAL UTILITY CONTRACTOR SHALL VERIFY ACTUAL UTILITY LOCATIONS.
- PROVIDE POSITIVE DRAINAGE AWAY FROM BLDG. SEE "C" DRAWINGS.
- CONTRACTOR TO REFER TO "C" DRAWINGS FOR ALL HORIZONTAL CONTROL DIMENSIONS. SITE PLANS ARE FOR GUIDANCE AND STARTING LAYOUT POINTS.
- SEE "C" DRAWINGS FOR FINISH GRADE ELEVATIONS.
- CONCRETE SIDEWALKS TO BE A MINIMUM OF 4" THICK W/ TOOLED JOINTS AT 6' O.C. EXPANSION/CONSTRUCTION JOINTS SHALL BE A MAXIMUM 12' EA. WAY W/ 1:20 MAX. SLOPE. EXPANSION JOINTS TO HAVE COMPRESSIVE EXPANSION FILLER MATERIAL OF 1/4". SEE "L" DRAWINGS FOR FINISH.
- PROVIDE TWO FIRE HYDRANT ON THE SITE. FINAL LOCATION WILL DETERMINE IN DURING SUBMITTAL.
- PAINT CURBS AND PROVIDE SIGNS TO INFORM OF FIRE LANES AS REQUIRED BY FIRE DEPARTMENT.
- CONSTRUCTION DOCUMENTS PERTAINING TO THE LANDSCAPE AND IRRIGATION OF THE ENTIRE PROJECT SITE SHALL BE SUBMITTED TO THE BUILDING DEPARTMENT AND APPROVED BY PUBLIC FACILITIES DEVELOPMENT PRIOR TO ISSUANCE OF BUILDING PERMITS.
- PRIOR TO FINAL CITY INSPECTION, THE LANDSCAPE ARCHITECT SHALL SUBMIT A CERTIFICATE OF COMPLETION TO PUBLIC FACILITIES DEVELOPMENT.
- NOT USED.
- ALL LANDSCAPE AND IRRIGATION DESIGNS SHALL MEET CURRENT CITY STANDARDS AS LISTED IN GUIDELINES OR AS OBTAINED FROM PUBLIC FACILITIES DEVELOPMENT.
- NOT USED.
- LANDSCAPED AREAS SHALL BE DELINEATED WITH A MINIMUM SIX INCHES (6") HIGH CURB
- APPROVED CONCEPTUAL LANDSCAPE PLAN PRIOR TO GRADING PERMIT

PROJECT DATA

SITE AREA	402,152 ± s.f.
In acres	9.23 ac
BUILDING AREA	
Footprint	204,705 ± s.f.
Office - 1st floor	5,000 ± s.f.
Office - 2nd floor	5,000 ± s.f.
Warehouse	199,705 ± s.f.
TOTAL	209,705 ± s.f.
FLOOR AREA RATIO	0.52
AUTO PARKING REQUIRED	
Office: 1:250 s.f.	40 stalls
Whse: 1st 40k @ 1/1,000 s.f.	40 stalls
above 40k @ 1/4,000 s.f.	40 stalls
TOTAL	120 stalls
AUTO PARKING PROVIDED	
Standard (9' x 19')	105 stalls
Accessible Standard (9' x 19')	4 stalls
Accessible Van (12' x 19')	1 stalls
EVCS Standard (9' x 19')	5 stalls
EVCS Accessible Standard (9' x 19')	1 stalls
EVCS Accessible Van (12' x 19')	1 stalls
Clean Air/Vanpool/EV	4 stalls
TOTAL	121 stalls
TRAILER PARKING PROVIDED	
Trailer (12' x 53')	37 stalls
BIKE PARKING REQUIRED	
Short Term Bike Parking	7 stalls
Long Term Bike Parking	7 stalls
TOTAL	14 stalls
BIKE PARKING PROVIDED	
Short Term Bike Parking	7 stalls
Long Term Bike Parking	7 stalls
TOTAL	14 stalls
BUILDING COVERAGE	
Coverage - 60%	
MAXIMUM FLOOR AREA RATIO	
FAIR - 55	
MAXIMUM LOT COVERAGE	
Coverage - 85%	
ZONING ORDINANCE FOR CITY	
Zoning Designation: Regional Industrial (Valley Region)	
MAXIMUM BUILDING HEIGHT ALLOWED	
Height - 150'	
SETBACKS	
Arrow Route - 25'	
Side/Rear - 10'	
LANDSCAPE REQUIREMENT	
15% w/ in parking deducted from lot area	
LANDSCAPE PROVIDED	
Landscape	83,304
Percentage	15.2%

Note: Future charging spaces qualify as designated parking for clean air vehicles per CGBSC 5.106.5.3.5

Property owner

WPT INDUSTRIAL REIT
12405 VENICE BLVD., SUITE 383
LOS ANGELES, CA 90066
CONTACT: JONAH CHODOSH
TEL: 612-800-8507

Address of the property

15719 & 15755 ARROW ROUTE
SAN BERNARDINO, CA

Assessor's Parcel Number

APN 0232-161-18-0-000 (AFFECTS PARCEL 1) AND
0232-161-19-0-000 (AFFECTS PARCEL 2)

Legal description

APN THIS PROPERTY SURVEYED AND SHOWN HEREON IS THE SAME PROPERTY AS DESCRIBED IN EXHIBIT A OF FIRST AMERICAN TITLE INSURANCE COMPANY ALTA COMMITMENT FOR TITLE INSURANCE FILE NO. NCS-1026871-MPLS WITH COMMITMENT DATE OF DECEMBER 01, 2020.

THE LAND REFERRED TO HEREIN BELOW IS SITUATED IN THE UNINCORPORATED AREA, COUNTY OF SAN BERNARDINO, STATE OF CALIFORNIA, AND IS DESCRIBED AS FOLLOWS:

PARCELS 1 AND 2 OF PARCEL MAP NO. 8255, IN THE COUNTY OF SAN BERNARDINO, STATE OF CALIFORNIA, AS PER MAP RECORDED IN BOOK 138, PAGE (S) 46, OF PARCEL MAPS, IN THE OFFICE OF THE COUNTY RECORDER OF SAID COUNTY.

EXCEPTING THEREFROM ONE-HALF OF ALL OIL, GAS, HYDROCARBON SUBSTANCES, MINERALS AND MINERAL RIGHTS IN AND UNDER SAID LAND BELOW A DEPTH OF 500 FEET FROM THE SURFACE THEREOF, BUT WITHOUT THE RIGHT OF ENTRY UPON OR THROUGH THE SURFACE OF SAID LAND, AS RESERVED IN THE DEED FROM IDA SWEDLOVE KUSHNER AND FRED SWEDLOVE ARE THE EXECUTORIES OF THE LAST WILL AND ESTATE OF MORRIS SWEDLOVE, DECEASED, RECORDED AUGUST 25, 1970 IN BOOK 7504, PAGE 566 OF OFFICIAL RECORDS OF SAN BERNARDINO COUNTY, CALIFORNIA.

ALSO EXCEPTING THEREFROM ONE-HALF OF ALL OIL, GAS, HYDROCARBON SUBSTANCES, MINERALS AND MINERAL RIGHTS IN AND UNDER SAID LAND BELOW A DEPTH OF 500 FEET FROM THE SURFACE THEREOF, BUT WITHOUT THE RIGHT OF ENTRY UPON OR THROUGH THE SURFACE OF SAID LAND, AS RESERVED IN THE DEED FROM ANNIE SWEDLOVE, A WIDOW, RECORDED AUGUST 25, 1970 IN BOOK 7504, PAGE 568 OF OFFICIAL RECORDS OF SAN BERNARDINO COUNTY, CALIFORNIA.

FOR CONVEYANCING PURPOSES ONLY: APN 0232-161-18-0-000 (AFFECTS PARCEL 1) AND 0232-161-19-0-000 (AFFECTS PARCEL 2)

Zoning

ZONING DESIGNATION - REGIONAL INDUSTRIAL (VALLEY REGION)

Applicant

WPT INDUSTRIAL REIT
12405 VENICE BLVD., SUITE 383
LOS ANGELES, CA 90066
CONTACT: JONAH CHODOSH
TEL: 612-800-8507


Applicant's representative

HPA, INC.
18831 BARDEEN AVE SUITE 100
IRVINE, CA 92612
TEL: 949-863-1770
ATTN: STEVE HONG


SITE LEGEND

- LANDSCAPED AREA
- AC. PAVING - SEE "C" DWGS. FOR THICKNESS
- CONCRETE PAVING SEE "C" DWGS. FOR THICKNESS
- STANDARD PARKING STALL (9' x 19')
- HANDICAP PARKING STALL (9' x 19')
- 26' FIRE LANE.
- LIGHT STANDARD
- EXISTING PUBLIC FIRE HYDRANT
- PRIVATE FIRE HYDRANT- APPROXIMATE LOCATION
- PROPERTY LINE
- ACCESSIBILITY PATH OF TRAVEL

VICINITY MAP



hpa, inc.
18831 bardeen avenue, - ste. #100
irvine, ca
92612
tel: 949-863-1770
fax: 949-863-0851
email: hpa@hparchs.com



Owner:

WPT INDUSTRIAL
WPT REIT

WPT INDUSTRIAL REIT
12405 VENICE BLVD., SUITE 383
LOS ANGELES, CA 90066
TEL: 612-800-8507

Project:

WPT
LOGISTICS CENTER -
FONTANA

15719 & 15755 ARROW ROUTE
SAN BERNARDINO, CA

Consultants:

CIVIL - WEBB
STRUCTURAL -
MECHANICAL -
PLUMBING -
ELECTRICAL -
LANDSCAPE -
FIRE PROTECTION -
SOILS ENGINEER -

Title: OVERALL SITE PLAN

Project Number: 20437

Drawn by: X.L.


Date: 04/09/21

Revision:


Sheet:

DAB-A1.1

OFFICIAL USE ONLY



ENLARGED FLOOR PLAN
scale: 1/8" = 1'-0"




KEYNOTES - FLOOR PLAN


- CONCRETE TILT-UP PANEL.
- STRUCTURAL STEEL COLUMN.
- TYPICAL STOREFRONT SYSTEM WITH GLAZING. SEE OFFICE BLOW-UP AND ELEVATIONS FOR SIZE, COLOR AND LOCATIONS.
- CONCRETE RAMP W/ 42" HIGH CONC TILT-UP GUARD WALL OR BUILDING WALL ON BOTH SIDE OF RAMP. SEE "S" DWG FOR DETAIL.
- 9'-0" X 10' TRUCK DOOR. SECTIONAL OH., STANDARD GRADE. DESIGNED TO RESIST WIND 90 MPH., EXPOSURE "C".
- EXTERIOR CONCRETE STAIR
- 5'-6" X 5'-6" X 4" THICK CONCRETE EXTERIOR LANDING PAD TYPICAL AT ALL EXTERIOR MAN DOORS TO LANDSCAPED AREA. FINISH TO BE MEDIUM BLOOM FINISH. SLOPE TO BE 1/4" - 12" MAX. PROVIDE WALK TO HARD SURFACE PER CITY REQUIREMENTS.
- LOUVERED OPENING FOR VENTILATION.
- DOCK DOOR BUMPER
- 12' X 14' DRIVE THRU. SECTIONAL OH., STANDARD GRADE. DESIGNED TO RESIST WIND 90 MPH., EXPOSURE "C".
- 3' X 7' HOLLOW METAL EXTERIOR MAN DOOR. DESIGNED TO RESIST WIN 90 MPH., EXPOSURE "C".
- BIKE RACK
- NOT USED
- CONC. FILLED GUARD POST. 6" DIA. U.N.O.. 42"H.
- EXTERIOR DOWNSPOUT WITH OVERFLOW SCUPPER.
- Z GUARD PROVIDED FOR ALL OVERHEAD DOORS

GENERAL NOTES - FLOOR PLAN

- THIS BUILDING IS DESIGNED FOR HIGH PILE STORAGE WITH FIRE ACCESS MAN DOORS AT 100' MAXIMUM O.C. A SEPARATE PERMIT WILL BE REQUIRED FOR ANY RACKING/CONVEYER SYSTEMS.
- FIRE HOSE LOCATIONS SHALL BE APPROVED PER FIRE DEPARTMENT.
- THE BUILDING FLOOR SLAB IS SLOPED, SEE "C" DRAWINGS FOR FINISH SURFACE ELEVATIONS.
- WAREHOUSE INTERIOR CONCRETE WALLS ARE PAINTED WHITE. COLUMNS ARE TO RECEIVE PRIMER ONLY. ALL GYP. BD. WALLS IN WAREHOUSE TO RECEIVE 1 COAT OF WHITE TO COVER.
- SLOPE POUR STRIP 1/2" TO EXTERIOR AT ALL MANDOOR EXITS. SEE "S" DRAWINGS FOR POUR STRIP LOCATION.
- ALL DIMENSIONS ARE TO THE FACE OF CONCRETE PANEL WALL, GRIDLINE, OR FACE OF STUD U.N.O.
- SEE CIVIL DRAWINGS FOR POINT OF CONNECTIONS TO OFF-SITE UTILITIES. CONTRACTOR TO VERIFY ACTUAL UTILITY LOCATIONS. PLUMBING/ELECTRICAL COORDINATION.
- FOR DOOR TYPES AND SIZES, SEE DETAIL SHEET AD.4. NOTE: ALL DOORS PER DOOR SCHEDULE ARE FINISH OPENINGS.
- CONTRACTOR TO PROTECT AND KEEP THE FLOOR SLAB CLEAN. ALL EQUIPMENT TO BE DIAPERED INCLUDING CARS AND TRUCKS.
- ALL EXIT MAN DOORS IN WAREHOUSE TO HAVE ILLUMINATED EXIT SIGN. HARDWARE.
- HIGHLY FLAMMABLE AND COMBUSTIBLE MATERIAL SHALL NOT BE USED OR STORED IN THIS BUILDING.
- EACH EXTERIOR EXIT DOOR SHALL BE IDENTIFIED BY A TACTILE EXIT SIGN WITH THE WORDS "EXIT". THE MOUNTING HEIGHT FOR SUCH SIGNAGE SHALL BE 60" FROM FINISH FLOOR LEVEL TO THE CENTER OF THE SIGN.
- NON-ACCESSIBLE DOOR. PROVIDE WARNING SIGN LOCATED IN THE INTERIOR SIDE PER CBC 11338.1.1.1
- ALL ROOF MOUNTED MATERIALS SHALL BE FULLY SCREENED FROM PUBLIC VIEW, SEE A/44.1 OFFICE SECTION.



OVERALL FLOOR PLAN
scale: 1" = 30'-0"



FLOOR SLAB AND POUR STRIPS REQ.


THESE NOTES ARE VERY MIN. REQUIREMENT. SEE "S" DWGS FOR ADDITIONAL REQUIREMENTS

- FLOOR COMPACTION - 95%
- TRENCH COMPACTION - 90%
- BUILDING FLOOR SLAB:
 - 6" THICK MIN. UNREINFORCED CONCRETE OVER COMPACTED SOILS
 - 3/4" - 16" LONG @ 12" O.C. DOWELS AT ALL CONSTRUCTION JOINTS
 - 3/4" - 16" LONG @ 24" O.C. DOWELS IN DOWEL BASKET AT ALL CONTROL JOINTS.
 - 4,000 P.S.I. REQUIREMENT.
 - SLUMP TO BE 4" +/- 1"
 - JOINT SPACING PER A.C.I. 302-IR-96
 - SAW-CUT DEPTH 1/4 T; SOFT SAW-CUTTING WITHIN 2 HRS OF FINISHING
- CONTRACTOR TO BUILD FOR CLASS V FLOOR PER A.C.I. 302-IR-96
- CONCRETE SLAB TO HAVE STEEL FLOAT HARD TROWEL BURNISHED FINISH.
- CONTRACTOR TO CURE SLAB TO BE WET CURING USING BURLINE FOR 7 DAYS MIN.
- ALL EQUIPMENT & MOVING VEHICLES SHALL BE DIAPERED.
- NO CRANES, CONCRETE TRUCKS, OR ANYTHING HEAVIER WILL BE PLACED ON THE SLAB.
- SLAB TO BE FF35 FL24 MEASURED WITHIN 24 HOURS.
- NO FLY ASH IN THE CONCRETE

- WHERE INDICATED, PROVIDE VAPOR BARRIER (15ML STEGO OR EQUAL) UNDER THE CONCRETE SLAB. PROVIDE SAND PER SOILS ENGINEER OR MANUFACTURER'S RECOMMENDATION.
CONCRETE SLAB IN FUTURE OFFICE AREAS, WHERE SAND OVER VIQUEEN ARE REQUIRED, SHALL BE NATURALLY HYDRATED WITHOUT USE OF BURLINE, CURING COMPOUND, OR RELEASE AGENTS.
CONTROL/CONSTRUCTION JOINTS SHALL NOT BE FILLED WITH MM-80 JOINT FILLER IN FUTURE OFFICE AREAS.
- SEAL CONCRETE SLAB W/ "LIPIDOLITH" SEALER



hpa, inc.
18831 bardeen avenue, - ste. #100
irvine, ca
92612
tel: 949-863-1770
fax: 949-863-0851
email: hpa@hparchs.com



Owner:



WPT INDUSTRIAL REIT
12405 VENICE BLVD., SUITE 383
LOS ANGELES, CA 90066
TEL: 612-800-8507

Project:

WPT
LOGISTICS CENTER -
FONTANA

15719 & 15755 ARROW ROUTE
SAN BERNARDINO, CA

Consultants:

CIVIL STRUCTURAL MECHANICAL PLUMBING ELECTRICAL LANDSCAPE FIRE PROTECTION SOILS ENGINEER

WEBB

Title: OVERALL FLOOR PLAN

Project Number: 20437

Drawn by: X.L.

Date: 04/09/21


Revision:

Sheet:

DAB-A2.1



hpa, inc.
18831 bardeen avenue, - ste. #100
irvine, ca 92612
tel: 949-863-1770
fax: 949-863-0851
email: hpa@hparchs.com



Owner:

INDUSTRIAL
WPT REIT

WPT INDUSTRIAL REIT
12406 VENICE BLVD., SUITE 383
LOS ANGELES, CA 90066
TEL: 612-800-8507

Project:

WPT
LOGISTICS CENTER -
FONTANA

15719 & 15755 ARROW ROUTE
SAN BERNARDINO, CA

Consultants:


CIVIL	WEBB
STRUCTURAL	-
MECHANICAL	-
PLUMBING	-
ELECTRICAL	-
LANDSCAPE	-
FIRE PROTECTION	-
SOILS ENGINEER	-

Title: ELEVATIONS

Project Number: 20437
Drawn by: X.L.
Date: 04/09/21
Revision:


Sheet:

DAB-A3.1




NORTH ELEVATION

scale: 1" = 30'-0"




WEST ELEVATION

scale: 1" = 30'-0"




SOUTH ELEVATION

scale: 1" = 30'-0"



EAST ELEVATION

scale: 1" = 30'-0"



ENLARGED NORTH ELEVATION

scale: 1/8" = 1'-0"

KEYNOTES - ELEVATIONS

- | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 CONCRETE TILT-UP PANEL(PAINTED). | 8 HOLLOW METAL DOORS. SEE DOOR SCHEDULE. PROVIDE COMPLETE WEATHER STRIPPING ALL AROUND DOOR. PROVIDE FOR RAIN DIVERTER ABOVE DOOR. DESIGN TO RESIST 85 MPH WIND EXPOSURE "C". |
| 2 PANEL JOINT. | 9 EXTERIOR DOWNSPOUT AND OVERFLOW SCUPPERS |
| 3 PANEL REVEAL. ALL REVEALS TO HAVE A MAX. OF 3/8" CHAMFER. REVEAL COLOR TO MATCH ADJACENT BUILDING FIELD COLOR. U.N.O. | 10 DOCK BUMPER |
| 4 OVERHEAD DOOR @ DRIVE THRU. SEE DOOR SCHEDULE. PROVIDE COMPLETE WEATHER-STRIPPING PROTECTION ALL AROUND. DESIGN TO RESIST 85 MPH WIND EXPOSURE "C". | 11 ALUMINUM STOREFRONT FRAMING WITH TEMPERED GLAZING AT ALL DOORS, SIDELITES ADJACENT TO DOORS AND GLAZING WITH BOTTOMS LESS THAN 18" ABOVE FINISH FLOOR ELEVATION. DESIGN TO RESIST 85 MPH WIND EXPOSURE "C". |
| 5 OVERHEAD DOOR @ DOCK HIGH. SEE DOOR SCHEDULE. PROVIDE COMPLETE WEATHER-STRIPPING PROTECTION ALL AROUND. DESIGN TO RESIST 85 MPH WIND EXPOSURE "C". | 12 ALUCOBOND METAL CANOPY |
| 6 CONCRETE STAIR, LANDING AND GUARDRAIL W/ METAL PIPE HANDRAIL. PROVIDE NON SKID NOSING TO MEET ADA REQUIREMENTS. PROVIDE CONTRASTING COLORED 3" WIDE WARNING STRIPE INTEGRAL TO CONCRETE AT TOP LANDING AND BOTTOM TREAD PER ADA REQUIREMENTS. | |
| 7 METAL LOUVER, DESIGN TO RESIST 85 MPH WIND EXPOSURE "C". PAINT TO MATCH BUILDING COLOR | |

GENERAL NOTES - ELEVATIONS


- A. ALL PAINT COLOR CHANGES TO OCCUR AT INSIDE CORNERS UNLESS NOTED OTHERWISE.
B. ALL PAINT FINISHES ARE TO BE FLAT UNLESS NOTED OTHERWISE.
C. T.O.P. EL.= TOP OF PARAPET ELEVATION.
D. F.F. = FINISH FLOOR ELEVATION.
E. STOREFRONT CONSTRUCTION: GLASS, METAL ATTACHMENTS AND LINTELS SHALL BE DESIGNED TO RESIST 90 MPH. EXPOSURE "C" WINDS. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS PRIOR TO INSTALLATION.
F. CONTRACTOR SHALL FULLY PAINT ONE CONCRETE PANEL W/ SELECTED COLORS. ARCHITECT AND OWNER SHALL APPROVE PRIOR TO PAINTING REMAINDER OF BUILDING.
G. BACK SIDE OF PARAPETS TO HAVE SMOOTH FINISH AND BE PAINTED WITH ELASTOMERIC PAINT.
H. FOR SPANDREL GLAZING, ALLOW SPACE BEHIND SPANDREL TO BREATHE.
J. USE ADHESIVE BACK WOOD STRIPS FOR ALL REVEAL FORMS.
K. THE FIRST COAT OF PAINT TO BE ROLLED-ON AND THE SECOND COAT TO BE SPRAYED-ON

COLOR SCHEDULE - ELEVATIONS

- | | | |
|---|------------------------|-----------------------------------------------------------------------------------------------------------|
| 1 | CONCRETE TILT-UP PANEL | SHERWIN WILLIAMS
PAINT BRAND_SW 7005 PURE WHITE |
| 2 | CONCRETE TILT-UP PANEL | SHERWIN WILLIAMS
PAINT BRAND_SW 7071 GRAY SCREEN |
| 3 | CONCRETE TILT-UP PANEL | SHERWIN WILLIAMS
PAINT BRAND_SW 7043 WORLDLY GRAY |
| 4 | CONCRETE TILT-UP PANEL | SHERWIN WILLIAMS
PAINT BRAND_SW 7045 INTELLECTUAL GRAY |
| 5 | MULLIONS | COLOR_CLEAR ANODIZED |
| 6 | GLAZING | COLOR_BLUE REFLECTIVE |
| 7 | METAL CANOPY | SHERWIN WILLIAMS ACRYLIC LATEX
SYSTEMS HIGH GLOSS/HIGH PERFORMANCE
PAINT BRAND_SW 7073 NETWORK GRAY |
| 8 | CONCRETE TILT-UP PANEL | FORMLINER 14307 FLUTED RIB
PAINT BRAND_SW 7071 GRAY SCREEN |

GLAZING LEGEND

- | |
|----------------|
| SPANDREL GLASS |
| VISION GLASS |



WPT INDUSTRIAL REIT
2405 VENICE BLVD., SUITE 383
LOS ANGELES, CA 90066
TEL: 612-800-8507

15719 & 15755 ARROW ROUTE
SAN BERNARDINO, CA

CONSULTANTS:	WEBB
CIVIL	-
STRUCTURAL	-
MECHANICAL	-
PLUMBING	-
ELECTRICAL	-
LANDSCAPE	-
ENVIRONMENTAL PROTECTION	-
SALES ENGINEER	-

Project Number: 20437
Drawn by: X.L.
Date: 04/09/21
Revision:

DAB-A4.1





Project:
WPT
LOGISTICS CENTER -
FONTANA


■
Consultants:

VIL	WEBB
STRUCTURAL	-
MECHANICAL	-
PLUMBING	-
ELECTRICAL	-
LANDSCAPE	-
PE PROTECTION	-
LS ENGINEER	-

title: SCREENWALL


Project Number: 20437
Drawn by: X.L.
Date: 04/09/21
Revision:

Sheet:



1 CONCRETE TILT SCREEN WALL
2 PANEL REVEAL
3 PANEL JOINT

SHERWIN WILLIAMS
SW 7071
GRAY SCREEN



1